

**GS1 standards in the logistic:  
Logistic information flow with EANCOM® 2002  
Version 2.3**

Transport Notification  
(IFTMIN)

EANCOM 2002 Syntax 3

Introduction.....	2
Business Terms .....	4
Branching Diagram .....	10
Message structure .....	23
Segment Layout .....	26
Used Codes.....	123
Example.....	233

### Introduction

The aim of the brochure on hand is to offer documentation describing the exchange of purchase order data between business partners.

The basis of this elaboration is the international standard EANCOM® 2002. The message type IFTMIN 004 is used to transmit relevant data. GEFEG.FX (Gefeg mbH, Berlin) was used as the documentation tool.

Please be aware to know that this booklet does not replace the complete specifications in the original chapters or other relevant instructions within the EANCOM® 2002 documentation. Instead, it deals with the description of segments, data elements and codes to be used for a specific task.

The current documentation has been produced by the GS1 Germany GmbH in Cologne. GS1 Germany assumes no liability for any damages incurring from the use of this documentation. This brochure or extracts thereof may only be published or forwarded to third parties with the express written consent of GS1 Germany, which holds copyright on this work.

#### Important note:

To fulfill the requirements of directive 2003/58/EG, article 4, C058 has been opened in NAD segments identifying a message sender. If the place in the 5 DE 3124 is not sufficient, the following RFF segments can be used, qualified with DE 1153 = GN. DE 1154 has got a capacity of 70 digits. Only in those cases, when no RFF segment follows NAD, a RFF+GN can be used in the heading section of the message. Within the EDI recommendations of GS1 Germany this is only applicable for the messages REMADV and SLSFCT.

This brochure offers different ways to start:

"Introduction" contains a short description of the respective message.

"Business Terms", is a table which links directly to the sequence numbers of the segments.

"Diagram", is a hierarchical graphic depiction of all used segments in the same sequence as they are defined in the EANCOM® message. However, every segment is shown only once, and it is therefore possible that the sequence numbering is interrupted.

"Structure", is a list of all used segments in the same sequence as they are defined in the EANCOM® message. In general, for each piece of information one single segment is provided. Exeptions may arise when the the occurence of a segment is limited and can contain alternative information (e.g., segment BGM).

"Segmentlayout", an illustration that has been chosen to match the business terms (data from the inhouse application) with the elements from the EANCOM® syntax.

"Codes" contains a list of the codes used in the message.

"Examples", provides at least one message example with comments. Please note that, for technical reasons, the examples can contain component data element separators, which would otherwise be represented as data element separators in the original messages.

"Print" opens the PDF documentation for the corresponding message.

The following conventions apply to this brochure:

## **Introduction**

---

Message structure

Heading section

Specification of buyer and supplier, message date and number.

Detail section

Specification of SSCC to identify shipments and quantity.

Summary section

Specification of totals of the message.

**Business Terms**

<b>Business Term</b>	<b>EANCOM-Segment</b>		<b>Data Element</b>	
	Seg.-No.	Segment SG	DEG	DE
Acknowledgement request	2	UNB		0031
Additional identification of the consignor	42	RFF SG11#1\SG15#1	C506	1154
Additional identification of the delivery address	48	RFF SG11#2\SG15#1	C506	1154
Additional information	65	FTX SG18#1	C108	4440
Additional information 1	18	FTX	C108	4440
Additional information 2	18	FTX	C108	4440
Additional information 2	65	FTX SG18#1	C108	4440
Additional information 3	18	FTX	C108	4440
Additional information 3	65	FTX SG18#1	C108	4440
Additional information 4	18	FTX	C108	4440
Additional information 4	65	FTX SG18#1	C108	4440
Additional information 5	18	FTX	C108	4440
Additional information 5	65	FTX SG18#1	C108	4440
Additional specification of classification code	77	DGS SG18#1\SG32#1	C205	8078
Address for reverse routing	2	UNB	S002	0008
Application reference	2	UNB		0026
Cargo type	13	TSR	C703	7085
Character set	2	UNB	S001	0001
COD amount	17	MOA	C516	5004
Communication number	41	COM SG11#1\SG12#1	C076	3148
Communication number	47	COM SG11#2\SG12#1	C076	3148
Component data element separator	1	UNA		UNA1
Consignee	54	NAD SG11#7	C082	3039
Corresponding goods item equipment	76	SGP SG18#1\SG29#1	C237	8260
Country of the consignor, coded	38	NAD SG11#1		3207
Country of the receiver, coded	44	NAD SG11#2		3207
Country of the receiver, coded	50	NAD SG11#3		3207
Country of the ultimate customer, coded	59	NAD SG11#12		3207
Creation date	5	DTM	C507	2380
Dangerous goods code, version number	77	DGS SG18#1\SG32#1	C205	8092
Dangerous goods type (code)	81	FTX SG18#1\SG32#1	C107	4441
Dangerous goods type (free text)	81	FTX SG18#1\SG32#1	C108	4440
Dangerous goods weight	86	MEA SG18#1\SG32#1\SG34#1	C174	6314
Data element separator	1	UNA		UNA2
Date of announcement for returns	34	DTM SG3#5	C507	2380

**Business Terms**

<b>Business Term</b>	<b>EANCOM-Segment</b>		<b>Data Element</b>	
	Seg.-No.	Segment SG	DEG	DE
Date of announcement for returns of the position	72	DTM SG18#1\SG22#1	C507	2380
Decimal notation	1	UNA		UNA3
Delivery date	6	DTM	C507	2380
Delivery note	27	RFF SG3#2	C506	1154
Delivery Time (Time slot information)	15	TSR	C536	4065
Department	40	CTA SG11#1\SG12#1	C056	3413
Department	46	CTA SG11#2\SG12#1	C056	3413
Description of goods	66	FTX SG18#1	C108	4440
Description of goods 2	66	FTX SG18#1	C108	4440
Description of goods 3	66	FTX SG18#1	C108	4440
Description of goods 4	66	FTX SG18#1	C108	4440
Description of goods 5	66	FTX SG18#1	C108	4440
Document qualification	4	BGM	C002	1000
EANCOM	2	UNB		0032
Earliest delivery date	7	DTM	C507	2380
Earliest pick-up date	10	DTM	C507	2380
End of the transmission file	91	UNZ		0036
File creation date	2	UNB	S004	0017
File creation time	2	UNB	S004	0019
General measurement of the position	68	MEA SG18#1\SG20#2	C174	6314
General reference	35	RFF SG3#6	C506	1154
General reference date	36	DTM SG3#6	C507	2380
Goods value for insurance	16	MOA	C516	5004
Gross weight of the position	67	MEA SG18#1\SG20#1	C174	6314
Hazard Causing Material (code)	79	FTX SG18#1\SG32#1	C107	4441
Hazard Causing Material (free text)	79	FTX SG18#1\SG32#1	C108	4440
Hazardous cargo transport authorisation	77	DGS SG18#1\SG32#1		8211
Hazardous to the environment (Yes/No)	80	FTX SG18#1\SG32#1	C107	4441
Height	69	DIM SG18#1\SG21#1	C211	6008
Identification of the Freight Forwarder	53	NAD SG11#6	C082	3039
Identification of the Logistic Service Provider (Transport)	52	NAD SG11#5	C082	3039
Identification of the name of sub-entities (state, province) defined by appropriate governmental agencies	44	NAD SG11#2	C819	3229

**Business Terms**

<b>Business Term</b>	<b>EANCOM-Segment</b>		<b>Data Element</b>	
	Seg.-No.	Segment SG	DEG	DE
Identification of the name of sub-entities (state, province) defined by appropriate governmental agencies	50	NAD SG11#3	C819	3229
Identification of the name of sub-entities (state, province) defined by appropriate governmental agencies	59	NAD SG11#12	C819	3229
Identification of the sender	50	NAD SG11#3	C082	3039
Identification of the Time Slot Management System (ZFS)	51	NAD SG11#4	C082	3039
Identification of the ultimate customer	59	NAD SG11#12	C082	3039
Identification of the receiver of the transmission file	2	UNB	S003	0010
Identification of the sender of the transmission file	2	UNB	S002	0004
Interchange control reference, beginnig	2	UNB		0020
Interchange control reference, end	91	UNZ		0020
Latest delivery date	8	DTM	C507	2380
Latest pick-up date	11	DTM	C507	2380
Length	69	DIM SG18#1\SG21#1	C211	6168
Loading aids	87	EQD SG37#1		8053
Loading vessel ID	87	EQD SG37#1	C237	8260
Marking with number of a package	75	PCI SG18#1\SG23#2		4233
Message reference number	3	UNH		0062
Name 2 of the consignor	38	NAD SG11#1	C080	3036
Name 2 of the receiver	44	NAD SG11#2	C080	3036
Name 2 of the sender	50	NAD SG11#3	C080	3036
Name 2 of the ultimate customer	59	NAD SG11#12	C080	3036
Name 3 of the consignor	38	NAD SG11#1	C080	3036
Name 3 of the receiver	44	NAD SG11#2	C080	3036
Name 3 of the sender	50	NAD SG11#3	C080	3036
Name 3 of the ultimate customer	59	NAD SG11#12	C080	3036
Name of the consignor	38	NAD SG11#1	C080	3036
Name of the contact person	40	CTA SG11#1\SG12#1	C056	3412
Name of the contact person	46	CTA SG11#2\SG12#1	C056	3412
Name of the receiver	44	NAD SG11#2	C080	3036
Name of the sender	50	NAD SG11#3	C080	3036
Name of the ultimate customer	59	NAD SG11#12	C080	3036

**Business Terms**

<b>Business Term</b>	<b>EANCOM-Segment</b>		<b>Data Element</b>	
	Seg.-No.	Segment SG	DEG	DE
Number of a package	75	PCI SG18#1\SG23#2	C210	7102
Number of announcement for returns	33	RFF SG3#5	C506	1154
Number of announcement for returns of the position	71	RFF SG18#1\SG22#1	C506	1154
Number of dangerous goods document primary hazard	77	DGS SG18#1\SG32#1	C236	8246
Number of dangerous goods document secondary hazard	77	DGS SG18#1\SG32#1	C236	8246
Number of dangerous goods document secondary hazard	77	DGS SG18#1\SG32#1	C236	8246
Number of loading aids	88	EQN SG37#1	C523	6350
Number of messages or message groups	91	UNZ		0036
Number of packages	60	GID SG18#1	C213	7224
Number of packages	82	FTX SG18#1\SG32#1	C108	4440
Number of pallet places	89	MEA SG37#1	C174	6314
Number of units	70	EQN SG18#1\SG21#1	C523	6350
Order date	28	DTM SG3#2	C507	2380
Order date	30	DTM SG3#3	C507	2380
Order number (buyer)	29	RFF SG3#3	C506	1154
Order number (buyer)	31	RFF SG3#4	C506	1154
Ordering customer	55	NAD SG11#8	C082	3039
Other service information	85	FTX SG18#1\SG32#1	C108	4440
Package identification type	73	PCI SG18#1\SG23#1		4233
Packaging danger level code	77	DGS SG18#1\SG32#1		8339
Packaging Type	82	FTX SG18#1\SG32#1	C108	4440
Packaging type in plain text	82	FTX SG18#1\SG32#1	C108	4440
Party to receive freight bill	56	NAD SG11#9	C082	3039
Password interchange	2	UNB	S005	0022
Pick-up date	9	DTM	C507	2380
Pick-up Time (Time slot information)	14	TSR	C536	4065
Place of the consignor - name of a city (town, village) for addressing purposes.	38	NAD SG11#1		3164
Place of the receiver - name of a city (town, village) for addressing purposes.	44	NAD SG11#2		3164

**Business Terms**


<b>Business Term</b>	<b>EANCOM-Segment</b>		<b>Data Element</b>	
	Seg.-No.	Segment SG	DEG	DE
Place of the sender - name of a city (town, village) for addressing purposes.	50	NAD SG11#3		3164
Place of ultimate customer - name of a city (town, village) for addressing purposes	59	NAD SG11#12		3164
Postcode of the consignor	38	NAD SG11#1		3251
Postcode of the receiver	44	NAD SG11#2		3251
Postcode of the receiver	50	NAD SG11#3		3251
Postcode of ultimate customer	59	NAD SG11#12		3251
Preserved time slot	12	DTM	C507	2380
Reference number of the sender	26	RFF SG3#1	C506	1154
Release character	1	UNA		UNA4
Requirements for the means of transport	37	TDT SG8#1	C228	8179
Reserved for future use	1	UNA		UNA5
Routing address	2	UNB	S003	0014
Segment terminator	1	UNA		UNA6
Serial Shipping Container Code (SSCC)	74	GIN SG18#1\SG23#1	C208	7402
Serial Shipping Container Code (SSCC)	74	GIN SG18#1\SG23#1	C208	7402
Serial Shipping Container Code (SSCC)	74	GIN SG18#1\SG23#1	C208	7402
Serial Shipping Container Code (SSCC)	74	GIN SG18#1\SG23#1	C208	7402
Serial Shipping Container Code (SSCC)	74	GIN SG18#1\SG23#1	C208	7402
Ship from / Place of loading	38	NAD SG11#1	C082	3039
Ship from / Place of loading	39	LOC SG11#1	C517	3225
Ship from / Place of unloading	45	LOC SG11#2	C517	3225
Specification of dangerous goods classification according to ADR	77	DGS SG18#1\SG32#1	C205	8351
Stackable yes/no	61	HAN SG18#1	C524	4079
Statements on business letters	43	RFF SG11#1\SG15#2	C506	1154
Statements on business letters	49	RFF SG11#2\SG15#2	C506	1154
Street and number of the consignor	38	NAD SG11#1	C059	3042
Street and number of the receiver	44	NAD SG11#2	C059	3042
Street and number of the sender	50	NAD SG11#3	C059	3042
Street of ultimate customer	59	NAD SG11#12	C059	3042
Supplier	58	NAD SG11#11	C082	3039
Suppliers order date	32	DTM SG3#4	C507	2380
Syntax version	2	UNB	S001	0002
Technical name	78	FTX SG18#1\SG32#1	C108	4440



**Business Terms**


<b>Business Term</b>	<b>EANCOM-Segment</b>		<b>Data Element</b>	
	Seg.-No.	Segment SG	DEG	DE
Technical name 2	78 FTX	SG18#1\SG32# 1	C108	4440
Technical name 3	78 FTX	SG18#1\SG32# 1	C108	4440
Technical name 4	78 FTX	SG18#1\SG32# 1	C108	4440
Technical name 5	78 FTX	SG18#1\SG32# 1	C108	4440
Temperature adjustment	63 TMP	SG18#1	C239	6246
Temperature range lower limit	64 RNG	SG18#1	C280	6162
Temperature range upper limit	64 RNG	SG18#1	C280	6152
Terms of delivery	24 TOD	SG2#1	C100	4053
Terms of transport	25 TOD	SG2#2	C100	4053
Test indicator	2 UNB			0035
Total gross weight	19 CNT		C270	6066
Total loading metres	22 CNT		C270	6066
Total net weight	20 CNT		C270	6066
Total number of packages	21 CNT		C270	6066
Total number of segments	90 UNT			0074
Transport category	83 FTX	SG18#1\SG32# 1	C108	4440
Transport notification number	4 BGM		C106	1004
Transport service type	13 TSR		C537	4219
Tunnel restriction code	84 FTX	SG18#1\SG32# 1	C108	4440
Ultimate consignee	57 NAD	SG11#10	C082	3039
UN number	77 DGS	SG18#1\SG32# 1	C234	7124
Venue details	23 CNT		C270	6066
Width	69 DIM	SG18#1\SG21# 1	C211	6140

## Branching Diagram




Tag	Tag = Segment/Group Tag
St   MaxOcc	St = Status (M=Mandatory, C=Conditional, R=Required, O=Optional, A=Advised, D=Dependent)
No	MaxOcc = Maximum occurrence of the segment/group; No = Consecutive segment number

## Branching Diagram




Tag	Tag = Segment/Group Tag
St   MaxOcc	St = Status (M=Mandatory, C=Conditional, R=Required, O=Optional, A=Advised, D=Dependent)
No	MaxOcc = Maximum occurrence of the segment/group; No = Consecutive segment number

## Branching Diagram




Tag	Tag = Segment/Group Tag
St   MaxOcc	St = Status (M=Mandatory, C=Conditional, R=Required, O=Optional, A=Advised, D=Dependent)
No	MaxOcc = Maximum occurrence of the segment/group; No = Consecutive segment number

## Branching Diagram



Tag	Tag = Segment/Group Tag
St   MaxOcc	St = Status (M=Mandatory, C=Conditional, R=Required, O=Optional, A=Advised, D=Dependent)
No	MaxOcc = Maximum occurrence of the segment/group; No = Consecutive segment number


## Branching Diagram



Tag	Tag = Segment/Group Tag
St   MaxOcc	St = Status (M=Mandatory, C=Conditional, R=Required, O=Optional, A=Advised, D=Dependent)
No	MaxOcc = Maximum occurrence of the segment/group; No = Consecutive segment number


## Branching Diagram

---



Tag	Tag = Segment/Group Tag
St   MaxOcc	St = Status (M=Mandatory, C=Conditional, R=Required, O=Optional, A=Advised, D=Dependent)
No	MaxOcc = Maximum occurrence of the segment/group; No = Consecutive segment number


## Branching Diagram



Tag	Tag = Segment/Group Tag
St   MaxOcc	St = Status (M=Mandatory, C=Conditional, R=Required, O=Optional, A=Advised, D=Dependent)
No	MaxOcc = Maximum occurrence of the segment/group; No = Consecutive segment number




## Branching Diagram




Tag	Tag = Segment/Group Tag
St   MaxOcc	St = Status (M=Mandatory, C=Conditional, R=Required, O=Optional, A=Advised, D=Dependent)
No	MaxOcc = Maximum occurrence of the segment/group; No = Consecutive segment number

## Branching Diagram




Tag	Tag = Segment/Group Tag	
St	MaxOcc	St = Status (M=Mandatory, C=Conditional, R=Required, O=Optional, A=Advised, D=Dependent)
No	MaxOcc = Maximum occurrence of the segment/group; No = Consecutive segment number	

## Branching Diagram



Tag	Tag = Segment/Group Tag
St   MaxOcc	St = Status (M=Mandatory, C=Conditional, R=Required, O=Optional, A=Advised, D=Dependent)
No	MaxOcc = Maximum occurrence of the segment/group; No = Consecutive segment number


## Branching Diagram



Tag	Tag = Segment/Group Tag
St   MaxOcc	St = Status (M=Mandatory, C=Conditional, R=Required, O=Optional, A=Advised, D=Dependent)
No	MaxOcc = Maximum occurrence of the segment/group; No = Consecutive segment number


## Branching Diagram

---



Tag	Tag = Segment/Group Tag
St   MaxOcc	St = Status (M=Mandatory, C=Conditional, R=Required, O=Optional, A=Advised, D=Dependent)
No	MaxOcc = Maximum occurrence of the segment/group; No = Consecutive segment number

## Branching Diagram



Tag	Tag = Segment/Group Tag
St   MaxOcc	St = Status (M=Mandatory, C=Conditional, R=Required, O=Optional, A=Advised, D=Dependent)
No	MaxOcc = Maximum occurrence of the segment/group; No = Consecutive segment number

## Message Structure

Seg.	No.	Status	Max Occ	Segment
UNA	1	R	1	Used character set
UNB	2	M	1	Beginning of transmission file
<b>Heading Section</b>				
UNH	3	M	1	Beginn of message
BGM	4	M	1	Document number
DTM	5	R	1	Creation date
DTM	6	D	1	Delivery date
DTM	7	O	1	Earliest delivery date
DTM	8	O	1	Latest delivery date
DTM	9	D	1	Pick-up date
DTM	10	O	1	Earliest pick-up date
DTM	11	O	1	Latest pick-up date
DTM	12	O	2	Preserved time slot
TSR	13	O	9	Transport service
TSR	14	R	9	Pick-up Time (Time slot information)
TSR	15	R	9	Delivery Time (Time slot information)
MOA	16	O	1	Goods value for insurance
MOA	17	O	1	COD amount
FTX	18	O	99	Additional informationen
CNT	19	R	1	Control total gross weight
CNT	20	O	1	Control total net weight
CNT	21	O	1	Total number of packages
CNT	22	O	1	Total loading metres
CNT	23	O	1	Venue details
SG2		R	1	TOD
TOD	24	R	1	Terms of delivery
SG2		O	1	TOD
TOD	25	R	1	Terms of transport
SG3		O	1	RFF
RFF	26	M	1	Reference number of the sender
SG3		O	1	RFF-DTM
RFF	27	M	1	Delivery note
DTM	28	O	1	Delivery note date
SG3		D	1	RFF-DTM
RFF	29	M	1	Order number (buyer)
DTM	30	O	1	Order date
SG3		O	1	RFF-DTM
RFF	31	M	1	Order number (supplier)
DTM	32	O	1	Suppliers order date
SG3		O	1	RFF-DTM
RFF	33	M	1	Number of announcement for returns
DTM	34	O	9	Date of announcement for returns
SG3		O	999	RFF-DTM
RFF	35	M	1	General references
DTM	36	O	1	General reference date
SG8		O	1	TDT
TDT	37	M	1	Requirements for the means of transport
SG11		R	1	NAD-LOC-SG12-SG15-SG15
NAD	38	M	1	Identification of the consignor and place of loading

Max. Occ. = Maximum occurrence of the segment/group, Status: M=Mandatory, C=Conditional, R=Required, O=Optional, A=Advised, D=Dependent

**Message Structure**

Seg.	No.	Status	Max Occ	Segment
LOC	39	O	1	Place of loading
SG12		O	9	CTA-COM
CTA	40	M	1	Contact person or department place of loading
COM	41	O	9	Communication number
SG15		O	1	RFF
RFF	42	M	1	Additional identification of the consignor
SG15		D	1	RFF
RFF	43	M	1	Statements on business letters
SG11		R	1	NAD-LOC-SG12-SG15-SG15
NAD	44	M	1	Identification of the delivery party (End customer)
LOC	45	O	1	Place of unloading
SG12		O	9	CTA-COM
CTA	46	M	1	Contact person or department place of loading
COM	47	O	9	Communication number
SG15		O	1	RFF
RFF	48	M	1	Additional identification of the delivery address
SG15		D	1	RFF
RFF	49	M	1	Statements on business letters
SG11		R	1	NAD
NAD	50	M	1	Identification of the sender
SG11		O	1	NAD
NAD	51	M	1	Identification of the Time Slot Management System (ZFS)
SG11		R	1	NAD
NAD	52	M	1	Identification of the Logistic Service Provider (Transport)
SG11		O	1	NAD
NAD	53	M	1	Identification of the Freight Forwarder
SG11		O	1	NAD
NAD	54	M	1	Consignee
SG11		O	1	NAD
NAD	55	M	1	Ordering customer
SG11		O	1	NAD
NAD	56	M	1	Party to receive freight bill
SG11		O	1	NAD
NAD	57	M	1	Ultimate consignee
SG11		O	1	NAD
NAD	58	M	1	Supplier
SG11		O	1	NAD
NAD	59	M	1	Identification of the ultimate customer
<b>Detail Section</b>				
SG18		R	999	GID-HAN-HAN-TMP-RNG-FTX-FTX-SG20-SG20-SG21-SG22-SG23-SG23-SG29-SG32

Max. Occ. = Maximum occurrence of the segment/group, Status: M=Mandatory, C=Conditional, R=Required, O=Optional, A=Advised, D=Dependent



## Message Structure

Seg.	No.	Status	Max Occ	Segment
GID	60	R	1	Number of packages
HAN	61	O	1	Handling instructions (Stackable Yes/No)
HAN	62	O	99	General handling instructions
TMP	63	O	1	Temperature
RNG	64	O	1	Temperature range
FTX	65	O	99	Additional information
FTX	66	O	99	Description of goods
SG20		O	1	MEA
MEAS	67	M	1	Gross weight of the position
SG20		O	99	MEA
MEAS	68	M	1	General measurements of the position
SG21		O	1	DIM-EQN
DIMS	69	R	1	Dimensions (LWH)
EQNS	70	O	1	Number of units
SG22		O	1	RFF-DTM
RFFS	71	M	1	Number of announcement for returns of the position
DTMS	72	O	9	Date of announcement for returns of the position
SG23		O	999	PCI-GIN
PCIS	73	M	1	Marking with SSCC
GIN	74	R	10	Serial Shipping Container Code (SSCC)
SG23		O	999	PCI
PCIS	75	M	1	Kennzeichnung mit Paketnummer
SG29		O	1	SGP
SGPS	76	M	1	Goods item placement
SG32		O	1	DGS-FTX-FTX-FTX-FTX-FTX-FTX-FTX-FTX-SG34
DGS	77	M	1	Dangerous goods
FTX	78	O	1	Technical name of dangerous goods
FTX	79	D	1	Hazard Causing Material
FTX	80	O	1	Environmentally hazardous (Yes/No)
FTX	81	O	1	Dangerous goods type EQ / LQ / SV
FTX	82	D	1	Packaging type
FTX	83	O	1	Transport category
FTX	84	O	1	Tunnel restriction code
FTX	85	O	1	Other service information of dangerous goods
SG34		O	9	MEA
MEAS	86	M	1	Dimensions of dangerous goods
SG37		O	999	EQD-EQN-MEA
EQDS	87	M	1	Loading aids & loading vessel ID
EQNS	88	D	1	Number of loading aids
MEAS	89	O	1	Number of pallet places
<b>Summary Section</b>				
UNT	90	M	1	End of message
UNZ	91	M	1	End of the transmission file

Max. Occ. = Maximum occurrence of the segment/group, Status: M=Mandatory, C=Conditional, R=Required, O=Optional, A=Advised, D=Dependent

## Segment Layout

No. Seg	St	Max. Occ.			
1	<b>UNA</b>	R 1	Service string advice		
To define the characters selected for use as delimiters and indicators in the rest of the interchange that follows.					
Business Term	DE	EDIFACT	Format	St	* Description
Component data element separator	UNA1	Component data element separator	an1	M	Default value: ":"
Data element separator	UNA2	Data element separator	an1	M	Default value: "+"
Decimal notation	UNA3	Decimal notation	an1	M	Default value: "."
Release character	UNA4	Release indicator	an1	M	Default value: "?"
Reserved for future use	UNA5	Reserved for future use	an1	M	(Default value: space )
Segment terminator	UNA6	Segment terminator	an1	M	Default value: "' '
<p>Segmentstatus: Mandatory</p> <p>The use of the UNA segment is mandatory, if character set "A" (UNB,DE0001) is not used. For international EDI the use of character set UNOA is recommended. For national (German) EDI the use of UNOC is reasonable because it contains lower case letters and umlauts.</p> <p>Example: UNA:+.?' '</p> <p>The UNA segment contains the default service string characters.</p>					

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
 Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No. Seg	St	Max. Occ.				
2	<b>UNB</b>	M 1	Interchange header To start, identify and specify an interchange.			
Business Term	DE	EDIFACT	Format	St	*	Description
	S001	Syntax identifier		M		
Character set	0001	Syntax identifier	a4	M		UNOA UN/ECE level A UNOB UN/ECE level B UNOC UN/ECE level C UNOD UN/ECE level D UNOE UN/ECE level E UNOF UN/ECE level F
Syntax version	0002	Syntax version number	n1	M	*	3 Version 3
	S002	Interchange sender		M		
Indentification of the sender of the transmission file	0004	Sender identification	an..35	M		= Global Location Number (GLN)
	0007	Partner identification code qualifier	an..4	R	*	14 GS1
Address for reverse routing	0008	Address for reverse routing	an..14	O		See note
	S003	Interchange recipient		M		
Indentification of the receiver of the transmission file	0010	Recipient identification	an..35	M		= Global Location Number (GLN)
	0007	Partner identification code qualifier	an..4	R	*	14 GS1
Routing address	0014	Routing address	an..14	O		See note
	S004	Date/time of preparation		M		
File creation date	0017	Date of preparation	n6	M		= Dateformat JJMMTT
File creation time	0019	Time of preparation	n4	M		= Timeformat HHMM
Interchange control reference, beginnig	0020	Interchange control reference	an..14	M		= Unique senders reference
	S005	Recipient's reference, password		O		
Password interchange	0022	Recipient's reference/ password	an..14	M		
	0025	Recipient's reference/ password qualifier	an2	O	*	AA Reference BB Password
Application reference	0026	Application reference	an..14	O		Message type if the transmission fole contains only one message type
	0029	Processing priority code	a1	O	*	A Highest priority
Acknowledgement request	0031	Acknowledgement request	n1	O		
EANCOM	0032	Communications agreement ID	an..35	R		= EANCOM... EDIFACT subset identification (see note)
Test indicator	0035	Test indicator	n1	O	*	1 Interchange is a test

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

Segmentstatus: Mandatory

For international EDI the use of character set UNOA is recommended. For national (German) EDI the use of UNOC is reasonable because it contains lower case letters and umlauts.

Note DE 0008:

The address for reverse routing is provided by the interchange sender to inform the interchange recipient of the address within the sender's (source) system to which responding interchanges must be sent. It is recommended that the GLN be used for this purpose.

Note DE 0014:

The routing address is used to identify the receiver, if a provider adds service values for the actual receiver (e.g. consolidated companies, corporate group). The use of the identification system (e.g. GLN) has to be agreed bilaterally.

Note DE 0020:

This data element must contain a consistent sequential number per interchange between sender and receiver of the transmission.

Note DE 0032:

This data element is used to identify any underlying agreements which control the exchange of data. Within EANCOM, the identity of such agreements must start with the letters 'EANCOM', the remaining characters within the data element being filled according to bilateral agreements.

Example: UNB+UNOC:3+4012345000009:14:4012345000018+4000004000002:14:4000004000099+161013:1043+4711+REF:AA+++EANCOM+1'

The EANCOM file 4711 dated 13.10.2016, 10 h 43 is sent by the issuer identified with GLN 4012345000009 to the receiver identified with GLN 4000004000002.

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes

Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No. Seg	St	Max. Occ.				
3	<b>UNH</b>	M 1	Message header To head, identify and specify a message.			
Business Term	DE	EDIFACT	Format	St	*	Description
Message reference number	0062	Message reference number	an..14	M		Senders unique message reference. Sequence number of the messages in the interchange. DE 0062 in the UNT will be identical. Sender generated, e.g. ME000001.
	S009	Message identifier		M		
	0065	Message type	an..6	M	*	IFTMIN <b>Instruction message</b>
	0052	Message version number	an..3	M	*	D <b>Draft version/ UN/EDIFACT Directory</b>
	0054	Message release number	an..3	M	*	01B <b>Release 2001 - B</b>
	0051	Controlling agency	an..2	M	*	UN <b>UN/CEFACT</b>
	0057	Association assigned code	an..6	R	*	EAN004 <b>GS1 version control number (GS1 Permanent Code)</b>  Indicates that the message is the EANCOM version 004 of the UNSM Transport Instructions.
Segmentstatus: Mandatory This segment is used to head, identify and specify a message.  Example: <b>UNH+ME000001+IFTMIN:D:01B:UN:EAN004'</b> The reference number of the IFTMIN message is ME000001.						

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
 Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No. Seg	St	Max. Occ.				
4	<b>BGM</b>	M 1	Beginning of message To indicate the type and function of a message and to transmit the identifying number.			
Business Term	DE	EDIFACT	Format	St	* Description	
	C002	Document/message name		R		
	1001	Document name code	an..3	R	* 610 <b>Speditionsauftrag</b>	
	1131	Code list identification code	an..17	N		
	3055	Code list responsible agency code	an..3	N		
<b>Document qualification</b>	1000	Document name	an..35	O	609 = TRANSPORT NOTIFICATION	
	C106	Document/message identification		R		
<b>Transport notification number</b>	1004	Document identifier	an..35	R		
	1225	Message function code	an..3	R	9 Original The message function, coded is a critical data element in this segment. It applies to all data indicated in the message. Consequently, one separate message has to be provided per type of function required. The following definitions apply for the restricted codes: 9 = Original - Original transmission of the transport instruction message.	
<p>Segmentstatus: Mandatory                      This segment is used to indicate the type and function of a message and to transmit the identifying number.                      All references other than the document number DE 1004 are to be put in the RFF segment.                      In the sense of a best practice application, the DE 1225 should always be the Original - Original transfer of the transport / forwarding advice note.</p> <p>Example: <b>BGM+610:::609+569952+9'</b>                      The Document Number is 569952.</p>						

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
 Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No.	Seg	St	Max. Occ.			
5	<b>DTM</b>	R	1	Date/time/period To specify date, and/or time, or period.		
Business Term	DE	EDIFACT	Format	St	*	Description
	C507	Date/time/period		M		
	2005	Date or time or period function code qualifier	an..3	M	*	137 Document/ message date/ time
Creation date	2380	Date or time or period value	an..35	R		
	2379	Date or time or period format code	an..3	R		102 CCYYMMDD 203 CCYYMMDDHHMM
<p>Segmentstatus: Mandatory                      Identification of the 'Document/message date/time' (code value 137) is mandatory in the invoice message.</p> <p>Example: <code>DTM+137:20160823:102'</code>                      The document date is the 23th of August 2016.</p> <p>Example: <code>DTM+137:201701100800:203'</code>                      The document date is the 23th of August 2016, 8 o'clock.</p>						

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
 Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No. Seg	St	Max. Occ.				
6	<b>DTM</b>	D 1	Date/time/period To specify date, and/or time, or period.			
Business Term	DE	EDIFACT	Format	St	*	Description
	C507	Date/time/period		M		
	2005	Date or time or period function code qualifier	an..3	M	*	2 Delivery date/ time, requested
Delivery date	2380	Date or time or period value	an..35	R		
	2379	Date or time or period format code	an..3	R		102 CCYYMMDD 203 CCYYMMDDHHMM 719 CCYYMMDDHHMM- CCYYMMDDHHMM
<p>Segmentstatus: Dependent  Date on which goods will be delivered.  This delivery date relates to the first delivery place.  Note: The delivery date must correspond to the date specified in the delivery note and must be specified if working with time slot management systems.</p> <p>Example: DTM+2:20160719:102'  The delivery date should be on the 19th of July 2016.</p>						

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



## Segment Layout

No. Seg	St	Max. Occ.				
7	<b>DTM</b>	O 1	Date/time/period To specify date, and/or time, or period.			
Business Term	DE	EDIFACT	Format	St	*	Description
	C507	Date/time/period		M		
	2005	Date or time or period function code qualifier	an..3	M	*	64 Delivery date/ time, earliest
Earliest delivery date	2380	Date or time or period value	an..35	R		
	2379	Date or time or period format code	an..3	R		102 JJJJMMTT 203 JJJJMMTTHHMM 719 JJJJMMTTHHMM- JJJJMMTTHHMM
Segmentstatus: Optional Date and / or time of the earliest delivery date.  Example: DTM+64:201607191000:203' The earliest delivery date is the 19th of July 2016, 10 o'clock.						

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
 Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No. Seg	St	Max. Occ.				
8	<b>DTM</b>	O 1	Date/time/period To specify date, and/or time, or period.			
Business Term	DE	EDIFACT	Format	St	*	Description
	C507	Date/time/period		M		
	2005	Date or time or period function code qualifier	an..3	M	*	63 Delivery date/ time, latest
Latest delivery date	2380	Date or time or period value	an..35	R		
	2379	Date or time or period format code	an..3	R		102 JJJJMMTT 203 JJJJMMTTHHMM 719 JJJJMMTTHHMM- JJJJMMTTHHMM
Segmentstatus: Optional Date and / or time of the latest delivery date.  Example: DTM+63:201607191100:203 ' The latest delivery date is the 19th of July 2016, 11 o'clock.						

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
 Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No.	Seg	St	Max. Occ.			
9	<b>DTM</b>	D	1	Date/time/period To specify date, and/or time, or period.		
Business Term	DE	EDIFACT	Format	St	*	Description
	C507	Date/time/period		M		
	2005	Date or time or period function code qualifier	an..3	M	*	200 Pick-up/collection date/time of cargo
Pick-up date	2380	Date or time or period value	an..35	R		
	2379	Date or time or period format code	an..3	R		102 CCYMMDD 203 CCYMMDDHHMM 719 CCYMMDDHHMM- CCYMMDDHHMM
<p>Segmentstatus: Dependent                      This segment is used to specify, where required, requested dates concerning the delivery/pick up of the goods.                      Note: The pick-up date must correspond to the date specified in the delivery note and must be specified if working with time slot management systems.                      Example: <b>DTM+200:20160718:102'</b>                      This example requires the pick up of consignment on the 18th of July 2016.</p>						

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
 Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No. Seg	St	Max. Occ.				
10	<b>DTM</b>	O 1	Date/time/period To specify date, and/or time, or period.			
Business Term	DE	EDIFACT	Format	St	*	Description
	C507	Date/time/period		M		
	2005	Date or time or period function code qualifier	an..3	M	*	234 Collection date/ time, earliest
Earliest pick-up date	2380	Date or time or period value	an..35	R		
	2379	Date or time or period format code	an..3	R		102 JJJJMMTT 203 JJJJMMTTHHMM 719 JJJJMMTTHHMM- JJJJMMTTHHMM
Segmentstatus: Optional Date and / or time of the earliest pick-up date.  Example: DTM+234:201607191000:203' The earliest pick-up date is the 19th of July 2016, 10 o'clock.						

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
 Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No. Seg	St	Max. Occ.				
11	<b>DTM</b>	O 1	Date/time/period To specify date, and/or time, or period.			
Business Term	DE	EDIFACT	Format	St	*	Description
	C507	Date/time/period		M		
	2005	Date or time or period function code qualifier	an..3	M	*	235 Collection date/ time, latest
Latest pick-up date	2380	Date or time or period value	an..35	R		
	2379	Date or time or period format code	an..3	R		102 JJJJMMTT 203 JJJJMMTTHHMM 719 JJJJMMTTHHMM- JJJJMMTTHHMM
Segmentstatus: Optional Date and / or time of the latest pick-up date.  Example: DTM+235:201607191100:203' The latest pick-up date is the 19th of July 2016, 11 o'clock.						

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
 Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No. Seg	St	Max. Occ.				
12	<b>DTM</b>	O 2	Date/time/period To specify date, and/or time, or period.			
Business Term	DE	EDIFACT	Format	St	*	Description
	C507	Date/time/period		M		
	2005	Date or time or period function code qualifier	an..3	M	*	179 Booking date/time
Preserved time slot	2380	Date or time or period value	an..35	R		
	2379	Date or time or period format code	an..3	R		102 JJJJMMTT 203 JJJJMMTTHHMM 719 JJJJMMTTHHMM- JJJJMMTTHHMM
Segmentstatus: Optional Date and / or time of the pre-reserved time slot.  Example: DTM+179:201607191000201607191100:719 ' The preserved time slot is on the 19th of July 2016, between 10 and 11 o'clock.						

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
 Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No. Seg	St	Max. Occ.				
13	<b>TSR</b>	O 9	Transport service requirements To specify the contract and carriage conditions and service and priority requirements for the transport.			
Business Term	DE	EDIFACT	Format	St	*	Description
	C536	Contract and carriage condition		O		
	4065	Contract and carriage condition code	an..3	N		
	C233	Service		O		
	7273	Service requirement code	an..3	M		19 Direct delivery
	C537	Transport priority		O		
Transport service type	4219	Transport service priority code	an..3	M		1 Express 3 Normal speed
	C703	Nature of cargo		O		
Cargo type	7085	Cargo type classification code	an..3	M		11 Hazardous cargo 12 General cargo
<p>Segmentstatus: Mandatory            This segment is used to indicate any special contracts, services, priorities or nature of cargo in relation to the transport.            DE 4219: The used code from the codelist has to be defined between the partners bilaterally.            Example: <b>TSR++19+3+11'</b>            The priority of the transport is in normal speed (standard).</p>						

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
 Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No.	Seg	St	Max. Occ.			
14	<b>TSR</b>	R	9	Transport service requirements To specify the contract and carriage conditions and service and priority requirements for the transport.		
Business Term	DE	EDIFACT	Format	St	*	Description
	C536	Contract and carriage condition		O		
Pick-up Time (Time slot information)	4065	Contract and carriage condition code	an..3	M	*	Z1 No time slot specification / no booking required Z3 Time slot confirmation via ZFS required Z4 Time slot booking via phone required Z5 Time slot is already taken
	1131	Code list identification code	an..17	O		A Pick-up of the goods
	3055	Code list responsible agency code	an..3	D	*	246 GS1 Germany

Segmentstatus: Mandatory

This segment is used to specify whether and how a time slot for picking up the goods must be posted by using a time-frame management system (ZFS).

Note:

DE 4065: The used code from the codelist has to be defined between the partners bilaterally.

Z1 = No time slot specification / no booking required

Z2 = Time slot booking via ZFS required (in this case: Identification of the ZFS by GLN)

Z3 = Time slot confirmation via ZFS required (in this case: Specification of the preserved time slot (pick-up date) and the GLN of the ZFS)

Z4 = Time slot booking via phone required (in this case: Specification of the phone number of the receiver)

Z5 = Time slot is already taken (in the case: Specification of the time slot (pick-up date))

Example: **TSR+Z1 : :246'**

No time slot booking is required to pick up the goods.

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes

Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



## Segment Layout

No. Seg	St	Max. Occ.				
15	<b>TSR</b>	R 9	Transport service requirements			
To specify the contract and carriage conditions and service and priority requirements for the transport.						
Business Term	DE	EDIFACT	Format	St	*	Description
	C536	Contract and carriage condition		O		
Delivery Time (Time slot information)	4065	Contract and carriage condition code	an..3	M	*	Z1 No time slot specification / no booking required Z3 Time slot confirmation via ZFS required Z4 Time slot booking via phone required Z5 Time slot is already taken
	1131	Code list identification code	an..17	O		A Delivery of the goods
	3055	Code list responsible agency code	an..3	D	*	246 GS1 Germany

Segmentstatus: Mandatory

This segment is used to specify whether and how a time slot for delivering the goods must be posted by using a time-frame management system (ZFS).

Note:

DE 4065: The used code from the codelist has to be defined between the partners bilaterally.

Z1 = No time slot specification / no booking required

Z2 = Time slot booking via ZFS required (in this case: Identification of the ZFS by GLN)

Z3 = Time slot confirmation via ZFS required (in this case: Specification of the preserved time slot (delivery date) and the GLN of the ZFS)

Z4 = Time slot booking via phone required (in this case: Specification of the phone number of the receiver)

Z5 = Time slot is already taken (in the case: Specification of the time slot (delivery date))

Example: **TSR+Z2 : :246'**

No time slot booking is required for the delivery of the goods.

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes

Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No.	Seg	St	Max.	Occ.		
16	<b>MOA</b>	O	1		Monetary amount To specify a monetary amount.	
Business Term	DE	EDIFACT	Format	St	*	Description
	C516	Monetary amount		M		
	5025	Monetary amount type code qualifier	an..3	M	*	157 Insurance value
Goods value for insurance	5004	Monetary amount	n..35	R		
	6345	Currency identification code	an..3	O		EUR Euro
<p>Segmentstatus: Optional            This segment is used to specify insurance, customs or other values for the complete transport instruction message. For example, the freight forwarder's commission to cover a transport insurance in the amount of the value indicated in the full EUR (ADSp clause 21.2.).</p> <p>Example: <b>MOA+157:12000:EUR'</b>            The insured value is 12000 Euros.</p>						

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
 Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No.	Seg	St	Max.	Occ.		
17	<b>MOA</b>	O	1		Monetary amount To specify a monetary amount.	
Business Term	DE	EDIFACT	Format	St	*	Description
	C516	Monetary amount		M		
	5025	Monetary amount type code qualifier	an..3	M	*	22 Cash on delivery amount
COD amount	5004	Monetary amount	n..35	R	*	
	6345	Currency identification code	an..3	O		EUR Euro
<p>Segmentstatus: Optional                      This segment is used to specify the amount and currency of the amount paid by cash on delivery (COD) .                      Example: MOA+22:12000:EUR'                      The COD amount is 12,000 Euros.</p>						

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
 Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No. Seg	St	Max. Occ.				
18	<b>FTX</b>	O 99	Free text To provide free form or coded text information.			
Business Term	DE	EDIFACT	Format	St	*	Description
	4451	Text subject code qualifier	an..3	M	*	AAA Goods description AAK Price conditions DEL Delivery information INV Invoice instruction PRD Product information SIN Special instructions SPH Special handling SUR Supplier remarks TRA Transportation information
	4453	Free text function code	an..3	O	*	1 Text for subsequent use
	C107	Text reference		D		
	4441	Free text value code	an..17	R		Agreed text key
	C108	Text literal		D		
Additional information 1	4440	Free text value	an..512	R		
Additional information 2	4440	Free text value	an..512	O		
Additional information 3	4440	Free text value	an..512	O		
Additional information 4	4440	Free text value	an..512	O		
Additional information 5	4440	Free text value	an..512	O		
	3453	Language name code	an..3	D		DE German
<p>Segmentstatus: Optional</p> <p>This segment is used to provide free form or coded text information related to the entire message. Use of this segment in free form is not recommended since it may inhibit automatic processing of the Transport Instruction. Coded references to standard texts is an available functionality which enables automatic processing and reduces transmission overheads. Standard texts should be mutually defined between trading partners and can be used to cover legal or other requirements.</p> <p>Note:</p> <p>DEG C107: This composite is only used when trading partners have agreed to use mutually defined code values.</p> <p>DEG C108: This composite is only used if coded text can not be used. DE 4440 must be used if DEG C108 are used.</p> <p>DE 3453: ISO 639 two alpha code - This data element is only used when non coded free text has been provided in data element C108.</p> <p>Example: FTX+DEL+1+002+Zusatzinformation 1:Zusatzinformation 2:Zusatzinformation 3:Zusatzinformation 4:Zusatzinformation 5+DE'</p> <p>Specification of delivery information</p>						

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
 Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No. Seg	St	Max. Occ.				
19	<b>CNT</b>	R 1	Control total To provide control total.			
Business Term	DE	EDIFACT	Format	St	*	Description
	C270	Control		M		
	6069	Control total type code qualifier	an..3	M	*	7 Total gross weight
Total gross weight	6066	Control total value	n..18	M		
	6411	Measurement unit code	an..3	O		KGM kilogram
Segmentstatus: Mandatory This segment is used to provide the total gross weight of the consignment.  Example: CNT+7:200:KGM' The total gross weight is 200 kilogram.						

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
 Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No.	Seg	St	Max.	Occ.		
20	<b>CNT</b>	O	1		Control total To provide control total.	
Business Term	DE	EDIFACT	Format	St	*	Description
	C270	Control		M		
	6069	Control total type code qualifier	an..3	M	*	29 Total net weight of consignment
Total net weight	6066	Control total value	n..18	M		
	6411	Measurement unit code	an..3	O		KGM kilogram
<p>Segmentstatus: Optional                      This segment is used to provide the total net weight of the consignment.                      Example: CNT+29:180:KGM'                      The total net weight is 180 kilogram.</p>						

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
 Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No. Seg	St	Max. Occ.				
21	<b>CNT</b>	O 1	Control total To provide control total.			
Business Term	DE	EDIFACT	Format	St	*	Description
	C270	Control		M		
	6069	Control total type code qualifier	an..3	M	*	11 Total number of packages
Total number of packages	6066	Control total value	n..18	M		
	6411	Measurement unit code	an..3	O		PCE Piece (GS1 Temporary Code)
<p>Segmentstatus: Optional                      This segment is used to provide the total number of packages.                      When using code value '11' the total specified in data element 6066 is arrived at by adding the values specified only in the first occurrence of C213, data element 7224, of the GID segment.</p> <p>Example: CNT+11:14:PCE '                      The total number of packages is 14.</p>						

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
 Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No. Seg	St	Max. Occ.				
22	<b>CNT</b>	O 1	Control total To provide control total.			
Business Term	DE	EDIFACT	Format	St	*	Description
	C270	Control		M		
	6069	Control total type code qualifier	an..3	M	*	57 Total loading metres
Total loading metres	6066	Control total value	n..18	M		
	6411	Measurement unit code	an..3	O		MTR metre
<p>Segmentstatus: Optional                      This segment is used to provide the total loading metres.                      When using value '15' in this data element the total specified in data element 6066 is arrived at by adding the values specified in data element 6314 of the MEA segment at goods item level when the GMC (Gross measurement cube) code is used in data element 6313 in the same MEA segment.</p> <p>Example: CNT+57:22:MTR'                      The total loading meters are 22 metre.</p>						

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
 Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



## Segment Layout

No. Seg	St	Max. Occ.				
23	<b>CNT</b>	O 1	Control total To provide control total.			
Business Term	DE	EDIFACT	Format	St	*	Description
	C270	Control		M		
	6069	Control total type code qualifier	an..3	M	*	15 Total consignment, cube
Venue details	6066	Control total value	n..18	M		
	6411	Measurement unit code	an..3	O		MTQ cubic metre
<p>Segmentstatus: Optional                      This segment is used to provide the venue details.                      When using value '15' in this data element the total specified in data element 6066 is arrived at by adding the values specified in data element 6314 of the MEA segment at goods item level when the GMC (Gross measurement cube) code is used in data element 6313 in the same MEA segment.</p> <p>Example: CNT+15:14:MTQ'                      The total number of packages is 14 cubic metre.</p>						

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
 Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No.	Seg	St	Max.	Occ.		
24	<b>SG2</b>	R	1		TOD	
	<b>TOD</b>	R	1		Terms of delivery or transport To specify terms of delivery or transport.	
Business Term		DE	EDIFACT	Format	St	* Description
		4055	Delivery or transport terms function code	an..3	R	* 6 Delivery condition
		4215	Transport charges payment method code	an..3	N	
		C100	Terms of delivery or transport		R	
	Terms of delivery	4053	Delivery or transport terms description code	an..3	R	CIP Freight, Carriage, Insurance to destination
<p>Segmentstatus: Mandatory                      This segment is used to specify the terms of delivery for the entire transport instruction.</p> <p>Example: <b>TOD+6++CIF'</b>                      The risk is transferred when the first freight carrier takes over the goods.</p>						

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
 Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No.	Seg	St	Max. Occ.				
25	<b>SG2</b>	O	1	TOD			
	<b>TOD</b>	R	1	Terms of delivery or transport To specify terms of delivery or transport.			
Business Term		DE	EDIFACT	Format	St	*	Description
		4055	Delivery or transport terms function code	an..3	R	*	1 Price condition 5 Transport condition
		4215	Transport charges payment method code	an..3	N		
		C100	Terms of delivery or transport		R		
Terms of transport		4053	Delivery or transport terms description code	an..3	R		SD Shipment of order split over more than one means of transport (GS1 Temporary Code)
<p>Segmentstatus: Optional                      This segment is used to specify the terms of transport for the entire transport instruction.                      Example: TOD+5++SD'                      The consignment is divided into several means of transport.</p>							

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
 Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No.	Seg	St	Max. Occ.			
26	<b>SG3</b>	O	1	RFF		
	<b>RFF</b>	M	1	Reference		
To specify a reference.						
Business Term	DE	EDIFACT	Format	St	*	Description
	C506	Reference		M		
	1153	Reference code qualifier	an..3	M	*	CU <b>Consignor's reference number</b>
<b>Reference number of the sender</b>	1154	Reference identifier	an..70	R		
<p>Segmentstatus: Optional                      This segment can be used to reference the entire transport instruction, e.g. shipment number.                      DE 1153: The use of this reference enables the sender to identify the forwarding order.</p> <p>Example: <b>RFF+CU:76543'</b>                      The transport instruction number is 76543.</p>						

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
 Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No.	Seg	St	Max. Occ.			
	<b>SG3</b>	O	1	RFF-DTM		
27	<b>RFF</b>	M	1	Reference		
To specify a reference.						
Business Term	DE	EDIFACT	Format	St	*	Description
	C506	Reference		M		
	1153	Reference code qualifier	an..3	M	*	DQ <b>Delivery note number</b>
<b>Delivery note</b>	1154	Reference identifier	an..70	R		
<p>Segmentstatus: Optional                      This segment can be used to reference the entire transport instruction.                      The segment must be used if no NVE / SSCC is transferred.</p> <p>Example: <b>RFF+DQ:3546'</b>                      The transport instruction references to delivery note number 3546.</p>						

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
 Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No.	Seg	St	Max. Occ.				
28	<b>SG3</b>	O	1	RFF-DTM			
	<b>DTM</b>	O	1	Date/time/period To specify date, and/or time, or period.			
Business Term		DE	EDIFACT	Format	St	*	Description
		C507	Date/time/period		M		
		2005	Date or time or period function code qualifier	an..3	M	*	171 Reference date/ time
Order date		2380	Date or time or period value	an..35	R		
		2379	Date or time or period format code	an..3	R		102 CCYYMMDD
<p>Segmentstatus: Optional This segment is used to specify any dates related to the previous RFF segment.</p> <p>Example: DTM+171:20160401:102' The delivery note date is 1th of April 2016.</p>							

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No.	Seg	St	Max. Occ.				
29	<b>SG3</b>	D	1	RFF-DTM			
	<b>RFF</b>	M	1	Reference			
To specify a reference.							
Business Term		DE	EDIFACT	Format	St	*	Description
		C506	Reference		M		
		1153	Reference code qualifier	an..3	M	*	ON Order number (buyer)
Order number (buyer)		1154	Reference identifier	an..70	R		
<p>Segmentstatus: Dependent                      This segment can contain a reference to buyers order number.                      DE 1154: The order number of the buyer can be the order number of the seller.                      Note: This is mandatory when working with time window management systems (ZFS)</p> <p>Example: RFF+ON:3425 '                      The message references to buyers order number 3425.</p>							

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
 Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No.	Seg	St	Max.	Occ.			
30	<b>SG3</b>	D	1		RFF-DTM		
	<b>DTM</b>	O	1		Date/time/period To specify date, and/or time, or period.		
Business Term		DE	EDIFACT	Format	St	*	Description
		C507	Date/time/period		M		
		2005	Date or time or period function code qualifier	an..3	M	*	171 Reference date/ time
Order date		2380	Date or time or period value	an..35	R		
		2379	Date or time or period format code	an..3	R		102 CCYYMMDD
<p>Segmentstatus: Optional            This segment is used to specify any dates related to the previous RFF segment.</p> <p>Example: DTM+171:20160401:102'            The order date is 1th of April 2016.</p>							

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
 Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



## Segment Layout

No.	Seg	St	Max.	Occ.			
31	<b>SG3</b>	O	1		RFF-DTM		
	<b>RFF</b>	M	1		Reference		
To specify a reference.							
Business Term		DE	EDIFACT	Format	St	*	Description
		C506	Reference		M		
		1153	Reference code qualifier	an..3	M	*	VN Order number (supplier)
Order number (buyer)		1154	Reference identifier	an..70	R		
Segmentstatus: Optional This segment can contain a reference to the suppliers order number.  Example: RFF+VN:3425 ' The message references to suppliers order number 3425.							

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
 Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No.	Seg	St	Max.	Occ.			
32	<b>SG3</b>	O	1		RFF-DTM		
	<b>DTM</b>	O	1		Date/time/period To specify date, and/or time, or period.		
Business Term		DE	EDIFACT	Format	St	*	Description
		C507	Date/time/period		M		
		2005	Date or time or period function code qualifier	an..3	M	*	171 Reference date/ time
Suppliers order date		2380	Date or time or period value	an..35	R		
		2379	Date or time or period format code	an..3	R		102 CCYYMMDD
<p>Segmentstatus: Optional                      This segment is used to specify any dates related to the previous RFF segment.                      Example: DTM+171:20160401:102'                      The suppliers order date is 1th of April 2016.</p>							

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
 Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No.	Seg	St	Max. Occ.			
33	<b>SG3</b>	O	1	RFF-DTM		
	<b>RFF</b>	M	1	Reference		
To specify a reference.						
Business Term	DE	EDIFACT	Format	St	*	Description
	C506	Reference		M		
	1153	Reference code qualifier	an..3	M	*	ALQ Returns notice number
Number of announcement for returns	1154	Reference identifier	an..70	R		
Segmentstatus: Mandatory This segment can contain a reference to number of a announcement for returns Example: RFF+ALQ:4711 ' The message references to the number 4711 of a announcement for returns.						

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
 Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No.	Seg	St	Max. Occ.			
34	<b>SG3</b>	O	1	RFF-DTM		
	<b>DTM</b>	O	9	Date/time/period		
To specify date, and/or time, or period.						
Business Term	DE	EDIFACT	Format	St	*	Description
	C507	Date/time/period		M		
	2005	Date or time or period function code qualifier	an..3	M	*	171 Reference date/ time
Date of announcement for returns	2380	Date or time or period value	an..35	R		
	2379	Date or time or period format code	an..3	R		102 JJJJMMTT
<p>Segmentstatus: Optional            This segment is used to specify any dates related to the references given in the previous RFF segment.</p> <p>Example: DTM+171:20160301:102'            The announcement for returns is dated 1th of March 2016.</p>						

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
 Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No.	Seg	St	Max.	Occ.	
35	<b>SG3</b>	O	999		RFF-DTM
	<b>RFF</b>	M	1		Reference
To specify a reference.					
Business Term	DE	EDIFACT	Format	St	* Description
	C506	Reference		M	
	1153	Reference code qualifier	an..3	M	ABO Originator's reference FF Freight forwarder's reference number GN Government reference number MG Meter unit number
<b>General reference</b>	1154	Reference identifier	an..70	R	
<p>Segmentstatus: Optional  This segment in the segment group 3 can contain a reference to general numbers.  DE 1153 with qualifier GN is used to specify e. g. the EKAER number. Further references are possible at this place.</p> <p>Example: RFF+GN:268974'  The message references to EKAER number 268974.</p>					

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No. Seg	St	Max. Occ.				
36	<b>SG3</b>	O 999	RFF-DTM			
	<b>DTM</b>	O 1	Date/time/period To specify date, and/or time, or period.			
Business Term	DE	EDIFACT	Format	St	*	Description
	C507	Date/time/period		M		
	2005	Date or time or period function code qualifier	an..3	M	*	171 Reference date/ time
General reference date	2380	Date or time or period value	an..35	R		
	2379	Date or time or period format code	an..3	R		102 CCYYMMDD
<p>Segmentstatus: Optional                      This segment is used to specify any dates related to the previous RFF segment.                      Example: DTM+171:20160401:102'                      The date of the EKAER number is 1th of April 2016.</p>						

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
 Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No.	Seg	St	Max. Occ.			
37	<b>SG8</b>	O	1	TDT		
	<b>TDT</b>	M	1	Details of transport		
To specify the transport details such as mode of transport, means of transport, its conveyance reference number and the identification of the means of transport.						
Business Term	DE	EDIFACT	Format	St	*	Description
	8051	Transport stage code qualifier	an..3	M		20 Main-carriage transport
	8028	Means of transport journey identifier	an..17	O		
	C220	Mode of transport		R		
	8067	Transport mode name code	an..3	R		30 Road transport
	C228	Transport means		O		
Requirements for the means of transport	8179	Transport means description code	an..8	D		31 Truck 48 Van 97E Truck with trailer (GS1 Temporary Code)
<p>Segmentstatus: Optional</p> <p>This segment is used to identify the means of transport and its requirements for cargo space disposition.</p> <p>Example: TDT+20++30+31'</p> <p>The means of transport is a truck.</p>						

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
 Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No. Seg	St	Max. Occ.				
38	<b>SG11</b>	R 1	NAD-LOC-SG12-SG15			
	<b>NAD</b>	M 1	Name and address			
To specify the name/address and their related function, either by C082 only and/or unstructured by C058 or structured by C080 thru 3207.						
Business Term	DE	EDIFACT	Format	St	*	Description
	3035	Party function code qualifier	an..3	M	*	SF Ship from
	C082	Party identification details		A		
Ship from / Place of loading	3039	Party identifier	an..35	M		Global Location Number (GLN) - Format n13
	1131	Code list identification code	an..17	N		
	3055	Code list responsible agency code	an..3	R	*	9 GS1
	C058	Name and address		O		This composite may only be used to fulfill the requirements of directive 2003/58/EG, article 4. If applicable the message sender gets the possibility to give the relevant statements at this place. If C058 ist not sufficient, more declaration can be given in following RFF+GN... segments.
	3124	Name and address description	an..35	M		
	3124	Name and address description	an..35	O		
	3124	Name and address description	an..35	O		
	3124	Name and address description	an..35	O		
	3124	Name and address description	an..35	O		
	C080	Party name		D		
Name of the consignor	3036	Party name	an..35	M		
Name 2 of the consignor	3036	Party name	an..35	O		
Name 3 of the consignor	3036	Party name	an..35	O		
	C059	Street		D		
Street and number of the consignor	3042	Street and number or post office box identifier	an..35	M		
Place of the consignor - name of a city (town, village) for adressing purposes.	3164	City name	an..35	D		
	C819	Country sub-entity details		D		

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes

Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



## Segment Layout

Business Term	DE	EDIFACT	Format	St	*	Description
	3229	Country sub-entity name code	an..9	O		Identification of the name of sub-entities (state, province) defined by appropriate governmental agencies
Postcode of the consignor	3251	Postal identification code	an..17	D		
Country of the consignor, coded	3207	Country name code	an..3	D		

Segmentstatus: Mandatory

The NAD segment is used to specify the name and address as well as function of a partner, either only by the data element group C082 or structured by the data element group C080 to 3207.

For consignors who do not (yet) have a GLN, the address is specified as plain text. In this case, the DE group C082 remains empty.

DE 3039: The use of the Global Location Number (GLN) is recommended for the identification of the partners. When GLN is used, it is sufficient.

Example: NAD+SF+4399899175941::9+Text1:Text2:Text3:Text4:Text5+X GmbH:X:X+Moorweg 3+Hamburg +HH+22055+DE '

The ship from place / place of loading has the GLN 4399899175941.

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes

Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No.	Seg	St	Max. Occ.				
39	<b>SG11</b>	R	1	NAD-LOC-SG12-SG15			
	<b>LOC</b>	O	1	Place/location identification To identify a place or a location and/or related locations.			
Business Term		DE	EDIFACT	Format	St	*	Description
		3227	Location function code qualifier	an..3	M	*	9 Place/port of loading
		C517	Location identification		A		
	Ship from / Place of loading	3225	Location name code	an..25	A		Global Location Number (GLN) - Format n13
		1131	Code list identification code	an..17	O		
		3055	Code list responsible agency code	an..3	D		9 GS1
Segmentstatus: Optional This segment is used to specify the place of loading.  Example: LOC+9+5412345678908:::9' The GLN of the place of loading is 5412345678908..							

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
 Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No.	Seg	St	Max.	Occ.			
40	<b>SG11</b>	R	1		NAD-LOC-SG12-SG15		
	<b>SG12</b>	O	9		CTA-COM		
	<b>CTA</b>	M	1		Contact information To identify a person or a department to whom communication should be directed.		
Business Term		DE	EDIFACT	Format	St	*	Description
		3139	Contact function code	an..3	R	*	IC Information contact
		C056	Department or employee details		O		
	Department	3413	Department or employee name code	an..17	O		
	Name of the contact person	3412	Department or employee name	an..35	O		
<p>Segmentstatus: Optional                      This segment is used to specify a department and a person of the company specified in the NAD segment.                      For possible checkback this segment can provide a person to turn to.</p> <p>Example: CTA+IC+:Claus Früh'                      Contact person is Claus Früh.</p>							

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
 Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No. Seg	St	Max. Occ.				
41	<b>SG11</b>	R 1	NAD-LOC-SG12-SG15			
	<b>SG12</b>	O 9	CTA-COM			
	<b>COM</b>	O 9	Communication contact To identify a communication number of a department or a person to whom communication should be directed.			
Business Term	DE	EDIFACT	Format	St	*	Description
	C076	Communication contact		M		
Communication number	3148	Communication address identifier	an..512	M		
	3155	Communication address code qualifier	an..3	M		TE Telephone
<p>Segmentstatus: Optional            This segment identifies the communications number and type of communications for the person or department identified in the previous CTA segment.</p> <p>Example: COM+X:TE '            The phone number is 01666688771.</p>						

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
 Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No.	Seg	St	Max. Occ.			
42	<b>SG11</b>	R	1	NAD-LOC-SG12-SG15		
	<b>SG15</b>	O	1	RFF		
	<b>RFF</b>	M	1	Reference		
	To specify a reference.					
Business Term		DE	EDIFACT	Format	St	* Description
		C506	Reference		M	
		1153	Reference code qualifier	an..3	M	* YC1 Additional party identification (GS1 Temporary Code)
Additional identification of the consignor		1154	Reference identifier	an..70	R	
<p>Segmentstatus: Optional                      This segment is used to specify references to the transport participant named in the NAD segment.                      Example: <b>RFF+YC1:12345'</b>                      The additional identification of the consignor is 12345.</p>						

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
 Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No.	Seg	St	Max. Occ.				
43	<b>SG11</b>	R	1	NAD-LOC-SG12-SG15			
	<b>SG15</b>	D	1	RFF			
	<b>RFF</b>	M	1	Reference To specify a reference.			
Business Term		DE	EDIFACT	Format	St	*	Description
		C506	Reference		M		
		1153	Reference code qualifier	an..3	M	*	GN <b>Government reference number</b>
<b>Statements on business letters</b>		1154	Reference identifier	an..70	R		
<p>Segmentstatus: Depending                      This RFF segment may only be used if the preceding NAD has not enough space to fulfill the requirements of directive 2003/58/EG, article 4.</p> <p>Example: RFF+GN:HRB-471111'                      German Statements on business letters: HRB-471111.</p>							

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
 Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No. Seg	St	Max. Occ.				
44	<b>SG11</b>	R 1	NAD-LOC-SG12-SG15			
	<b>NAD</b>	M 1	Name and address			
To specify the name/address and their related function, either by C082 only and/or unstructured by C058 or structured by C080 thru 3207.						
Business Term	DE	EDIFACT	Format	St	*	Description
	3035	Party function code qualifier	an..3	M	*	DP Delivery party
	C082	Party identification details		A		
Identifikation des Warenempfängers (Endkunde) Identification of the delivery party (End customer)	3039	Party identifier	an..35	M		Global Location Number (GLN) - Format n13
	1131	Code list identification code	an..17	N		
	3055	Code list responsible agency code	an..3	R	*	9 GS1
	C058	Name and address		O		This composite may only be used to fulfill the requirements of directive 2003/58/EG, article 4. If applicable the message sender gets the possibility to give the relevant statements at this place. If C058 ist not sufficient, more declaration can be given in following RFF+GN... segments.
	3124	Name and address description	an..35	N		
	3124	Name and address description	an..35	O		
	3124	Name and address description	an..35	O		
	3124	Name and address description	an..35	O		
	3124	Name and address description	an..35	O		
	C080	Party name		D		
Name of the receiver	3036	Party name	an..35	M		
Name 2 of the receiver	3036	Party name	an..35	O		
Name 3 of the receiver	3036	Party name	an..35	O		
	C059	Street		D		
Street and number of the receiver	3042	Street and number or post office box identifier	an..35	M		
Place of the receiver - name of a city (town, village) for	3164	City name	an..35	D		

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
 Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

Business Term	DE	EDIFACT	Format	St	*	Description
addressing purposes.						
	C819	Country sub-entity details		D		
Identification of the name of sub-entities (state, province) defined by appropriate governmental agencies	3229	Country sub-entity name code	an..9	O		
Postcode of the receiver	3251	Postal identification code	an..17	D		
Country of the receiver, coded	3207	Country name code	an..3	D		
<p>Segmentstatus: Mandatory</p> <p>The NAD segment is used to specify the name and address as well as function of a partner, either only by the data element group C082 or structured by the data element group C080 to 3207.</p> <p>DE 3039: The use of the Global Location Number (GLN) is recommended for the identification of the partners. When GLN is used, it is sufficient.</p> <p>For recipients who do not (yet) have a GLN, the address is specified as plain text. In this case, the DE group C082 remains empty.</p> <p>Example: NAD+DP+401234550004::9+:X:X:X:X+FIRMA B:HERR KLOSE:X+KREUTZSTRASSE 14+HAMBURG++2297+DE'</p> <p>The delivery party has the GLN 40123455000046.</p>						

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
 Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



## Segment Layout

No.	Seg	St	Max. Occ.				
45	<b>SG11</b>	R	1	NAD-LOC-SG12-SG15			
	<b>LOC</b>	O	1	Place/location identification To identify a place or a location and/or related locations.			
Business Term		DE	EDIFACT	Format	St	*	Description
		3227	Location function code qualifier	an..3	M	*	11 Place/port of discharge
		C517	Location identification		A		
Ship from / Place of unloading		3225	Location name code	an..25	A		Global Location Number (GLN) - Format n13
		1131	Code list identification code	an..17	O		
		3055	Code list responsible agency code	an..3	D		9 GS1
<p>Segmentstatus: Optional This segment is used to specify the place of unloading.</p> <p>Example: LOC+11+5412345695219::9' The GLN of the place of unloading is 5412345695219.</p>							

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No.	Seg	St	Max.	Occ.		
46	<b>SG11</b>	R	1		NAD-LOC-SG12-SG15	
	<b>SG12</b>	O	9		CTA-COM	
	<b>CTA</b>	M	1		Contact information To identify a person or a department to whom communication should be directed.	
Business Term		DE	EDIFACT	Format	St	* Description
		3139	Contact function code	an..3	R	* IC Information contact
		C056	Department or employee details		O	
	Department	3413	Department or employee name code	an..17	O	
	Name of the contact person	3412	Department or employee name	an..35	O	
<p>Segmentstatus: Optional            This segment is used to specify a department and a person of the company specified in the NAD segment.            For possible checkback this segment can provide a person to turn to.</p> <p>Example: CTA+IC+:Frau Richter'            Contact person is Frau Richter.</p>						

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
 Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No. Seg	St	Max. Occ.				
47	<b>SG11</b>	R 1	NAD-LOC-SG12-SG15			
	<b>SG12</b>	O 9	CTA-COM			
	<b>COM</b>	O 9	Communication contact To identify a communication number of a department or a person to whom communication should be directed.			
Business Term	DE	EDIFACT	Format	St	*	Description
	C076	Communication contact		M		
Communication number	3148	Communication address identifier	an..512	M		
	3155	Communication address code qualifier	an..3	M		TE Telephone
<p>Segmentstatus: Optional                      This segment identifies the communications number and type of communications for the person or department identified in the previous CTA segment.</p> <p>Example: COM+346752:TE'                      Frau Richter's phone number is 346752.</p>						

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
 Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No.	Seg	St	Max.	Occ.			
48	<b>SG11</b>	R	1		NAD-LOC-SG12-SG15		
	<b>SG15</b>	O	1		RFF		
	<b>RFF</b>	M	1		Reference		
	To specify a reference.						
Business Term		DE	EDIFACT	Format	St	*	Description
		C506	Reference		M		
		1153	Reference code qualifier	an..3	M	*	YC1 Additional party identification (GS1 Temporary Code)
Additional identification of the delivery address		1154	Reference identifier	an..70	R		
<p>Segmentstatus: Optional                      This segment is used to specify references to the transport participant named in the NAD segment.                      Example: RFF+YC1:34565'                      The additional identification of the delivery address is 34565.</p>							

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
 Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No.	Seg	St	Max. Occ.				
49	<b>SG11</b>	R	1	NAD-LOC-SG12-SG15			
	<b>SG15</b>	D	1	RFF			
	<b>RFF</b>	M	1	Reference To specify a reference.			
Business Term		DE	EDIFACT	Format	St	*	Description
		C506	Reference		M		
		1153	Reference code qualifier	an..3	M	*	GN <b>Government reference number</b>
<b>Statements on business letters</b>		1154	Reference identifier	an..70	R		
<p>Segmentstatus: Depending                      This RFF segment may only be used if the preceding NAD has not enough space to fulfill the requirements of directive 2003/58/EG, article 4.</p> <p>Example: RFF+GN:HRB-471111'                      German Statements on business letters: HRB-471111.</p>							

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
 Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No. Seg	St	Max. Occ.				
50	<b>SG11</b>	R 1	NAD			
	<b>NAD</b>	M 1	Name and address			
To specify the name/address and their related function, either by C082 only and/or unstructured by C058 or structured by C080 thru 3207.						
Business Term	DE	EDIFACT	Format	St	*	Description
	3035	Party function code qualifier	an..3	M	*	CZ <b>Consignor</b>
	C082	Party identification details		A		
<b>Identification of the sender</b>	3039	Party identifier	an..35	M		Global Location Number (GLN) - Format n13
	1131	Code list identification code	an..17	N		
	3055	Code list responsible agency code	an..3	R	*	9 <b>GS1</b>
	C058	Name and address		O		This composite may only be used to fulfill the requirements of directive 2003/58/EG, article 4. If applicable the message sender gets the possibility to give the relevant statements at this place. If C058 ist not sufficient, more declaration can be given in following RFF+GN... segments.
	3124	Name and address description	an..35	M		
	3124	Name and address description	an..35	O		
	3124	Name and address description	an..35	O		
	3124	Name and address description	an..35	O		
	3124	Name and address description	an..35	O		
	C080	Party name		D		
<b>Name of the sender</b>	3036	Party name	an..35	M		
<b>Name 2 of the sender</b>	3036	Party name	an..35	O		
<b>Name 3 of the sender</b>	3036	Party name	an..35	O		
	C059	Street		D		
<b>Street and number of the sender</b>	3042	Street and number or post office box identifier	an..35	M		
<b>Place of the sender - name of a city (town, village) for adressing purposes.</b>	3164	City name	an..35	D		
	C819	Country sub-entity details		D		

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes

Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

Business Term	DE	EDIFACT	Format	St	*	Description
Identification of the name of sub-entities (state, province) defined by appropriate governmental agencies	3229	Country sub-entity name code	an..9	O		
Postcode of the receiver	3251	Postal identification code	an..17	D		
Country of the receiver, coded	3207	Country name code	an..3	D		
<p>Segmentstatus: Mandatory</p> <p>The NAD segment is used to specify the GLN only by the data element group C082.</p> <p>DE 3039: The use of the Global Location Number (GLN) is recommended for the identification of the partners. When GLN is used, it is sufficient.</p> <p>For recipients who do not (yet) have a GLN, the address is specified as plain text. In this case, the DE group C082 remains empty.</p> <p>Example: NAD+CZ+439989917444::9+X:::X+Firma Weg:Herr Fort:X+Hauptstr.2+Weinheim+BW+69469+DE'</p> <p>The sender has the GLN 439989917444.</p>						

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
 Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No. Seg	St	Max. Occ.				
51	<b>SG11</b>	O 1	NAD			
	<b>NAD</b>	M 1	Name and address To specify the name/address and their related function, either by C082 only and/or unstructured by C058 or structured by C080 thru 3207.			
Business Term	DE	EDIFACT	Format	St	*	Description
	3035	Party function code qualifier	an..3	M	*	DER <b>Source data pool</b>
	C082	Party identification details		A		
<b>Identification of the Time Slot Management System (ZFS)</b>	3039	Party identifier	an..35	M		Global Location Number (GLN) - Format n13
	1131	Code list identification code	an..17	N		
	3055	Code list responsible agency code	an..3	R	*	9 <b>GS1</b>
<p>Segmentstatus: Optional                      The Time Slot Management System (ZFS) is identified by GLN.                      DE 3039: The use of the Global Location Number (GLN) is recommended for the identification of the partners. When GLN is used, it is sufficient.</p> <p>Example: <b>NAD+DER+4000862141422::9'</b>                      The GLN of the ZFS is 4000862141422.</p>						

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
 Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



## Segment Layout

No. Seg	St	Max. Occ.				
52	<b>SG11</b>	R 1	NAD			
	<b>NAD</b>	M 1	Name and address			
To specify the name/address and their related function, either by C082 only and/or unstructured by C058 or structured by C080 thru 3207.						
Business Term	DE	EDIFACT	Format	St	*	Description
	3035	Party function code qualifier	an..3	M	*	LSP <b>Logistic Service Provider (GS1 Temporary Code)</b>
	C082	Party identification details		A		
<b>Identification of the Logistic Service Provider (Transport)</b>	3039	Party identifier	an..35	M		Global Location Number (GLN) - Format n13
	1131	Code list identification code	an..17	N		
	3055	Code list responsible agency code	an..3	R	*	9 <b>GS1</b>
	C058	Name and address		O		This composite may only be used to fulfill the requirements of directive 2003/58/EG, article 4. If applicable the message sender gets the possibility to give the relevant statements at this place. If C058 ist not sufficient, more declaration can be given in following RFF+GN... segments.
	3124	Name and address description	an..35	M		
	3124	Name and address description	an..35	O		
	3124	Name and address description	an..35	O		
	3124	Name and address description	an..35	O		
	3124	Name and address description	an..35	O		
<p>Segmentstatus: Mandatory</p> <p>The Logistic Service Provider (Transport) is identified by GLN.</p> <p>DE 3039: The use of the Global Location Number (GLN) is recommended for the identification of the partners. When GLN is used, it is sufficient.</p> <p>In general, the Logistics Service Provider (Transport) is identified by its GLN. The for the transport responsible logistics service provider does not necessarily have to drive by himself.</p> <p>Example: <b>NAD+LSP+5412345000114::9+X:X:X:X:X'</b></p> <p>The GLN of the Logistc Servie Provider (Transport) is 5412345000114.</p>						

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
 Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No. Seg	St	Max. Occ.				
53	<b>SG11</b>	O 1	NAD			
	<b>NAD</b>	M 1	Name and address			
To specify the name/address and their related function, either by C082 only and/or unstructured by C058 or structured by C080 thru 3207.						
Business Term	DE	EDIFACT	Format	St	*	Description
	3035	Party function code qualifier	an..3	M	*	FW <b>Freight forwarder</b>
	C082	Party identification details		A		
<b>Identification of the Freight Forwarder</b>	3039	Party identifier	an..35	M		Global Location Number (GLN) - Format n13
	1131	Code list identification code	an..17	N		
	3055	Code list responsible agency code	an..3	R	*	9 <b>GS1</b>
	C058	Name and address		O		This composite may only be used to fulfill the requirements of directive 2003/58/EG, article 4. If applicable the message sender gets the possibility to give the relevant statements at this place. If C058 ist not sufficient, more declaration can be given in following RFF+GN... segments.
	3124	Name and address description	an..35	M		
	3124	Name and address description	an..35	O		
	3124	Name and address description	an..35	O		
	3124	Name and address description	an..35	O		
	3124	Name and address description	an..35	O		
<p>Segmentstatus: Optional                      The Freight Forwarder is identified by GLN.                      DE 3039: The use of the Global Location Number (GLN) is recommended for the identification of the partners. When GLN is used, it is sufficient.</p> <p>Example: <b>NAD+FW+5412345000013::9+X:X:X:X:X'</b>                      The GLN of the Freight Forwarder is 5412345000013.</p>						

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
 Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No.	Seg	St	Max. Occ.			
54	<b>SG11</b>	O	1	NAD		
	<b>NAD</b>	M	1	Name and address		
To specify the name/address and their related function, either by C082 only and/or unstructured by C058 or structured by C080 thru 3207.						
Business Term	DE	EDIFACT	Format	St	*	Description
	3035	Party function code qualifier	an..3	M	*	CN <b>Consignee</b>
	C082	Party identification details		A		
<b>Consignee</b>	3039	Party identifier	an..35	M		Global Location Number (GLN) - Format n13
	1131	Code list identification code	an..17	N		
	3055	Code list responsible agency code	an..3	R	*	9 <b>GS1</b>
	C058	Name and address		O		This composite may only be used to fulfill the requirements of directive 2003/58/EG, article 4. If applicable the message sender gets the possibility to give the relevant statements at this place. If C058 ist not sufficient, more declaration can be given in following RFF+GN... segments.
	3124	Name and address description	an..35	M		
	3124	Name and address description	an..35	O		
	3124	Name and address description	an..35	O		
	3124	Name and address description	an..35	O		
	3124	Name and address description	an..35	O		
<p>Segmentstatus: Optional                      The general identification is identified by GLN.                      DE 3039: The use of the Global Location Number (GLN) is recommended for the identification of the partners. When GLN is used, it is sufficient.</p> <p>Example: NAD+CN+5412345000114::9+X:X:X:X'                      The GLN of the consignee is 5412345000114.</p>						

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
 Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No.	Seg	St	Max. Occ.			
55	<b>SG11</b>	O	1	NAD		
	<b>NAD</b>	M	1	Name and address		
To specify the name/address and their related function, either by C082 only and/or unstructured by C058 or structured by C080 thru 3207.						
Business Term	DE	EDIFACT	Format	St	*	Description
	3035	Party function code qualifier	an..3	M	*	OY <b>Ordering customer</b>
	C082	Party identification details		A		
<b>Ordering customer</b>	3039	Party identifier	an..35	M		Global Location Number (GLN) - Format n13
	1131	Code list identification code	an..17	N		
	3055	Code list responsible agency code	an..3	R	*	9 <b>GS1</b>
	C058	Name and address		O		This composite may only be used to fulfill the requirements of directive 2003/58/EG, article 4. If applicable the message sender gets the possibility to give the relevant statements at this place. If C058 ist not sufficient, more declaration can be given in following RFF+GN... segments.
	3124	Name and address description	an..35	M		
	3124	Name and address description	an..35	O		
	3124	Name and address description	an..35	O		
	3124	Name and address description	an..35	O		
	3124	Name and address description	an..35	O		
<p>Segmentstatus: Optional                      The general identification is identified by GLN.                      DE 3039: The use of the Global Location Number (GLN) is recommended for the identification of the partners. When GLN is used, it is sufficient.</p> <p>Example: NAD+OY+5412345000114::9+X:X:X:X:X'                      The GLN of the ordering customer is 5412345000114.</p>						

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
 Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No.	Seg	St	Max. Occ.			
56	<b>SG11</b>	O	1	NAD		
	<b>NAD</b>	M	1	Name and address		
To specify the name/address and their related function, either by C082 only and/or unstructured by C058 or structured by C080 thru 3207.						
Business Term	DE	EDIFACT	Format	St	*	Description
	3035	Party function code qualifier	an..3	M	*	PF <b>Party to receive freight bill</b>
	C082	Party identification details		A		
<b>Party to receive freight bill</b>	3039	Party identifier	an..35	M		Global Location Number (GLN) - Format n13
	1131	Code list identification code	an..17	N		
	3055	Code list responsible agency code	an..3	R	*	9 <b>GS1</b>
	C058	Name and address		O		This composite may only be used to fulfill the requirements of directive 2003/58/EG, article 4. If applicable the message sender gets the possibility to give the relevant statements at this place. If C058 ist not sufficient, more declaration can be given in following RFF+GN... segments.
	3124	Name and address description	an..35	M		
	3124	Name and address description	an..35	O		
	3124	Name and address description	an..35	O		
	3124	Name and address description	an..35	O		
	3124	Name and address description	an..35	O		
<p>Segmentstatus: Optional            The general identification is identified by GLN.            DE 3039: The use of the Global Location Number (GLN) is recommended for the identification of the partners. When GLN is used, it is sufficient.</p> <p>Example: <b>NAD+PF+5412345000114::9+X:X:X:X:X'</b>            The GLN of the party to receive freight bill is 5412345000114.</p>						

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
 Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No. Seg	St	Max. Occ.				
57	<b>SG11</b>	O 1	NAD			
	<b>NAD</b>	M 1	Name and address			
To specify the name/address and their related function, either by C082 only and/or unstructured by C058 or structured by C080 thru 3207.						
Business Term	DE	EDIFACT	Format	St	*	Description
	3035	Party function code qualifier	an..3	M	*	UC <b>Ultimate consignee</b>
	C082	Party identification details		A		
<b>Ultimate consignee</b>	3039	Party identifier	an..35	M		Global Location Number (GLN) - Format n13
	1131	Code list identification code	an..17	N		
	3055	Code list responsible agency code	an..3	R	*	9 <b>GS1</b>
	C058	Name and address		O		This composite may only be used to fulfill the requirements of directive 2003/58/EG, article 4. If applicable the message sender gets the possibility to give the relevant statements at this place. If C058 ist not sufficient, more declaration can be given in following RFF+GN... segments.
	3124	Name and address description	an..35	M		
	3124	Name and address description	an..35	O		
	3124	Name and address description	an..35	O		
	3124	Name and address description	an..35	O		
	3124	Name and address description	an..35	O		
<p>Segmentstatus: Optional  The general identification is identified by GLN.  DE 3039: The use of the Global Location Number (GLN) is recommended for the identification of the partners. When GLN is used, it is sufficient.</p> <p>Example: <b>NAD+UC+5412345000114::9+X:X:X:X'</b>  The GLN of the ultimate consignee is 5412345000114.</p>						

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No. Seg	St	Max. Occ.				
58	<b>SG11</b>	O 1	NAD			
	<b>NAD</b>	M 1	Name and address			
To specify the name/address and their related function, either by C082 only and/or unstructured by C058 or structured by C080 thru 3207.						
Business Term	DE	EDIFACT	Format	St	*	Description
	3035	Party function code qualifier	an..3	M	*	SU <b>Supplier</b>
	C082	Party identification details		A		
<b>Supplier</b>	3039	Party identifier	an..35	M		Global Location Number (GLN) - Format n13
	1131	Code list identification code	an..17	N		
	3055	Code list responsible agency code	an..3	R	*	9 <b>GS1</b>
	C058	Name and address		O		This composite may only be used to fulfill the requirements of directive 2003/58/EG, article 4. If applicable the message sender gets the possibility to give the relevant statements at this place. If C058 ist not sufficient, more declaration can be given in following RFF+GN... segments.
	3124	Name and address description	an..35	M		
	3124	Name and address description	an..35	O		
	3124	Name and address description	an..35	O		
	3124	Name and address description	an..35	O		
	3124	Name and address description	an..35	O		
<p>Segmentstatus: Optional  The general identification is identified by GLN.  DE 3039: The use of the Global Location Number (GLN) is recommended for the identification of the partners. When GLN is used, it is sufficient.</p> <p>Example: NAD+SU+5412345000114::9+X:X:X:X:X'  The GLN of the supplier is 5412345000114.</p>						

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes

Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No. Seg	St	Max. Occ.				
59	<b>SG11</b>	O 1	NAD			
	<b>NAD</b>	M 1	Name and address			
To specify the name/address and their related function, either by C082 only and/or unstructured by C058 or structured by C080 thru 3207.						
Business Term	DE	EDIFACT	Format	St	*	Description
	3035	Party function code qualifier	an..3	M	*	UD <b>Ultimate customer</b>
	C082	Party identification details		A		
<b>Identification of the ultimate customer</b>	3039	Party identifier	an..35	M		Global Location Number (GLN) - Format n13
	1131	Code list identification code	an..17	N		
	3055	Code list responsible agency code	an..3	R	*	9 <b>GS1</b>
	C058	Name and address		O		This composite may only be used to fulfill the requirements of directive 2003/58/EG, article 4. If applicable the message sender gets the possibility to give the relevant statements at this place. If C058 ist not sufficient, more declaration can be given in following RFF+GN... segments.
	3124	Name and address description	an..35	M		
	3124	Name and address description	an..35	O		
	3124	Name and address description	an..35	O		
	3124	Name and address description	an..35	O		
	3124	Name and address description	an..35	O		
	C080	Party name		D		
<b>Name of the ultimate customer</b>	3036	Party name	an..35	M		
<b>Name 2 of the ultimate customer</b>	3036	Party name	an..35	O		
<b>Name 3 of the ultimate customer</b>	3036	Party name	an..35	O		
	C059	Street		D		
<b>Street of ultimate customer</b>	3042	Street and number or post office box identifier	an..35	M		
<b>Place of ultimate customer - name of a city (town, village)</b>	3164	City name	an..35	D		

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes

Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



## Segment Layout

Business Term	DE	EDIFACT	Format	St	*	Description
for addressing purposes						
	C819	Country sub-entity details		D		
Identification of the name of sub-entities (state, province) defined by appropriate governmental agencies	3229	Country sub-entity name code	an..9	O		
Postcode of ultimate customer	3251	Postal identification code	an..17	D		
Country of the ultimate customer, coded	3207	Country name code	an..3	D		

### Segmentstatus: Optional

The NAD segment is used to specify the GLN only by the data element group C082.

DE 3039: The use of the Global Location Number (GLN) is recommended for the identification of the partners. When GLN is used, it is sufficient.

For ultimate customer who do not (yet) have a GLN, the address is specified as plain text. In this case, the DE group C082 remains empty.

Example: NAD+UD+439989917777::9+X::::X+SVW:Herr Wald:X+Siegstr. 10+Mannheim+BW+68305+DE'  
The sender has the GLN 439989917777.

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes

Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No. Seg	St	Max. Occ.				
<b>SG18</b>	R	999	GID-HAN-TMP-RNG-FTX-SG20-SG21-SG22-SG23-SG29-SG32			
60	<b>GID</b>	R 1	Goods item details			
To indicate totals of a goods item.						
Business Term	DE	EDIFACT	Format	St	*	Description
	1496	Goods item number	n..5	R		Application number identifying items within the current consignment.
	C213	Number and type of packages		R		
Number of packages	7224	Package quantity	n..8	R		
	7065	Package type description code	an..17	O		201 Pallet ISO 1 - 1/1 EURO Pallet (GS1 Temporary Code)
	1131	Code list identification code	an..17	N		
	3055	Code list responsible agency code	an..3	D		9 GS1
<p>Segmentstatus: Mandatory</p> <p>This segment is the trigger segment for the detail section of the transport instruction message. It is used to specify the number and type of packaging for the goods item.</p> <p>Example: <b>GID+1+10:201::9'</b> 10 pallets are transported.</p>						

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
 Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No. Seg	St	Max. Occ.				
61	<b>SG18</b>	R 999	GID-HAN-TMP-RNG-FTX-SG20-SG21-SG22-SG23-SG29-SG32			
	<b>HAN</b>	O 1	Handling instructions To specify handling and where necessary, notify hazards.			
Business Term	DE	EDIFACT	Format	St	*	Description
	C524	Handling instructions		R		
Stackable yes/no	4079	Handling instruction description code	an..3	R		3 Stacked Code 3 indicates that basically stackable STR Stacking restricted (GS1 Temporary Code) UST Unstackable (GS1 Temporary Code)
	1131	Code list identification code	an..17	N		
	3055	Code list responsible agency code	an..3	D	*	9 <b>GS1</b>
<p>Segmentstatus: Optional This segment is used to provide handling instructions relevant to the detail section in the GID segment.</p> <p>Example: HAN+3' The shipping unit is stackable.</p>						

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No. Seg	St	Max. Occ.				
62	<b>SG18</b>	R 999	GID-HAN-TMP-RNG-FTX-SG20-SG21-SG22-SG23-SG29-SG32			
	<b>HAN</b>	O 99	Handling instructions To specify handling and where necessary, notify hazards.			
Business Term	DE	EDIFACT	Format	St	*	Description
	C524	Handling instructions		R		
	4079	Handling instruction description code	an..3	R		UNP Unpack (GS1 Temporary Code)
	1131	Code list identification code	an..17	N		
	3055	Code list responsible agency code	an..3	D	*	9 <b>GS1</b>
<p>Segmentstatus: Optional                      This segment is used to provide handling instructions relevant to the detail section in the GID segment.</p> <p>Example: <b>HAN+UNP</b> '                       The shipping must be unpacked.</p>						

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
 Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No. Seg	St	Max. Occ.				
63	<b>SG18</b>	R 999	GID-HAN-TMP-RNG-FTX-SG20-SG21-SG22-SG23-SG29-SG32			
	<b>TMP</b>	O 1	Temperature To specify the temperature setting.			
Business Term	DE	EDIFACT	Format	St	*	Description
	6245	Temperature type code qualifier	an..3	M		1 Storage temperature 2 Transport temperature
	C239	Temperature setting		R		
<b>Temperature adjustment</b>	6246	Temperature value	n..15	R		
	6411	Measurement unit code	an..3	O		CEL degree celsius FAH degree Fahrenheit
<p>Segmentstatus: Optional                      This segment is used to specify the temperatures to be observed.                      Example: <b>TMP+1+40:CEL</b> '                      The temperature adjustment is 40 degrees Celsius.</p>						

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
 Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No. Seg	St	Max. Occ.				
64	<b>SG18</b>	R 999	GID-HAN-TMP-RNG-FTX-SG20-SG21-SG22-SG23-SG29-SG32			
	<b>RNG</b>	O 1	Range details To identify a range.			
Business Term	DE	EDIFACT	Format	St	*	Description
	6167	Range type code qualifier	an..3	M	*	5 <b>Temperature range</b>
	C280	Range		R		
	6411	Measurement unit code	an..3	M		CEL degree celsius FAH degree Fahrenheit
<b>Temperature range lower limit</b>	6162	Range minimum value	n..18	R		
<b>Temperature range upper limit</b>	6152	Range maximum value	n..18	O		
Segmentstatus: Optional This segment is used to specify a temperature range.  Example: <b>RNG+5+CEL:40:45'</b> The temperature range is 40-45 degrees Celsius.						

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
 Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No. Seg	St	Max. Occ.				
65	<b>SG18</b>	R 999	GID-HAN-TMP-RNG-FTX-SG20-SG21-SG22-SG23-SG29-SG32			
	<b>FTX</b>	O 99	Free text			
To provide free form or coded text information.						
Business Term	DE	EDIFACT	Format	St	*	Description
	4451	Text subject code qualifier	an..3	M	*	AAI <b>General information</b>
	4453	Free text function code	an..3	O	*	1 <b>Text for subsequent use</b>
	C107	Text reference		D		
	4441	Free text value code	an..17	M		Agreed text key
	C108	Text literal		D		
<b>Additional information</b>	4440	Free text value	an..512	M		
<b>Additional information 2</b>	4440	Free text value	an..512	O		
<b>Additional information 3</b>	4440	Free text value	an..512	O		
<b>Additional information 4</b>	4440	Free text value	an..512	O		
<b>Additional information 5</b>	4440	Free text value	an..512	O		
	3453	Language name code	an..3	D		DE German
<p>Segmentstatus: Optional</p> <p>This segment is used to provide free form or coded text information related to the goods item. Use of this segment in free form is not recommended since it may inhibit automatic processing of the Transport Instruction. Coded references to standard texts is an available functionality which enables automatic processing and reduces transmission overheads. Standard texts should be mutually defined between trading partners and can be used to cover legal or other requirements.</p> <p>Notes:</p> <p>DEG C107: This composite is only used when trading partners have agreed to use mutually defined code values.</p> <p>DEG C108: This composite is only used if coded text can not be used. DE 4440 has to be used if DEG C108 is used.</p> <p>This data element is only used if C108 contains uncoded text in the composite.</p> <p>Example: <b>FTX+AAI+1++Bulky goods+DE'</b> The consignment consists of bulky goods.</p>						

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
 Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No. Seg	St	Max. Occ.				
66	<b>SG18</b>	R 999	GID-HAN-TMP-RNG-FTX-SG20-SG21-SG22-SG23-SG29-SG32			
	<b>FTX</b>	O 99	Free text			
To provide free form or coded text information.						
Business Term	DE	EDIFACT	Format	St	*	Description
	4451	Text subject code qualifier	an..3	M	*	AAA Goods description
	4453	Free text function code	an..3	O	*	1 Text for subsequent use
	C107	Text reference		D		
	4441	Free text value code	an..17	M		Agreed text key
	C108	Text literal		D		
Description of goods	4440	Free text value	an..512	M		
Description of goods 2	4440	Free text value	an..512	O		
Description of goods 3	4440	Free text value	an..512	O		
Description of goods 4	4440	Free text value	an..512	O		
Description of goods 5	4440	Free text value	an..512	O		
	3453	Language name code	an..3	D		DE German
<p>Segmentstatus: Optional</p> <p>This segment is used to provide free form or coded text information related to the goods item. Use of this segment in free form is not recommended since it may inhibit automatic processing of the Transport Instruction. Coded references to standard texts is an available functionality which enables automatic processing and reduces transmission overheads. Standard texts should be mutually defined between trading partners and can be used to cover legal or other requirements.</p> <p>Notes:</p> <p>DEG C107: This composite is only used when trading partners have agreed to use mutually defined code values.</p> <p>DEG C108: This composite is only used if coded text can not be used. DE 4440 has to be used if DEG C108 is used.</p> <p>This data element is only used if C108 contains uncoded text in the composite.</p> <p>Example: FTX+AAA+1++Bulky goods+DE'</p> <p>Description of the transported goods.</p>						

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
 Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



## Segment Layout

No. Seg	St	Max. Occ.				
<b>SG18</b>	R	999	GID-HAN-TMP-RNG-FTX-SG20-SG21-SG22-SG23-SG29-SG32			
<b>SG20</b>	O	1	MEA			
67 <b>MEA</b>	M	1	Measurements			
To specify physical measurements, including dimension tolerances, weights and counts.						
Business Term	DE	EDIFACT	Format	St	*	Description
	6311	Measurement purpose code qualifier	an..3	M	*	AAE <b>Measurement</b>
	C502	Measurement details		A		
	6313	Measured attribute code	an..3	A	*	G <b>Gross weight</b>
	C174	Value/range		O		
	6411	Measurement unit code	an..3	M		KGM kilogram
<b>Gross weight of the position</b>	6314	Measurement value	an..18	R		
Segmentstatus: Optional This segment contains measurements for the position specified in the GID segment.  Example: <b>MEA+AAE+G+KGM:20'</b> The gross weight of the position is 20 kilograms.						

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
 Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No. Seg	St	Max. Occ.				
68	<b>SG18</b>	R 999	GID-HAN-TMP-RNG-FTX-SG20-SG21-SG22-SG23-SG29-SG32			
	<b>SG20</b>	O 99	MEA			
	<b>MEA</b>	M 1	Measurements			
To specify physical measurements, including dimension tolerances, weights and counts.						
Business Term	DE	EDIFACT	Format	St	*	Description
	6311	Measurement purpose code qualifier	an..3	M	*	AAE <b>Measurement</b> LMT <b>Loading metre</b>
	C502	Measurement details		A		
	6313	Measured attribute code	an..3	A		AAA Unit net weight AAB Unit gross weight AAC Total net weight AAD Total gross weight AAL Net weight AAW Gross volume AAX Net volume ABJ Volume
	C174	Value/range		O		
	6411	Measurement unit code	an..3	M		KGM kilogram MTQ cubic metre MTR metre
<b>General measurement of the position</b>	6314	Measurement value	an..18	R		
<p>Segmentstatus: Optional                      This segment contains measurements for the position specified in the GID segment.</p> <p>Example: <b>MEA+AAE+AAC+KGM:45'</b>                      The total net weight of the position is 45 kilograms.</p>						

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
 Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No. Seg	St	Max. Occ.				
69	<b>SG18</b>	R 999	GID-HAN-TMP-RNG-FTX-SG20-SG21-SG22-SG23-SG29-SG32			
	<b>SG21</b>	O 1	DIM-EQN			
	<b>DIM</b>	R 1	Dimensions To specify dimensions.			
Business Term	DE	EDIFACT	Format	St	*	Description
	6145	Dimension type code qualifier	an..3	M	*	2 Package dimensions (incl. goods)
	C211	Dimensions		M		
	6411	Measurement unit code	an..3	M		MTR metre
Length	6168	Length dimension value	n..15	O		
Width	6140	Width dimension value	n..15	O		
Height	6008	Height dimension value	n..15	O		
<p>Segmentstatus: Optional                      This segment is used to indicate the dimensions of the goods item identified in the GID segment. All dimensions given in the DIM segments relate to the highest level packaging (the despatch units) identified in the GID segment.                      Required for freight space disposition. For example, the cumulative specification for each pallet load level (CCG I / CCG II).                      For which number of packets the same dimensions apply, the following segment is used to specify in EQN.</p> <p>Example: DIM+2+MTR:1:1:1'                      The dimensions of the position for one unit are 1mX1mX1m.</p>						

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
 Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No. Seg	St	Max. Occ.				
70	<b>SG18</b>	R 999	GID-HAN-TMP-RNG-FTX-SG20-SG21-SG22-SG23-SG29-SG32			
	<b>SG21</b>	O 1	DIM-EQN			
	<b>EQN</b>	O 1	Number of units To specify the number of units.			
Business Term	DE	EDIFACT	Format	St	*	Description
	C523	Number of unit details		M		
<b>Number of units</b>	6350	Units quantity	n..15	R		
<p>Segmentstatus: Optional                      This segment is used to specify the number of packages (despatch units) within the goods items to which the dimensions apply.</p> <p>Example: EQN+10'                      10 packages.</p>						

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
 Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No.	Seg	St	Max. Occ.				
71	<b>SG18</b>	R	999	GID-HAN-TMP-RNG-FTX-SG20-SG21-SG22-SG23-SG29-SG32			
	<b>SG22</b>	O	1	RFF-DTM			
	<b>RFF</b>	M	1	Reference			
To specify a reference.							
Business Term		DE	EDIFACT	Format	St	*	Description
		C506	Reference		M		
		1153	Reference code qualifier	an..3	M	*	ALQ Returns notice number
Number of announcement for returns of the position		1154	Reference identifier	an..70	R		
<p>Segmentstatus: Mandatory</p> <p>This segment can contain a reference to number of a announcement for returns</p> <p>Example: <b>RFF+ALQ:4711'</b></p> <p>The message references to the number 4711 of a announcement for returns of the position.</p>							

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
 Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No.	Seg	St	Max. Occ.				
72	<b>SG18</b>	R	999	GID-HAN-TMP-RNG-FTX-SG20-SG21-SG22-SG23-SG29-SG32			
	<b>SG22</b>	O	1	RFF-DTM			
	<b>DTM</b>	O	9	Date/time/period To specify date, and/or time, or period.			
Business Term		DE	EDIFACT	Format	St	*	Description
		C507	Date/time/period		M		
		2005	Date or time or period function code qualifier	an..3	M	*	171 Reference date/ time
Date of announcement for returns of the position		2380	Date or time or period value	an..35	R		
		2379	Date or time or period format code	an..3	R		102 JJJJMMTT
<p>Segmentstatus: Optional This segment is used to specify any dates related to the references given in the previous RFF segment.</p> <p>Example: <b>DTM+171:20160301:102'</b> The announcement for returns of the position is dated 1th of March 2016.</p>							

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No. Seg	St	Max. Occ.				
73	<b>SG18</b>	R 999	GID-HAN-TMP-RNG-FTX-SG20-SG21-SG22-SG23-SG29-SG32			
	<b>SG23</b>	O 999	PCI-GIN			
	<b>PCI</b>	M 1	Package identification			
To specify markings and labels on individual packages or physical units.						
Business Term	DE	EDIFACT	Format	St	*	Description
Package identification type	4233	Marking instructions code	an..3	R	*	33E Marked with serial shipping container code (GS1 Temporary Code)
<p>Segmentstatus: Optional                      This segment is used to specify markings and labels which have been marked on the packaging of the current goods item.</p> <p>Example: <b>PCI+33E'</b>                      The shipment item contains a SSCC.</p>						

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
 Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No. Seg	St	Max. Occ.				
74	<b>SG18</b>	R 999	GID-HAN-TMP-RNG-FTX-SG20-SG21-SG22-SG23-SG29-SG32			
	<b>SG23</b>	O 999	PCI-GIN			
	<b>GIN</b>	R 10	Goods identity number			
To give specific identification numbers, either as single numbers or ranges.						
Business Term	DE	EDIFACT	Format	St	*	Description
	7405	Object identification code qualifier	an..3	M	*	BJ <b>Serial shipping container code</b>
	C208	Identity number range		M		
<b>Serial Shipping Container Code (SSCC)</b>	7402	Object identifier	an..35	M		
<b>Serial Shipping Container Code (SSCC)</b>	7402	Object identifier	an..35	O		
	C208	Identity number range		R		
<b>Serial Shipping Container Code (SSCC)</b>	7402	Object identifier	an..35	M		
<b>Serial Shipping Container Code (SSCC)</b>	7402	Object identifier	an..35	O		
	C208	Identity number range		R		
<b>Serial Shipping Container Code (SSCC)</b>	7402	Object identifier	an..35	M		
<p>Segmentstatus: Optional                      This segment is used to provide the Serial Shipping Container Code marked on the packaging of the current goods item.</p> <p>Example: GIN+BJ+354123450000000014:X+:X+X'                      The SSCC is 340123450000000014</p>						

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
 Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



## Segment Layout

No. Seg	St	Max. Occ.				
75	<b>SG18</b>	R 999	GID-HAN-TMP-RNG-FTX-SG20-SG21-SG22-SG23-SG29-SG32			
	<b>SG23</b>	O 999	PCI			
	<b>PCI</b>	M 1	Package identification			
To specify markings and labels on individual packages or physical units.						
Business Term	DE	EDIFACT	Format	St	*	Description
Marking with number of a package	4233	Marking instructions code	an..3	R	*	IEN Package Identity Number (GS1 Temporary Code)
	C210	Marks & labels		R		
Number of a package	7102	Shipping marks description	an..35	M		The number of a package may only be used additionally to SSCC.
Segmentstatus: Optional This segment is used to provide markings with a number of a package.  Example: <code>PCI+IEN+12337616644'</code> Package identification						

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
 Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No.	Seg	St	Max.	Occ.			
76	<b>SG18</b>	R	999		GID-HAN-TMP-RNG-FTX-SG20-SG21-SG22-SG23-SG29-SG32		
	<b>SG29</b>	O	1		SGP		
	<b>SGP</b>	M	1		Split goods placement To specify the placement of goods in relation to equipment.		
Business Term		DE	EDIFACT	Format	St	*	Description
		C237	Equipment identification		M		
	Corresponding goods item equipment	8260	Equipment identifier	an..17	R		
<p>Segmentstatus: Optional            This segment is used to specify the placement of the goods item in equipment used to transport the consignment.            Note: At this point, the SGP segment is linked to the segments EQD and EQN.            Example: <b>SGP+1234'</b>            The goods item equipment listed in this GID segment refers to the ID 1234 of the EQD segment.</p>							

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
 Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No. Seg	St	Max. Occ.				
<b>SG18</b>	R	999	GID-HAN-TMP-RNG-FTX-SG20-SG21-SG22-SG23-SG29-SG32			
<b>SG32</b>	O	1	DGS-FTX-SG34			
77	<b>DGS</b>	M 1	Dangerous goods To identify dangerous goods.			
Business Term	DE	EDIFACT	Format	St	*	Description
	8273	Dangerous goods regulations code	an..3	R	*	ADR <b>European agreement regarding the total carriage of dangerous goods</b>
	C205	Hazard code		O		
<b>Specification of dangerous goods classification according to ADR</b>	8351	Hazard identification code	an..7	M		Classification according ADR/RID rules
<b>Additional specification of classification code</b>	8078	Additional hazard classification identifier	an..7	O		Additional according ADR/RID rules
<b>Dangerous goods code, version number</b>	8092	Hazard code version identifier	an..10	O		
	C234	UNDG information		O		
<b>UN number</b>	7124	United Nations Dangerous Goods (UNDG) identifier	n4	O		
	7088	Dangerous goods flashpoint value	an..8	O		Declaration of the flashpoint.
	C223	Dangerous goods shipment flashpoint		O		
	7106	Shipment flashpoint value	n3	O		
	6411	Measurement unit code	an..3	O		CEL degree celsius
<b>Packaging danger level code</b>	8339	Packaging danger level code	an..3	O	*	1 <b>Great danger</b> 2 <b>Medium danger</b> 3 <b>Minor danger</b> 4 <b>Not assigned</b>
	8364	Emergency procedure for ships identifier	an..6	N		
	8410	Hazard medical first aid guide identifier	an..4	N		
	8126	Transport emergency card identifier	an..10	O		TREM card number according ADR - bilateral agreement
	C235	Hazard identification placard details		O		
	8158	Orange hazard placard upper part identifier	an..4	O		
	8186	Orange hazard placard lower part identifier	an4	O		
	C236	Dangerous goods label		O		
		Dangerous goods				

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
 Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

Business Term	DE	EDIFACT	Format	St	*	Description
Number of dangerous goods document primary hazard	8246	marking identifier	an..4	O		
Number of dangerous goods document secondary hazard	8246	Dangerous goods marking identifier	an..4	O		
Number of dangerous goods document secondary hazard	8246	Dangerous goods marking identifier	an..4	O		
	8255	Packing instruction type code	an..3	N		
	8325	Hazardous means of transport category code	an..3	N		
Hazardous cargo transport authorisation	8211	Hazardous cargo transport authorisation code	an..3	O		N = No Y = Yes

Segmentstatus: Optional

This segment is used to indicate whether the goods item contains any dangerous goods.

Note: As of ADR / RID 2001, the packaging group must also be transferred to non-packaged goods (eg tank, tankcontainer, silo). The packing group 8339 is now also used to indicate the subordinate risks. Number, lowercase (ADR / RID) and position / page number (IMDG).

Example: DGS+ADR+4.1:F1+1456+:CEL+2+++25+46:1868+4.1:6.1+++N'

The dangerous goods have the classification 4.1.

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes

Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No. Seg	St	Max. Occ.	
<b>SG18</b>	R	999	GID-HAN-TMP-RNG-FTX-SG20-SG21-SG22-SG23-SG29-SG32
<b>SG32</b>	O	1	DGS-FTX-SG34
<b>FTX</b>	O	1	Free text

78 To provide free form or coded text information.

Business Term	DE	EDIFACT	Format	St	*	Description
	4451	Text subject code qualifier	an..3	M	*	AAD <b>Dangerous goods, technical name</b>
	4453	Free text function code	an..3	O	*	1 <b>Text for subsequent use</b>
	C107	Text reference		D		
	4441	Free text value code	an..17	M		Bilaterally agreed code to indicate the technical name.
	1131	Code list identification code	an..17	O		
	3055	Code list responsible agency code	an..3	O		91 Assigned by supplier or supplier's agent
	C108	Text literal		D		
<b>Technical name</b>	4440	Free text value	an..512	M		
<b>Technical name 2</b>	4440	Free text value	an..512	O		
<b>Technical name 3</b>	4440	Free text value	an..512	O		
<b>Technical name 4</b>	4440	Free text value	an..512	O		
<b>Technical name 5</b>	4440	Free text value	an..512	O		
	3453	Language name code	an..3	D		DE German ISO 639 2-Alpha Code

**Segmentstatus: Optional**

Additional required information on the dangerous goods is made in this segment.

Use of this segment in free form is not recommended since it may inhibit automatic processing of the Transport Instruction. Coded references to standard texts is an available functionality which enables automatic processing and reduces transmission overheads. Standard texts should be mutually defined between trading partners and can be used to cover legal or other requirements.

**Notes:**

DEG C107: This composite is only used when trading partners have agreed to use mutually defined code values.

DEG C108: This composite is only used if coded text can not be used. DE 4440 has to be used if DEG C108 is used.

- Technical name
- Trigger

This data element is only used if C108 contains uncoded text in the composite.

Example: FTX+AAD+1+ABG: :91+Decaboran+DE'

The dangerous goods are Decaboran.

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes

Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No. Seg	St	Max. Occ.				
79	<b>SG18</b>	R 999	GID-HAN-TMP-RNG-FTX-SG20-SG21-SG22-SG23-SG29-SG32			
	<b>SG32</b>	O 1	DGS-FTX-SG34			
	<b>FTX</b>	D 1	Free text			
To provide free form or coded text information.						
Business Term	DE	EDIFACT	Format	St	*	Description
	4451	Text subject code qualifier	an..3	M	*	HAZ <b>Hazard information</b>
	4453	Free text function code	an..3	O	*	1 <b>Text for subsequent use</b>
	C107	Text reference		D		
<b>Hazard Causing Material (code)</b>	4441	Free text value code	an..17	M		Bilaterally agreed code for indication of the hazard causing material.
	1131	Code list identification code	an..17	O		
	3055	Code list responsible agency code	an..3	O		91 Assigned by supplier or supplier's agent
	C108	Text literal		D		
<b>Hazard Causing Material (free text)</b>	4440	Free text value	an..512	M		
	4440	Free text value	an..512	O		
	4440	Free text value	an..512	O		
	4440	Free text value	an..512	O		
	4440	Free text value	an..512	O		
	3453	Language name code	an..3	D		DE German ISO 639 2-Alpha Code
<p>Segmentstatus: Depending                      Mandatory if as NAG dangerous good declared.                      Additional required information on the dangerous goods is made in this segment.                      Use of this segment in free form is not recommended since it may inhibit automatic processing of the Transport Instruction. Coded references to standard texts is an available functionality which enables automatic processing and reduces transmission overheads. Standard texts should be mutually defined between trading partners and can be used to cover legal or other requirements.                      Notes:                      DEG C107: This composite is only used when trading partners have agreed to use mutually defined code values.                      DEG C108: This composite is only used if coded text can not be used. DE 4440 has to be used if DEG C108 is used.                      This data element is only used if C108 contains uncoded text in the composite.</p> <p>Example: <b>FTX+HAZ+1++Ethanol+DE'</b>                      The dangerous goods are transported with the hazard causing material Ethanol.</p>						

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
 Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No. Seg	St	Max. Occ.				
<b>SG18</b>	R	999	GID-HAN-TMP-RNG-FTX-SG20-SG21-SG22-SG23-SG29-SG32			
<b>SG32</b>	O	1	DGS-FTX-SG34			
<b>FTX</b>	O	1	Free text			
To provide free form or coded text information.						
Business Term	DE	EDIFACT	Format	St	*	Description
	4451	Text subject code qualifier	an..3	M	*	SAF <b>Safety information</b>
	4453	Free text function code	an..3	O	*	1 <b>Text for subsequent use</b>
	C107	Text reference		R		
<b>Hazardous to the environment (Yes/No)</b>	4441	Free text value code	an..17	M		Y <b>Yes</b> N <b>No</b>
	1131	Code list identification code	an..17	N		
	3055	Code list responsible agency code	an..3	O		246 GS1 Germany
<p>Segmentstatus: Optional</p> <p>Additional required information on the dangerous goods is made in this segment. Use of this segment in free form is not recommended since it may inhibit automatic processing of the Transport Instruction. Coded references to standard texts is an available functionality which enables automatic processing and reduces transmission overheads. Standard texts should be mutually defined between trading partners and can be used to cover legal or other requirements.</p> <p>Example: <b>FTX+SAF+1+Y::246'</b></p> <p>The dangerous goods are classified as environmentally hazardous.</p>						

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
 Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No. Seg	St	Max. Occ.	
<b>SG18</b>	R	999	GID-HAN-TMP-RNG-FTX-SG20-SG21-SG22-SG23-SG29-SG32
<b>SG32</b>	O	1	DGS-FTX-SG34
<b>FTX</b>	O	1	Free text

81 To provide free form or coded text information.

Business Term	DE	EDIFACT	Format	St	*	Description
	4451	Text subject code qualifier	an..3	M	*	SIN <b>Special instructions</b>
	4453	Free text function code	an..3	O	*	1 <b>Text for subsequent use</b>
	C107	Text reference		D		
<b>Dangerous goods type (code)</b>	4441	Free text value code	an..17	M		EQ <b>Excepted Quantities</b> LQ <b>Limited Quantities</b> SV <b>Special provision</b>
	1131	Code list identification code	an..17	N		
	3055	Code list responsible agency code	an..3	O		246 GS1 Germany
	C108	Text literal		D		
<b>Dangerous goods type (free text)</b>	4440	Free text value	an..512	M		see segment description
	4440	Free text value	an..512	O		
	4440	Free text value	an..512	O		
	4440	Free text value	an..512	O		
	4440	Free text value	an..512	O		
	3453	Language name code	an..3	D		DE German ISO 639 2-Alpha Code

Segmentstatus: Optional

Additional required information on the dangerous goods is made in this segment.

Use of this segment in free form is not recommended since it may inhibit automatic processing of the Transport Instruction. Coded references to standard texts is an available functionality which enables automatic processing and reduces transmission overheads. Standard texts should be mutually defined between trading partners and can be used to cover legal or other requirements.

Notes:

DEG C107: This composite is only used when trading partners have agreed to use mutually defined code values.

DEG C108: This composite is only used if coded text can not be used. DE 4440 has to be used if DEG C108 is used.

DE 4440: If the code value SV is specified in DE 4441, the dangerous goods type must be specified here as a free text. Example: SV188 LITHIUM IONES.

This data element is only used if C108 contains uncoded text in the composite.

Example: FTX+SIN+1+LQ+:::X+DE'

The dangerous goods belong to the LQ dangerous goods.

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes

Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



## Segment Layout

No. Seg	St	Max. Occ.				
82	<b>SG18</b>	R 999	GID-HAN-TMP-RNG-FTX-SG20-SG21-SG22-SG23-SG29-SG32			
	<b>SG32</b>	O 1	DGS-FTX-SG34			
	<b>FTX</b>	D 1	Free text			
To provide free form or coded text information.						
Business Term	DE	EDIFACT	Format	St	*	Description
	4451	Text subject code qualifier	an..3	M	*	PAC <b>Packing/marking information</b>
	4453	Free text function code	an..3	O	*	1 <b>Text for subsequent use</b>
	C107	Text reference		D		
	4441	Free text value code	an..17	M		Bilaterally agreed code for indication of dangerous goods packaging.
	1131	Code list identification code	an..17	O		
	3055	Code list responsible agency code	an..3	O		91 Assigned by supplier or supplier's agent
	C108	Text literal		D		
<b>Packaging Type</b>	4440	Free text value	an..512	M		
<b>Packaging type in plain text</b>	4440	Free text value	an..512	O		
<b>Number of packages</b>	4440	Free text value	an..512	R		
	4440	Free text value	an..512	O		
	4440	Free text value	an..512	O		
	3453	Language name code	an..3	D		DE German ISO 639 2-Alpha Code
<p>Segmentstatus: Depending Mandatory if as EQ dangerous good declared. Additional required information on the dangerous goods is made in this segment. Use of this segment in free form is not recommended since it may inhibit automatic processing of the Transport Instruction. Coded references to standard texts is an available functionality which enables automatic processing and reduces transmission overheads. Standard texts should be mutually defined between trading partners and can be used to cover legal or other requirements. Notes: DEG C107: This composite is only used when trading partners have agreed to use mutually defined code values. DEG C108: This composite is only used if coded text can not be used. DE 4440 has to be used if DEG C108 is used. This data element is only used if C108 contains uncoded text in the composite.</p> <p>Example: <b>FTX+PAC+1++4G:Kiste aus Pappe:5+DE'</b> The dangerous goods are placed in 5 boxes of cardboard (code: 4G).</p>						

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No. Seg	St	Max. Occ.	
<b>SG18</b>	R	999	GID-HAN-TMP-RNG-FTX-SG20-SG21-SG22-SG23-SG29-SG32
<b>SG32</b>	O	1	DGS-FTX-SG34
<b>FTX</b>	O	1	Free text

83 To provide free form or coded text information.

Business Term	DE	EDIFACT	Format	St	*	Description
	4451	Text subject code qualifier	an..3	M	*	AAC Dangerous goods additional information
	4453	Free text function code	an..3	O	*	1 Text for subsequent use
	C107	Text reference		D		
	4441	Free text value code	an..17	M		Bilaterally agreed code for indication of dangerous goods packaging.
	1131	Code list identification code	an..17	O		
	3055	Code list responsible agency code	an..3	O		91 Assigned by supplier or supplier's agent
	C108	Text literal		D		
Transport category	4440	Free text value	an..512	M		
	4440	Free text value	an..512	O		
	4440	Free text value	an..512	O		
	4440	Free text value	an..512	O		
	4440	Free text value	an..512	O		
	3453	Language name code	an..3	D		DE German ISO 639 2-Alpha Code

Segmentstatus: Optional

Additional required information on the dangerous goods is made in this segment.

Use of this segment in free form is not recommended since it may inhibit automatic processing of the Transport Instruction. Coded references to standard texts is an available functionality which enables automatic processing and reduces transmission overheads. Standard texts should be mutually defined between trading partners and can be used to cover legal or other requirements.

Notes:

DEG C107: This composite is only used when trading partners have agreed to use mutually defined code values.

DEG C108: This composite is only used if coded text can not be used. DE 4440 has to be used if DEG C108 is used.

This data element is only used if C108 contains uncoded text in the composite.

Example: FTX+AAC+1++1+DE'

The dangerous goods belong to transport category 1.

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes

Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No. Seg	St	Max. Occ.				
84	<b>SG18</b>	R 999	GID-HAN-TMP-RNG-FTX-SG20-SG21-SG22-SG23-SG29-SG32			
	<b>SG32</b>	O 1	DGS-FTX-SG34			
	<b>FTX</b>	O 1	Free text To provide free form or coded text information.			
Business Term	DE	EDIFACT	Format	St	*	Description
	4451	Text subject code qualifier	an..3	M	*	ACB <b>Additional information</b>
	4453	Free text function code	an..3	O	*	1 <b>Text for subsequent use</b>
	C107	Text reference		D		
	4441	Free text value code	an..17	M		Bilaterally agreed code for indication of dangerous goods packaging.
	1131	Code list identification code	an..17	O		
	3055	Code list responsible agency code	an..3	O		91 Assigned by supplier or supplier's agent
	C108	Text literal		D		
<b>Tunnel restriction code</b>	4440	Free text value	an..512	M		Classification according ADR/RID rules
<p>Segmentstatus: Optional</p> <p>Additional required information on the dangerous goods is made in this segment.</p> <p>Use of this segment in free form is not recommended since it may inhibit automatic processing of the Transport Instruction. Coded references to standard texts is an available functionality which enables automatic processing and reduces transmission overheads. Standard texts should be mutually defined between trading partners and can be used to cover legal or other requirements.</p> <p>Notes:</p> <p>DEG C107: This composite is only used when trading partners have agreed to use mutually defined code values.</p> <p>DEG C108: This composite is only used if coded text can not be used. DE 4440 has to be used if DEG C108 is used.</p> <p>This data element is only used if C108 contains uncoded text in the composite.</p> <p>Example: <b>FTX+ACB+1+1B2+B1000C'</b> The dangerous goods are transported has the tunnel code B1000C.</p>						

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
 Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No. Seg	St	Max. Occ.				
85	<b>SG18</b>	R 999	GID-HAN-TMP-RNG-FTX-SG20-SG21-SG22-SG23-SG29-SG32			
	<b>SG32</b>	O 1	DGS-FTX-SG34			
	<b>FTX</b>	O 1	Free text			
To provide free form or coded text information.						
Business Term	DE	EDIFACT	Format	St	*	Description
	4451	Text subject code qualifier	an..3	M	*	OSI <b>Other service information</b>
	4453	Free text function code	an..3	O	*	1 <b>Text for subsequent use</b>
	C107	Text reference		D		
	4441	Free text value code	an..17	M		Bilaterally agreed code for indication of dangerous goods packaging.
	1131	Code list identification code	an..17	O		
	3055	Code list responsible agency code	an..3	O		91 Assigned by supplier or supplier's agent
	C108	Text literal		D		
<b>Other service information</b>	4440	Free text value	an..512	M		
	4440	Free text value	an..512	O		
	4440	Free text value	an..512	O		
	4440	Free text value	an..512	O		
	4440	Free text value	an..512	O		
	3453	Language name code	an..3	D		DE German ISO 639 2-Alpha Code
<p>Segmentstatus: Optional</p> <p>Additional required information on the dangerous goods is made in this segment. Use of this segment in free form is not recommended since it may inhibit automatic processing of the Transport Instruction. Coded references to standard texts is an available functionality which enables automatic processing and reduces transmission overheads. Standard texts should be mutually defined between trading partners and can be used to cover legal or other requirements.</p> <p>Notes:</p> <p>DEG C107: This composite is only used when trading partners have agreed to use mutually defined code values.</p> <p>DEG C108: This composite is only used if coded text can not be used. DE 4440 has to be used if DEG C108 is used.</p> <p>This data element is only used if C108 contains uncoded text in the composite.</p> <p>Example: <b>FTX+OSI+1+1B2+Aluminium-Fass mit abnehmbarem Deckel+DE'</b> The dangerous goods are transported in an aluminum drum with a removable cover.</p>						

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
 Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No. Seg	St	Max. Occ.				
<b>SG18</b>	R	999	GID-HAN-TMP-RNG-FTX-SG20-SG21-SG22-SG23-SG29-SG32			
<b>SG32</b>	O	1	DGS-FTX-SG34			
<b>SG34</b>	O	9	MEA			
86 <b>MEA</b>	M	1	Measurements			
To specify physical measurements, including dimension tolerances, weights and counts.						
Business Term	DE	EDIFACT	Format	St	*	Description
	6311	Measurement purpose code qualifier	an..3	M	*	AAE Maßangabe
	C502	Measurement details		A		
	6313	Measured attribute code	an..3	A		AAL Net weight ABJ Volume AFN Net explosive mass
	C174	Value/range		O		
	6411	Measurement unit code	an..3	M		KGM kilogram MTQ cubic metre
<b>Dangerous goods weight</b>	6314	Measurement value	an..18	O		
<p>Segmentstatus: Optional                      This segment is used for measuring the dangerous goods of the consignment item.</p> <p>Example: <b>MEA+AAE+AAL+KGM:100'</b>                      Das Gefahrgut wiegt 100 Kilogramm.                      The dangerous goods weight is 100 kilogram.</p>						

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
 Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No. Seg	St	Max. Occ.				
87	<b>SG37</b>	O 999	EQD-EQN-MEA			
	<b>EQD</b>	M 1	Equipment details			
To identify a unit of equipment.						
Business Term	DE	EDIFACT	Format	St	*	Description
Loading aids	8053	Equipment type code qualifier	an..3	M		EFP Exchangeable EUR flat pallet
	C237	Equipment identification		R		
Loading vessel ID	8260	Equipment identifier	an..17	O		
<p>Segmentstatus: Dependent</p> <p>This segment contains information on the loading aids used to transport and / or booking of time slots.</p> <p>Note: The specification is obligatory if working with time slot management systems and in this case refers to the number of pallets (floor and intermediate pallets).</p> <p>Example: EQD+EFP+1234'</p> <p>The loading aid is a replaceable EUR-flat pallet with the loading vessel ID 1234.</p>						

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
 Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No.	Seg	St	Max.	Occ.			
88	<b>SG37</b>	O	999		EQD-EQN-MEA		
	<b>EQN</b>	D	1		Number of units		
To specify the number of units.							
Business Term		DE	EDIFACT	Format	St	*	Description
		C523	Number of unit details		M		
<b>Number of loading aids</b>		6350	Units quantity	n..15	R		
<p>Segmentstatus: Dependent</p> <p>This segment contains information on the loading aids used to transport and / or booking of time slots.</p> <p>Note: The specification is obligatory if working with time slot management systems and in this case refers to the number of pallets (floor and intermediate pallets).</p> <p>Example: EQN+9'</p> <p>Es werden neun Ladehilfsmittel transportiert. Nine loading aids are transported.</p>							

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
 Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No.	Seg	St	Max. Occ.			
89	<b>SG37</b>	O	999	EQD-EQN-MEA		
	<b>MEA</b>	O	1	Measurements		
To specify physical measurements, including dimension tolerances, weights and counts.						
Business Term	DE	EDIFACT	Format	St	*	Description
	6311	Measurement purpose code qualifier	an..3	M	*	AAE Measurement
	C502	Measurement details		A		
	6313	Measured attribute code	an..3	A	*	NPP Number of pallet places (GS1 Temporary Code)
	C174	Value/range		O		
	6411	Measurement unit code	an..3	M	*	PCE Piece (GS1 Temporary Code)
<b>Number of pallet places</b>	6314	Measurement value	an..18	R		
Segmentstatus: Optional This segment contains information on pallet places for the cargo space disposition.  Example: MEA+AAE+NPP+PCE:10' There are 10 pallet places.						

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
 Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



## Segment Layout

No. Seg	St	Max. Occ.				
90	<b>UNT</b>	M 1	Message trailer To end and check the completeness of a message.			
Business Term	DE	EDIFACT	Format	St	*	Description
Total number of segments	0074	Number of segments in the message	n..6	M		
	0062	Message reference number	an..14	M		The reference number from the UNH segment must be repeated here.
<p>Segmentstatus: Mandatory            This UNT segment is a mandatory UN/EDIFACT segment. It must always be the last segment in the message.</p> <p>Example: UNT+88+ME000001'            The message contains 88 segments.</p>						

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
 Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Segment Layout

No. Seg	St	Max. Occ.				
91	<b>UNZ</b>	M 1	Interchange trailer To end and check the completeness of an interchange.			
Business Term	DE	EDIFACT	Format	St	*	Description
End of the transmission file Number of messages or message groups	0036	Interchange control count	n..6	M		Number of messages or message groups in the transmission file.
Interchange control reference, end	0020	Interchange control reference	an..14	M		Interchange control reference, identical with UNB DE 0020.
<p>Segmentstatus: Mandatory                      The UNZ segment is the last segment of the transmission file.                      Note DE 0036:                      If functional groups are not used, this is the number of messages within the interchange.</p> <p>Example: UNZ+1+4711'                      The transmission file contains 1 message.</p>						

Max. Occ. = Maximum Occurrence, St = Status, \* = Restricted Codes  
 Status: M=Mandatory, R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

## Used Codes

---

<b>0001</b>	Syntax identifier Coded identification of the agency controlling a syntax and syntax level used in an interchange.  Notes: 1. a3, upper case, Controlling Agency (e.g. UNO=UN/ECE) and a1 stating level (e.g. A) (which together give UNOA).
UNOA	UN/ECE level A As defined in the basic code table of ISO 646 with the exceptions of lower case letters, alternative graphic character allocations and national or application-oriented graphic character allocations.
UNOB	UN/ECE level B As defined in the basic code table of ISO 646 with the exceptions of alternative graphic character allocations and national or application-oriented graphic character allocations.
UNOC	UN/ECE level C As defined in ISO 8859-1 : Information processing - Part 1: Latin alphabet No. 1.
UNOD	UN/ECE level D As defined in ISO 8859-2 : Information processing - Part 2: Latin alphabet No. 2.
UNOE	UN/ECE level E As defined in ISO 8859-5 : Information processing - Part 5: Latin/Cyrillic alphabet.
UNOF	UN/ECE level F As defined in ISO 8859-7 : Information processing - Part 7: Latin/Greek alphabet.
UNOG	UN/ECE level G As defined in ISO 8859-3 : Information processing - Part 3: Latin alphabet.
UNOH	UN/ECE level H As defined in ISO 8859-4 : Information processing - Part 4: Latin alphabet.
UNOI	UN/ECE level I As defined in ISO 8859-6 : Information processing - Part 6: Latin/Arabic alphabet.
UNOJ	UN/ECE level J As defined in ISO 8859-8 : Information processing - Part 8: Latin/Hebrew alphabet.
UNOK	UN/ECE level K As defined in ISO 8859-9 : Information processing - Part 9: Latin alphabet.

## Used Codes

---

UNOW	UN/ECE level W ISO 10646-1 octet with code extension technique to support UTF-8 (UCS Transformation Format, 8 bit) encoding.
UNOX	UN/ECE level X Code extension technique as defined by ISO 2022 utilising the escape techniques in accordance with ISO 2375.
UNOY	UN/ECE level Y ISO 10646-1 octet without code extension technique.
<b>0002</b>	Syntax version number Version number of the syntax identified in the syntax identifier (0001)  Notes: 1. Increments 1 for each version.
3	Version 3 ISO 9735 Amendment 1:1992. GS1 Description: Syntax version number 3. This code can be used with all of the character sets (A, B, C, D, E and F).
<b>0007</b>	Partner identification code qualifier Qualifier referring to the source of codes for the identifiers of interchanging partners.  Notes: 1. Used with sender/recipient identification code.
14	GS1 Partner identification code assigned by GS1, an international organization of GS1 Member Organizations that manages the GS1 System.
<b>0025</b>	Recipient's reference/password qualifier Qualifier for the recipient's reference or password.  Notes: 1. If specified in IA.
AA	Reference Recipient's reference/password is a reference.
BB	Password Recipient's reference/password is a password.

## Used Codes

---

<b>0029</b>	<p>Processing priority code</p> <p>Code determined by the sender requesting processing priority for the interchange.</p> <p>Notes:</p> <p>1. Used if specified in IA.</p>
A	<p>Highest priority</p> <p>Requested processing priority is the highest.</p>
<b>0031</b>	<p>Acknowledgement request</p> <p>Code determined by the sender for acknowledgement of the interchange.</p> <p>Notes:</p> <p>1. Set = 1 if sender requests acknowledgement, i.e. UNB and UNZ segments received and identified.</p>
1	<p>Requested</p> <p>Acknowledgement is requested.</p>
<b>0035</b>	<p>Test indicator</p> <p>Indication that the interchange is a test.</p> <p>Notes:</p> <p>1. Set = 1 if the interchange is a test. Otherwise not used.</p>
1	<p>Interchange is a test</p> <p>Indicates that the interchange is a test.</p>
<b>0051</b>	<p>Controlling agency</p> <p>Code to identify the agency controlling the specification, maintenance and publication of the message type.</p>
UN	<p>UN/CEFACT</p> <p>United Nations Centre for Trade Facilitation and Electronic Business (UN/CEFACT).</p> <p>GS1 Description:</p> <p>UN Economic Commission for Europe (UN/ECE), Committee on the development of trade (TRADE), Working Party on facilitation of international trade procedures (WP.4).</p>
<b>0052</b>	<p>Message version number</p> <p>Version number of a message type.</p> <p>Notes:</p> <p>1. If UNG/UNE is used, shall be identical in UNG and UNE.</p> <p>The representation of 0052 was specified as n..3 in version 1 of ISO 9735.</p>

## Used Codes

---

D	Draft version/UN/EDIFACT Directory Message approved and issued as a draft message (Valid for directories published after March 1993 and prior to March 1997). Message approved as a standard message (Valid for directories published after March 1997).
<b>0054</b>	Message release number Release number within the current message type version number (0052).  Notes: 1. The representation of 0054 was specified as n..3 in version 1 of ISO 9735.
01B	Release 2001 - B Message approved and issued in the second 2001 release of the UNTDID (United Nations Trade Data Interchange Directory).
<b>0057</b>	Association assigned code A code assigned by the association responsible for the design and maintenance of the message type concerned, which further identifies the message.
EAN004	GS1 version control number (GS1 Permanent Code)
<b>0065</b>	Message type Code identifying a type of message and assigned by its controlling agency.  Notes: 1. Type of message being transmitted.
IFTMIN	Instruction message A code to identify the instruction message. GS1 Description: Message from the party issuing an instruction regarding forwarding/transport services for a consignment under conditions agreed, to the party arranging the forwarding and/or transport services.
<b>1001</b>	Document name code Code specifying the document name.
610	Speditionsauftrag Document/message issued to a freight forwarder, giving instructions regarding the action to be taken by the forwarder for the forwarding of goods described therein.
<b>1131</b>	Code list identification code Code identifying a user or association maintained code list.  Notes: 1. The codes for this data element are provided by the code list responsible agency defined in data element 3055.

**Used Codes**

23	<p>Clearing house automated payment Self explanatory.</p> <p>Notes: This code value will be removed effective with directory D.04A. GS1 Description: Banking community' automated payment clearing system.</p>
25	<p>Bank identification Code for identification of banks.</p> <p>Notes: This code value will be removed effective with directory D.04A.</p>
106	<p>Incoterms 1980 (4110) Code to indicate applicable Incoterm (1980 edition) under which seller undertakes to deliver merchandise to buyer (ICC). Incoterms 1990: use 4053 only.</p> <p>Notes: This code value will be removed effective with directory D.04A.</p>
132	<p>Charge Identification of a type of charge.</p> <p>Notes: This code value will be removed effective with directory D.04A.</p>
154	<p>Bank branch sorting identification Identification of a specific branch of a bank.</p> <p>Notes: This code value will be removed effective with directory D.04A.</p>
157	<p>Clearing code Identification of the responsible bank/clearing house which has cleared or is ordered to do the clearing.</p> <p>Notes: This code value will be removed effective with directory D.04A.</p>
166	<p>Social security identification Code assigned by the authority competent to issue social security identification to identify a person.</p> <p>Notes: This code value will be removed effective with directory D.04A.</p>

## Used Codes

---

174	Citizen identification Self explanatory.
	Notes: This code value will be removed effective with directory D.04A. GS1 Description: Code issued by national authority competent to issue citizen identification to identify a person.
1E	Incoterms 1990 (GS1 Temporary Code) Incoterms 1990 as published by the International Chamber of Commerce (ICC).
2E	Incoterms 2000 (GS1 Temporary Code) Incoterms 2000 as published by the International Chamber of Commerce (ICC).
3E	Incoterms 2010 (GS1 Temporary Code) Incoterms 2010 as published by the International Chamber of Commerce (ICC).
A	Pick-up of the goods
ADR	Accord Europeen au transport international dangereuses (GS1 Temporary Code) A European agreement concerning the international carriage of dangerous goods by road.
BR	Brand (GS1 Temporary Code) An identifying mark or label on the products of a particular company, or the kind or make of a commodity.
CA	Category (GS1 Temporary Code) A class or division in a scheme of classification.
CO	Colour (GS1 Temporary Code) Description of the colour required/available on the goods.
FL	Flavor (GS1 Temporary Code) The characteristic quality of goods.
HMT	Hazardous material standard text (GS1 Temporary Code) Code indicating agreed standard text on hazardous materials.
L	
LOC	Location Code (GS1 Temporary Code) This is a code to indicate where the EAS tag is located on the Trade Item. Values include On outside of Trade Item, Concealed inside Trade Item, Integrated Inside Trade Item.
OAG	Organic Claim Agency (GS1 Temporary Code) A governing body that creates and maintain standards related to organic products.



## Used Codes

---

OCO	Organic Trade Item Code (GS1 Temporary Code) Used to indicate the organic status of a trade item or of one or more of its components.
OUM	Ordering unit of measure (GS1 Temporary Code) The alternate Unit of Measure of how Trade Items are ordered by the Retailer under one Unit of Measure, but sold under another Unit of Measure.
SRN	Service relation number (GS1 Temporary Code) A number used to identify a database entry which records recurring services, e.g., treatment of a patient in a hospital, usage by a member of a library facilities, etc.
ST	Style (GS1 Temporary Code) Specific or characteristic design in any goods.
SUM	Selling unit of measure (GS1 Temporary Code) Describes the measurement used for selling unit of the Trade Item to the end consumer.
SZ	Size (GS1 Temporary Code) Any of a series of graded classifications of measure into which goods are divided.
SZG	Size Group (GS1 Temporary Code) A description of the variable size that is necessary to uniquely specify the size of the item in conjunction with the nonpackaged size dimension.
TYP	Type Code (GS1 Temporary Code) This is a code to indicate the type of EAS tag located on the Trade Item. Values include Acousto-Magnetic, Electro-Magnetic, Ink or dye, Microwave, Radio Frequency.
X11	Diet Allergen (GS1 Temporary Code) Indication of which dietary or allergen marks that are on the package.
X12	Environment (GS1 Temporary Code) Indication of which environmental marks (e.g. recycling schemes) that are on trade item package.
X13	Ethical (GS1 Temporary Code) Indication of which ethical trading marks that are on the package.
X14	Free Form (GS1 Temporary Code) Indication of which free-from marks that are on the package.
X15	Expiration date (GS1 Temporary Code) Indicates the type of expiration date marked on the packaging.
X16	Nesting Direction (GS1 Temporary Code) Depicts the arrangement of two items that nest together specifically whether they nest against each other or on top of each other.

## Used Codes

---

X17	Package Marks Hygienic (GS1 Temporary Code) Indication of which hygiene markings are present in the product package
X18	Hazardous Components are Removable (GS1 Temporary Code) An indicator if any hazardous components contained within the trade item can easily be separated from the other materials to facilitate product recycling.
X19	Trade Item Has Refuse Obligations (GS1 Temporary Code) Indicates if there are special disposal obligations that apply to the trade item for example INTRASTAT.
X20	Trade Item Is Designed for Easy Disassembly (GS1 Temporary Code) Indicates that the trade item is designed for easy disassembly by recycling facilities using standard industry tools.
X21	Trade Item Is Rigid Plastic Packaging Container (GS1 Temporary Code) Indicates that a product is or is contained in a Rigid Plastic Packaging Container (RPPC) as defined by laws in the target market.
X22	Trade Item Is ROHS Compliant (GS1 Temporary Code) Indicates if the product is compliant with the European Union RoHS Directive.
X23	Trade Item Is Universal Waste (GS1 Temporary Code) Indicates if a product can be considered universal waste.
X24	Trade Item Is Consumer Upgradeable Or Maintainable (GS1 Temporary Code) Indicates if a product can be easily upgraded or have parts replaced by the consumer.
X25	Trade Item Contains Short Chain Chlorinated Paraffins (GS1 Temporary Code) Indicate if the trade item and/or its components contain paints, coatings, plastics or other materials containing short chain chlorinated paraffins (SCCPs).
X26	Trade Item Contains Pesticide (GS1 Temporary Code) Indicates if the trade item is advertised or labelled as a chemical or contains a chemical that is advertised or labelled to kill, repel or prevent the growth of any living organism.
X27	Trade Item Contains Propellant (GS1 Temporary Code) Indicates if a trade item contains a compressed gas or propellant.
X28	Trade Item Contains Polyvinyl Chloride (GS1 Temporary Code) Indicate if product contains Polyvinyl Chloride (PVC), a widely used thermoplastic polymer.
X29	Trade Item Chemical Is Not Intended For Human Consumption (GS1 Temporary Code) Indicates that the trade item is or contains a Liquid, Gel, Paste, Powder, or Flammable solid not intended for human consumption (ingested).
X30	ROHS Compliance Failure Material (GS1 Temporary Code) The material used in the trade item that does not comply with the ROHS Directives

## Used Codes

---

X31	<p>Packaging Terms And Condition (GS1 Temporary Code)</p> <p>Indicates if the packaging given in the described packaging configuration is a rented, exchangeable, against deposit or one way/not reusable.</p>
X32	<p>Warranty Effective Date Type (GS1 Temporary Code)</p> <p>The type of date associated with the warranty trade item usually expressed as an event date for the item for example date of purchase, date of manufacture or date of delivery.</p>
X33	<p>Warranty Type (GS1 Temporary Code)</p>
X35	<p>Warranty Constraint (GS1 Temporary Code)</p>
X36	<p>Seasonal Availability End Date (GS1 Temporary Code)</p> <p>Indicates the end date of the trade item's seasonal availability.</p>
X37	<p>Seasonal Availability Start Date (GS1 Temporary Code)</p> <p>Indicates the start date of the trade item's seasonal availability.</p>
X38	<p>Season Calendar Year (GS1 Temporary Code)</p> <p>This element indicates the calendar year in which the trade item is seasonally available.</p>
X39	<p>Season Parameter (GS1 Temporary Code)</p> <p>Indication of the season, in which the trade item is available.</p>
X40	<p>Trade Item Automatic Power Down is Enabled (GS1 Temporary Code)</p> <p>An indicator whether a product is enabled with auto power down feature when shipped to the customer.</p>
X41	<p>Electrical Usage Agency Code (GS1 Temporary Code)</p> <p>The agency that regulates electrical usage for products within a target market.</p>
X42	<p>Nesting Type (GS1 Temporary Code)</p> <p>Depicts whether a nested item fits inside or over the other item in a nesting relationship.</p>
X43	<p>Display Dimension Type Code (GS1 Temporary Code)</p> <p>Depicts certain display scenarios used for measurement.</p>
X44	<p>Manufacturer Has Take Back Program (GS1 Temporary Code)</p> <p>Indicates if the manufacturer of the trade item offers any take back programs to consumers for the product to be reused, remanufactured or recycled by the manufacturer.</p>
X45	<p>Display Resolution (GS1 Temporary Code)</p> <p>The display resolution of a television or computer display.</p>
X46	<p>Orientation Preference Sequence (GS1 Temporary Code)</p> <p>Depicts the preferred sequence of orientation used to communicate the manufacturers relative preferences of orientation.</p>
X47	<p>Orientation Type (GS1 Temporary Code)</p> <p>Depicts via code a display orientation for a trade item.</p>

## Used Codes

---

X48	Electrical Usage Trade Item Classification Code (GS1 Temporary Code) A classification code value from a product classification scheme provided to drive required information for electrical usage.
X49	Electrical Usage Trade Item Classification Name (GS1 Temporary Code) A classification name from a product classification scheme provided to drive required information for electrical usage.
X50	Electrical Usage SubClassification Code (GS1 Temporary Code) A sub-classification code value from a product classification scheme provided to drive required information for electrical usage.
X51	Electrical Usage SubClassification Name (GS1 Temporary Code) A sub-classification name provided to drive required information for electrical usage.
X52	Confirmation Status Code (GS1 Temporary Code) The CIC Confirmation Code must be of a type of code number that can be generated automatically by a computer system.
X53	Confirmation Status Code Description (GS1 Temporary Code) Provides the code description that matches up with the Code that can possibly be generated automatically by a computer system.
X54	Additional Confirmation Status Description (GS1 Temporary Code) Provides a way to communicate human entered information that may not be covered by the machine to machine codes and descriptions.
X55	Corrective Action (GS1 Temporary Code) Provides the corrective action code to fix the issue that caused the problem.
X56	Expected Corrective Information (GS1 Temporary Code) Provides the expected corrective information via a human entered information that may not be covered by the machine to machine codes.
X57	Electrical Usage Trade Item Classification Agency (GS1 Temporary Code) A classification agency or organisation whose product classification scheme is being provided to drive required information for electrical usage.
X58	ASFIS (GS1 Permanent Code) FAO alph-3 code list for fish species identification, commercial name & scientific name.
X59	FAO fishing areas (GS1 Permanent Code) FAO fishing areas codelist.
X60	FAO Fishing gear type (GS1 Permanent Code) FAO Fishing gear type codelist.
X61	EU fish quality (GS1 Permanent Code) EU fish quality grade code list (E, A, B, C).
X62	EU fish size (GS1 Permanent Code) EU fish standardized size code list (1, 2, 3, 4, 5 & One_Size).

**Used Codes**

X63	EU fish presentation (GS1 Permanent Code) EU fish presentation code list (3 or 5 char alpha code).
ZZZ	Mutually defined Self explanatory.  Notes: This code value will be removed effective with directory D.04A.
<b>1153</b>	Reference code qualifier Code qualifying a reference.
AAB	Proforma invoice number [1088] Reference number assigned by the seller to a Proforma Invoice.
AAC	Documentary credit number [1172] Reference number assigned by issuing bank to a Documentary credit.
AAF	Debit card number A reference number identifying a debit card.
AAG	Offer or quotation number Reference number assigned by issuing party to an offer.
AAJ	Delivery order number Reference number assigned by issuer to a delivery order.
AAK	Despatch advice number Reference number assigned by issuing party to a despatch advice.
AAL	Drawing number Reference number identifying a specific product drawing.
AAM	Waybill number Reference number assigned to a waybill, see: 1001 = 700.
AAN	Delivery schedule number Reference number assigned by buyer to a delivery schedule.
AAO	Consignee's shipment reference number [1362] Reference assigned by the consignee to a shipment.
AAQ	Unit load device (e.g. container) identification number [8260] Marks (letters and/or numbers) which identify a unit load device e.g. freight container.
AAS	Transport document number [1188] Reference assigned by the carrier or his agent to the transport document.
AAT	Master label number Identifies the master label number of any package type.

## Used Codes

---

AAU	Despatch note number [1128] Reference number assigned by the seller to a Despatch Note.
ABD	Customs tariff number (7357) Code number of the goods in accordance with the tariff nomenclature system of classification in use where the Customs declaration is made.
ABE	Declarant's reference number Unique reference number assigned to a document or a message by the declarant for identification purposes.
ABO	Originator's reference A unique reference assigned by the originator.
ABP	Declarant's Customs identity number Reference to the party whose posted bond or security is being declared in order to accept responsibility for a goods declaration and the applicable duties and taxes.
ABQ	Importer reference number Reference number assigned by the importer to identify a particular shipment for his own purposes.
ABT	Customs declaration number [1426] Number, assigned or accepted by Customs, to identify a Goods declaration.
ACD	Additional reference number Reference number provided in addition to another given reference.
ACE	Related document number Reference number identifying a related document.
ACK	Bank reference Cross reference issued by financial institution.
ACL	Principal reference number A number that identifies the principal reference.
ACW	Reference number to previous message Reference number assigned to the message which was previously issued (e.g. in the case of a cancellation, the primary reference of the message to be cancelled will be quoted in this element).
ACX	Banker's acceptance Reference number for banker's acceptance issued by the accepting financial institution.
ADB	Matured certificate of deposit Reference number for certificate of deposit allocated by issuing financial institution.
ADC	Loan Reference number for loan allocated by lending financial institution.

**Used Codes**

ADD	Analysis number/test number Number given to a specific analysis or test operation.
ADE	Account number Identification number of an account.
AE	Authorization for expense (AFE) number A number that identifies an authorization for expense (AFE). GS1 Description: A number providing authorization for a party to incur an expense.
AEK	Payment order number A number that identifies a payment order.
AER	Project specification number Reference number identifying a project specification.
AES	Primary reference A number that identifies the primary reference.
AFO	Beneficiary's reference Reference of the beneficiary.
AFS	Beneficiary's bank reference Reference number of the beneficiary's bank.
AGA	Agreement to pay number A number that identifies an agreement to pay. GS1 Description: A reference number guaranteeing a payment.
AGB	Contract party reference number Reference number assigned to a party for a particular contract.
AGG	Dispute number Reference number to a dispute notice. GS1 Description: A reference number identifying a previously transmitted commercial dispute.
AGT	Service group identification number Identification used for a group of services.
AGW	Scheme/plan number Reference number assigned to a service scheme or plan.
AHJ	Payee's reference number Reference number of the party to be paid.
AHL	Creditor's reference number Reference number of the party to whom a debt is owed.
AHM	Debtor's reference number Reference number of the party who owes an amount of money.

**Used Codes**

AHU	Request for quote number Reference number assigned by the requestor to a request for quote.
AID	Certificate of conformity Certificate certifying the conformity to predefined definitions.
AIJ	Customer's individual transaction reference number Customer's reference number allocated by the customer to one specific transaction.
AIK	Bank's individual transaction reference number Bank's reference number allocated by the bank to one specific transaction.
AIZ	Consolidated invoice number Invoice number into which other invoices are consolidated.
AJS	Agreement number A number specifying an agreement between parties.
AJT	Standard Industry Classification (SIC) number A number specifying a standard industry classification.
AKJ	Direct debit reference Reference number assigned to the direct debit operation.
AKM	Replenishment purchase order range start number Starting number of a range of purchase order numbers assigned by the buyer to vendor's replenishment orders.
AKO	Action authorization number A reference number authorizing an action.
ALK	Consignee's invoice number The invoice number assigned by a consignee.
ALL	Message batch number A number identifying a batch of messages.
ALM	Previous delivery schedule number A reference number identifying a previous delivery schedule.
ALN	Physical inventory recount reference number A reference to a re-count of physically held inventory.
ALO	Receiving advice number A reference number to a receiving advice.
ALP	Returnable container reference number A reference number identifying a returnable container.
ALQ	Returns notice number A reference number to a returns notice.



**Used Codes**

ALR	Sales forecast number A reference number identifying a sales forecast.
ALS	Sales report number A reference number identifying a sales report.
ALT	Previous tax control number A reference number identifying a previous tax control number. GS1 Description: A reference number identifying a previous Tax Control (TAXCON) message number.
ALV	Registered capital reference Registered capital reference of a company.
AML	Replenishment purchase order range end number Ending number of a range of purchase order numbers assigned by the buyer to vendor's replenishment orders.
AMT	Goods and Services Tax identification number An identification number assigned to an organization collecting Goods and Services Taxes (GST).
ANJ	Authorization number A number which uniquely identifies an authorization.
ANL	Deposit reference number A reference number identifying a deposit. GS1 Description: A reference number identifying a physical deposit made to a financial account by a party through the bank branch network.
ANX	Clearing reference Reference allocated by a clearing procedure.
ANZ	Direct debit reference Reference of the direct debit.  Notes: This code value will be removed effective with directory D.02A.
AOA	Documentary payment reference Reference of the documentary payment.
AP	Accounts receivable number Reference number assigned by accounts receivable department to the account of a specific debtor.
APF	Price/sales catalogue response reference number A reference number identifying a response to a price/sales catalogue.
APG	General purpose message reference number A reference number identifying a general purpose message. EDIFACT

**Used Codes**

APH	Invoicing data sheet reference number A reference number identifying an invoicing data sheet.
API	Inventory report reference number A reference number identifying an inventory report.
APQ	Commercial account summary reference number A reference number identifying a commercial account summary.
AQQ	Activite Principale Exercee (APE) identifier The French industry code for the main activity of a company.
AQS	Nomenclature Activity Classification Economy (NACE) identifier A European industry classification code used to identify the activity of a company.
ARZ	Stock adjustment number A number identifying a stock adjustment.
ASE	Duty free products security number A security number allocated for duty free products.
ASF	Duty free products receipt authorisation number Authorisation number allocated for the receipt of duty free products.
ASG	Party information message reference Reference identifying a party information message.
ASI	Proof of delivery reference number A reference number identifying a proof of delivery which is generated by the goods recipient.
ASJ	Supplier's credit claim reference number A reference number identifying a supplier's credit claim.
ASK	Picture of actual product Reference identifying the picture of an actual product.
ASL	Picture of a generic product Reference identifying a picture of a generic product.
ASO	Password Code used for authentication purposes.
ASV	Product data file number The number of a product data file.
ATB	Purchase for export Customs agreement number A number assigned by a Customs authority allowing the purchase of goods free of tax because they are to be exported immediately after the purchase. EDIFACT
AUB	Party reference The reference to a party

**Used Codes**

AUD	Collection reference A reference identifying a collection.
AUG	Importer's letter of credit reference Letter of credit reference issued by importer.
AUJ	Proposed purchase order reference number A reference number assigned to a proposed purchase order.
AUK	Application for financial support reference number Reference number assigned to an application for financial support.
AUL	Manufacturing quality agreement number Reference number of a manufacturing quality agreement.
AUQ	Customs binding ruling number Binding ruling number issued by customs.
AUR	Customs non-binding ruling number Non-binding ruling number issued by customs.
AUY	International Standard Industrial Classification (ISIC) code A code specifying an international standard industrial classification.
AUZ	Customs pre-approval ruling number Pre-approval ruling number issued by Customs.
AVB	Product characteristics directory A reference to a product characteristics directory. EDIFACT
AVD	Inventory report request number A reference to a product characteristics directory. EDIFACT
AVG	Slaughterhouse approval number Veterinary licence number allocated by a national authority to a Slaughterhouse. EDIFACT
AVH	Meat cutting plant approval number Veterinary licence number allocated by a national authority to a meat cutting plant. EDIFACT
AVQ	Place of packing approval number Approval Number of the place where goods are packaged. Approval number of the place where goods are packaged. In the meat sector, some additional information is required for traceability purposes: cutting party, slaughterhouse, ...
AVS	Mandate Reference Reference to a specific mandate given by the relevant party for underlying business or action.

## Used Codes

---

AWB	Air waybill number Reference number assigned to an air waybill, see: 1001 = 740.
AWS	Hygienic Certificate number, national Nationally set Hygienic Certificate number, such as sanitary, epidemiologic.
AWT	Administrative Reference Code Reference number assigned by Customs to a 'shipment of excise goods'.
AWV	Phone number A sequence of digits used to call from one telephone line to another in a public telephone network.
BC	Buyer's contract number Reference number assigned by buyer to a contract.
BFN	Buyer's fund number (GS1 Temporary Code) A reference number indicating the fund number used by the buyer.
BM	Bill of lading number Reference number assigned to a bill of lading, see: 1001 = 705.
BN	Booking reference number [1016] Reference number assigned by the carrier or his agent when cargo space is reserved prior to loading.
BO	Blanket order number Reference number assigned by the order issuer to a blanket order.
BT	Batch number/lot number Reference number assigned by manufacturer to a series of similar products or goods produced under similar conditions.
CAN	Company trading account number (GS1 Temporary Code) A reference number identifying a company trading account.
CD	Credit note number Reference number assigned to a credit note.
CH	Customer catalogue number Number identifying a catalogue for customer's usage.
CK	Cheque number Unique number assigned to one specific cheque.
CMR	Road consignment note number Reference number assigned to a road consignment note, see: 1001 = 730.
CN	Carrier's reference number Reference number assigned by carrier to a consignment.
CNE	Consolidated reference number (GS1 Temporary Code) A number identifying a consolidated reference.

**Used Codes**

CO	Buyers order number [1022] Reference number assigned by the buyer to an order.
COF	Call off order number A number that identifies a call off order.
CR	Customer reference number Reference number assigned by the customer to a transaction.
CT	Contract number Reference number of a contract concluded between parties.
CU	Consignor's reference number [1140] Reference number assigned by a consignor to a particular shipment for his own purposes or for those of the consignee.
CZ	Cooperation contract number Number issued by a party concerned given to a contract on cooperation of two or more parties.
DDC	Direct debit contract reference (SWIFT Code) A reference number identifying a direct debit contract.
DL	Debit note number Reference number assigned by issuer to a debit note.
DM	Document number [1004] Reference number assigned to the document by the issuer.
DQ	Delivery note number Reference number assigned by the issuer to a delivery note.
ECN	External consolidation reference number (GS1 Temporary Code) A reference number assigned to identify an external consolidation.
ERC	External recap reference number (GS1 Temporary Code) A reference number identifying an external recap.
EX	Export licence number [1208] Reference number assigned by issuing authority to an Export Licence.
FC	Fiscal number Tax payer's number. Number assigned to individual persons as well as to corporates by a public institution; this number is different from the VAT registration number.
FF	Freight forwarder's reference number [1460] Reference number assigned to the consignment by the freight forwarder.
FI	File line identifier Number assigned by the file issuer or sender to identify a specific line.

## Used Codes

---

FV	File version number Number given to a version of an identified file.
FX	Foreign exchange contract number Reference number identifying a foreign exchange contract.
GC	Government contract number Number assigned to a specific government/public contract.
GN	Government reference number A number that identifies a government reference. GS1 Description: This code value should not be used to provide the tax identification number for a party (use code VA).
GNM	General message number (GS1 Temporary Code) A reference number identifying a previously transmitted general message.
GRN	Goods reserve number (GS1 Temporary Code) A reference number identifying goods in stock which have been reserved for a party.
HN	Handling and movement reference number (GS1 Temporary Code) A reference number identifying a previously transmitted cargo/goods handling and movement message.
HS	Harmonised system number Number specifying the goods classification under the Harmonised Commodity Description and Coding System of the Customs Co-operation Council (CCC).
HWB	House waybill number Reference number assigned to a house waybill, see: 1001 = 703.
IA	Internal vendor number Number identifying the company-internal vending department/unit.
IDR	Instruction to despatch reference number (GS1 Temporary Code) A reference number identifying a previously transmitted instruction to despatch message.
IP	Import licence number [1106] Reference number assigned by the issuing authority to an Import Licence.
IRN	Instruction for returns number (GS1 Temporary Code) A reference number identifying a previously communicated instruction for return message.
IT	Internal customer number Number assigned by a seller, supplier etc. to identify a customer within his enterprise.
IV	Invoice number [1334] Reference number assigned by the seller to a Commercial Invoice.

## Used Codes

---

LC	Letter of credit number Reference number identifying the letter of credit document.
LI	Line item reference number (1156) Reference number identifying a particular line in a document.
MB	Master bill of lading number Reference number assigned to a master bill of lading, see: 1001 = 704.
MF	Manufacturer's part number Reference number assigned by the manufacturer to his product or part.
MG	Meter unit number Number identifying a unique meter unit.
MH	Manufacturing order number Reference number assigned by manufacturer for a given production quantity of products.
MR	Message recipient A number that identifies the message recipient. GS1 Description: Party who receives the message.
MS	Message sender A number that identifies the message sender. GS1 Description: Party who sends the message.
MSC	Metered services consumption report (GS1 Temporary Code) A reference number identifying a previously communicated metered services consumption report.
MSS	Manufacturer's material safety data sheet number A number that identifies a manufacturer's material safety data sheet.
MWB	Master air waybill number Reference number assigned to a master air waybill, see: 1001 = 741.
ON	Order number (buyer) [1022] Reference number assigned by the buyer to an order.
OSE	Order status enquiry (GS1 Temporary Code) A reference number to a previously sent order status enquiry.
PB	Payer's financial institution account number Originated company account number (ACH transfer), check, draft or wire.
PD	Promotion deal number Number assigned by a vendor to a special promotion activity.
PFB	Firm booking reference number (GS1 Temporary Code) A reference number identifying a previous firm booking.

## Used Codes

---

PIE	Product inquiry number (GS1 Temporary Code) A reference number identifying a previously communicated product inquiry number.
PK	Packing list number (1014) Reference number assigned to a packing list, see: 1001 = 271.
PL	Price list number Reference number assigned to a price list. GS1 Description: This code should be used to identify a Price/Sales Catalogue (PRICAT) message.
POR	Purchase order response number Reference number assigned by the seller to an order response.
PP	Purchase order change number Reference number assigned by a buyer for a revision of a purchase order.
PQ	Payment reference Reference number assigned to a payment.
PR	Price quote number Reference number assigned by the seller to a quote.
PW	Prior purchase order number Reference number of a purchase order previously sent to the supplier.
PY	Payee's financial institution account number Receiving company account number (ACH transfer), check, draft or wire.
RA	Remittance advice number A number that identifies a remittance advice.
RCE	Recap number (GS1 Temporary Code) A reference number identifying a recap.
RCN	Railway consignment note number Reference number assigned to a rail consignment note, see: 1001 = 720.
RF	Export reference number Reference number given to an export shipment.
SB	Sales region number A number that identifies a sales region.
SD	Sales department number A number that identifies a sales department.
SDR	Split delivery reference number (GS1 Temporary Code) A reference number identifying a split delivery.



## Used Codes

---

SE	<p>Serial number</p> <p>Identification number of an item which distinguishes this specific item out of an number of identical items.</p>
SN	<p>Seal number</p> <p>[9308] Identification number on Customs or other seals affixed to containers or other transport units.</p>
SNR	<p>Service relation number (GS1 Temporary Code)</p> <p>A number used to identify a database entry which records recurring services, e.g., treatment of a patient in a hospital, usage by a member of a library facility, etc.</p>
SRN	<p>Shipment reference number</p> <p>Reference number assigned to a shipment.</p> <p>GS1 Description: Reference number assigned by a consignor to a particular shipment for his own purposes or for those of the consignee.</p>
SS	<p>Seller's reference number</p> <p>Reference number assigned to a transaction by the seller.</p>
SSC	<p>Serial shipping container code (GS1 Temporary Code)</p> <p>Reference number identifying a serial shipping container or package.</p>
SZ	<p>Specification number</p> <p>Number assigned by the issuer to his specification.</p>
TIN	<p>Transport instruction number</p> <p>A reference number identifying a transport instruction.</p> <p>EDIFACT</p>
TL	<p>Tax exemption licence number</p> <p>Number assigned by the tax authorities to a party indicating its tax exemption authorization. This number could relate to a specified business type, a specified local area or a class of products.</p>
TP	<p>Test report number</p> <p>Reference number identifying a test report document relevant to the product.</p>
TRB	<p>Tribunal place registration number (GS1 Temporary Code)</p> <p>Registration number of a company at the tribunal place.</p>
TRI	<p>Transport instruction number (GS1 Temporary Code)</p> <p>A reference number identifying a transport instruction.</p>
TS	<p>Test specification number (GS1 Temporary Code)</p> <p>A reference number identifying a test specification.</p>
TSE	<p>Transport status number (GS1 Temporary Code)</p> <p>A reference number identifying a transport status message.</p>

## Used Codes

---

UC	<p>Ultimate customer's reference number</p> <p>The originator's reference number as forwarded in a sequence of parties involved.</p>
UCN	<p>Unique consignment reference number</p> <p>(1202) Unique reference of a consignment (UCRN) used for identification purposes in documents and messages exchanged between parties in international trade. See also: Unique Identifier Code (UNIC) in UN/ECE Recommendation No. 8, March 1992.</p>
UO	<p>Ultimate customer's order number</p> <p>The originator's order number as forwarded in a sequence of parties involved.</p>
VA	<p>VAT registration number</p> <p>Unique number assigned by the relevant tax authority to identify a party for use in relation to Value Added Tax (VAT).</p>
VN	<p>Order number (supplier)</p> <p>Reference number assigned by supplier to a buyer's purchase order.</p>
XA	<p>Company/place registration number</p> <p>Company registration and place as legally required.</p>
XA4	<p>Account servicing bank reference (SWIFT Code)</p> <p>A reference number allocated by an account servicing bank.</p>
XA5	<p>Customer to customer reference number (SWIFT Code)</p> <p>A reference number exchanged between customers.</p>
XA6	<p>Third party reference number (SWIFT Code)</p> <p>A number used to identify references related to third parties.</p>
XA8	<p>Credit card number (SWIFT Code)</p> <p>A reference number identifying a credit card.</p>
XB1	<p>Clearing number (SWIFT Code)</p> <p>A reference number identifying a clearing.</p>
XB5	<p>Tooling contract number (GS1 Temporary Code)</p> <p>Number of the tooling contract.</p>
XB6	<p>Formula number (GS1 Temporary Code)</p> <p>Number of the formula.</p>
XB7	<p>Pre-agreement number (GS1 Temporary Code)</p> <p>Number identifying a pre-agreement.</p>
XB9	<p>Customs purchase for re-export agreement number (GS1 Temporary Code)</p> <p>A number assigned to a company by the customs authorities which allows the purchase within a country of goods free of tax because they are to be re-exported immediately after the purchase.</p>

## Used Codes

---

XC1	Product certification number (GS1 Temporary Code) Number assigned by a governing body (or their agents) to a product which certifies compliance with a standard.
XC3	Consignment contract number (GS1 Temporary Code) Reference number identifying a consignment contract.
YA1	Product specification reference number (GS1 Temporary Code) Number assigned by the issuer to his product specification.
YA3	Numbering per year (GS1 Temporary Code) Financial statement should be identified consecutively numbered per year.
YA6	Bank statement number (SWIFT Code) A reference number identifying a bank statement.
YA9	Payroll deduction advice reference (GS1 Temporary Code) A reference number identifying a payroll deduction advice.
YB4	Order shipment grouping reference (GS1 Temporary Code) A reference number identifying the grouping of purchase orders into one shipment.
YB7	Product directory (GS1 Temporary Code) A reference to a product characteristics directory.
YB8	Debit Letter (GS1 Temporary Code) Reference number identifying the letter of debit document.
YB9	Inventory report request number (GS1 Temporary Code) Reference number assigned to an inventory report request.
YC1	Additional party identification (GS1 Temporary Code) Reference number to an additional party identification. This number may be the internal trading partner identification number used by a party to identify its trading parties.
YC3	Farm approval number (GS1 Temporary Code) Veterinary licence number allocated by a national authority to an animal farm.
YC4	Cutting plant approval number (GS1 Temporary Code) Veterinary licence number allocated by a national authority to a cutting plant.
YC5	Slaughterhouse approval number (GS1 Temporary Code) Veterinary licence number allocated by a national authority to a slaughterhouse.
ZZZ	Mutually defined reference number Number based on party agreement.
<b>1225</b>	Message function code Code indicating the function of the message.

## Used Codes

---

1	<p>Cancellation</p> <p>Message cancelling a previous transmission for a given transaction.</p>
2	<p>Addition</p> <p>Message containing items to be added.</p> <p>GS1 Description: Message containing items (e.g. line items, goods items, customs items, equipment items) to be added to a previously sent message or existing data base.</p>
3	<p>Deletion</p> <p>Message containing items to be deleted.</p> <p>GS1 Description: Message containing items (e.g. line items, goods items, customs items, equipment items) to be deleted in a previously sent message or an existing data base.</p>
4	<p>Change</p> <p>Message containing items to be changed.</p> <p>GS1 Description: Message containing items (e.g. line items, goods items, customs items, equipment items) to be changed in a previously sent message or an existing data base.</p>
5	<p>Replace</p> <p>Message replacing a previous message.</p>
6	<p>Confirmation</p> <p>Message confirming the details of a previous transmission where such confirmation is required or recommended under the terms of a trading partner agreement.</p>
7	<p>Duplicate</p> <p>The message is a duplicate of a previously generated message.</p>
9	<p>Original</p> <p>Initial transmission related to a given transaction.</p>
11	<p>Response</p> <p>Message responding to a previous message or document.</p>
12	<p>Not processed</p> <p>Message indicating that the referenced message was received but not yet processed.</p>
13	<p>Request</p> <p>Code indicating that the referenced message is a request.</p>
15	<p>Reminder</p> <p>Repeated message transmission for reminding purposes.</p>
16	<p>Proposal</p> <p>Message content is a proposal.</p>

**Used Codes**

17	Cancel, to be reissued Referenced transaction cancelled, reissued message will follow.
23	Transaction on hold Message not to be processed until further release information.
27	Not accepted Message to inform that the referenced message is not accepted by the recipient.
29	Accepted without amendment Referenced message is entirely accepted.
31	Copy Indicates that the message is a copy of an original message that has been sent, e.g. for action or information.
34	Accepted with amendment The referenced message is accepted but amended.
35	Retransmission Change-free transmission of a message previously sent.
42	Confirmation via specific means Message confirming a transaction previously agreed via other means (e.g. phone).
43	Additional transmission Message already transmitted via another communication channel. This transmission is to provide electronically processable data only.
45	Accepted with reserves Message accepted with reserves.
46	Provisional Message content is provisional.
47	Definitive Message content is definitive.
55	Notification only The receiver may use the notification information for analysis only.
60	No action since last message Code indicating the fact that no action has taken place since the last message.
<b>2005</b>	Date or time or period function code qualifier Code qualifying the function of a date, time or period.
2	Delivery date/time, requested Date on which buyer requests goods to be delivered.

## Used Codes

---

63	Delivery date/time, latest Date identifying a point of time after which goods shall not or will not be delivered.
64	Delivery date/time, earliest Date identifying a point in time before which the goods shall not be delivered.
137	Document/message date/time (2006) Date/time when a document/message is issued. This may include authentication.
171	Reference date/time Date/time on which the reference was issued.
179	Booking date/time Date at which the booking was made.
200	Pick-up/collection date/time of cargo Date/time at which the cargo is picked up.
234	Collection date/time, earliest The transport order may be issued before the goods are ready for picking up. This date/time indicates from when on the carrier can have access to the consignment.
235	Collection date/time, latest In relation with the arrangements agreed between buyer and seller or between sender and main transport it may be necessary to specify the latest collection date/time.
<b>2379</b>	Date or time or period format code Code specifying the representation of a date, time or period.
2	DDMMYY Calendar date: D = Day; M = Month; Y = Year.
101	YYMMDD Calendar date: Y = Year; M = Month; D = Day.
102	CCYYMMDD Calendar date: C = Century ; Y = Year ; M = Month ; D = Day.
104	MMWW-MMWW A period of time specified by giving the start week of a month followed by the end week of a month. Data is to be transmitted as consecutive characters without hyphen.
107	DDD Day's number within a specific year: D = Day.
108	WW Week's number within a specific year: W = Week.

**Used Codes**

109	MM Month's number within a specific year: M = Month.
110	DD Day's number within is a specific month.
201	YYMMDDHHMM Calendar date including time without seconds: Y = Year; M = Month; D = Day; H = Hour; M = Minute.
203	CCYYMMDDHHMM Calendar date including time with minutes: C=Century; Y=Year; M=Month; D=Day; H=Hour; M=Minutes.
204	CCYYMMDDHHMMSS Calendar date including time with seconds: C=Century;Y=Year; M=Month; D=Day;H=Hour;M=Minute;S=Second.
401	HHMM Time without seconds: H = Hour; m = Minute.
501	HHMMHHMM Time span without seconds: H = Hour; m = Minute;.
502	HHMMSS-HHMMSS Format of period to be given without hyphen.
602	CCYY Calendar year including century: C = Century; Y = Year.
609	YYMM Month within a calendar year: Y = Year; M = Month.
610	CCYYMM Month within a calendar year: CC = Century; Y = Year; M = Month.
615	YYWW Week within a calendar year: Y = Year; W = Week 1st week of January = week 01.
616	CCYYWW Week within a calendar year: CC = Century; Y = Year; W = Week (1st week of January = week 01).
713	YYMMDDHHMM-YYMMDDHHMM Format of period to be given in actual message without hyphen.
715	YYWW-YYWW A period of time specified by giving the start week of a year followed by the end week of year (both not including century). Data is to be transmitted as consecutive characters without hyphen.
717	YYMMDD-YYMMDD Format of period to be given in actual message without hyphen.

## Used Codes

---

718	CCYYMMDD-CCYYMMDD Format of period to be given without hyphen.
719	CCYYMMDDHHMM-CCYYMMDDHHMM A period of time which includes the century, year, month, day, hour and minute. Format of period to be given in actual message without hyphen.
720	DHHMM-DHHMM Format of period to be given without hyphen (D=day of the week, 1=Monday; 2=Tuesday; ... 7=Sunday).
801	Year To indicate a quantity of years.
802	Month To indicate a quantity of months.
803	Week To indicate a quantity of weeks.
804	Day To indicate a quantity of days.
805	Hour To indicate a quantity of hours.
806	Minute To indicate a quantity of minutes.
810	Trimester To indicate a quantity of trimesters (three months).
811	Half month To indicate a quantity of half months.
21E	DDHHMM-DDHHMM (GS1 Temporary Code) Format of period to be given in actual message without hyphen.
<b>3035</b>	Party function code qualifier Code giving specific meaning to a party.
CN	Consignee (3132) Party to which goods are consigned.
CZ	Consignor (3336) Party which, by contract with a carrier, consigns or sends goods with the carrier, or has them conveyed by him. Synonym: shipper, sender.
DER	Source data pool A data pool that supports the functionality required by a data source such as data loading, publication, notification, registration, etc.



## Used Codes

---

DP	<p>Delivery party</p> <p>(3144) Party to which goods should be delivered, if not identical with consignee.</p> <p>GS1 Description: Party to which goods should be delivered, if not the same as the buyer.</p>
FW	<p>Freight forwarder</p> <p>Party arranging forwarding of goods.</p>
LSP	<p>Logistic Service Provider (GS1 Temporary Code)</p> <p>A party providing logistic services for another party (e.g re-packing suppliers products) on products which may lead to added value for the product.</p>
OY	<p>Ordering customer</p> <p>Identifies the originator of the instruction.</p> <p>GS1 Description: Only used in financial messages.</p>
PF	<p>Party to receive freight bill</p> <p>Party to whom the freight bill should be sent.</p>
SF	<p>Ship from</p> <p>Identification of the party from where goods will be or have been shipped.</p>
SU	<p>Supplier</p> <p>Party who supplies goods and/or services.</p> <p>GS1 Description: Party which provides service(s) and/or manufactures or otherwise has possession of goods, and consigns or makes them available in trade.</p>
UC	<p>Ultimate consignee</p> <p>Party who has been designated on the invoice or packing list as the final recipient of the stated merchandise.</p>
UD	<p>Ultimate customer</p> <p>The final recipient of goods.</p>
<b>3055</b>	<p>Code list responsible agency code</p> <p>Code specifying the agency responsible for a code list.</p>
2	<p>CEC (Commission of the European Communities)</p> <p>Generic: see also 140, 141, 142, 162.</p> <p>GS1 Description: Commission of the European Communities</p>
3	<p>IATA (International Air Transport Association)</p> <p>The airline industry's international organisation.</p> <p>GS1 Description: International Air Transport Association</p>
5	<p>ISO (International Organization for Standardization)</p> <p>International Organization of Standardization.</p>

## Used Codes

---

6	UN/ECE (United Nations - Economic Commission for Europe) United Nations Economic Commission for Europe.
7	CEFIC (Conseil European des Federations de l'Industrie Chimique) EDI project for chemical industry.
8	EDIFICE Standardised electronic commerce forum for companies with interests in computing, electronics and telecommunications. GS1 Description: EDI Forum for companies with Interest in Computing and Electronics (EDI project for EDP/ADP sector).
9	GS1 GS1 (formerly EAN International), an organisation of GS1 Member Organisations, which manages the GS1 System. GS1 Description: GS1 International.
10	ODETTE Organization for Data Exchange through Tele-Transmission in Europe (European automotive industry project).
17	S.W.I.F.T. Society for Worldwide Interbank Financial Telecommunications s.c.
28	EDITEUR (European book sector electronic data interchange group) Code identifying the pan European user group for the book industry as an organisation responsible for code values in the book industry.
60	Assigned by national trade agency The code list is from a national agency.
65	GS1 France Organisation responsible for GS1 System in France.
68	GS1 Italy Organisation responsible for GS1 System in Italy.
83	US, National Retail Federation The National Retail Federation is the trade association for the general merchandise retailing industry. In addition to providing support and education services, they also maintain and publish standard colour and size codes for the retail industry.
84	DE, BRD (Gesetzgeber der Bundesrepublik Deutschland) German legislature.
86	Assigned by party originating the message Codes assigned by the party originating the message.
87	Assigned by carrier Codes assigned by the carrier.

**Used Codes**

88	Assigned by owner of operation Assigned by owner of operation (e.g. used in construction).
89	Assigned by distributor Codes assigned by a distributor.
90	Assigned by manufacturer Code assigned by the manufacturer.
91	Assigned by supplier or supplier's agent Codes assigned by a seller or seller's agent. GS1 Description: Code assigned by the supplier or supplier's agent.
92	Assigned by buyer or buyer's agent Codes assigned by a buyer or buyer's agent.
112	US, U.S. Census Bureau The Bureau of the Census of the U.S. Dept. of Commerce.
113	GS1 US Organisation responsible for GS1 System in the USA.
116	US, ANSI ASC X12 American National Standards Institute ASC X12.
131	DE, German Bankers Association German Bankers' Association.
136	GS1 UK Organisation responsible for GS1 System in the UK.
137	AT, Verband oesterreichischer Banken und Bankiers Austrian bankers association.
174	DE, DIN (Deutsches Institut fuer Normung) German standardization institute.
182	US, Standard Carrier Alpha Code (Motor) Organisation maintaining the SCAC lists and transportation operating in North America.
194	AU, AQIS (Australian Quarantine and Inspection Service) Australian Quarantine and Inspection Service.
200	GS1 Netherlands Organisation responsible for GS1 System in the Netherlands.
245	GS1 Denmark Organisation responsible for GS1 System in Denmark.

**Used Codes**

246	GS1 Germany Organisation responsible for GS1 System in Germany. GS1 Description: German representative of International Article Numbering association (GS1).
260	Ediel Nordic forum A code to identify Ediel Nordic forum, which is an organization standardizing the use of EDI between the participants in the Nordic power market.
281	GS1 Belgium & Luxembourg Organisation responsible for GS1 System in Belgium & Luxembourg.
286	SE, TCO (Tjänstemännen Central Organisation) The Swedish Confederation of Professional Employees.
294	GS1 Austria Organisation responsible for the GS1 System in Austria.
295	AU, Therapeutic Goods Administration Austrian administration responsible for the regulation of therapeutic goods in Australia. EDIFACT
297	IT, Ufficio IVA Ufficio responsabile gestione partite IVA, Italy (Italian Institute issuing VAT registration numbers). EDIFACT
298	GS1 Spain Organisation responsible for the GS1 System in Spain.
316	GS1 Finland Organisation responsible for the GS1 system in Finland.
317	GS1 Brazil Organisation responsible for the GS1 system in Brazil.
324	GS1 Ireland Organisation responsible for the GS1 system in Ireland.
325	GS1 Russia Organisation responsible for the GS1 system in Russia.
326	GS1 Poland Organisation responsible for the GS1 system in Poland.
327	GS1 Estonia Organisation responsible for the GS1 system in Estonia.
376	PANTONE Color code controlling organisation
400	FAO (Food and Agriculture Organisation) Food and Agriculture Organisation of the United Nations.

## Used Codes

---

CEN	Comite European de Normalisation (GS1 Temporary Code) Comite European de Normalisation.
PMS	Pantone Matching System (GS1 Temporary Code) Pantone Matching System.
RAL	DE, Deutsches Institut fuer Guetesicherung und Kennzeichnung (GS1 Temporary Code)
TGA	AU, Therapeutic Goods Administration (GS1 Temporary Code) Australian administration responsible for the regulation of therapeutic goods in Australia.
X5	IT, Ufficio IVA (GS1 Temporary Code) Ufficio responsabile gestione partite IVA, Italy (Italian Institute issuing VAT registration numbers).
X6	Assigned by logistics service provider (GS1 Temporary Code) Codes assigned by the logistics service provider.
ZZZ	Mutually defined A code assigned within a code list to be used on an interim basis and as defined among trading partners until a precise code can be assigned to the code list.
<b>3139</b>	Contact function code Code specifying the function of a contact (e.g. department or person).
IC	Information contact Department/person to contact for questions regarding transactions.
<b>3155</b>	Communication address code qualifier Code qualifying the communication address.
AL	Cellular phone Identifies the cellular phone number.
AO	Uniform Resource Location (URL) Identification of the Uniform Resource Location (URL) Synonym: World wide web address. EDIFACT
AQ	X.400 address for mail text The X.400 address accepting information in the body text of a message.
AR	AS1 address Address capable of receiving messages in accordance with the EDIINT/AS1 protocol for MIME based EDI .
AS	AS2 address Address capable of receiving messages in accordance with the EDIINT/AS2 protocol.

## Used Codes

---

AT	AS3 address Address capable of receiving messages in accordance with the EDIINT/AS3 protocol.
AU	File Transfer Protocol Address capable for receiving message in accordance with the File Transfer Protocol (IETF RFC 959 et. al.).
CA	Cable address The communication number identifies a cable address.
EI	EDI Number identifying the service and service user.
EM	Electronic mail Exchange of mail by electronic means. GS1 Description: Creating/sending/receiving of unstructured free text messages or documents using computer network, a mini-computer or an attached modem and regular telephone line or other electronic transmission media.
EXI	Exite mail (GS1 Temporary Code) Requests that the file shall be returned via Exite.
FX	Fax Device used for transmitting and reproducing fixed graphic material (as printing) by means of signals over telephone lines or other electronic transmission media.
IA	Interchange address (GS1 Temporary Code) Code identifying an EDI interchange address.
TE	Telephone Voice/data transmission by telephone.
TL	Telex Transmission of text/data via telex.
WWW	WWW-Site (GS1 Temporary Code) The identification of a world wide web address.
XF	X.400 The X.400 address. GS1 Description: CCITT Message handling system.
XG	Pager Identifies that the communication number is for a pager.

## Used Codes

---

### 3207

Country name code

| Identification of the name of the country or other geographical entity as defined in ISO 3166-1.

Notes:

| 1. Use ISO 3166-1 two alpha country code.

AD	ANDORRA
AE	UNITED ARAB EMIRATES
AF	AFGHANISTAN
AG	ANTIGUA AND BARBUDA
AI	ANGUILLA
AL	ALBANIA
AM	ARMENIA
AN	NETHERLANDS ANTILLES
AO	ANGOLA
AQ	ANTARCTICA
AR	ARGENTINA
AS	AMERICAN SAMOA
AT	AUSTRIA
AU	AUSTRALIA
AW	ARUBA
AZ	AZERBAIJAN
BA	BOSNIA AND HERZEGOVINA
BB	BARBADOS
BD	BANGLADESH
BE	BELGIUM
BF	BURKINA FASO
BG	BULGARIA
BH	BAHRAIN
BI	BURUNDI
BJ	BENIN
BM	BERMUDA
BN	BRUNEI DARUSSALAM
BO	BOLIVIA
BR	BRAZIL

**Used Codes**

---

BS	BAHAMAS
BT	BHUTAN
BV	BOUVET ISLAND
BW	BOTSWANA
BY	BELARUS
BZ	BELIZE
CA	CANADA
CC	COCOS (KEELING) ISLANDS
CD	CONGO, THE DEMOCRATIC REPUBLIC OF THE
CF	CENTRAL AFRICAN REPUBLIC
CG	CONGO
CH	SWITZERLAND
CI	COTE D'IVOIRE
CK	COOK ISLANDS
CL	CHILE
CM	CAMEROON
CN	CHINA
CO	COLOMBIA
CR	COSTA RICA
CU	CUBA
CV	CAPE VERDE
CX	CHRISTMAS ISLAND
CY	CYPRUS
CZ	CZECH REPUBLIC
DE	GERMANY
DJ	DJIBOUTI
DK	DENMARK
DM	DOMINICA
DO	DOMINICAN REPUBLIC
DZ	ALGERIA
EC	ECUADOR
EE	ESTONIA
EG	EGYPT



**Used Codes**

EH	WESTERN SAHARA
ER	ERITREA
ES	SPAIN
ET	ETHIOPIA
FI	FINLAND
FJ	FIJI
FK	FALKLAND ISLANDS (MALVINAS)
FM	MICRONESIA, FEDERATED STATES OF
FO	FAROE ISLANDS
FR	FRANCE
GA	GABON
GB	UNITED KINGDOM
GD	GRENADA
GE	GEORGIA
GF	FRENCH GUIANA
GH	GHANA
GI	GIBRALTAR
GL	GREENLAND
GM	GAMBIA
GN	GUINEA
GP	GUADELOUPE
GQ	EQUATORIAL GUINEA
GR	GREECE
GS	SOUTH GEORGIA AND THE SOUTH SANDWICH ISLANDS
GT	GUATEMALA
GU	GUAM
GW	GUINEA-BISSAU
GY	GUYANA
HK	HONG KONG
HM	HEARD ISLAND AND MCDONALD ISLANDS
HN	HONDURAS
HR	CROATIA
HT	HAITI

**Used Codes**

HU	HUNGARY
ID	INDONESIA
IE	IRELAND
IL	ISRAEL
IN	INDIA
IO	BRITISH INDIAN OCEAN TERRITORY
IQ	IRAQ
IR	IRAN, ISLAMIC REPUBLIC OF
IS	ICELAND
IT	ITALY
JM	JAMAICA
JO	JORDAN
JP	JAPAN
KE	KENYA
KG	KYRGYZSTAN
KH	CAMBODIA
KI	KIRIBATI
KM	COMOROS
KN	SAINT KITTS AND NEVIS
KP	KOREA, DEMOCRATIC PEOPLE'S REPUBLIC OF
KR	KOREA, REPUBLIC OF
KW	KUWAIT
KY	CAYMAN ISLANDS
KZ	KAZAKSTAN
LA	LAO PEOPLE'S DEMOCRATIC REPUBLIC
LB	LEBANON
LC	SAINT LUCIA
LI	LIECHTENSTEIN
LK	SRI LANKA
LR	LIBERIA
LS	LESOTHO
LT	LITHUANIA
LU	LUXEMBOURG

**Used Codes**

---

LV	LATVIA
LY	LIBYAN ARAB JAMAHIRIYA
MA	MOROCCO
MC	MONACO
MD	MOLDOVA, REPUBLIC OF
MG	MADAGASCAR
MH	MARSHALL ISLANDS
MK	MACEDONIA, THE FORMER YUGOSLAV REPUBLIC OF
ML	MALI
MM	MYANMAR
MN	MONGOLIA
MO	MACAU
MP	NORTHERN MARIANA ISLANDS
MQ	MARTINIQUE
MR	MAURITANIA
MS	MONTSERRAT
MT	MALTA
MU	MAURITIUS
MV	MALDIVES
MW	MALAWI
MX	MEXICO
MY	MALAYSIA
MZ	MOZAMBIQUE
NA	NAMIBIA
NC	NEW CALEDONIA
NE	NIGER
NF	NORFOLK ISLAND
NG	NIGERIA
NI	NICARAGUA
NL	NETHERLANDS
NO	NORWAY
NP	NEPAL
NR	NAURU

**Used Codes**

NU	NIUE
NZ	NEW ZEALAND
OM	OMAN
PA	PANAMA
PE	PERU
PF	FRENCH POLYNESIA
PG	PAPUA NEW GUINEA
PH	PHILIPPINES
PK	PAKISTAN
PL	POLAND
PM	SAINT PIERRE AND MIQUELON
PN	PITCAIRN
PR	PUERTO RICO
PS	PALESTINIAN TERRITORY, OCCUPIED
PT	PORTUGAL
PW	PALAU
PY	PARAGUAY
QA	QATAR
RE	REUNION
RO	ROMANIA
RS	SERBIA
RU	RUSSIAN FEDERATION
RW	RWANDA
SA	SAUDI ARABIA
SB	SOLOMON ISLANDS
SC	SEYCHELLES
SD	SUDAN
SE	SWEDEN
SG	SINGAPORE
SH	SAINT HELENA
SI	SLOVENIA
SJ	SVALBARD AND JAN MAYEN
SK	SLOVAKIA

**Used Codes**

SL	SIERRA LEONE
SM	SAN MARINO
SN	SENEGAL
SO	SOMALIA
SR	SURINAME
ST	SAO TOME AND PRINCIPE
SV	EL SALVADOR
SY	SYRIAN ARAB REPUBLIC
SZ	SWAZILAND
TC	TURKS AND CAICOS ISLANDS
TD	CHAD
TF	FRENCH SOUTHERN TERRITORIES
TG	TOGO
TH	THAILAND
TJ	TAJKISTAN
TK	TOKELAU
TM	TURKMENISTAN
TN	TUNISIA
TO	TONGA
TP	EAST TIMOR
TR	TURKEY
TT	TRINIDAD AND TOBAGO
TV	TUVALU
TW	TAIWAN, PROVINCE OF CHINA
TZ	TANZANIA, UNITED REPUBLIC OF
UA	UKRAINE
UG	UGANDA
UM	UNITED STATES MINOR OUTLYING ISLANDS
US	UNITED STATES
UY	URUGUAY
UZ	UZBEKISTAN
VA	HOLY SEE (VATICAN CITY STATE)
VC	SAINT VINCENT AND THE GRENADINES

## Used Codes

---

VE	VENEZUELA
VG	VIRGIN ISLANDS, BRITISH
VI	VIRGIN ISLANDS, U.S.
VN	VIET NAM
VU	VANUATU
WF	WALLIS AND FUTUNA
WS	SAMOA
YE	YEMEN
YT	MAYOTTE
YU	YUGOSLAVIA
ZA	SOUTH AFRICA
ZM	ZAMBIA
ZW	ZIMBABWE

---

### 3227

Location function code qualifier  
Code identifying the function of a location.

9	Place/port of loading (3334 + 3230) Seaport, airport, freight terminal, rail station or other place at which the goods (cargo) are loaded on to the means of transport being used for their carriage.
11	Place/port of discharge (3392 + 3414) Seaport, airport, freight terminal, rail station or other place at which the goods (cargo) are unloaded from the means of transport having been used for their carriage.

---

### 3453

Language name code  
Code specifying the language name.

Notes:  
1. Use ISO 639-1988.

AA	Afar
AB	Abkhazian
AF	Afrikaans
AM	Amharic
AR	Arabic
AS	Assamese
AY	Aymara

**Used Codes**

---

AZ	Azerbaijani
BA	Bashkir
BE	Byelorussian
BG	Bulgarian
BH	Bihari
BI	Bislama
BN	Bengali; Bangla
BO	Tibetan
BR	Breton
CA	Catalan
CO	Corsican
CS	Czech
CY	Welsh
DA	Danish
DE	German
DZ	Bhutani
EL	Greek
EN	English
EO	Esperanto
ES	Spanish
ET	Esotonian
EU	Basque
FA	Persian
FI	Finnish
FJ	Fiji
FO	Faroese
FR	French
FY	Frisian
GA	Irish
GD	Scots Gaelic
GL	Galician
GN	Guarani
GU	Gujarati

**Used Codes**

HA	Hausa
HE	Hebrew
HI	Hindi
HR	Croatian
HU	Hungarian
HY	Armenian
IA	Interlingua
ID	Indonesian
IE	Interlingue
IK	Inupiak
IS	Icelandic
IT	Italian
IU	Eskimo, Inuktiut CA
JA	Japanese
JW	Javanese
KA	Georgian
KK	Kazakh
KL	Greenlandic
KM	Cambodian
KN	Kannada
KO	Korean
KS	Kashmiri
KU	Kurdish
KY	Kirghiz
LA	Latin
LN	Lingala
LO	Laothian
LT	Lithuanian
LV	Latvian, Lettish
MG	Malagasy
MI	Maori
MK	Macedonian
ML	Malayalam



**Used Codes**

MN	Mangolian
MO	Moldavian
MR	Marathi
MS	Malay
MT	Maltese
NA	Nauru
NE	Nepali
NL	Dutch
NO	Norwegian
OC	Occitan
OM	(Afan) Oromo
OR	Oriya
PA	Punjabi
PL	Polish
PS	Pashto, Pushto
PT	Portuguese
QU	Quechua
RM	Rhaeto-Romance
RN	Kirundi
RO	Romanian
RU	Russian
RW	Kinyarwanda
SA	Sanskrit
SD	Sindhi
SG	Sangho
SH	Serbo-Croatian
SI	Singhalese
SK	Slovak
SL	Slovenian
SM	Samoan
SN	Shona
SO	Somali
SQ	Albanian

**Used Codes**

---

SR	Serbian
SS	Siswati
ST	Sesotho
SU	Sundanese
SV	Swedish
SW	Sawahili
TA	Tamil
TE	Telugu
TG	Tajik
TH	Thai
TI	Tigrinya
TK	Turkmen
TL	Tagalog
TN	Setswana
TO	Tonga
TR	Turkish
TS	Tsonga
TT	Tatar
TW	Twi
UG	Uigur
UK	Ukrainian
UR	Urdu
UZ	Uzbek
VI	Vietnamese
VO	Volapük
WO	Wolof
YI	Yiddish
YO	Yoruba
ZA	Zhuang
ZH	Chinese
ZU	Zulu

## Used Codes

---

<b>4053</b>	Delivery or transport terms description code Code specifying the delivery or transport terms.
	Notes: 1. Recommend use UN/ECE Recommendation No. 5 Incoterms 1990. If directory codes or Recommendation No. 5 codes are not applicable, use appropriate code set in combination with 1131/3055.
01E	Contact delivery party before delivery (GS1 Temporary Code) Indication that the delivery party should be contacted before delivery.
02E	Despatch goods urgent delivery (GS1 Temporary Code) Requests that the goods be despatched urgently.
03E	Special delivery conditions (GS1 Temporary Code) Indication that the delivery is subject to special conditions agreed between the trading partners.
04E	Cash on delivery (GS1 Temporary Code) Indication that the delivery is subject to cash on delivery conditions.
CFR	Cost & Freight GS1 Description: The risk is transferred when the goods have effectively passed the ship's rail at the port of shipment. Insurance to be covered by the buyer.
CIF	Cost, Insurance, Freight to named destination GS1 Description: The risk is transferred when the goods have effectively passed the ship's rail at the port of shipment. Insurance to be covered by the seller.
CIP	Freight, Carriage, Insurance to destination GS1 Description: The risk is transferred when the goods are taken into custody by the first carrier. Insurance to be covered by the seller.
CPT	Freight, Carriage paid to destination GS1 Description: The risk is transferred when the goods are taken into custody by the first carrier who has undertaken transportation from the place of departure. Insurance to be covered by the buyer.
DAF	Delivery at frontier - Named place GS1 Description: The risk is transferred when the goods are put at the disposal of the buyer at the named place at frontier. Insurance to be covered by the seller.
DDP	Delivered duty paid to destination GS1 Description: The risk is transferred when the goods are put at the disposal of the buyer at the named place. Duty is paid. Insurance to be covered by the seller.
DDU	Delivered duty unpaid GS1 Description: The risk is transferred when the goods are put at the disposal of the buyer at the named place. Duty is not paid. Insurance to be covered by the seller.

## Used Codes

---

DEQ	Delivered Ex Quay - Duty paid, Named port GS1 Description: The risk is transferred when the goods have been effectively put at the disposal of the buyer on the quay at the port of destination. Insurance to be covered by the seller.
DES	Delivered Ex ship - Named port of destination GS1 Description: The risk is transferred when the goods have been effectively put at the disposal of the buyer on board the ship at the port of destination. Insurance to be covered by the seller.
EXW	Ex works GS1 Description: The risk is transferred when the goods are put at the disposal of the buyer according to the terms of the agreement. Insurance to be covered by the buyer.
FAS	Free alongside ship GS1 Description: The risk is transferred when the goods have been effectively delivered alongside the ship at the named port of shipment. Insurance to be covered by the buyer.
FCA	Free carrier - Named point GS1 Description: The risk is transferred when the goods are taken into custody of the carrier at the time and named point mentioned in the contract. Insurance to be covered by the buyer (the seller to the named point).
FOA	FOB Airport - Named airport of departure
FOB	Free on Board - Named port of shipment GS1 Description: The risk is transferred when the goods have effectively passed the ship's rail at the port of shipment. Insurance to be covered by the buyer.
FOR	Free on Rail - Named departure point
RDN	Return the delivery note signed by the goods recipient (GS1 Temporary Code) Indication that the delivery note has to be returned signed by the goods recipient.
RPD	Return the number of the "proof of delivery" generated by the goods recipient has to be returned (GS1 Temporary Code) Indication that the number of the "proof of delivery" generated by the goods recipient has to be returned.
SD	Shipment of order split over more than one means of transport (GS1 Temporary Code) Shipment of an order has been split over more than one means of transport.
<b>4055</b>	Delivery or transport terms function code Code specifying the function of delivery or transport terms.

## Used Codes

---

1	Price condition Specifies a condition related to the price which a seller must fulfil before the buyer will complete a purchase. GS1 Description: Specific price condition under which goods must be delivered to the consignee.
5	Transport condition Specifies the conditions under which the transport takes place under the responsibility of the carrier.
6	Delivery condition Specifies the conditions under which the goods must be delivered to the consignee.
<b>4065</b>	Contract and carriage condition code Code to identify the conditions of contract and carriage.
1	AVC conditions General conditions of transport 1983, latest revision laid down by the Stichting Vervoeradres The Hague.
2	Special agreement for parcels transport Appliance of a non published special agreement signed between a customer and the carrier (mandatory requested by the consignor) for parcels transport.
3	Special agreement for full loading transport Appliance of a non published special agreement signed between a customer and the carrier (mandatory requested by the consignor) for full load transport.
4	Combined transport A transport which involves more than one mode of transportation.
5	FIATA combined transport bill of lading Standard conditions of a combined transport bill of lading issued by FIATA.
6	Freight forwarders national conditions The contract and carriage conditions as established by freight forwarders on a national basis.
7	Normal tariff, parcels transport Appliance of the published legal tariff in case of parcels transport (required or not by the consignor).
8	Normal tariff, full loading transport Appliance of the published legal tariff in case of full load transport (required or not by the consignor).
9	Ordinary Carrier will choose the cheapest tariff in the legally published tariffs for parcels or full load transports (no tariff required by the consignor).

## Used Codes

---

10	Port to port The transport will only be port to port, no inland transport would have to be provided under the contract.
11	CMR carnet Conditions in accordance with the convention of the contract for the international carriage of goods by road.
12	Special tariff, parcels transport Appliance of the legally published "special" tariff in case or parcels transport (tariff requested by the consignor).
13	Special tariff, full transport Appliance of the legally published "special tariff" in case of full load transport (tariff requested by the consignor).
14	Through transport The transport that is contracted not only from port to port, but from one inland location to another inland location.
Z1	No time slot specification / no booking required
Z2	
Z3	Time slot confirmation via ZFS required
Z4	Time slot booking via phone required
Z5	Time slot is already taken
<b>4079</b>	Handling instruction description code Code specifying a handling instruction.
1	Heat sensitive The object is heat sensitive.
2	Store in dry environment The object must be stored in dry environment.
3	Stacked The identified item is, or can be stacked.
11	Refrigeration required Item must be refrigerated for proper handling.
12	Refrigeration not required Item does not need to be refrigerated for proper handling.
AVI	Live animal (GS1 Temporary Code)
BIG	Outsized (GS1 Temporary Code)
CRU	Crushable (GS1 Temporary Code)
DAE	Dangerous article (GS1 Temporary Code) A code indicating that an article is dangerous.

## Used Codes

---

DCE	Delivery via distribution centre (GS1 Temporary Code)
DDE	Direct delivery (GS1 Temporary Code)
DES	Destroy (GS1 Temporary Code) The identified goods are to be destroyed according to specified instructions.
EAT	Foodstuffs (GS1 Temporary Code)
FAC	Factory package (GS1 Temporary Code) Item isn't packed for end consumer. Repacking might be necessary
FRO	Frozen (GS1 Temporary Code) The identified products is frozen and should be kept frozen.
FTD	Frost danger (GS1 Temporary Code)
HEA	Heavy cargo/150 kg and over per piece (GS1 Temporary Code)
HGA	Hanging garment (GS1 Temporary Code) The identified product(s) should be handled as a hanging garment.
HWC	Handle with care (GS1 Temporary Code)
LAB	Label (GS1 Temporary Code) The identified product is/are to be labelled.
LYG	Lying (GS1 Temporary Code) The identified product(s) should be kept in a lying position.
MF	Multiple facings (GS1 Temporary Code) The item has multiple facings (views) for presentation in the shelf.
MOV	Move (GS1 Temporary Code) The identified product is to be moved according to instructions specified.
NES	Nestable (GS1 Temporary Code) A package which can be stacked into similar package types e.g applies for dishes, plates, bowls or buckets.
NSD	Nesting depth (GS1 Temporary Code) The item can be stacked into into each other (e.g. plates, bowls or buckets). The nesting refers to the depth of the item's facing (main view).
NSH	Nesting height (GS1 Temporary Code) The item can be stacked into into each other (e.g. plates, bowls or buckets). The nesting refers to the height of the item's facing (main view).
NSW	Nesting width (GS1 Temporary Code) The item can be stacked into into each other (e.g. plates, bowls or buckets). The nesting refers to the width of the item's facing (main view).
NWP	Newspapers, magazines (GS1 Temporary Code)
OHG	Overhang item (GS1 Temporary Code)

## Used Codes

---

PAC	Pack (GS1 Temporary Code) The identified product is to be packed according to the instructions provided.
PER	Perishable cargo (GS1 Temporary Code)
PFS	Prepare for shipment (GS1 Temporary Code) The identified product(s) is(are) to be prepared for shipment.
PIC	Pick (GS1 Temporary Temporary Code) The identified product is to be picked.
PKS	Pick in sequence (GS1 Temporary Code) The identified product is to be picked according to a specific sequence.
PSC	Pest controlling (GS1 Temporary Code)
RCY	Recyclable packaging (GS1 Temporary Code)
RES	Reserve (GS1 Temporary Code) Reserve identified goods according to specified instructions.
RFG	Flammable compressed gas (GS1 Temporary Code)
RFL	Flammable liquid (GS1 Temporary Code)
RFS	Flammable solid (GS1 Temporary Code)
RPB	Poison (GS1 Temporary Code)
SLT	Sensitive to light (GS1 Temporary Code) The product is sensitive to light.
SSN	Smell sensitive (GS1 Temporary Code)
STR	Stacking restricted (GS1 Temporary Code)
TRD	Transit or cross docking delivery (GS1 Temporary Code) The identified product is to be delivered via a transit or cross docking facility.
UNP	Unpack (GS1 Temporary Code) The identified product is to be unpacked from the identified package.
UPR	Upright/standing (GS1 Temporary Code) The identified product should be kept in an upright or standing position.
UST	Unstackable (GS1 Temporary Code)
VAL	Valuable cargo (GS1 Temporary Code)
<b>4219</b>	Transport service priority code Code specifying the priority of a transport service.
1	Express Express treatment (if by rail, legal express regime for parcels transport).



## Used Codes

---

2	High speed Transport under legal international rail convention (CIM) concluded between rail organizations and based on fast routing and specified timetables.
3	Normal speed Transport under legal international rail convention (CIM) concluded between rail organizations.
4	Post service Transport under conditions specified by UPU (Universal Postal Union) and Rail organizations (parcels transport only).
<b>4233</b>	Marking instructions code Code specifying instructions for marking.
33E	Marked with serial shipping container code (GS1 Temporary Code) Indication that the serial shipping container code has been marked on a package.
IEN	Package Identity Number (GS1 Temporary Code) Number uniquely identifying a package.
<b>4441</b>	Free text value code Code specifying free form text.
78E	Proof Of Delivery (GS1 Permanent Code) The mentioned URL refers to a Proof of Delivery document. This Code value can be used if DE 4451 of the FTX segment is ZXL.
EQ	Excepted Quantities
LQ	Limited Quantities
N	No
SV	Special provision
Y	Yes
<b>4451</b>	Text subject code qualifier Code qualifying the subject of the text.
AAA	Goods description [7002] Plain language description of the nature of the goods sufficient to identify them at the level required for banking, Customs, statistical or transport purposes, avoiding unnecessary detail (Generic term).
AAC	Dangerous goods additional information Additional information concerning dangerous goods.

## Used Codes

---

AAD	Dangerous goods, technical name Proper shipping name, supplemented as necessary with the correct technical name, by which a dangerous substance or article may be correctly identified or which is sufficiently informative to permit identification by reference to generally available literature.
AAI	General information The text contains general information.
AAK	Price conditions Information on the price conditions that are expected or given.
ACB	Additional information The text contains additional information.
DEL	Delivery information Information about delivery.
HAZ	Hazard information Information pertaining to a hazard.
INV	Invoice instruction Note contains invoice instructions.
OSI	Other service information General information created by the sender of general or specific value.
PAC	Packing/marking information Information regarding the packaging and/or marking of goods.
PRD	Product information The text contains product information.
SAF	Safety information The text contains safety information.
SIN	Special instructions Special instructions like licence no, high value, handle with care, glass.
SPH	Special handling Note contains special handling information.
SUR	Supplier remarks Remarks from or for a supplier of goods or services.
TRA	Transportation information General information regarding the transport of the cargo.
<b>4453</b>	Free text function code Code specifying the function of free text.
1	Text for subsequent use The occurrence of this text does not affect message processing.

**Used Codes**

<b>5025</b>	Monetary amount type code qualifier Code qualifying the type of monetary amount.
22	Cash on delivery amount Amount to be collected by carrier upon delivery of goods. This amount represents approximately the value of the goods.
157	Insurance value (5010) Value for which the goods are insured.
<b>6069</b>	Control total type code qualifier Code qualifying the type of control of hash total.
7	Total gross weight Code to indicate total gross weight of a consignment.
11	Total number of packages Total number of packages of the entire consignment.
15	Total consignment, cube The total cube of consignment.
29	Total net weight of consignment A code to indicate the total net weight of a consignment.
57	Total loading metres The total number of loading metres.
<b>6145</b>	Dimension type code qualifier Code qualifying the type of the dimension.
2	Package dimensions (incl. goods) The dimension of the goods including the packaging.
<b>6167</b>	Range type code qualifier Code qualifying a type of range.
5	Temperature range The range of a temperature.
<b>6245</b>	Temperature type code qualifier Code qualifying the type of a temperature.
1	Storage temperature The temperature at which the cargo is to be kept while it is in storage.
2	Transport temperature The temperature at which cargo is to be kept while it is under transport.

## Used Codes

---

<b>6311</b>	Measurement purpose code qualifier Code qualifying the purpose of the measurement.
AAA	Line item measurement Line item measurement specified by the Food and Drug Administration.
AAB	Transport conditions for delivery to distribution centre Specified measurements refer to transport conditions for delivery to a distribution centre.
AAC	Retail container size Size of a retail container in terms of volume.
AAE	Measurement [6314] Value of the measured unit.
AAF	Customs line item measurement The measurement of a consignment or part for customs purpose.
AAG	Percentage of alcohol (by volume) The measurement of the alcohol content. GS1 Description: The measurement of the percentage of alcohol by volume.
AAH	Dimensions total weight The total weight of an identified dimension.
AAI	Item weight Weight at line item level.
AAU	Package Commodity/product shipped or sold in discrete individual containers which may be accumulated in a larger package.
ABA	Unit of measure used for ordered quantities The unit of measure in which ordered quantities are expressed.
ABB	Transport conditions for delivery to market Specified measurements refer to transport conditions for delivery to the market.
ABC	Storage conditions to guarantee product freshness until best before date Specified measurements refer to storage conditions to guarantee the product freshness until best before date.
ABL	Internal dimension The inner measurement of the referenced item or package. EDIFACT

## Used Codes

---

ABO	<p>Comparison price measurement</p> <p>A measurement used for comparison pricing purposes.</p> <p>GS1 Description: A code to identify measurements for system or shelf edge labelling pricing comparison purposes, e.g. price of a 225 gram of caviar is 200 EUR, price per 100 grams is 89 EUR.</p>
ABW	<p>Unit of measure used for invoiced quantities</p> <p>Unit of measure of invoiced quantity.</p>
ABX	<p>Usable or consumable content</p> <p>Measurement of usable or consumable contents.</p>
AMT	<p>Amount (GS1 Temporary Code)</p> <p>A code to provide monetary range information applicable to allowances or charges, e.g. 5% discount for orders between 5000 and 10000 EUR.</p>
CHW	<p>Chargeable weight</p> <p>The weight on which charges are based.</p>
CT	<p>Counts</p> <p>The measurement is counts.</p>
DT	<p>Dimensional tolerance</p> <p>Possible range of values for a specified measurement dimension of a product, material or package.</p>
DV	<p>Discrete measurement value</p> <p>The measurement specified is separate and distinct from other measurements.</p>
EGW	<p>Estimated gross weight (GS1 Temporary Code)</p> <p>Estimated weight (mass) of goods, including packing.</p>
FCT	<p>Fat content (GS1 Temporary Code)</p> <p>A code to indicate the fat content of a product, e.g. cheese.</p>
LL	<p>Lift limitation</p> <p>A measurement indicating lift capacity limitations.</p>
LMT	<p>Loading metre</p> <p>The length in a vehicle, whereby the complete width and height over that length is needed for the goods.</p>
MV	<p>Measured value (GS1 Temporary Code)</p> <p>Specification of a value which was measured for test purposes.</p>
PD	<p>Physical dimensions (product ordered)</p> <p>Specified measurement dimensions refer to physical dimensions of a product, material or package.</p> <p>GS1 Description: The restriction 'product ordered' can be ignored.</p>

## Used Codes

---

RL	Receiving facility limitations Specified measurement dimensions are provided as a result of limitations or restrictions related to the physical dimensions of a product, material or package at the reception point.
SH	Shipping tolerance Tolerances related to shipping.
SO	Storage limitation A measurement indicating limitation in relation to storage.
SV	Specification value A measurable item characteristic specified by the buyer, seller or third party.
TL	Transportation equipment limitations A measurement indicating limitations in relation to transportation equipment.
TR	Test result Indicates that the data to follow is the test result measurements.
UTV	Unit total volume of pure alcohol (GS1 Temporary Code) The measurement of the unit total volume of pure alcohol.
VO	Observed value (GS1 Temporary Code) The reported test result which includes measurement variability.
VT	True value (GS1 Temporary Code) The reported test result with the measurement variability removed.
X4E	Retail container dimension (GS1 Temporary Code) Single physical dimension of a retail container.
X5E	Colour (GS1 Temporary Code) The colour of an object.
X6E	Size (GS1 Temporary Code) Dimensions or magnitude of an object.
Y1E	Internal dimensions (GS1 Temporary Code) Internal dimension of an article, e.g. a piece of furniture
Y2E	Maximum dimensions using a functionality (GS1 Temporary Code) Maximum dimension of an article using a functionality (e.g. extendable sofa)
Y3E	Minimum dimensions using a functionality (GS1 Temporary Code) Minimum dimension of an article using a functionality (e.g. folding chair)
Y4E	Mattress dimensions (GS1 Temporary Code) Dimension of a mattress, i.e. not the total dimension of the bed frame.
Y5E	Seat dimensions (GS1 Temporary Code) Seat dimension of a chair etc., not total dimension.

## Used Codes

---

<b>6313</b>	Measured attribute code Code specifying the attribute measured.
A	Consolidated weight The measured consolidated weight.
AAA	Unit net weight GS1 Description: Weight (mass) of the goods without any packing.
AAB	Unit gross weight [6292] Weight (mass) of goods including packing but excluding the carrier's equipment.
AAC	Total net weight Total weight of goods excluding packaging. GS1 Description: "Total" in this code means the sum of the net weight of all items.
AAD	Total gross weight [6292] Weight (mass) of goods including packing but excluding the carrier's equipment. GS1 Description: "Total" in this code means the sum of the gross weight of all items.
AAJ	Number of units per pallet The number of units contained on a pallet. GS1 Description: An indication of the number of units on a loaded pallet. The value associated with this code is calculated by multiplying the number of units per layer by the number of layers on a pallet.
AAK	Fat content An indication of the fat content of a product.
AAL	Net weight GS1 Description: Weight (mass) of goods excluding packaging. GS1 usage note: The field of implementation of this code is the area of transport and related activities such as the preparation of goods into consignments for shipping.
AAO	Humidity Self-explanatory.
AAP	Voltage Self-explanatory.
AAQ	Power consumption Value of energy consumption.
AAR	Heat dissipation Self-explanatory.

## Used Codes

---

AAU	Operative temperature Temperature identified system or process works according to specifications.
AAW	Gross volume The observed volume unadjusted for factors such as temperature or gravity. GS1 Description: The usage of this code relates to the contents, e.g. gases or liquids that expand/contract under given circumstances.
AAX	Net volume The observed volume after adjustment for factors such as temperature or gravity. GS1 Description: The usage of this code relates to the contents, e.g. gases or liquids that expand/contract under given circumstances.
AAY	Water content Water content in product.
ABF	Item width when unrolled The width of an item when unrolled.
ABG	Item length when unrolled The length of an item when unrolled.
ABH	Item area when unrolled The area occupied by an item when unrolled.
ABI	Original wort Measure of the malt and hops content of beer, before fermentation has taken place.
ABJ	Volume The amount of air space taken up by the entity identified in the 6311 qualifier. GS1 Description: The usage of this code relates to the cube of air that the package takes up.
ABK	Angle The angle of an object. EDIFACT
ABL	Peg hole horizontal distance from package leftmost edge Horizontal distance from the left most edge of the package to the center of the hole into which the peg is inserted. EDIFACT
ABM	Peg hole vertical distance from top Vertical distance from the top of the package to the top of the hole into which the peg is inserted. EDIFACT
ABO	Product strength, chemical The amount of the single active chemical ingredient within a product. EDIFACT



## Used Codes

---

ABP	<p>Product strength basis, chemical</p> <p>Amount of product used as the basis for the specification of the chemical product strenght.</p> <p>EDIFACT</p>
ABQ	<p>Percentage of alcohol (by volume)</p> <p>The percentage of alcohol contained in a liquid.</p>
ACG	<p>Chargeable weight</p> <p>The weight on which charges are based.</p>
ACN	<p>Estimated gross weight</p> <p>Estimated weight (mass) of goods, including packing and excluding carrier's.</p> <p>GS1 Description: Estimated gross weight (mass) of goods, including packing and excluding carrier's equipment.</p>
ACP	<p>Estimated volume</p> <p>Estimated size or measure of anything in three dimensions.</p> <p>GS1 Description: The usage of this code relates to the cube of air that the package takes up.</p>
ACV	<p>Loading meters</p> <p>The length in a vehicle, whereby the complete width and height over that length is needed for the goods.</p>
ADJ	<p>Surface (GS1 Temporary Code)</p> <p>A measurement in relation a surface.</p>
ADX	<p>Transport container actual filling weight</p> <p>Actual filling weight of a transport container.</p>
ADY	<p>Transport container maximum capacity</p> <p>Maximum capacity of a transport container.</p>
ADZ	<p>Declared net weight</p> <p>The declared net weight of a product or products used for invoicing, customs or transport purposes.</p> <p>GS1 Description: The field of implementation of this code is the area of transport and/or customs.</p>
AEA	<p>Loading height</p> <p>Maximum height of products or packages loaded onto a given transportation device or equipment such as a pallet.</p>
AEB	<p>Stacking height</p> <p>Maximum height up to which the same product or package may be placed one upon the other for storage purposes.</p>
AEI	<p>Drained weight</p> <p>The weight of a product when all liquids used in the packaging of the product have been removed.</p>

## Used Codes

---

AEV	<p>Acidity of juice</p> <p>Acid measurement of juice.</p> <p>GS1 Description: Acid number of juice of fruit measured with pH = 8.2.</p>
AEW	<p>Penetrometry</p> <p>Measurement of force required to drive a standard penetrating stamp.</p>
AEX	<p>Durofel</p> <p>Measurement of the elastic force using a standard penetrating stamp.</p> <p>GS1 Description: Measure of the elastic force of the pulp of a fruit. This is measured with a penetrating stamp and expressed as a percentage.</p>
AEY	<p>Juice weight per 100 grams</p> <p>Measurement of weight of juice, based on 100 grams of the entire weight.</p> <p>GS1 Description: Weight of juice, based on 100 grams of the entire fruit, expressed as a percentage.</p>
AEZ	<p>Fruit skin colour</p> <p>Measurement of the colouring of the epidermis of a fruit.</p> <p>GS1 Description: Colouring of the epidermis of a fruit measured with comparators. It indicates the maturity of the fruit or its commercial quality.</p>
AFB	<p>Durofel D10</p> <p>Measure of the elastic force of the pulp of a fruit. It is measured with a penetrating stamp with diameter 10.</p> <p>GS1 Description: Measure of the elastic force of the pulp of a fruit. It is measured with a penetrating stamp with diameter 10. This measure is expressed as a percentage.</p>
AFC	<p>Durofel D25</p> <p>Measure of the elastic force of the pulp of a fruit. It is measured with a penetrating stamp with diameter 25.</p> <p>GS1 Description: Measure of the elastic force of the pulp of a fruit. It is measured with a penetrating stamp with diameter 25. This measure is expressed as a percentage.</p>
AFD	<p>Durofel D50</p> <p>Measure of the elastic force of the pulp of a fruit. It is measured with a penetrating stamp with diameter 50.</p> <p>GS1 Description: Measure of the elastic force of the pulp of a fruit. It is measured with a penetrating stamp with diameter 50. This measure is expressed as a percentage.</p>
AFE	<p>Maximum stacking weight</p> <p>The maximum weight which may be stacked upon a product or package without the product or packaging being crushed.</p>

## Used Codes

---

AFF	Gross measure cube The total cubic space occupied by an item, taking into account any protruding components, arrived at by multiplying the maximum length, width and height.
AFG	Percentage fat content in dry matter The percentage of fat content in dry matter.
AFH	Saccharometric content Measurement of the sugar content of a solution. EDIFACT
AFI	Hydrate content of an alcoholic product after bottling The hydrate content which occurs in an alcoholic product after bottling.
AFJ	Anhydrous content The non-water content. GS1 Description: Anhydrous content of an alcoholic product.
AFT	Colour depth The number of distinct colours represented, e.g. in an image or in a display.
AFU	Colour depth, maximum The maximum number of distinct colours that can be represented, e.g. in an image or in a display.
AFV	Image resolution The level of detail of an image.
AFW	Device resolution, maximum The maximum level of detail produced by a device.
AFX	Acoustic absorption coefficient The portion of sound energy a surface absorbs, measured at different frequencies.
BNU	Peg hole number Used to identify the peg hole if more than one hole is present in the product or packaging.
BNV	Number of inner packs Indicates the number of non coded physical groupings (inner packs) of next lower level trade items within the current trade item level.
BNW	Number of next level trade items within inner pack The number of next lower level trade items contained within the physical non-coded grouping (inner pack).
BNX	Number of trade items per pallet layer The number of trade items contained on a single layer of a pallet.
BNY	Packed items layer Height The height of a single layer of packed items.

## Used Codes

---

BNZ	<p>Packing material weight, skin tight covering</p> <p>The weight measurement of the packing material used for skin tight covering (e.g. when packaging prepared meats, poultry, cheese, and other food products).</p>
BRB	<p>Components labelled for recycling percentage</p> <p>Percentage of trade item components that clearly label how to facilitate product disassembly and recycling.</p>
BRC	<p>Renewable plastic components percentage, by net weight</p> <p>The percentage of the plastic components only made from rapidly renewable plant-based material by net weight of product.</p>
BRD	<p>Clamp pressure, required</p> <p>The pressure that should be applied by a clamp.</p>
BUP	<p>Number of base units per pallet (GS1 Temporary Code)</p> <p>The number of base units contained in a pallet.</p>
CF1	<p>Colony forming Unit (GS1 Temporary Code)</p> <p>Micro-organism colonies that are to be counted under determined conditions.</p>
CT	<p>Contents of package</p> <p>In combination with the other data elements of the actual segment this code indicates the measured content of a package.</p>
DBX	<p>Degree BRIX (GS1 Temporary Code)</p> <p>The rate of sugar.</p>
DI	<p>Diameter</p> <p>Diameter of an article.</p>
DLL	<p>Diluted liquid (GS1 Temporary Code)</p> <p>The volume of liquid which results after a dilution agent has been added, e.g. undiluted orange juice of 200ml, after dilution with water the volume of diluted liquid equals 1 litre.</p>
DN	<p>Density</p> <p>The measured density.</p>
DP	<p>Depth</p> <p>The measured depth.</p>
ENE	<p>Energy efficiency (GS1 Temporary Code)</p> <p>A measurement of the energy efficiency of an article.</p>
G	<p>Gross weight</p> <p>[6292] Weight (mass) of goods including packing but excluding the carrier's equipment.</p> <p>GS1 Description: The field of implementation of this code is the area of transport and related activities such as the preparation of goods into consignments for shipping.</p>

## Used Codes

---

HT	Height dimension Numeric value of height.
HYE	Hydrate content (GS1 Temporary Code) Hydrate content of an alcoholic product.
ID	Inside diameter The measured inside diameter. GS1 Description: A measurement of the inside diameter of a roll, tube, pipe, or circle.
LAY	Number of layers (GS1 Temporary Code) Number of layers of a product or products within a package, container, pallet, etc. GS1 Description: Number of layers of a product or products within a package, container, pallet, etc.
LN	Length dimension (6168) Length of pieces or packages stated for transport purposes.
MDM	Maximum demand (GS1 Temporary Code) The highest demand recorded during the period of recording of usage of the supply.
NPL	Number of layers per pallet (GS1 Temporary Code) The number of layers per pallet.
NPP	Number of pallet places (GS1 Temporary Code) The number of pallet places needed to store or transport pallets (can be stacked).
OD	Outside diameter The measured outside diameter. GS1 Description: A measurement of the outside diameter of a roll, tube, pipe, or circle.
PMC	Package net measurement cube (GS1 Temporary Code) An indication of the net cubed measurement of a package.
PWF	Power factor (GS1 Temporary Code) The ration of the power dissipated (active power in kW) to the total power (which is the product of the input volts times amps given in kVa). When equipment which uses reactive power is being operated the power factor will be less than one.
RA	Relative humidity The measured relative humidity.
RJ	Rockwell C Hardness in the Rockwell C scale.

**Used Codes**

SAA	Product strength (GS1 Temporary Code) Product strength expressed as the absolute value of the active ingredient's amount.
SCC	Saccharometric content (GS1 Temporary Code) Saccharometric content of an alcoholic product.
SF	Stacking factor excluding bottom item (GS1 Temporary Code) Maximum number of items stackable upon each other, excluding the bottom item.
SPG	Specific gravity (GS1 Temporary Code)
SPV	Product strength basis (GS1 Temporary Code) Product measurement basis that contains the product strength.
SSZ	Step size (GS1 Temporary Code) An indication of measurements in which options contained within a Customer Specific Article are available, e.g. 10 metre planks of wood may be sold in step sizes of 2 metres.
T	Tare weight Weight excluding goods and loose accessories.
TC	Temperature A measurement in relation to temperature.
TH	Thickness The measured thickness.
TN	Time period Measurement of a specific length of time.
UCO	Units per package (GS1 Temporary Code) The number of identified units per package.
ULY	Number of units per layer (GS1 Temporary Code) Number of units of a product or package within one layer of a package, container, pallet, etc.
WD	Width dimension Numeric value of width.
WRM	Weight per running metre (GS1 Temporary Code) A code used to indicate the weight per running metre of floor coverings over floor area.
WSM	Weight per square metre (GS1 Temporary Code) A code used to indicate the weight per square metre of floor coverings over floor area.
X01	Acidity of meat (1 hour after slaughtering) The meat's acid quality or condition expressed as a pH value measured 1 hour after slaughtering.

## Used Codes

---

X02	Acidity of meat (12 hours after slaughtering) The meat's acid quality or condition expressed as a pH value measured 12 hours after slaughtering.
X03	Acidity of meat (24 hours after slaughtering) The meat's acid quality or condition expressed as a pH value measured 24 hours after slaughtering.
X04	Acidity of meat (36 hour(s) after slaughtering) The meat's acid quality or condition expressed as a pH value measured 36 hours after slaughtering.
X05	Acidity of meat (48 hour(s) after slaughtering) The meat's acid quality or condition expressed as a pH value measured 48 hours after slaughtering.
X11	Angle (GS1 Temporary Code) The angle of an object.
X12	Area (GS1 Temporary Code) The area occupied by an item.
X13	Acidity of meat (GS1 Temporary Code) The meat's acid quality or condition expressed as a pH value.
X16	Slaughtering weight (GS1 Temporary Code) Warm weight after slaughter
X17	Stacking factor including bottom item (GS1 Temporary Code) Maximum number of items stackable upon each other, including the bottom item.
X1E	Number of units in the width of a layer (GS1 Temporary Code) Number of units of a product or package which make up the width of a layer in a package, container, pallet, etc.
X2E	Number of units in the depth of a layer (GS1 Temporary Code) Number of units of a product or package which make up the depth of a layer in a package, container, pallet, etc.
X6E	Nestable percentage (GS1 Temporary Code) Extent expressed as a percentage to which an item can be nested within an identical item.
X7E	Gross weight including carrier's equipment (GS1 Temporary Code) Weight (mass) of goods including packaging and the carrier's equipment. In this context 'carrier's equipment' means any material resources necessary to facilitate the transport and handling of the goods without having the ability to move by its own propulsion, e.g. pallet, container, etc. GS1 usage Note The field of implementation of this code is the area of transport and related activities such as the preparation of goods into consignments for shipping.

## Used Codes

---

X8E	Peg hole horizontal distance from package leftmost edge (GS1 Temporary Code) Horizontal distance from the left most edge of the package to the center of the hole into which the peg is inserted.
X9E	Peg hole vertical distance from top (GS1 Temporary Code) Vertical distance from the top of the package to the top of the hole into which the peg is inserted.
ZWA	Waste content The measured waste content.

---

**6345** Currency identification code  
Code specifying a monetary unit.

Notes:  
1. Use ISO 4217 three alpha code.

ADP	Andorran Peseta
AED	UAE Dirham
AFA	Afghani
ALL	Lek
AMD	Armenian Dram
ANG	Netherlands Antillian Guilder
AOA	Kwanza
AOK	Kwanza
ARA	Austral
ARS	Argentine Peso
ATS	Schilling
AUD	Australian Dollar
AWG	Aruban Guilder
AZM	Azerbaijani Manat
BAM	Convertible Mark
BBD	Barbados Dollar
BDT	Taka
BEC	Belgian Franc (convertible)
BEF	Belgian Franc
BEL	Belgian Franc (financial)
BGL	Lev
BGN	Bulgarian Lev



**Used Codes**

BHD	Bahraini Dinar
BIF	Burundi Franc
BMD	Bermudian Dollar (customarily: Bermuda Dollar)
BND	Brunei Dollar
BOB	Boliviano
BOV	Mvdol
BRC	Cruzado
BRL	Brazilian Real
BSD	Bahamian Dollar
BTN	Ngultrum
BUK	Kyat
BWP	Pula
BYB	Belarussian Ruble
BYR	Belarussian Ruble
BZD	Belize Dollar
CAD	Canadian Dollar
CDF	Franc Congolais
CHF	Swiss Franc
CLF	Unidades de Formento
CLP	Chilean Peso
CNY	Yuan Renminbi
COP	Colombian Peso
CRC	Costa Rican Colon
CUP	Cuban Peso
CVE	Cape Verde Escudo
CYP	Cyprus Pound
CZK	Czech Koruna
DEM	Deutsche Mark
DJF	Djibouti Franc
DKK	Danish Krone
DOP	Dominican Peso
DZD	Algerian Dinar
ECS	Sucre

**Used Codes**

ECV	Unidad de Valor Constante (UVC)
EEK	Kroon
EGP	Egyptian Pound
ERN	Nakfa
ESP	Spanish Peseta
ETB	Ethopian Birr
EUR	Euro GS1 Description: Official monetary unit of the European Union (EU).
FIM	Markka
FJD	Fiji Dollar
FKP	Falkland Islands Pound
FRF	French Franc
GBP	Pound Sterling
GEL	Lari
GHC	Cedi
GIP	Gibraltar Pound
GMD	Dalasi
GNF	Guinea Franc
GRD	Drachma
GTQ	Quetzal
GWP	Guinea-Bissau Peso
GYD	Guyana Dollar
HKD	Honk Kong Dollar
HNL	Lempira
HRD	Croatian Dinar (GS1 Temporary Code)
HRK	Kuna
HTG	Gourde
HUF	Forint
IDR	Rupiah
IEP	Irish Pound
ILS	New Israeli Sheqel
INR	Indian Rupee
IQD	Iraqi Dinar

**Used Codes**

IRR	Iranian Rial
ISK	Iceland Krona
ITL	Italian Lira
JMD	Jamaican Dollar
JOD	Jordanian Dinar
JPY	Yen
KES	Kenyan Shilling
KGS	Som
KHR	Riel
KMF	Comoro Franc
KPW	North Korean Won
KRW	Won
KWD	Kuwaiti Dinar
KYD	Cayman Islands Dollar
KZT	Tenge
LAK	Kip
LBP	Lebanese Pound
LKR	Sri Lanka Rupee
LRD	Liberian Dollar
LSL	Loti
LTL	Lithuanian Litas
LUC	Luxembourg Franc (convertible)
LUF	Luxembourg Franc
LUL	Luxembourg Franc (financial)
LVL	Latvian Lats
LYD	Libyan Dinar
MAD	Moroccan Dirham
MDL	Moldovan Leu
MGF	Malagasy Franc
MKD	Denar
MNT	Tugrik
MOP	Pataca
MRO	Ouguiya

**Used Codes**

MTL	Maltese Lira
MUR	Mauritius Rupee
MVR	Rufiyaa
MWK	Kwacha
MXN	Mexican Peso
MXV	Mexican Unidad de Inversion (UDI)
MYR	Malaysian Ringgit
MZM	Metical
NAD	Namibia Dollar
NGN	Naira
NIC	Cordoba
NIO	Cordoba Oro
NLG	Netherlands Guilder
NOK	Norwegian Krone
NPR	Nepalese Rupee
NZD	New Zealand Dollar
OMR	Rial Omani
PAB	Balboa
PEI	Inti
PEN	Nuevo Sol
PGK	Kina
PHP	Philippine Peso
PKR	Pakistan Rupee
PLN	Zloty
PTE	Portuguese Escudo
PYG	Guarani
QAR	Qatari Rial
ROL	Leu
RSD	Serbian Dinar
RUB	Russian Ruble
RWF	Rwanda Franc
SAR	Saudi Riyal
SBD	Solomon Islands Dollar

**Used Codes**

SCR	Seychelles Rupee
SDD	Sudanese Dinar
SEK	Swedish Krona
SGD	Singapore Dollar
SHP	St. Helena Pound
SIT	Tolar
SKK	Slovak Koruna
SLL	Leone
SOS	Somali Shilling
SRG	Suriname Guilder
STD	Dobra
SVC	El Salvador Colon
SYP	Syrian Pound
SZL	Lilangeni
THB	Baht
TJR	Tajik Ruble
TMM	Manat
TND	Tunisian Dinar
TOP	Pa'anga
TPE	Timor Escudo
TRL	Turkish Lira
TTD	Trinidad and Tobago Dollar
TWD	New Taiwan Dollar
TZS	Tanzanian Shilling
UAH	Hryvnia
UGX	Uganda Shilling
USD	US Dollar
USN	US Dollar (next day)
USS	US Dollar (same day)
UYU	Peso Uruguayo
UZS	Uzbekistan Sum
VEB	Bolivar
VND	Dong

**Used Codes**

VUV	Vatu
WST	Tala
XAF	CFA Franc BEAC
XAG	Silver
XAU	Gold
XBA	European Composite Unit (EURCO)
XBB	European Monetary Unit (E.M.U.-6)
XBC	European Unit of Account 9 (E.U.A.-9)
XBD	European Unit of Account 17 (E.U.A.-17)
XCD	East Carribean Dollar
XDR	SDR
XEU	European Currency Unit (E.C.U.) (GS1 Temporary Code)
XFO	Gold-Franc
XFU	UIC-Franc
XOF	CFA Franc BCEAO
XPD	Palladium
XPF	CFP Franc
XTS	Code specifically reserved for testing purposes
XXX	For transactions where no currency is involved
YDD	Yemeni Dinar
YER	Yemeni Rial
YUM	New Dinar
YUN	Yugoslavian Dinar (GS1 Temporary Code)
ZAR	Rand
ZMK	Kwacha
ZWD	Zimbabwe Dollar

**6411**

Measurement unit code  
Code specifying the unit of measurement.

Notes:

| 1. Recommend use UN/ECE Recommendation 20, Common code.

001	Barrel (205 litres, 45 gallons) (GS1 Temporary Code)
002	Degree days (GS1 Temporary Code)
003	Gigacaloric (GS1 Temporary Code)

**Used Codes**

04	small spray
23	gram per cubic centimetre GS1 Description: g/cm <sup>3</sup> as a unit of measure for the density of gas. This is necessary for dangerous substance articles for determination of the quantities that can be stored together on the shelf.
25	gram per square centimetre GS1 Description: A measure of weight in terms of gram per square centimetre.
28	kilogram per square metre GS1 Description: Unit of measure expressed in kilogram per square metre.
37	ounce per square foot
59	part per million
64	Pound per square inch, gauge A unit of measure expressed in pound per square inch
2N	decibel
2X	metre per minute GS1 Description: A measure of speed in terms of metres per minute.
4K	milliampere
4L	megabyte GS1 Description: A unit of computer memory equal to 1.048.576 (i.e. 2 power 20) bytes.
40	microfarad GS1 Description: One millionth of a farad. A farad is the capacitance of a capacitor between the plates of which a potential of 1 volt is created by a charge of 1 Coulomb.
4P	newton per metre
A25	cheval vapeur
A86	gigahertz GS1 Description: Hertz multiplied by 10 <sup>9</sup> .
A99	Bit A unit of information equal to one binary digit.
ACR	acre GS1 Description: Acre (4840 yd <sup>2</sup> )
AD	byte GS1 Description: A unit of information stored in a computer, equal to eight bits.

**Used Codes**

AMH	ampere hour GS1 Description: Ampere-hour (3,6kC)
AMP	ampere
AMT	Amount (GS1 Temporary Code) A measurement of monetary amount.
ANN	year GS1 Description: The expression of a year as a measure unit.
APX	Troy ounce (31.10348 g) (GS1 Temporary Code)
APZ	Troy ounce or apothecary ounce EDIFACT
ASM	alcoholic strength by mass GS1 Description: Alcoholic strength expressed by mass.
ASU	alcoholic strength by volume GS1 Description: Alcoholic strength expressed by volume.
AV	capsule GS1 Description: Encapsulated dosage form for pharmaceuticals.
B13	Joule per square metre A unit of measure of heat energy expressed in joule per square metre.
B17	Credit A unit of count defining the number of entries made to the credit side of an account.
BAR	bar GS1 Description: A unit of measure equal to 106 dines per square centimeter.
BTU	British thermal unit GS1 Description: British thermal unit (1,055 kilojoules)
C0	call GS1 Description: Unit of measure for telephone calls. Code value is C0 (C Zero).
C60	ohm centimetre GS1 Description: Unit of measure expressed in Ohm centimetre.
C79	Kilovolt Ampere Hour A unit of accumulated energy of 1000 volt amperes over a period of one hour. EDIFACT



**Used Codes**

CDL	candela GS1 Description: Unit of measure of light intensity.
CEL	degree celsius
CF2	Colony forming unit per gram (GS1 Temporary Code) Colony forming units per gram is a unit of measure for micro-organisms, such as bacteria, in a food item. Micro-organisms form colonies that are be counted under determined conditions
CLT	centilitre GS1 Description: A unit of volume equal to one hundredth of a liter.
CMK	square centimetre
CMQ	cubic centimetre GS1 Description: A system of units for the measurement of volume based on the cubic centimetre.
CMT	centimetre
D19	Square metre kelvin per watt Unit of measure of thermal insulance expressed in square metre kelvin per watt.
D21	square metre per kilogram GS1 Description: Unit of measure expressed in square metre per kilogram.
D32	Terawatt hour A unit of measure expressed in terawatt hour
D5	Kilogram per square centimetre A unit of measure expressed in kilogram per square centimetre
D55	Watt per square metre kelvin Unit of measure of thermal conductance expressed in watt per square metre kelvin.
D68	Number of Words A unit of count defining the number of words. EDIFACT
DAY	day GS1 Description: The expression of a day as a measure unit.
DD	degree GS1 Description: Unit of measure of temperature.
DMQ	cubic decimetre GS1 Description: Unit of measure expressed in cubic decimetre.

## Used Codes

---

DMT	decimetre
DOS	Dose (GS1 Temporary Code) An amount of medicine, etc administered at one time.
DRG	Dragée (GS1 Temporary Code) Number of dragées (coated tablets) contained in the item's package as a measurement unit.
DZN	dozen GS1 Description: A unit of measure of 12 or group of 12.
E09	Milliampere hour A unit of power load delivered at the rate of one thousandth of an ampere over a period of one hour. EDIFACT
E10	Degree day A unit of measure used in meteorology and engineering to measure the demand for heating or cooling over a given period of days. EDIFACT
E11	Gigacalorie A unit of heat energy equal to one thousand million calories. EDIFACT
E27	Dose A unit of count defining the number of doses (dose: a definite quantity of a medicine or drug). EDIFACT
E31	Square metre per litre A unit of count defining the number of square metres per litre. EDIFACT
E32	Litre per hour A unit of count defining the number of litres per hour. EDIFACT
E34	Gigabyte A unit of information equal to 10 E9 bytes.
E37	Pixel A unit of count defining the number of pixels (pixel: picture element).
E38	Megapixel A unit of count equal to 10 E6 (1000000) pixels (picture elements).
E39	Dots per inch A unit of information defining the number of dots per linear inch as a measure of the resolution or sharpness of an image. GS1 Description: synonym: pixels per inch.

**Used Codes**

EA	each
EV	envelope GS1 Description: A unit of measure pertaining to the number of envelopes.
FAH	degree Fahrenheit
FOT	foot GS1 Description: Foot (0,3048 m)
FP	Pound per square foot A unit of measure expressed in pound per square foot
FTK	Square foot A unit of measure expressed in square foot
FTQ	cubic foot
GL	gram per litre
GLI	gallon (UK) GS1 Description: Gallon (4,546092 dm <sup>3</sup> )
GM	gram per square metre GS1 Description: Unit of measure of grams per square metre.
GRM	gram
GRO	gross GS1 Description: A unit of measure of 12 dozens.
GV	gigajoule
GWH	gigawatt hour GS1 Description: Gigawatt-hour (1 million kW/h)
H87	Piece A unit of count defining the number of pieces (piece: a single item, article or exemplar). EDIFACT
HLT	hectolitre
HMT	hectometre A unit of linear measure equal to 10 E2 metres.
HTZ	hertz GS1 Description: One cycle per second.
HUR	hour

**Used Codes**

INH	inch GS1 Description: Inch (25,4 mm)
INK	Square inch A unit of measure expressed in square inch
JM	Megajoule per cubic metre EDIFACT
JOU	joule
K51	Kilocalorie (mean) EDIFACT
KAH	Kilovolt Ampere Hour (GS1 Temporary Code) A unit of measure expressed in Kilovolt Ampere Hour.
KB	kilocharacter
KBA	kilobar
KCL	Kilocalorie (GS1 Temporary Code) Unit of measure for the calorific value of the item (= 1000 cal).
KEL	kelvin
KGM	kilogram
KHZ	kilohertz
KJO	kilojoule
KL	kilogram per metre GS1 Description: A measure of weight in terms of kilogram per metre.
KMH	kilometre per hour GS1 Description: A unit of measure expressed in kilometre per hour.
KMQ	kilogram per cubic metre GS1 Description: A measure of weight in terms of kilogram per cubic metre.
KPA	kilopascal GS1 Description: Unit of measure expressed in kilopascal.
KTM	kilometre
KVA	kilovolt - ampere GS1 Description: A unit of electric power.
KVT	kilovolt
KWH	kilowatt hour
KWT	kilowatt

## Used Codes

---

L2	litre per minute GS1 Description: Unit of measure expressed in litre per minute.
LBR	Pound EDIFACT
LD	Litre per day A unit of measure defining the number of litres per day.
LIH	Litre per hour (GS1 Temporary Code) Unit of measure expressed in litre per hour.
LNE	Printed line count (GS1 Temporary Code) The indication of the count of printed lines included on a paper communication (e.g. telegram) for invoicing purposes.
LTR	litre GS1 Description: Litre (1 dm <sup>3</sup> )
LUX	lux GS1 Description: Unit of measure of illumination (it corresponds to the illumination of a surface which normally and uniformly receives a light flow of 1 lumen per square meter).
M4	Monetary value A unit of measure expressed as a monetary amount. EDIFACT
MAL	mega litre
MAW	megawatt
MC	microgram One millionth of a gram.
MCU	millicurie GS1 Description: Unit of measure for radioactivity.
MGM	milligram
MHZ	megahertz
MIN	minute
MLT	millilitre
MMK	square millimetre GS1 Description: A unit to measure a surface equal to one millionth of a quadrate.
MMQ	cubic millimetre GS1 Description: A unit of measure expressed in cubic milimetres.
MMT	millimetre

## Used Codes

---

MON	month GS1 Description: The expression of a month as a measure unit.
MPA	megapascal GS1 Description: A unit of measure expressed in Megapascal.
MQH	Cubic metre per hour A unit of measure defining the number of cubic metres per hour.
MTA	Micro farad (GS1 Temporary Code) One millionth of a farad. A farad is the capacitance of a capacitor between the plates of which a potential of 1 volt is created by a charge of 1 Coulomb.
MTK	square metre
MTQ	cubic metre
MTR	metre
MTS	Metre per second A unit of speed expressed in metres per second.
MWH	megawatt hour (1000 kW.h)
NAR	number of articles
NEW	newton GS1 Description: The SI unit of force, equal to the force that would give a mass of one kilogram an acceleration of one metre per second.
NIU	number of international units A unit of count defining the number of international units.
NRL	number of rolls
ONZ	ounce GS1 Description: Ounce GB, US (28,349523 g)
OZA	fluid ounce (US) GS1 Description: Fluid ounce US (29,5735 cm <sup>3</sup> )
OZI	fluid ounce (UK) GS1 Description: Fluid ounce UK (28,413 cm <sup>3</sup> )
P1	percent GS1 Description: This code is used to indicate measurements in terms of percentages, e.g. the relative humidity (code RA in data element 6313) is 52%.
PA	packet

**Used Codes**

PAL	pascal GS1 Description: The SI unit of pressure, equal to one Newton per square metre.
PCE	Piece (GS1 Temporary Code)
PF	pallet (lift) GS1 Description: A number of articles expressed in terms of pallets.
PND	Pound (GS1 Temporary Code)
PR	pair GS1 Description: Two articles which belong together but are not necessarily identical.
PTI	pint (UK) GS1 Description: Pint UK (0,568262 dm <sup>3</sup> )
PTN	Portion (GS1 Temporary Code) The identification of the number of portions (doses in medical terms) into which a complete product may be broken into for serving purposes, e.g. a pie with 6 portions, a liquid medicine with 20 doses.
QAN	quarter (of a year)
QTI	quart (UK) GS1 Description: Quart UK (1,1136523 dm <sup>3</sup> )
RJH	Decanewton (GS1 Temporary Code) A unit of force equal to 10 Newton.
RPM	revolutions per minute
RTO	Ratio (GS1 Temporary Code)
SEC	second
SMI	Mile (statute mile) A unit of measure expressed in mile
SML	Square metre per litre (GS1 Temporary Code) Unit of measure expressed in square metre per litre.
ST	sheet
TNE	tonne (metric ton) GS1 Description: Metric ton (1000kg)
U2	tablet A unit of count defining the number of tablets (tablet: a small flat or compressed solid object). GS1 Description: Dosage form for pharmaceuticals, pressed or compacted from a powder into a solid dose.

## Used Codes

---

UI	Unit of activity, predefined (GS1 Temporary Code) A measure pertaining to a predefined activity.
VI	vial GS1 Description: Small glass container. E.g. for a liquid medicine or perfume.
VLT	volt
WHR	watt hour
WRD	Word (GS1 Temporary Code) The specification of a word as a measurement unit, e.g. 21 words in a telex.
WTT	watt
YDK	Square yard A unit of measure expressed in square yard
YRD	yard GS1 Description: Yard (0,9144 m)
ZE	Milliampere hour (GS1 Temporary Code) A practical unit of quantity of electricity; the quantity that flows in one hour through a conductor carrying a current of 1 Ampere. 1 Ampere-hour is the equivalent to 36000 Coulombs.
ZP	page GS1 Description: The indication of a page as a measurement unit for invoicing purposes, e.g. fax pages.
<b>7065</b>	Package type description code Code specifying the type of package.  Notes: 1. Recommend use UN/ECE Recommendation No. 21 (also, see current volume of UNTDED).
08	Oneway pallet (GS1 Temporary Code) Pallet need not be returned to the point of expedition.
09	Returnable pallet (GS1 Temporary Code) Pallet must be returned to the point of expedition.
200	Pallet ISO 0 - 1/2 EURO Pallet (GS1 Temporary Code) Standard pallet with dimensions 80 X 60 cm.
201	Pallet ISO 1 - 1/1 EURO Pallet (GS1 Temporary Code) Standard pallet with dimensions 80 X 120 cm.
202	Pallet ISO 2 (GS1 Temporary Code) Standard pallet with dimensions 100 X 120 cm.



**Used Codes**

203	1/4 EURO Pallet (GS1 Temporary Code) Standard pallet with dimensions 60 X 40 cm.
204	1/8 EURO Pallet (GS1 Temporary Code) Standard pallet with dimensions 40 X 30 cm.
205	Synthetic pallet ISO 1 (GS1 Temporary Code) A standard pallet with standard dimensions 80*120cm made of a synthetic material for hygienic reasons.
206	Synthetic pallet ISO 2 (GS1 Temporary Code) A standard pallet with standard dimensions 100*120cm made of a synthetic material for hygienic reasons.
210	Wholesaler pallet (GS1 Temporary Code) Pallet provided by the wholesaler.
211	Pallet 80 X 100 cm (GS1 Temporary Code) Pallet with dimensions 80 X 100 cm.
212	Pallet 60 X 100 cm (GS1 Temporary Code) Pallet with dimensions 60 X 100 cm.
5L	Bag, textile GS1 Description: A bag made of textile.
5M	Bag, paper GS1 Description: A bag made of paper.
AE	Aerosol A spray can dispensing paint, furniture polish, etc, under pressure.
AH	Pallet 100cms * 110cms Standard sized pallet of dimensions 100centimeters by 110 centimeters (cms). EDIFACT
AI	Clamshell EDIFACT
APE	Aluminium packed (GS1 Temporary Code) Packaging using thin sheets of aluminium.
AT	Atomizer A device to shoot out a fine spray, e.g. medicine, perfume, etc.
BA	Barrel A wooden or plastic container with slightly bulging sides and flat ends.
BC	Bottlecrate, bottlerack A container for the storage or movement of bottles.
BE	Bundle A number of items grouped loosely together in a package by means of tying.

## Used Codes

---

BG	<p>Bag</p> <p>A non-rigid container made of fabric, paper, plastic, etc, with an opening at the top which can be closed.</p>
BGE	<p>Large bag, pallet sized (GS1 Temporary Code)</p> <p>A non-rigid container made of fabric, paper, plastic, etc, with an opening at the top which can be closed and which is suitable for use on pallets.</p>
BJ	<p>Bucket</p> <p>A container with a handle, used for carrying water, mayonnaise, etc.</p>
BL	<p>Bale, compressed</p> <p>A large bundle, as of cotton, hay, straw, etc, which is compressed and bound.</p>
BM	<p>Basin</p> <p>GS1 Description: A deep open container.</p>
BME	<p>Blister pack (GS1 Temporary Code)</p> <p>A transparent strip package of pressable plastic which allows the product to be displayed while remaining protected.</p>
BN	<p>Bale, non-compressed</p> <p>A large bundle, as of cotton, hay, straw, etc, which is not compressed or bound.</p>
BO	<p>Bottle, non-protected, cylindrical</p> <p>A non-protected cylindrical container with a narrow neck made usually of glass or plastic which is especially used for liquids.</p>
BR	<p>Bar</p> <p>An oblong package, usually used for soap.</p>
BRI	<p>Brick (GS1 Temporary Code)</p> <p>A box made of a cardboard, plastic or metal, used for liquids.</p>
BS	<p>Bottle, non-protected, bulbous</p> <p>A non-protected cylindrical container with a bulbous base and a narrow neck made usually of glass or plastic which is especially used for liquids.</p>
BU	<p>Butt</p> <p>A large barrel or cask which is usually used to store or move liquids.</p>
BX	<p>Box</p> <p>A lidded package which can be made of cardboard, wood, plastic, tin, etc.</p>
CA	<p>Can, rectangular</p> <p>A rectangular container which is usually made of metal and has a separate cover.</p>
CBL	<p>Container bottle like (GS1 Temporary Code)</p> <p>A non-protected, non-cylindrical, container with a narrow neck made usually of glass or plastic which is especially used for liquids, e.g. perfume bottle.</p>

## Used Codes

---

CCE	Cardboard carrier (GS1 Temporary Code) A package made of cardboard.
CD	Can, with handle and spout GS1 Description: A can with a handle and spout which allows the lifting and pouring of liquids contained within the can.
CG	Cage A cage without wheels.
CM	Card A flat package usually made of fibreboard from/to which the product is often hung or attached. EDIFACT
CMS	Clamshell (GS1 Temporary Code) A package with a base and top that are hinged together. E.g. video cassette case.
CN	Container, not otherwise specified as transport equipment GS1 Description: A receptacle in which something is kept and/or transported.
CR	Crate A packaging case which is usually made of wooden slats.
CS	Case A package such as a box.
CT	Carton A cardboard box or container.
CU	Cup A small bowl shaped container for beverages, often with a handle.
CW	Cage, roll GS1 Description: A three sided cage mounted on wheels.
CX	Can, cylindrical A cylindrical container which is usually made of metal and has a separate cover.
CY	Cylinder A cylindrical container, which is usually made of cardboard and may have a separate cover.
D99	Sleeve A non-rigid container made of paper, cardboard or plastic that is open-ended and is slid over the contents for protection or presentation.
DA	Crate, multiple layer, plastic GS1 Description: Plastic crate which contains multiple layers.

## Used Codes

---

DB	Crate, multiple layer, wooden GS1 Description: Wooden crate which contains multiple layers.
DC	Crate, multiple layer, cardboard
DG	Cage, Commonwealth Handling Equipment Pool (CHEP)
DH	Box, Commonwealth Handling Equipment Pool (CHEP), Eurobox
DJ	Demijohn, non-protected A large bulbous container made of glass with a narrow neck, which is especially used with liquids (oil, wine).
DK	Crate, bulk, cardboard
DL	Crate, bulk, plastic
DM	Crate, bulk, wooden
DN	Dispenser
DP	Demijohn, protected A large bulbous protected container made of glass with a narrow neck, which is especially used with liquids (oil, wine).
DPE	Display package (GS1 Temporary Code) A package used for the display of goods, usually during a promotion.
DR	Drum A cylindrical container usually used for the storage and movement of oil.
DS	Tray, one layer no cover, plastic
DT	Tray, one layer no cover, wooden
DU	Tray, one layer no cover, polystyrene
DV	Tray, one layer no cover, cardboard
DW	Tray, two layers no cover, plastic tray
DX	Tray, two layers no cover, wooden
DY	Tray, two layers no cover, cardboard
EC	Bag, plastic
ED	Case, with pallet base
EE	Case, with pallet base, wooden
EF	Case, with pallet base, cardboard
EG	Case, with pallet base, plastic
EH	Case, with pallet base, metal
EI	Case, isothermic

## Used Codes

---

EN	Envelope A non-rigid container, made of paper or plastic, that can be opened with a tear or a cut.
FOB	Folding box (GS1 Temporary Code) Folded cardboard box e.g for products like frozen vegetables, paper clips
FP	Filmpack Packaging using a clear thin plastic.
FPE	Foil packed (GS1 Temporary Code) Packaging using a metallic foil.
FT	Foodtainer
GB	Bottle, gas
HA	Basket, with handle, plastic
HB	Basket, with handle, wooden
HC	Basket, with handle, cardboard
HR	Hamper A large basket usually with a cover which is used to store different types of foodstuffs.
IA	Package, display, wooden
IB	Package, display, cardboard
IC	Package, display, plastic
ID	Package, display, metal
IE	Package, show
IF	Package, flow
JC	Jerrican, rectangular A rigid rectangular container with a lid which is usually used for the storage and movement of oil, gasoline, etc.
JG	Jug A container used for storing and pouring the goods.
JR	Jar GS1 Description: A container made of glass, stone, earthenware or plastic with a large opening, which is used to store products, e.g. jams, cosmetics.
JT	Jutebag A bag made of strong fibres.
JY	Jerrican, cylindrical A rigid cylindrical container with a lid which is usually used for the storage and movement of oil, gasoline, etc.

## Used Codes

---

LAB	Labeled package (GS1 Temporary Code) The package is labeled. Usually the label identifies the name, brand or description of the product within the package.
LG	Log
MPE	Multipack (GS1 Temporary Code) A container for the merchandising of multiple units of the same product.
NE	Unpacked or unpackaged A product merchandised or sold without packaging.
NU	Net, tube, plastic
NV	Net, tube, textile
OA	Pallet, CHEP 40 cm X 60 cm CHEP standard pallet of dimension 40 centimeters X 60 centimeters.
OB	Pallet, CHEP 80 cm X 120 cm CHEP standard pallet of dimension 80 centimeters X 120 centimeters
OC	Pallet, CHEP 100 cm X 120 cm CHEP standard pallet of dimension 100 centimeters X 120 centimeters
OD	Pallet, AS 4068-1993 Australian standard Pallet of dimensions 115.5 centimeters X 116.5 centimeters
OE	Pallet, ISO T11 ISO standard pallet of dimensions 110 centimeters x110 centimeters, prevalent in Asia – Pacific region.
OF	Platform, unspecified weight or dimension A pallet equivalent shipping platform of unknown dimensions or unknown weight.
OPE	Oxygen packed (GS1 Temporary Code) A package with oxygen added for storage purposes.
PA	Packet Package type used for the smallest trade unit, e.g., a packet of 20 cigarettes, a packet of potato chips.
PAE	Paper (GS1 Temporary Code) An indication that the item(s) is packed in paper.
PB	Pallet, box
PC	Parcel A small wrapped package.
PD	Pallet, modular, collars 80cms * 100cms
PE	Pallet, modular, collars 80cms * 120cms

## Used Codes

---

PG	Plate A smooth flat thin piece of metal, e.g. steel plate.
PJ	Punnet EDIFACT
PK	Package A wrapped or boxed item.
PL	Pail GS1 Description: An open-topped container usually made of metal or plastic, generally used to carry liquids.
PLP	Peel pack (GS1 Temporary Code) A package used for sterile products which may be torn open without touching the product inside.
PO	Pouch A small bag or sack.
POP	Cone shaped paper wrapper (GS1 Temporary Code) Cone shaped paper wrapping e.g. for an individually packed ice cream cone.
PPE	Polypropylene bag (GS1 Temporary Code) A bag made from polypropylene.
PU	Tray A board with a ring for carrying small articles.
PUE	Tray packed in plastic (GS1 Temporary Code) A board with a ring packed in plastic carrying for small articles.
PUN	Punnet (GS1 Temporary Code) A small shallow basket usually made of plastic.
PX	Pallet
RB1	A wheeled pallet with raised rim (GS1 Temporary Code). 81 x 67 x 135 cm (length x width x height). A wheeled pallet with raised rim for the storing and transporting of loads. Dimensions: 81 x 67 x 135 cm (length x width x height).
RB2	A Wheeled pallet with raised rim (GS1 Temporary Code). 81 x 72 x 135 cm (length x width x height). A wheeled pallet with raised rim for the storing and transporting of loads. Dimensions: 81 x 72 x 135 cm (length x width x height).
RB3	Wheeled pallet with raised rim. 81 x 60 x 16 cm (length x width x height). (GS1 Temporary Code) A wheeled pallet with raised rim for the storing and transporting of loads. Dimensions: 81 x 60 x 16 cm (length x width x height).

## Used Codes

---

RCB	Two sided cage on wheels with fixing strap (GS1 Temporary Code) 900 x 770 x 1513 cm (length x width x height) A two sided cage mounted on wheels with fixing strap. Dimensions: 900 x 770 x 1513 cm (length x width x height).
RG	Ring A hollow circular band of material wound around itself.
RJ	Rack, clothing hanger
RL	Reel A spool on which thread, wire, film, etc, is wound.
RO	Roll A package of goods wound into a ball or cylinder.
SA	Sack A large bag of coarse cloth for storing or moving grain, foodstuffs, etc.
SEC	Article Surveillance (GS1 Temporary Code) Equipped with article surveillance.
SH	Sachet A small sealed envelope.
SL	Slipsheet A firm sheet of plastic, cardboard or other material which may be hooked or attached to a forklift or other transportation equipment. The slipsheet is used to pull products stacked on top of it.
SO	Spool Any cylindrical piece on which something is wound.
SP	Sheet, plastic wrapping EDIFACT
STL	Stick (GS1 Temporary Code) A container for dispensing solid substances, e.g. glue, deodorant.
SW	Shrinkwrapped A transport unit load whose contents are secured together through the use of transparent or semi-transparent filmwrap.
SX	Set
T1	Tablet A loose or unpacked article in the form of a bar, block or piece. EDIFACT
TAE	Tablet (GS1 Temporary Code) A small rectangular package of aluminium foil or paper, e.g. a tablet of chocolate.
TB	Tub A round, open, flat bottomed wooden container.



## Used Codes

---

TEV	Tamper evident package (GS1 Temporary Code) A type of package giving easy or immediate recognition that the package has been tampered with after it has been sealed.
THE	Three pack (GS1 Temporary Code) A package containing three products.
TL	Tub, with lid EDIFACT
TRE	Trolley (GS1 Temporary Code) A low cart for the transportation and storage of groceries, milk, etc.
TTE	Tube, standing (GS1 Temporary Code) A screw-topped pliable cylinder capable of standing and suitable for holding pastes or semi-liquids, e.g. a tube of toothpaste.
TU	Tube A screw-topped pliable cylinder suitable for holding pastes or semi-liquids, e.g. a tube of toothpaste.
TV	Tube, with nozzle
TWE	Two pack (GS1 Temporary Code) A package containing two products.
TY	Tank, cylindrical A cylindrical container suitable for the storage or transportation of liquids or gases.
UUE	Tube net (GS1 Temporary Code) A plastic or textile tube suitable for carrying loose products, e.g. fruit.
UVQ	Wrapped in plastic sheet (GS1 Temporary Code) An indication that the items have been wrapped in plastic sheet.
VI	Vial Small (usually glass) container. E.g. for a liquid medicine or perfume.
VP	Vacuumpacked A package from which all air has been removed in order to keep the contents fresh.
WRP	Wrapper (GS1 Temporary Code) Wrapping e.g. for an individually packed ice cream.
X10	Tub with lid (GS1 Temporary Code) A small, usually plastic, container with a lid for food, e.g. ice cream.
X11	Banded package (GS1 Temporary Code) A package with bands, usually metal or nylon, round it to hold the products together.

## Used Codes

---

X12	Cardboard package with grip holes for bottles (GS1 Temporary Code) Cardboard package with a number of holes. Each hole is to be gripped tightly around the neck of a bottle.
X14	Card (GS1 Temporary Code) A flat package usually made of fibreboard from/to which the product is often hung or attached.
X15	Oneway pallet ISO 0 - 1/2 EURO Pallet (GS1 Temporary Code) Oneway pallet with dimensions 80 X 60 cm.
X16	Oneway pallet ISO 1 - 1/1 EURO Pallet (GS1 Temporary Code) Oneway pallet with dimensions 80 X 120 cm.
X17	Pallet with exceptional dimensions (GS1 Temporary Code) Pallet with non-standard dimensions.
X18	Parcel with exceptional dimensions (GS1 Temporary Code) Parcel with non-standard dimensions.
X3	Standard stack of stones (GS1 Temporary Code) Standard stack of stones.
X9	Pallet 100 X 110 cm (GS1 Temporary Code) Pallet with dimensions 100 X 110 cm.

---

### 7085

Cargo type classification code  
Code specifying the classification of a type of cargo.

1	Documents Printed, typed or written matter including leaflets, pamphlets, certificates etc., which are not subject to import duties and taxes, restrictions and prohibitions.
11	Hazardous cargo Cargo with dangerous properties, according to appropriate dangerous goods regulations.
12	General cargo Cargo of a general nature, not otherwise specified.
22	Frozen cargo Cargo of frozen products.
E2	Deep-frozen cargo (GS1 Temporary Code) Cargo of deep-frozen products.

---

### 7273

Service requirement code  
Code specifying a service requirement.

1	Carrier loads The cargo is loaded in the equipment by the carrier.
---	---

**Used Codes**

2	Full loads Container to be stuffed or stripped under responsibility and for account of the shipper or the consignee.
3	Less than full loads Container to be stuffed and stripped for account and risk of the carrier.
4	Shipper loads The cargo is loaded in the equipment by the shipper.
5	To be delivered The cargo is to be delivered as instructed.
6	To be kept The cargo is to be retained awaiting further instructions.
7	Transshipment allowed Transshipment of goods is allowed.
8	Transshipment not allowed Transshipment of goods is not allowed.
9	Partial shipment allowed Partial shipment is allowed.
10	Partial shipment not allowed Partial shipment is not allowed.
11	Partial shipment and/or drawing allowed Partial shipment and/or drawing is allowed.
12	Partial shipment and/or drawing not allowed Partial shipment and/or drawing is not allowed.
13	Carrier unloads The cargo is to be unloaded from the equipment by the carrier.
14	Shipper unloads The cargo is to be unloaded from the equipment by the shipper.
15	Consignee unloads The cargo is to be unloaded from the equipment by the consignee.
16	Consignee loads The cargo is to be loaded in the equipment by the consignee.
19	Direct delivery Consignment for direct delivery to the consignee.
2E	Neutral delivery (GS1 Temporary Code) No specific delivery services required other than the agreed.
3E	Early delivery (GS1 Temporary Code) Delivery which should take place early on a specified date.

## Used Codes

---

<b>7405</b>	Object identification code qualifier Code qualifying the identification of an object.
BJ	Serial shipping container code GS1 Description: A single unique serial number which identifies shipping containers or shipping packages.
<b>8051</b>	Transport stage code qualifier Code qualifying a specific stage of transport.
1	Inland transport Transport by which goods are moved from or to the frontier, or between inland points.
10	Pre-carriage transport Transport by which the goods are moved prior to their main carriage transport.
11	At border Transport by which goods are moved to the Customs frontier.
12	At departure Transport by which goods are moved from the place of departure.
13	At destination Transport by which goods are moved at the place of destination.
20	Main-carriage transport The primary stage in the movement of cargo from the point of origin to the intended destination.
25	Delivery carrier all transport Carrier responsible from the point of origin to the final delivery destination.
30	On-carriage transport Transport by which the goods are moved after the main carriage transport.
I	Origin switch carrier (GS1 Temporary Code) Carrier taking responsibility for the goods from the carrier which has transported them from their point of origin.
<b>8053</b>	Equipment type code qualifier Code qualifying a type of equipment.
08	Oneway pallet (GS1 Temporary Code) Pallet need not be returned to the point of expedition.
09	Returnable pallet (GS1 Temporary Code) Pallet must be returned to the point of expedition.
200	Pallet ISO 0 - 1/2 EURO Pallet (GS1 Temporary Code) Standard pallet with dimensions 80 X 60 cm.

## Used Codes

---

201	Pallet ISO 1 - 1/1 EURO Pallet (GS1 Temporary Code) Standard pallet with dimensions 80 X 120 cm.
202	Pallet ISO 2 (GS1 Temporary Code) Standard pallet with dimensions 100 X 120 cm.
203	1/4 EURO Pallet (GS1 Temporary Code) Standard pallet with dimensions 60 X 40 cm.
204	1/8 EURO Pallet (GS1 Temporary Code) Standard pallet with dimensions 40 X 30 cm.
210	Wholesaler pallet (GS1 Temporary Code) Pallet provided by the wholesaler.
211	Pallet 80 X 100 cm (GS1 Temporary Code) Pallet with dimensions 80 X 100 cm.
212	Pallet 60 X 100 cm (GS1 Temporary Code) Pallet with dimensions 60 X 100 cm.
AA	Ground equipment Ground equipment being fuelled or serviced.
AP	Clothing hanger rack Equipment used to store and transport clothing in a hanging position.
BC	Bottlecrate, bottlerack (GS1 Temporary Code) A container for the storage or movement of bottles.
BO	Bottle, non-protected, cylindrical (GS1 Temporary Code) A non-protected cylindrical container with a narrow neck made usually of glass or plastic which is especially used for liquids.
BOX	Box (GS1 Temporary Code) A lidded package which can be made of cardboard, wood, plastic,tin,etc.
BPN	Box pallet non exchangeable A box pallet which cannot be exchanged. GS1 Description: A box pallet which cannot be exchanged.
BPZ	Roll Pallet 1 80 X 60 cm pallet on casters.
BX	Boxcar An enclosed railway goods wagon. GS1 Description: An enclosed railway goods wagon.
CH	Chassis A wheeled carriage onto which an ocean container is mounted for inland conveyance.

## Used Codes

---

CHB	<p>CHEP Eurobox (GS1 Temporary Code)</p> <p>A box mounted on a pallet base under the control of CHEP.</p>
CN	<p>Container</p> <p>Equipment item as defined by ISO for transport. It must be of: A) permanent character, strong enough for repeated use; B) designed to facilitate the carriage of goods, by one or more modes of transport, without intermediate reloading; C) fitted with devices for its ready handling, particularly.</p>
CS	<p>Case (GS1 Temporary Code)</p> <p>A package such as a box.</p>
DPB	<p>Roll Pallet 2</p> <p>120 X 60 cm pallet on casters.</p>
DPE	<p>Display package (GS1 Temporary Code)</p> <p>A package used for the display of goods, usually during a promotion.</p>
EFP	<p>Exchangeable EUR flat pallet</p> <p>Self explanatory.</p> <p>GS1 Description: Self explanatory.</p>
EYP	<p>Exchangeable EUR Y box pallet</p> <p>Self explanatory.</p> <p>GS1 Description: Self explanatory.</p>
FPN	<p>Flat pallet EUR non exchangeable</p> <p>Self explanatory.</p> <p>GS1 Description: Self explanatory.</p>
ICA	<p>Isothermic case (GS1 Temporary Code)</p> <p>A case used for products which require constant temperature control.</p>
LU	<p>Load/unload device on equipment</p> <p>A mechanical device used in the loading and/or unloading of cargo into and from transport equipment.</p>
PA	<p>Pallet</p> <p>A platform on which goods can be stacked in order to facilitate the movement by a forklift or sling.</p>
PL	<p>Platform</p> <p>A piece of equipment normally having a flat surface, or prepared for carrying cargo with a specific shape.</p>
PMA	<p>Pallet modular collars 80*100 (GS1 Temporary Code)</p> <p>Collars, with the dimensions 80cms * 100cms, which when fitted onto a pallet enable the pallet to be transformed into a box pallet with, if necessary, a lid.</p>

## Used Codes

---

PMB	Pallet modular collars 80*120 (GS1 Temporary Code) Collars, with the dimensions 80cms * 120cms, which when fitted onto a pallet enable the pallet to be transformed into a box pallet with, if necessary, a lid.
PU	Tray (GS1 Temporary Code) A flat receptacle with low sides for carrying or holding articles.
RCA	Roll cage (GS1 Temporary Code) A three sided cage mounted on wheels.
RG	Reefer generator A generator used to control the temperature in temperature-controlled transport equipment.
RR	Rail car To identify that the equipment is a rail car. GS1 Description: Registered identification number of railway wagon (CIM 19).
SW	Swap body Rectangular equipment unit without wheels, which can be mounted on a chassis or positioned on legs.
TE	Trailer A vehicle without motive power, designed for the carriage of cargo and to be towed by a motor vehicle.
TRE	Trolley (GS1 Temporary Code) A low cart for the transportation and storage of groceries, milk, etc.
UL	ULD (Unit load device) An aircraft container or pallet.

---

### 8067

Transport mode name code  
Code specifying the name of a mode of transport.

Notes:

1. Use UN/ECE Recommendation No 19.

00	This code should be avoided. This code should be avoided since the digit "0" conventionally indicates that the related information is not available. It may, however, be used when indication of a mode of transport would be irrelevant, e.g. statistical reporting should not take place (for samples, gifts, personal effects, etc.).
10	Maritime transport This code should be used whenever the transport vehicle completes any part of its journey by sea.
20	Rail transport
30	Road transport
40	Air transport

## Used Codes

---

50	Mail (Actual mode of transport unknown) - This code is provided for practical reasons, despite the fact that mail is not a genuine mode of transport. In many countries, the value of merchandise exported by mail is considerable, but the exporter or importer concerned would be unable to state by which mode postal items had passed the national border.
60	Multimodal transport This code is used when goods are carried to their destination by at least two different modes on the basis of one transport contract. (Local pick-up and delivery of goods out in the performance of a unimodal transport contract shall not be considered as multimodal transport.)
70	Fixed transport installations This code applies to installations for continuous transport such as pipelines, ropeways and electric power lines.
80	Inland water transport This code is used only where carriage is effected entirely by inland water transport.
100	Courier service (GS1 Temporary Code) A courier service used to collect and deliver a consignment to its destination.
<b>8179</b>	Transport means description code Code specifying the means of transport.
1	Barge chemical tanker A barge equipped to transport liquid chemicals.
9	Exceptional transport Transport for which common characteristics are not applicable (e.g. big transformers requiring special wagons, special tackles, special routing etc.).
12	Ship tanker A large vessel equipped to transport liquids.
13	Ocean vessel
19	Tip-up truck A truck capable of tipping up in order to deliver its load.
20	Furniture truck A truck used explicitly for the conveyance of furniture.
21	Rail tanker A rail wagon equipped to transport liquids.
22	Rail silo tanker Self explanatory.
	Notes: This code value will be removed effective with directory D.04B.



## Used Codes

---

23	Rail bulk car A rail wagon equipped to transport bulk cargo.
25	Rail express Description to be provided.  Notes: This code value will be removed effective with directory D.04B.
26	Tip-up articulated truck An articulated truck capable of tipping up in order to deliver its load.
28	Refrigerated truck and trailer A combined truck and trailer equipped to maintain refrigerated temperatures. GS1 Description: A truck and trailer capable of transporting refrigerated goods.
29	Freezer truck and trailer A combined truck and trailer equipped to maintain freezing temperatures. GS1 Description: A truck and trailer capable of transporting frozen goods.
30	Tautliner 25 tonne, combined with 90 cubic meter trailer with removable roof A truck with non-ridged sides, 25 tonne capacity combined with a 90 cubic meter trailer with removable roof.
31	Truck An automotive vehicle for hauling goods.
32	Road tanker An over-the-road tank trucker or trailer.
33	Road silo tanker Description to be provided.  Notes: This code value will be removed effective with directory D.04B.
35	Truck/trailer with tilt A truck and trailer combination with a tilting capability. GS1 Description: A truck/trailer fitted with a tilting mechanism.
40	Truck with opening floor A truck with an opening floor mechanism which is used to discharge the cargo.
41	Freezer truck A truck equipped to maintain freezing temperatures.
42	Isothermic truck A truck equipped to maintain controlled temperatures.

## Used Codes

---

43	Refrigerated truck A truck equipped to maintain refrigerated temperatures. GS1 Description: A truck capable of transporting refrigerated goods.
44	Freezer van A small rigid covered vehicle for conveying frozen goods. GS1 Description: A van capable of transporting frozen goods.
45	Isothermic van A small rigid covered vehicle for conveying temperature controlled goods. GS1 Description: A van capable of transporting temperature controlled goods.
46	Refrigerated van A small rigid covered vehicle for conveying refrigerated goods. GS1 Description: A van capable of transporting refrigerated goods.
47	Bulk truck A truck suitable for transporting bulk goods.
48	Van A small vehicle suitable for carrying small volume loads.
73	Train with more than one and less than 20 wagons A train with more than one and less than 20 wagons used to carry goods.
74	Train with 20 or more wagons A train with 20 or more wagons used to carry goods.
77	Freezer truck and isothermic trailer A combined freezer truck and isothermic trailer.
78	Isothermic truck and isothermic trailer A truck and a trailer equipped to maintain controlled temperatures.
79	Refrigerated truck and isothermic trailer A combined refrigerated truck and isothermic trailer.
80	Freezer truck and refrigerated trailer A combined freezer truck and refrigerated trailer.
81	Isothermic truck and refrigerated trailer A combined isothermic truck and refrigerated trailer.
82	Rigid truck with tank and tank trailer A combined rigid truck with tank and tank trailer.
83	Bulk truck and tank trailer A combined truck capable of carrying liquids or bulk goods and a tank trailer.

## Used Codes

---

84	Rigid truck with tank and bulk trailer A combined rigid truck with tank and a trailer capable of carrying liquids or bulk goods.
85	Bulk truck and bulk trailer A combined truck and a trailer both capable of carrying liquids or bulk goods.
86	Tautliner truck and extendable trailer A combined tautliner truck and extendable trailer.
87	Tautliner truck with removable roof and extendable trailer A combined tautliner truck with removable roof and extendable trailer.
88	Truck with opening floor and extendable trailer A combined truck with opening floor and extendable trailer.
89	Bulk truck and extendable trailer A combined truck capable of carrying liquids or bulk goods and an extendable trailer.
90	Isothermic truck and freezer trailer A combined isothermic truck and freezer trailer.
91	Refrigerated truck and freezer trailer A combined refrigerated truck and freezer trailer.
92	Tip-up truck and gondola trailer A combined tip-up truck and gondola trailer. A gondola trailer is a split level trailer suitable for the transport of heavy machinery.
93	Tautliner truck and gondola trailer A combined tautliner truck and gondola trailer. A gondola trailer is a split level trailer suitable for the transport of heavy machinery.
94	Tautliner truck with removable roof and gondola trailer A combined tautliner truck with removable roof and gondola trailer. A gondola trailer is a split level trailer suitable for the transport of heavy machinery.
95	Truck with opening floor and gondola trailer A combined truck with opening floor and gondola trailer. A gondola trailer is a split level trailer suitable for the transport of heavy machinery.
96	Bulk truck and gondola trailer A combined truck capable of carrying liquids or bulk goods and a gondola trailer. A gondola trailer is a split level trailer suitable for the transport of heavy machinery.
97	Tip-up truck and extendable gondola trailer A combined tip-up truck with extendable gondola trailer. An extendable gondola trailer is a trailer fitted with a rear axle which can be extended to cater for variable length and is suitable for the transport of heavy machinery.

## Used Codes

---

98	Tautliner truck and extendable gondola trailer A combined tautliner truck and extendable gondola trailer. An extendable gondola trailer is a trailer fitted with a rear axle which can be extended to cater for variable length and is suitable for the transport of heavy machinery.
99	Tautliner truck with removable roof and extendable gondola trailer A combined tautliner truck with removable roof and extendable gondola trailer. An extendable gondola trailer is a trailer fitted with a rear axle which can be extended to cater for variable length and is suitable for the transport of heavy machinery.
100	Truck with opening floor and extendable gondola trailer A combined truck with opening floor and extendable gondola trailer. An extendable gondola trailer is a trailer fitted with a rear axle which can be extended to cater for variable length and is suitable for the transport of heavy machinery.
101	Bulk truck and extendable gondola trailer A combined truck capable of carrying liquids or bulk goods and a extendable gondola trailer. An extendable gondola trailer is a trailer fitted with a rear axle which can be extended to cater for variable length and is suitable for the transport of heavy machinery.
102	Tip-up truck and trailer with opening floor A combined tip-up truck and trailer with opening floor.
103	Tautliner truck and trailer with opening floor A combined tautliner truck and trailer with opening floor.
104	Tautliner truck with removable roof and trailer with opening floor A combined tautliner truck with removable roof and trailer with opening floor.
106	Bulk truck and trailer with opening floor A combined truck capable of carrying liquids or bulk goods and a trailer with opening floor.
3138	Armoured vehicle Automotive vehicle designed with fortified body for enhanced protection.
10E	Tautliner 25t (GS1 Temporary Code)
11E	Tautliner 25t with removable roof (GS1 Temporary Code)
12E	Articulated flat lorry 25t (GS1 Temporary Code) An articulated flat lorry capable of carrying loads of 25 tonnes.
13E	Articulated flat lorry 24t with crane 10m (GS1 Temporary Code) An articulated flat lorry with a 10 meter crane capable of carrying loads of 24 tonnes.
14E	Articulated flat lorry 24t with crane 15m (GS1 Temporary Code) An articulated flat lorry with a 15 meter crane capable of carrying loads of 24 tonnes.

## Used Codes

---

15E	Articulated flat lorry 24t with crane 18m (GS1 Temporary Code) An articulated flat lorry with a 18 meter crane capable of carrying loads of 24 tonnes.
16E	Articulated flat lorry 10t (GS1 Temporary Code) An articulated flat lorry capable of carrying loads of 10 tonnes.
17E	Tautliner 25t with trailer 90m <sup>3</sup> (GS1 Temporary Code)
18E	Tautliner 25t with trailer 120m <sup>3</sup> (GS1 Temporary Code)
19E	Flat lorry with trailer and crane 10m (GS1 Temporary Code) An flat lorry with a trailer and a 10 meter crane.
20E	Articulated lorry with tank (GS1 Temporary Code) An articulated lorry fitted with a tank capable of carrying liquids or bulk goods..
21E	Flat lorry 15t (GS1 Temporary Code) A flat lorry capable of carrying loads of 15 tonnes.
22E	Flat lorry 25t with crane (GS1 Temporary Code) An flat lorry fitted with a crane and capable of carrying loads of 25 tonnes.
27E	Isothermic trailer (GS1 Temporary Code) A trailer capable of transporting temperature controlled goods.
28E	Refrigerated trailer (GS1 Temporary Code) A trailer capable of transporting refrigerated goods.
32E	Trailer (GS1 Temporary Code) A trailer suitable for transporting containerised or palletized goods.
33E	Tank trailer (GS1 Temporary Code) A tank trailer suitable for transporting liquids.
34E	Bulk trailer (GS1 Temporary Code) A trailer suitable for transporting bulk goods.
37E	Extendable trailer (GS1 Temporary Code) A trailer fitted with a rear axle which can be extended to cater for variable length loads.
38E	Dolly trailer (GS1 Temporary Code) A trailer composed of a platform mounted on an axle. The trailer is not connected directly to the truck but connected by the load.
39E	Freezer trailer (GS1 Temporary Code) A trailer suitable for transporting frozen goods.
41E	Furniture removal trailer (GS1 Temporary Code) A trailer used explicitly for the removal of furniture.

## Used Codes

---

44E	Gondola trailer (GS1 Temporary Code) A split level trailer suitable for the transport of heavy machinery (e.g. earth movers).
45E	Extendable gondola trailer (GS1 Temporary Code) A trailer fitted with a rear axle which can be extended to cater for variable length loads and is suitable for the transport of heavy machinery (e.g. earth movers).
46E	Rigid lorry with tank (GS1 Temporary Code) A rigid lorry fitted with a tank capable of carrying liquids or bulk goods.
50E	Tautliner rigid truck (GS1 Temporary Code)
51E	Tautliner rigid truck with removable roof (GS1 Temporary Code)
53E	Trailer with opening floor (GS1 Temporary Code) A trailer with an opening floor mechanism which is used to discharge the cargo.
54E	Train with convergent set of wagons (GS1 Temporary Code) A train with wagons coming from different despatch locations which must be grouped in order to form one train.
55E	Train with divergent set of wagons (GS1 Temporary Code) A train with wagons coming from the same despatch location which will be split in different trains because there are more than one point of delivery.
56E	Combination of a truck (length 6 m) and a trailer (length 8 m) (GS1 Temporary Code) Combination of a truck (length 6 m) and a trailer (length 8m) having a combined tonnage of between 23 and 25 tons and a loading capacity of 90m <sup>3</sup> .
57E	Combination of a truck (length 6 m) and a trailer (length 9 m) (GS1 Temporary Code) Combination of a truck (length 6m) and a trailer (length 9m) having a combined tonnage of between 23 and 25 tons and a loading capacity of 100m <sup>3</sup> .
58E	Combination of a truck and trailer with a length of 13.6m, a tonnage between 23 and 25 tons (GS1 Temporary Code) Combination of a truck and a trailer with a length of 13.6m, a tonnage between 23 and 25 tons, and a loading capacity of 80 m <sup>3</sup> .
59E	Rail wagon (GS1 Temporary Code) A single rail wagon used to carry goods.
77E	Furniture truck and trailer (GS1 Temporary Code) A combined truck and trailer capable of carrying furniture.
78E	Tautliner truck and furniture trailer (GS1 Temporary Code) A combined tautliner truck and furniture trailer.
79E	Tautliner truck with removable roof and furniture trailer (GS1 Temporary Code) A combined tautliner truck with removable roof and furniture trailer.

**Used Codes**

93E	Truck and trailer with opening floor (GS1 Temporary Code) A combined truck and a trailer with an opening floor.
95E	Tautliner truck and dolly trailer (GS1 Temporary Code) A combined tautliner truck and a dolly trailer.
96E	A tautliner truck with removable roof and a dolly trailer (GS1 Temporary Code) A combined tautliner truck with removable roof and a dolly trailer.
97E	Truck with trailer (GS1 Temporary Code) Combined truck and trailer.
98E	Truck with crane for moving goods without trailer (GS1 Temporary Code) A truck with a crane that enables to move goods, without trailer.
99E	Truck with crane for moving goods with trailer (GS1 Temporary Code) A truck with a crane that enables to move goods, with trailer.
X01	Truck with crane for lifting goods without trailer (GS1 Temporary Code) A truck with a crane that enables to lift goods, without trailer.
X02	Truck with crane for lifting goods with trailer (GS1 Temporary Code) A truck with a crane that enables to lift goods, with trailer.
X04	Courier express (GS1 Temporary Code) Use the fastest courier means possible.
X05	Road parcel express (GS1 Temporary Code) Parcel express service by road.
X06	Air freight (GS1 Temporary Code)
X07	Surface air lifting (GS1 Temporary Code)
X08	Air express (GS1 Temporary Code)
X09	Parcel post (GS1 Temporary Code) Postal service for the delivery of parcels.
X10	Mail express (GS1 Temporary Code) The express mail service of the postal service.
X11	Surface mail (GS1 Temporary Code) For non air mail international mailing.
X12	Accelerated surface mail (GS1 Temporary Code) Higher priority surface mail.
X13	Air mail (GS1 Temporary Code) Use air mail service.
X14	Printed matter/book post (GS1 Temporary Code) A special mailing service for printed matter or books.

## Used Codes

---

X3	Truck up to 3,5 tons (GS1 Temporary Code) A truck with a total weight up to 3,5 tons.
X4	Miscellaneous transport means (GS1 Temporary Code) Miscellaneous means of transport not further defined.
<b>8211</b>	Hazardous cargo transport authorisation code Code specifying the authorisation for the transportation of hazardous cargo.
N	= No
Y	= Yes
<b>8273</b>	Dangerous goods regulations code Code specifying a dangerous goods regulation.
ADR	European agreement regarding the total carriage of dangerous goods European agreement on the international carriage of dangerous goods on road. ADR is the abbreviation of "Accord europeen relatif au transport international des marchandises dangereuses par route".
<b>8339</b>	Packaging danger level code Code specifying the level of danger for which the packaging must cater.
1	Great danger Packaging meeting criteria to pack hazardous materials with great danger. Group I according to IATA/IMDG/ADR/RID regulations.
2	Medium danger Packaging meeting criteria to pack hazardous materials with medium danger. Group II according to IATA/IDMG/ADR/RID regulations.
3	Minor danger Packaging meeting criteria to pack hazardous materials with minor danger. Group III according to IATA/IDMG/ADR/RID regulations.
4	Not assigned No packaging danger level has been assigned. No packaging danger level assigned. None available to comply with the IATA/IDMG/ADR/RID regulations.



## Example

**UNA:+.?'**

The UNA segment contains the default service string characters.

**UNB+UNOC:3+4012345000009:14:4012345000018+4000004000002:14:4000004000099+161013:1043+4711+REF:AA++++EANCOM+1'**

The EANCOM file 4711 dated 13.10.2016, 10 h 43 is sent by the issuer identified with GLN 4012345000009 to the receiver identified with GLN 4000004000002.

**UNH+ME000001+IFTMIN:D:01B:UN:EAN004'**

The reference number of the IFTMIN message is ME000001.

**BGM+610:::609+569952+9'**

The Document Number is 569952.

**DTM+137:20160823:102'**

The document date is the 23th of August 2016.

**DTM+2:20160719:102'**

The delivery date should be on the 19th of July 2016.

**DTM+64:201607191000:203'**

The earliest delivery date is the 19th of July 2016, 10 o'clock.

**DTM+63:201607191100:203'**

The latest delivery date is the 19th of July 2016, 11 o'clock.

**DTM+200:20160718:102'**

This example requires the pick up of consignment on the 18th of July 2016.

**DTM+234:201607191000:203'**

The earliest pick-up date is the 19th of July 2016, 10 o'clock.

**DTM+235:201607191100:203'**

The latest pick-up date is the 19th of July 2016, 11 o'clock.

**DTM+179:201607191000201607191100:719'**

The preserved time slot is on the 19th of July 2016, between 10 and 11 o'clock.

**TSR++19+3+11'**

The priority of the transport is in normal speed (standard).

**TSR+Z1:::246'**

No time slot booking is required to pick up the goods.

**TSR+Z2:::246'**

No time slot booking is required for the delivery of the goods.

**MOA+157:12000:EUR'**

The insured value is 12000 Euros.

**MOA+22:12000:EUR'**

The COD amount is 12,000 Euros.

**FTX+DEL+1+002+Zusatzinformation 1:Zusatzinformation 2:Zusatzinformation 3:Zusatzinformation 4:Zusatzinformation 5+DE'**

Specification of delivery information

**CNT+7:200:KGM'**

The total gross weight is 200 kilogram.

**CNT+29:180:KGM'**

The total net weight is 180 kilogram.

## Example

---

**CNT+11:14:PCE '**

The total number of packages is 14.

---

**CNT+57:22:MTR '**

The total loading meters are 22 metre.

---

**CNT+15:14:MTQ '**

The total number of packages is 14 cubic metre.

---

**TOD+6++CIF '**

The risk is transferred when the first freight carrier takes over the goods.

---

**TOD+5++SD '**

The consignment is divided into several means of transport.

---

**RFF+CU:76543 '**

The transport instruction number is 76543.

---

**RFF+DQ:3546 '**

The transport instruction references to delivery note number 3546.

---

**DTM+171:20160401:102 '**

The delivery note date is 1th of April 2016.

---

**RFF+ON:3425 '**

The message references to buyers order number 3425.

---

**DTM+171:20160401:102 '**

The order date is 1th of April 2016.

---

**RFF+VN:3425 '**

The message references to suppliers order number 3425.

---

**DTM+171:20160401:102 '**

The suppliers order date is 1th of April 2016.

---

**RFF+ALQ:4711 '**

The message references to the number 4711 of a announcement for returns.

---

**DTM+171:20160301:102 '**

**RFF+GN:268974 '**

The message references to EKAER number 268974.

---

**DTM+171:20160401:102 '**

The date of the EKAER number is 1th of April 2016.

---

**TDT+20++30+31 '**

The means of transport is a truck.

---

**NAD+SF+4399899175941::9+Text1:Text2:Text3:Text4:Text5+X GmbH:X:X+Moorweg  
3+Hamburg+HH+22055+DE '**

The ship from place / place of loading has the GLN 4399899175941.

---

**LOC+9+5412345678908::9 '**

The GLN of the place of loading is 5412345678908..

---

**CTA+IC+:Claus Früh '**

Contact person is Claus Früh.

---

**COM+X:TE '**

The phone number is 01666688771.

---

**RFF+YC1:12345 '**

## Example

---

The additional identification of the consignor is 12345.

---

RFF+GN:HRB-471111'

German Statements on business letters: HRB-471111.

---

NAD+DP+4012345500004::9+:X:X:X:X+FIRMA B:HERR KLOSE:X+KREUTZSTRASSE 14+H  
AMBURG++22297+DE'

The delivery party has the GLN 40123455000046.

---

LOC+11+5412345695219::9'

The GLN of the place of unloading is 5412345695219.

---

CTA+IC+:Frau Richter'

Contact person is Frau Richter.

---

COM+346752:TE'

Frau Richter's phone number is 346752.

---

RFF+YC1:34565'

The additional identification of the delivery address is 34565.

---

RFF+GN:HRB-471111'

German Statements on business letters: HRB-471111.

---

NAD+CZ+439989917444::9+X:::X+Firma Weg:Herr Fort:X+Hauptstr.2+Weinheim+  
BW+69469+DE'

The sender has the GLN 439989917444.

---

NAD+DER+4000862141422::9'

The GLN of the ZFS is 4000862141422.

---

NAD+LSP+5412345000114::9+X:X:X:X:X'

The GLN of the Logistic Service Provider (Transport) is 5412345000114.

---

NAD+FW+5412345000013::9+X:X:X:X:X'

The GLN of the Freight Forwarder is 5412345000013.

---

NAD+CN+5412345000114::9+X:X:X:X:X'

The GLN of the consignee is 5412345000114.

---

NAD+OY+5412345000114::9+X:X:X:X:X'

The GLN of the ordering customer is 5412345000114.

---

NAD+PF+5412345000114::9+X:X:X:X:X'

The GLN of the party to receive freight bill is 5412345000114.

---

NAD+UC+5412345000114::9+X:X:X:X:X'

The GLN of the ultimate consignee is 5412345000114.

---

NAD+SU+5412345000114::9+X:X:X:X:X'

The GLN of the supplier is 5412345000114.

---

NAD+UD+439989917777::9+X:::X+SVW:Herr Wald:X+Siegstr. 10+Mannheim+BW+68  
305+DE'

The sender has the GLN 439989917777.

---

GID+1+10:201::9'

10 pallets are transported.

---

HAN+3'

The shipping unit is stackable.

---

HAN+UNP'

## Example

---

The shipping must be unpacked.

---

**TMP+1+40:CEL'**

The temperature adjustment is 40 degrees Celsius.

---

**RNG+5+CEL:40:45'**

The temperature range is 40-45 degrees Celsius.

---

**FTX+AAI+1++Bulky goods+DE'**

The consignment consists of bulky goods.

---

**FTX+AAA+1++Bulky goods+DE'**

Description of the transported goods.

---

**MEA+AAE+G+KGM:20'**

The gross weight of the position is 20 kilograms.

---

**MEA+AAE+AAC+KGM:45'**

The total net weight of the position is 45 kilograms.

---

**DIM+2+MTR:1:1:1'**

The dimensions of the position for one unit are 1mX1mX1m.

---

**EQN+10'**

10 packages.

---

**RFF+ALQ:4711'**

The message references to the number 4711 of a announcement for returns of the position.

---

**DTM+171:20160301:102'**

**PCI+33E'**

The shipment item contains a SSCC.

---

**GIN+BJ+354123450000000014:X+:X+X'**

The SSCC is 340123450000000014

---

**PCI+IEN+12337616644'**

Package identification

---

**SGP+1234'**

The goods item equipment listed in this GID segment refers to the ID 1234 of the EQD segment.

---

**DGS+ADR+4.1:F1+1456+:CEL+2+++25+46:1868+4.1:6.1+++N'**

The dangerous goods have the classification 4.1.

---

**FTX+AAD+1+ABG::91+Decaboran+DE'**

The dangerous goods are Decaboran.

---

**FTX+HAZ+1++Ethanol+DE'**

The dangerous goods are transported with the hazard causing material Ethanol.

---

**FTX+SAF+1+Y::246'**

The dangerous goods are classified as environmentally hazardous.

---

**FTX+SIN+1+LQ+:::X+DE'**

The dangerous goods belong to the LQ dangerous goods.

---

**FTX+PAC+1++4G:Kiste aus Pappe:5+DE'**

The dangerous goods are placed in 5 boxes of cardboard (code: 4G).

---

**FTX+AAC+1++1+DE'**

## Example

---

The dangerous goods belong to transport category 1.

---

**FTX+ACB+1+1B2+B1000C'**

The dangerous goods are transported has the tunnel code B1000C.

---

**FTX+OSI+1+1B2+Aluminium-Fass mit abnehmbarem Deckel+DE'**

The dangerous goods are transported in an aluminum drum with a removable cover.

---

**MEA+AAE+AAL+KGM:100'**

Das Gefahrgut wiegt 100 Kilogramm.

The dangerous goods weight is 100 kilogram.

---

**EQD+EFP+1234'**

The loading aid is a replaceable EUR-flat pallet with the loading vessel ID 1234.

---

**EQN+9'**

Es werden neun Ladehilfsmittel transportiert.

Nine loading aids are transported.

---

**MEA+AAE+NPP+PCE:10'**

There are 10 pallet places.

---

**UNT+88+ME000001'**

The message contains 88 segments.

---

**UNZ+1+4711'**

The transmission file contains 1 message.

---