



The Global Language of Business

Warehousing Common Business Message Standard (BMS)

Release 3.6, Ratified, Mar 2023



Document Summary

Document Item	Current Value
Document Name	Warehousing Common Business Message Standard (BMS)
Document Date	Mar 2023
Document Version	3.6
Document Issue	1
Document Status	Ratified

Work Request Reference

Date of WR Submission to GSMP:	WR Submitter(s):	Refer to Work Request (WR) Number(s):
07-Feb-2014	GS1 Germany	14-000021
20-Mar-2014	GS1 Slovenia	14-000044
25-Jun-2014	GS1 Global Office	14-000110
11-Mar-2015	GS1 Germany	15-000046
24-Apr-2015	GS1 Germany	15-000101
12-Jul-2016	GS1 Global Office	16-000340
22-Jun-2018	Philips	17-000142
22-Jun-2018	GS1 France	18-000137
03-Oct-2018	GS1 GO	18-000319

Business Requirements Document (BRAD) Reference

BRAD Title	BRAD Issue Date	BRAD Version
Warehousing Inbound and Outbound processes	25-Jul-2012	1.0
Warehousing Inventory Management	25-Sep-2012	0.12

Document Change History

Date of Change	Version	Changed By	Reason for Change	Summary of Change
12-Jan-2012	BMS 3.0 – Issue 1	Mark Van Eeghem	BMS Release 3.0	See summary of changes
01-May-2013	BMS 3.1 – Issue 1	Coen Janssen	BMS Release 3.1	See summary of changes
15-Sep-2014	BMS 3.2 – Issue 1	Ewa Iwicka	BMS Release 3.2	See summary of changes
01-Mar-2017	BMS 3.3 – Issue 1	Ewa Iwicka	BMS Release 3.3	See summary of changes
15-Oct-2018	BMS 3.4 – Issue 1	Ewa Iwicka	BMS Release 3.4	See summary of changes



Date of Change	Version	Changed By	Reason for Change	Summary of Change
02-Feb-2021	BMS 3.5 – Issue 1	Miklos Bolyky	BMS Release 3.5	See summary of changes
05-Jan-2022	BMS 3.5.1 – Issue 1	Miklos Bolyky	BMS Release 3.5.1	See summary of changes
01-Mar-2023	BMS 3.6 – Issue 1	Miklos Bolyky	BMS Release 3.6	See summary of changes

Disclaimer

GS1®, under its IP Policy, seeks to avoid uncertainty regarding intellectual property claims by requiring the participants in the Work Group that developed this **Warehousing Common Business Message Standard (BMS)** to agree to grant to GS1 members a royalty-free licence or a RAND licence to Necessary Claims, as that term is defined in the GS1 IP Policy. Furthermore, attention is drawn to the possibility that an implementation of one or more features of this Specification may be the subject of a patent or other intellectual property right that does not involve a Necessary Claim. Any such patent or other intellectual property right is not subject to the licencing obligations of GS1. Moreover, the agreement to grant licences provided under the GS1 IP Policy does not include IP rights and any claims of third parties who were not participants in the Work Group.

Accordingly, GS1 recommends that any organization developing an implementation designed to be in conformance with this Specification should determine whether there are any patents that may encompass a specific implementation that the organisation is developing in compliance with the Specification and whether a licence under a patent or other intellectual property right is needed. Such a determination of a need for licencing should be made in view of the details of the specific system designed by the organisation in consultation with their own patent counsel.

THIS DOCUMENT IS PROVIDED "AS IS" WITH NO WARRANTIES WHATSOEVER, INCLUDING ANY WARRANTY OF MERCHANTABILITY, NONINFRINGEMENT, FITNESS FOR PARTICULAR PURPOSE, OR ANY WARRANTY OTHERWISE ARISING OUT OF THIS SPECIFICATION. GS1 disclaims all liability for any damages arising from use or misuse of this Standard, whether special, indirect, consequential, or compensatory damages, and including liability for infringement of any intellectual property rights, relating to use of information in or reliance upon this document.

GS1 retains the right to make changes to this document at any time, without notice. GS1 makes no warranty for the use of this document and assumes no responsibility for any errors which may appear in the document, nor does it make a commitment to update the information contained herein.

GS1 and the GS1 logo are registered trademarks of GS1 AISBL.



Table of Contents

1	Business Domain View	6
1.1	Introduction	6
1.2	References	6
2	Business Context	6
3	Business Transaction View	6
3.1	Business Transaction	6
4	Business Information View	7
4.1	Logistic Unit Inventory Event	7
4.2	Logistic Unit Inventory Status	9
4.3	Logistic Unit Reference	11
4.4	Returnable Packaging Inventory Event	12
4.5	Returnable Packaging Inventory Status	14
4.6	Trade Item Inventory Event	15
4.7	Trade Item Inventory Status	18
4.8	Transport Equipment Inventory Event	20
4.9	Transport Equipment Inventory Status	22
4.10	Warehousing Quantity Variance	23
4.11	Warehousing Service Attribute	24
4.12	Warehousing Service Instruction	25
4.13	Warehousing Shipment	26
4.14	Warehousing Shipment Item	29
4.15	Warehousing Common Data Types	31
4.16	Enumerations (message specific)	33
4.17	Code Lists	33
5	Business Message Examples	34
6	Implementation Considerations	34
6.1	User Guide	34
6.2	Message Specific Considerations	34
7	Summary of Changes	35
7.1	BMS Release 3.1	35
7.2	BMS Release 3.2	35
7.3	BMS Release 3.3	36
7.4	BMS Release 3.4	37
7.5	BMS Release 3.5	37
7.6	BMS Release 3.5.1	37
7.7	BMS Release 3.6	37
8	Appendices	37
9	Acknowledgements	38
9.1	Work Group	38
9.2	Development Team Members	39



1 Business Domain View

1.1 Introduction

Message Definition

This standard is part of a global GS1 solution for warehouse management that will support the optimization of warehouse management operations in a scalable way. This will ultimately take out unnecessary cost of the supply chain

Principles

This standard defines the transaction model and data model for the following business message(s):

- Logistics Inventory Report Request
- Logistics Inventory Report
- Warehousing Inbound Instruction
- Warehousing Inbound Notification
- Warehousing Operations Instruction
- Warehousing Operations Notification
- Warehousing Outbound Instruction
- Warehousing Outbound Notification

1.2 References

[LIM] GS1 Logistics Interoperability Model, 1.0, GS1 2007

[BRAD_WIO] BRAD Warehousing Inbound and Outbound Processes, 1.0, GS1 2012

[BRAD_WIM] BRAD Warehousing Inventory Management, 0.12, GS1 2012

[BMS_Shared] BMS Shared Common Library, 3.6, GS1 2023

[BMS_eCom] BMS eCom Common Library, 3.6, GS1 2023

2 Business Context

Context Category	Value(s)
Industry	All
Geopolitical	All
Product	All
Process	Warehousing
System Capabilities	GS1 System
Official Constraints	None

3 Business Transaction View


3.1 Business Transaction

Not applicable

4 Business Information View

4.1 Logistic Unit Inventory Event

Class diagram



GDD Report

The content of the `LogisticUnitInventoryEvent` class, its structure and component definitions can be accessed in the Global Data Dictionary: http://apps.gs1.org/GDD/bms/Version3_4/Pages/bieDetails.aspx?semanticURN=urn:gs1:gdd:bie:LogisticUnitInventoryEvent

Content	Attribute / Role	Datatype / Secondaryclass	Multiplicity	Definition	Requirements
LogisticUnitInventoryEvent				Information specifying an inventory activity of a specific logistic unit at a specific sub-location at a specific point in time.	
Association		InventorySubLocation	1..1	The inventory sub location related to the event.	
Generalization		LogisticUnit			
Attribute	eventDateTime	dateTime	0..1	The moment in time at which the event occurred.	


Content	Attribute / Role	Datatype / Secondaryclass	Multiplicity	Definition	Requirements
Attribute	eventIdentifier	string	0..1	The sequence number for this event.	
Attribute	inventoryBusinessStepCode	InventoryBusinessStep Code	1..1	Denotes a specific activity within a business process. The business step code of an event specifies what business process step was taking place that caused the event.	
Attribute	inventoryMovementTypeCode	InventoryMovementTypeCode	0..1	Code specifying whether the reported activity leads to an increase or decrease of the inventory quantity.	
Attribute	inventoryEventReasonCode	InventoryEventReason Code	0..1	Code specifying the reason for this event.	
Attribute	inventoryEventReasonDescription	Description70	0..1	Textual description of the reason for this event.	



Note: Reference Shared Common Library Business Message (BMS) Release 3.6 and eCom Domain Common Library Business Message (BMS) Release 3.6 for all common information.

4.2 Logistic Unit Inventory Status

Class Diagram



GDD Report

The content of the LogisticUnitInventoryStatus class, its structure and component definitions can be accessed in the Global Data Dictionary:

http://apps.gs1.org/GDD/bms/Version3_4/Pages/bieDetails.aspx?semanticURN=urn:gs1:gdd:bie:LogisticUnitInventoryStatus


Content	Attribute / Role	Datatype / Secondaryclass	Multiplicity	Definition	Requirements
LogisticUnitInventoryStatus				Information specifying the inventory status of a logistic unit at a specific sub-location at a specific point in time.	
Generalization		LogisticUnit			
Association		InventorySubLocation	1..1	The inventory sub location where the inventory is located.	
Attribute	inventoryDispositionCode	InventoryDispositionCode	1..1	The inventory disposition code specifies the business condition of the inventory.	
Attribute	inventoryDateTime	dateTime	0..1	Date and time when the inventory for this item was assessed.	



Note: Reference Shared Common Library Business Message (BMS) Release 3.6 and eCom Domain Common Library Business Message (BMS) Release 3.6 for all common information.

4.3 Logistic Unit Reference

Class Diagram



GDD Report

The content of the LogisticUnitReference class, its structure and component definitions can be accessed in the Global Data Dictionary:

http://apps.gs1.org/GDD/bms/Version3_4/Pages/bieDetails.aspx?semanticURN=urn:gs1:gdd:bie:LogisticUnitReference


Content	Attribute / Role	Datatype / Secondaryclass	Multiplicity	Definition	Requirements
LogisticUnitReference				Information on the quantity of a particular trade item that is contained in a particular logistic unit.	
Generalization		Ecom_LogisticUnitIdentification			WR 15-000314
Attribute	tradeItemQuantity	Quantity	0..1	The quantity of a particular trade item contained in a particular logistic unit.	



Note: Reference Shared Common Library Business Message (BMS) Release 3.6 and eCom Domain Common Library Business Message (BMS) Release 3.6 for all common information.

4.4 Returnable Packaging Inventory Event

Class Diagram



GDD Report

The content of the ReturnablePackagingInventoryEvent class, its structure and component definitions can be accessed in the Global Data Dictionary: http://apps.gs1.org/GDD/bms/Version3_4/Pages/bieDetails.aspx?semanticURN=urn:gs1:gdd:bie:ReturnablePackagingInventoryEvent

Content	Attribute / Role	Datatype / Secondaryclass	Multiplicity	Definition	Requirements
ReturnablePackagingInventoryEvent				Information specifying an inventory activity of one or more returnable packaging items (of the same type) at a specific sub-location at a specific point in time.	
Generalization		ReturnablePackaging			
Association		InventorySubLocation	1..1		


Content	Attribute / Role	Datatype / Secondaryclass	Multiplicity	Definition	Requirements
Attribute	eventDateTime	dateTime	0..1	The moment in time at which the event occurred.	
Attribute	eventIdentifier	string	0..1	The sequence number for this event.	
Attribute	inventoryBusinessStepCode	InventoryBusinessStep Code	1..1	Denotes a specific activity within a business process. The business step code of an event specifies what business process step was taking place that caused the event.	
Attribute	inventoryMovementTypeCode	InventoryMovementType Code	0..1	Code specifying whether the reported activity leads to an increase or decrease of the inventory quantity.	renamed from inventoryMovementIndicator
Attribute	inventoryEventReasonCode	InventoryEventReason Code	0..1	Code specifying the reason for this event.	
Attribute	inventoryEventReasonDescription	Description70	0..1	Textual description of the reason for this event.	



Note: Reference Shared Common Library Business Message (BMS) Release 3.6 and eCom Domain Common Library Business Message (BMS) Release 3.6 for all common information.

4.5 Returnable Packaging Inventory Status

Class Diagram



GDD Report

The content of the ReturnablePackagingInventoryStatus class, its structure and component definitions can be accessed in the Global Data Dictionary: http://apps.gs1.org/GDD/bms/Version3_4/Pages/bieDetails.aspx?semanticURN=urn:gs1:gdd:bie:ReturnablePackagingInventoryStatus


Content	Attribute / Role	Datatype / Secondaryclass	Multiplicity	Definition	Requirements
ReturnablePackagingInventoryStatus				Information specifying the inventory status of a set of returnable packaging items (of the same type) at a specific sub-location at a specific point in time.	
Generalization		ReturnablePackaging			
Association		InventorySubLocation	1..1	The inventory sub location where the inventory is located.	
Attribute	inventoryDispositionCode	InventoryDispositionCode	1..1	The inventory disposition code specifies the business condition of the inventory.	
Attribute	inventoryDateTime	dateTime	0..1	Date and time when the inventory for this item was assessed.	



Note: Reference Shared Common Library Business Message (BMS) Release 3.6 and eCom Domain Common Library Business Message (BMS) Release 3.6 for all common information.

4.6 Trade Item Inventory Event

Class Diagram



**GDD Report**

The content of the TradeItemInventoryEvent class, its structure and component definitions can be accessed in the Global Data Dictionary:
http://apps.gs1.org/GDD/bms/Version3_4/Pages/bieDetails.aspx?semanticURN=urn:gs1:gdd:bie:TradeItemInventoryEvent

Content	Attribute / Role	Datatype / Secondaryclass	Multiplicity	Definition	Requirements
TradeItemInventoryEvent				Information specifying an inventory activity of one or more trade items (of the same type) at a specific sub-location at a specific point in time.	
Association	liableParty	TransactionalParty	0..1	Party that will be held liable for the cost incurred by the event.	
Association		TransactionalReference	0..*	References to the commercial transaction or to transport or legal documents related to the item.	
Association		InventorySubLocation	1..1	The inventory sub location related to the event.	
Association		AdministrativeUnit	0..*	The administrative unit related to the event.	
Generalization		TransactionalTradeItem			
Association		InventoryDutyFeeTaxStatus	0..*	The duty, fee or tax status related to the inventory event.	
Association		PackageTotal	0..*	Aggregate information per type of package included in the inventory item.	
Association		LogisticUnitReference	0..*	The logistic units that hold the trade item subject to the event.	
Attribute	eventDateTime	dateTime	0..1	The moment in time at which the event occurred.	
Attribute	eventIdentifier	string	0..1	The sequence number for this event.	
Attribute	inventoryBusinessStepCode	InventoryBusinessStepCode	1..1	Denotes a specific activity within a business process. The business step code of an event specifies what business process step was taking place that caused the event.	
Attribute	inventoryDispositionCode	InventoryDispositionCode	1..1	The inventory disposition code specifies the business condition of the inventory that is subject of the event.	




Content	Attribute / Role	Datatype / Secondaryclass	Multiplicity	Definition	Requirements
Attribute	inventoryMovement TypeCode	InventoryMovementTyp eCode	0..1	Code specifying whether the reported activity leads to an increase or decrease of the inventory quantity.	
Attribute	inventoryEventReas onCode	InventoryEventReason Code	0..1	Code specifying the reason for this event.	
Attribute	inventoryEventReas onDescription	Description70	0..1	Textual description of the reason for this event.	



Note: Reference Shared Common Library Business Message (BMS) Release 3.6 and eCom Domain Common Library Business Message (BMS) Release 3.6 for all common information.

4.7 Trade Item Inventory Status

Class Diagram



GDD Report

The content of the `TradeItemInventoryStatus` class, its structure and component definitions can be accessed in the Global Data Dictionary:
http://apps.gs1.org/GDD/bms/Version3_4/Pages/bieDetails.aspx?semanticURN=urn:gs1:gdd:bie:TradeItemInventoryStatus

Content	Attribute / Role	Datatype / Secondaryclass	Multiplicity	Definition	Requirements
TradeItemInventory Status				Information specifying the inventory status of a set of trade items (of the same type) at a specific sub-location at a specific point in time.	




Content	Attribute / Role	Datatype / Secondaryclass	Multiplicity	Definition	Requirements
Association		InventoryDutyFeeTaxStatus	0..*	The duty, fee and tax status of the inventory.	
Association		AdministrativeUnit	0..*	The administrative unit to which the inventory has been allocated.	
Association		InventorySubLocation	1..1	The inventory sub location where the inventory is located.	
Association		LogisticUnitReference	0..*	The logistic units that contain the trade item.	
Generalization		TransactionalTradeItem			
Attribute	inventoryDispositionCode	InventoryDispositionCode	1..1	The inventory disposition code specifies the business condition of the inventory.	
Attribute	inventoryDateTime	dateTime	0..1	Date and time when the inventory for this item was assessed.	



Note: Reference Shared Common Library Business Message (BMS) Release 3.6 and eCom Domain Common Library Business Message (BMS) Release 3.6 for all common information.

4.8 Transport Equipment Inventory Event

Class Diagram



GDD Report

The content of the `TransportEquipmentInventoryEvent` class, its structure and component definitions can be accessed in the Global Data Dictionary: http://apps.gs1.org/GDD/bms/Version3_4/Pages/bieDetails.aspx?semanticURN=urn:gs1:gdd:bie:TransportEquipmentInventoryEvent

Content	Attribute / Role	Datatype / Secondaryclass	Multiplicity	Definition	Requirements
TransportEquipmentInventoryEvent				Information specifying an inventory activity of one or more pieces of transport equipment (of the same type) at a specific sub-location at a specific point in time.	
Association		InventorySubLocation	1..1		
Generalization		TransportEquipment			
Attribute	eventDateTime	dateTime	0..1	The moment in time at which the event occurred.	


Content	Attribute / Role	Datatype / Secondaryclass	Multiplicity	Definition	Requirements
Attribute	eventIdentifier	string	0..1	The sequence number for this event.	
Attribute	numberOfPiecesOfEquipment	positiveInteger	1..1	The total number of pieces of the specified type of transport equipment.	
Attribute	inventoryMovementTypeCode	InventoryMovementTypeCode	0..1	Code specifying whether the reported activity leads to an increase or decrease of the inventory quantity.	renamed from inventoryMovementIndicator
Attribute	inventoryBusinessStepCode	InventoryBusinessStepCode	1..1	Denotes a specific activity within a business process. The business step code of an event specifies what business process step was taking place that caused the event.	
Attribute	inventoryDispositionCode	InventoryDispositionCode	1..1	The disposition code of an event specifies the business condition of the (remaining) inventory subsequent to the event. The disposition is assumed to hold true until another event indicates a change of disposition.	
Attribute	inventoryEventReasonCode	InventoryEventReasonCode	0..1	Code specifying the reason for this event.	
Attribute	inventoryEventReasonDescription	Description70	0..1	Textual description of the reason for this event.	



Note: Reference Shared Common Library Business Message (BMS) Release 3.6 and eCom Domain Common Library Business Message (BMS) Release 3.6 for all common information.

4.9 Transport Equipment Inventory Status

Class Diagram



GDD Report

The content of the `TransportEquipmentInventoryStatus` class, its structure and component definitions can be accessed in the Global Data Dictionary: http://apps.gs1.org/GDD/bms/Version3_4/Pages/bieDetails.aspx?semanticURN=urn:gs1:gdd:bie:TransportEquipmentInventoryStatus


Content	Attribute / Role	Datatype / Secondaryclass	Multiplicity	Definition	Requirements
TransportEquipmentInventoryStatus				Information specifying the inventory status of a set of pieces of transport equipment (of the same type) at a specific sub-location at a specific point in time.	
Generalization		TransportEquipment			
Association		InventorySubLocation	1..1	The inventory sub location where the inventory is located.	
Attribute	numberOfPiecesOfEquipment	positiveInteger	1..1	The total number of pieces of the specified type of transport equipment.	
Attribute	inventoryDispositionCode	InventoryDispositionCode	1..1	The inventory disposition code specifies the business condition of the inventory.	

Content	Attribute / Role	Datatype / Secondaryclass	Multiplicity	Definition	Requirements
Attribute	inventoryDateTime	dateTime	0..1	Date and time when the inventory for this item was assessed.	

Note: Reference Shared Common Library Business Message (BMS) Release 3.6 and eCom Domain Common Library Business Message (BMS) Release 3.6 for all common information.

4.10 Warehousing Quantity Variance

Class Diagram



GDD Report


The content of the WarehousingQuantityVariance class, its structure and component definitions can be accessed in the Global Data Dictionary: http://apps.gs1.org/GDD/bms/Version3_4/Pages/bieDetails.aspx?semanticURN=urn:gs1:gdd:bie:WarehousingQuantityVariance

Content	Attribute / Role	Datatype / Secondaryclass	Multiplicity	Definition	Requirements
WarehousingQuantity Variance				Quantity and reason of a shortage or surplus occurring in a warehousing process.	
Attribute	varianceQuantity	Quantity	1..1	The number of units of the variance.	
Attribute	warehousingQuantityVarianceCode	WarehousingQuantityVarianceCode	1..1	Code specifying the type and / or reason for the variance.	

Note: Reference Shared Common Library Business Message (BMS) Release 3.6 and eCom Domain Common Library Business Message (BMS) Release 3.6 for all common information.

4.11 Warehousing Service Attribute

Class Diagram



GDD Report

The content of the WarehousingServiceAttribute class, its structure and component definitions can be accessed in the Global Data Dictionary: http://apps.gs1.org/GDD/bms/Version3_4/Pages/bieDetails.aspx?semanticURN=urn:gs1:gdd:bie:WarehousingServiceAttribute


Content	Attribute / Role	Datatype / Secondaryclass	Multiplicity	Definition	Requirements
WarehousingServiceAttribute				Piece of information used to further specify the details of a warehousing service.	
Attribute	warehousingServiceAttributeTypeCode	Code	1..1	Code specifying the type of warehousing service attribute. NOTE: For this attribute a GS1 code list is available (see paragraph 4.17.7 Warehousing Service Attribute Type Code), but also other code lists may be applied.	
Attribute	warehousingServiceAttributeText	string	0..1	Textual value of the warehousing service attribute.	
Attribute	warehousingServiceAttributeMeasurement	Measurement	0..1	Measurement value of the warehousing service attribute.	
Attribute	warehousingServiceAttributeIndicator	boolean	0..1	Boolean value of the warehousing service attribute.	
Attribute	warehousingServiceAttributeDateTime	dateTime	0..1	Date time value of the warehousing service attribute.	



Note: Reference Shared Common Library Business Message (BMS) Release 3.6 and eCom Domain Common Library Business Message (BMS) Release 3.6 for all common information.

4.12 Warehousing Service Instruction

Class Diagram



GDD Report

The content of the `WarehousingServiceInstruction` class, its structure and component definitions can be accessed in the Global Data Dictionary: http://apps.gs1.org/GDD/bms/Version3_4/Pages/bieDetails.aspx?semanticURN=urn:gs1:gdd:bie:WarehousingServiceInstruction


Content	Attribute / Role	Datatype /Secondary class	Multiplicity	Definition	Requirements
WarehousingServiceInstruction				Instruction specifying a service to be carried out by the logistic services seller during a warehousing process, for example during inbound or outbound.	
Association	warehouseServiceID	Ecom_TradeItemIdentification	0..1	Uniquely identifies warehouse service.	WR 15-000101 WR 15-000314
Association		WarehousingServiceAttribute	0..*	Information further specifying the details of a warehousing service.	
Attribute	warehousingServiceConditionCode	Code	1..1	Code specifying the type of warehousing service.	



Note: Reference Shared Common Library Business Message (BMS) Release 3.6 and eCom Domain Common Library Business Message (BMS) Release 3.6 for all common information.

4.13 Warehousing Shipment

Class Diagram



**GDD Report**

The content of the WarehousingShipment class, its structure and component definitions can be accessed in the Global Data Dictionary:
http://apps.gs1.org/GDD/bms/Version3_4/Pages/bieDetails.aspx?semanticURN=urn:gs1:gdd:bie:WarehousingShipment

Content	Attribute / Role	Datatype / Secondaryclass	Multiplicity	Definition	Requirements
WarehousingShipment				A shipment is an identifiable collection of one or more Trade Items available to be transported together from the shipper (Original Consignor/Shipper), to the receiver (Final/Ultimate Consignee).	[brad-whiop:shm-1]
Association	seller	TransactionalParty	0..1	Identifies the party which sells products or services to a buyer.	[brad-wio:shm-1.3]
Association	buyer	TransactionalParty	0..1	Identifies the party to which products or services are sold.	[brad-wio:shm-1.2]
Association		AdministrativeUnit	0..*	On or more administrative units related to the shipment.	[brad-wio:shm-1.10]
Association	receiver	TransactionalParty	1..1	A party which engages in receiving this shipment of goods.	[brad-wio:shm-1.5]
Association	shipper	TransactionalParty	1..1	A party which engages in shipping this shipment of goods.	[brad-wio:shm-1.4]
Association		PackageTotal	0..*	Aggregate information per type of package contained in the shipment.	[brad-wio:shm-1.14]
Association		Ecom_ShipmentIdentification	0..1		[brad-whiop:shm-1.1] WR 15-000314
Association		TransportCargoCharacteristics	0..1	Aggregate information on the goods that are contained in this shipment.	[brad-wio:shm-1.13]
Association		TransactionalReference	0..*	One or more references to associated information in support of related business processes. E.g. a purchase order, a return authorization number.	[brad-wio:shm-1.12]
Association		HandlingInstruction	0..*	One or more instructions on the way to treat the goods during transport and storage.	[brad-wio:shm-1.15]
Association	shipFrom	TransactionalParty	0..1	The physical location from where goods will be or have been shipped.	[brad-wio:shm-1.6]




Content	Attribute / Role	Datatype / Secondaryclass	Multiplicity	Definition	Requirements
Association		DeliveryTerms	0..1	The applicable legal, customs, financial and insurance terms that have been agreed for the shipment.	[brad-wio:shm-1.11]
Association	ultimateConsignee	TransactionalParty	0..1	Identifies the party that is the final destination for the shipment.	[brad-wio:shm-1.9]
Association	inventoryLocation	TransactionalParty	0..1	Identification of the location (premises) where the goods will be stored.	[brad-wio:shm-1.8]
Association	shipTo	TransactionalParty	0..1	The physical location to where goods will be or have been shipped.	[brad-wio:shm-1.7]
Association		LogisticUnit	0..*	The logistic units contained in the shipment.	[brad-wio:shm-1.16]
Association	pickUpLocation	TransactionalParty	0..1	Party where goods are collected or taken over by the carrier.	WR 18-000137
Attribute	note	Description500	0..1	Free text used to convey information that is not processed by applications. Only meant to present the information to a user as on a screen, in a browser, etc.	



Note: Reference Shared Common Library Business Message (BMS) Release 3.6 and eCom Domain Common Library Business Message (BMS) Release 3.6 for all common information.

4.14 Warehousing Shipment Item

Class Diagram



GDD Report

The content of the WarehousingShipmentItem class, its structure and component definitions can be accessed in the Global Data Dictionary:
http://apps.gs1.org/GDD/bms/Version3_4/Pages/bieDetails.aspx?semanticURN=urn:gs1:gdd:bie:WarehousingShipmentItem

Content	Attribute / Role	Datatype / Secondaryclass	Multiplicity	Definition	Requirements
WarehousingShipmentItem				A shipment item is collection of trade items and related logistic units that can each be identified (uniquely) within a shipment.	[brad-whiop:shm-2]
Association		TransportCargoCharacteristics	0..1	Aggregate information on the goods that are contained in this shipment item.	[brad-wio:shm-2.10]
Association		InventorySubLocation	0..1	Identification of the inventory sub-location where goods are stored.	[brad-wio:shm-2.4]
Association	shipTo	TransactionalParty	0..1	The physical location to where goods will be or have been shipped.	
Association		PackageTotal	0..*	Aggregate information per type of package contained in the shipment item.	[brad-wio:shm-2.11]
Association		AdministrativeUnit	0..*	One or more administrative units related to the shipment item.	
Association		InventoryDutyFeeTaxStatus	0..*	The duty, fee and / or tax status related to the goods.	
Association		TransactionalTradeItem	1..1	Information on the trade item contained in the shipment.	[brad-wio:shm-2.2]
Association		HandlingInstruction	0..*	One or more instructions on the way to treat the goods during transport and storage.	[brad-wio:shm-2.12]
Association	logisticUnit	ExtendedLogisticUnit	0..*	Information on the logistic unit quantity of the trade item contained in it and additional details, such as batch, lot and serial number of items contained.	[brad-wio:shm-1.16] WR 17-000142
Association	inventoryLocation	TransactionalParty	0..1	Identification of the location where the goods are stored.	[brad-wio:shm-2.3]
Association	ultimateConsignee	TransactionalParty	0..1	Identifies the party that is the final destination of the goods.	[brad-wio:shm-2.5]
Association		TransactionalReference	0..*	One or more references to associated information in support of related business processes. E.g. a purchase order, a return authorization number.	[brad-wio:shm-2.9]




Content	Attribute / Role	Datatype / Secondaryclass	Multiplicity	Definition	Requirements
Attribute	lineItemNumber	positiveInteger	1..1	The sequence number for this shipment item. BRAD SHI2	
Attribute	associatedInvoicePrice	Amount	0..1	The unit price of the trade item excluding taxes.	[brad-wio:ecom-5]
Attribute	parentLineItemNumber	positiveInteger	0..1	The number of line item containing information about the parent of the current item. It allows establishing hierarchical link between the two items.	WR 14-000021 WR 14-000044
Attribute	note	Description500	0..1	Free text used to convey information that is not processed by applications. Only meant to present the information to a user as on a screen, in a browser, etc.;	
Attribute	avpList	Ecom_AttributeValuePairList	0..1	Temporary attributes introduced between minor versions.	WR 14-000110



Note: Reference Shared Common Library Business Message (BMS) Release 3.6 and eCom Domain Common Library Business Message (BMS) Release 3.6 for all common information.

4.15 Warehousing Common Data Types

Class Diagram





GDD Report

Content	Attribute / Role	Datatype / Secondaryclass	Multiplicity	Definition	Requirements
InventoryBusinessStepCode					
Generalization		GS1Code			
InventoryDispositionCode					
Generalization		GS1Code			
InventoryEventReasonCode					
Generalization		GS1Code			
TypeOfServiceTransactionCode					
Generalization		GS1Code			
WarehousingQuantityVarianceCode					
Generalization		GS1Code			
WarehousingServiceAttributeTypeCode					
Generalization		GS1Code			

4.16 Enumerations (message specific)

Not applicable

4.17 Code Lists

Class	Codelist	GDD Link
LogisticUnitInventoryEvent, ReturnablePackagingInventoryEvent, TradeItemInventoryEvent, TransportEquipmentInventoryEvent	InventoryBusinessStepCode	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:InventoryBusinessStepCode
LogisticUnitInventoryEvent, ReturnablePackagingInventoryEvent, TradeItemInventoryEvent, TransportEquipmentInventoryEvent	InventoryMovementTypeCode	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:InventoryMovementTypeCode
LogisticUnitInventoryEvent, ReturnablePackagingInventoryEvent, TradeItemInventoryEvent, TransportEquipmentInventoryEvent	InventoryEventReasonCode	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:InventoryEventReasonCode
LogisticUnitInventoryStatus, ReturnablePackagingInventoryStatus, TradeItemInventoryEvent, TradeItemInventoryStatus, TransportEquipmentInventoryEvent, TransportEquipmentInventoryStatus	InventoryDispositionCode	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:InventoryDispositionCode
LogisticsInventoryReport	TypeOfServiceTransactionCode	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:TypeOfServiceTransactionCode
WarehousingQuantityVariance	WarehousingQuantityVarianceCode	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:qdd:cl:WarehousingQuantityVarianceCode



Note: Refer to the Global Data Dictionary (GDD) for the code values.

5 Business Message Examples

Not applicable

6 Implementation Considerations

6.1 User Guide

The Functional User Guide contains more information about the structure and content of the Warehousing Common message: http://www.gs1.org/docs/ecom/xml/3/3.4/eCom-Trade_messages.html#WarehousingCommon

6.2 Message Specific Considerations

Not applicable

7 Summary of Changes

Any change in the GS1 standards is done based on the Work Request (WR) submitted by the GS1 User Companies or Member Organisations. All Work Requests are documented in the Work Request system available on the GS1 website: <http://wr.gs1.org>. The system is accessible to registered users. New visitors need to register first, to be able to access it. WRs can be searched by the number referenced in tables below, see: Search Work Requests. The number starts with the two last digits of the year when it was submitted, followed by the consecutive number within that year.



Note: WRs submitted earlier than February 2012 should be searched in Old Change Requests.





7.1 BMS Release 3.1

First publication of this standard.



7.2 BMS Release 3.2

Change	Associated WR
<ul style="list-style-type: none"> ■ Added a reference to parent line number to all LineItem classes, to support hierarchical items (WRs 14-021 & 14-044) ■ Add Attribute Value Pair at the root, line item and sub line item levels (WR 14-110) <div style="border: 1px solid black; padding: 5px; margin-top: 10px;"> <p>class WarehousingShipmentItem - maintenance view</p> <div style="border: 1px solid black; padding: 5px; margin-top: 5px;"> <p style="text-align: center;">WarehousingShipmentItem</p> <p>+ lineItemNumber :positiveInteger + associatedInvoicePrice :Amount [0..1] + parentLineItemNumber :positiveInteger [0..1] + note :Description500 [0..1] + «association» avpList :Ecom_AttributeValuePairList [0..1]</p> <p style="text-align: center;"><i>maintenance</i></p> <p>Change: (Verified) 3.2 added +avpList (WR 14-110) Change: (Verified) 3.2 added +parentLineItemNumber (WR 14-021 & 14-044)</p> </div> </div>	

7.3 BMS Release 3.3

Change	Associated WR
<p>Added association to Ecom_TradeItemIdentification named warehouseServiceID in WarehousingServiceInstruction class</p>  <pre> classDiagram class WarehousingServiceInstruction { + warehousingServiceConditionCode :Code + warehousingServiceVariant :string [0..1] = {1..80} } class WarehousingServiceAttribute class Ecom_TradeItemIdentification { <<GS1 Code>> } WarehousingServiceInstruction "0..1" --> "0..1" Ecom_TradeItemIdentification : warehouseServiceID </pre> <p>Change: (New) 3.3 added association to Ecom_TradeItemIdentification named +warehouseServiceID (WR 15-101)</p>	<p>15-000101</p> <p>Add identification of cash services in the WarehousingOutboundInstruction and WarehousingInboundInstruction</p>
<p>Created class typeOfServiceTransactionCode and added TypeOfServiceTransactionCode in LogisticsInventoryReport class</p>  <pre> classDiagram class TypeOfServiceTransactionCode { <<data type>> <<GS1 Code>> } </pre> <p>Change: (New) 3.3 new data type (WR 15-046)</p>	<p>15-000046</p> <p>Add Type Of Service Transaction in the Logistics Inventory Report</p>
<p>Created Ecom_LogisticUnitIdentification class and changed association from the previous LogisticUnitIdentification</p>  <pre> classDiagram class LogisticUnitReference { + tradeItemQuantity :Quantity [0..1] } class Ecom_LogisticUnitIdentification { <<GS1 Code>> } LogisticUnitReference < -- Ecom_LogisticUnitIdentification </pre> <p>Change: (New) 3.3 changed association from LogisticUnitIdentification to Ecom_LogisticUnitIdentification (WR 15-314)</p>	<p>15-000314</p> <p>Make GS1 identification keys optional in GS1 EDI XML</p>
<p>Created Ecom_ShipmentIdentification class and changed association from the previous ShipmentIdentification</p>  <pre> classDiagram class WarehousingShipment { + note :Description500 [0..1] } class Ecom_ShipmentIdentification { <<GS1 Code>> } WarehousingShipment "0..1" --> "0..1" Ecom_ShipmentIdentification </pre> <p>Change: (New) 3.3 changed association from ShipmentIdentification to Ecom_ShipmentIdentification (WR 15-314)</p>	<p>15-000314</p> <p>Make GS1 identification keys optional in GS1 EDI XML</p>

7.4 BMS Release 3.4

Change	Associated WR
<p>Created ExtendedLogisticUnit class (see: 3.1.9) and added association to WarehousingShipmentItem class named logisticUnit</p>  <pre> classDiagram class WarehousingShipmentItem { +lineItemNumber : positiveInteger +associatedInvoicePrice : Amount [0..1] +parentLineItemNumber : positiveInteger [0..1] +note : Description500 [0..1] +avpList : Ecom_AttributeValuePairList [0..1] } class ExtendedLogisticUnit { +note : Description500 [0..1] } WarehousingShipmentItem "1" -- "0..1" ExtendedLogisticUnit : #logisticUnit </pre> <p>Change: (Complete) 3.2 added +avpList (WR 14-110) Change: (Complete) 3.2 added +parentLineItemNumber (WR 14-021 & 14-044) Change: (New) 3.4 changed association from LogisticUnit to ExtendedLogisticUnit class with the role name logisticUnit (WR 17-142)</p>	<p>18-000137 Add pick up spot to warehousing messages</p>
<p>Added association to TransactionalParty named pickUpLocation from WarehousingShipmentclass</p>  <pre> classDiagram class WarehousingShipment { +note : Description500 [0..1] +avpList : Ecom_AttributeValuePairList [0..1] } class TransactionalParty { +note : Description500 [0..1] } WarehousingShipment "1" -- "0..1" TransactionalParty : +pickUpLocation </pre> <p>Change: (Complete) 3.3 changed association from ShipmentIdentification to Ecom_ShipmentIdentification (WR 15-314) Change: (New) 3.4 added association to TransactionalPartyType named pickUpLocation (WR 18-137)</p>	<p>17-000142 Add possibility to specify in what SSCC a batch or serial number is contained, in the warehousing messages</p>

7.5 BMS Release 3.5

No work requests. Document upgraded for release consistency.

7.6 BMS Release 3.5.1

No work requests. Document upgraded for release consistency.

7.7 BMS Release 3.6

No work requests. Document upgraded for release consistency.

8 Appendices

Not Applicable

9 Acknowledgements

9.1 Work Group

Function	Name	Company / organisation
Co-chair	Rossner (Pottier), Natascha	GS1 France
Co-chair	Schmidt, Tom Eric	August Storck KG
Member	Bemrose, Jonathan	R&R Ice Cream
Member	Bodemer, Petra	dm-drogerie markt GmbH + Co. KG
Member	Boikanyo, Rebone	GS1 South Africa / Consumer Goods Council of South Africa
Member	Canada, ON	M3B 3L1
Member	Carlson, Jim	General Mills, Inc.
Member	Chresta, Richard	GS1 Switzerland
Member	Cook, Don	Wal-Mart Stores, Inc.
Member	Cox, Marc	Philips Electronics N.V.
Member	Darnell, David	Systrends
Member	De Flou, Nele	GS1 Belgium & Luxembourg
Member	Dicks, Arne	GS1 Germany
Member	Duvinger, Karina	GS1 Sweden
Member	Foerderer, Klaus	GS1 Germany
Member	Gathmann, Stefan	GS1 Ireland
Member	Grangard, Anders	GS1 Global Office
Member	Harpell, Eileen	GS1 Community Room Staff
Member	Hand, Phil	JDA Software
Member	Herregodts, Kurt	GS1 Belgium & Luxembourg
Member	Kempkes, Fred	Unilever N.V.
Member	Kernan, Brendan	GS1 Ireland
Member	Kidd, Robin	Nestle
Member	Krid, Anne-Claire	GS1 France
Member	Lanoue, Tom	General Mills, Inc.
Member	Laur, Rita	GS1 Canada
Member	Lenman, Mia	GS1 Sweden
Member	Lerch, Hanjoerg	METRO Group
Member	Moberg, Dale	Axway
Member	Montes de Oca, Alejandra	GS1 Mexico
Member	Ng, Ella	GS1 Australia
Member	Peelen, Esther	GS1 Netherlands
Member	Pelekies, Andreas	GS1 Germany
Member	Perrier, Patricia	GS1 France
Member	Przybilla, Christian	GS1 Germany
Member	Pujol, Xavier	GS1 Spain
Member	Racek, Greg	Wal-Mart Stores, Inc.

Function	Name	Company / organisation
Member	Repetto, Mirko	GS1 Italy
Member	Robba, Steven	1WorldSync Holdings, Inc.
Member	Rosell, Pere	GS1 Spain
Member	Rosenberg, Steven	GS1 US
Member	Schmid, Sue	GS1 Australia
Member	Schneider, Christian	GS1 Switzerland
Member	Sehorz, Eugen	GS1 Austria
Member	Sharma, Vishal	General Mills, Inc.
Member	Shimazaki, Ayako	GS1 Japan
Member	Sion, Emilie	GS1 France
Member	Souza, Nadia	GS1 Brasil
Member	Strand, Roman	GS1 Germany
Member	Tan, Milton	GS1 Malaysia
Member	Tompsett, Simon	Waitrose
Member	Trelle, Ute	1WorldSync Holdings, Inc.
Member	Tse, Steve	GS1 Hong Kong
Member	Tyson, Betty	Knouse Foods Cooperative, Inc
Member	Van den Bergh, Senne	GS1 Belgium & Luxembourg
Member	Van der Eijk, Pim	OASIS - Sonnenglanz Consulting BV
Member	Veldhuis, Saskia	Procter & Gamble Co.
Member	Welch, Shan	GS1 UK
Member	Westerkamp, Jan	GS1 Netherlands
Member	Wilson, Mary	GS1 US
Member	Windsperger, Bekki	Best Buy Co., Inc.
Member	Yang, Shaopeng	GS1 China
Member	Yusdiar, Dani	GS1 Indonesia
Member	Zwanziger, Greg	SUPERVALU

9.2 Development Team Members

Function	Name	Organisation
GSMP Process Lead	David Buckley	GS1 Global Office
Technical Development Lead	Miklos Bolyky	GS1 Global Office
Peer Review	Mark Van Eeghem	GS1 Global Office