



GS1-Anwendungsempfehlung zu GS1 XML 3.6 von GS1 Germany Version 2.0

Rechnung
(invoiceMessage)

GS1 XML 3.6

Einführung.....	2
Nachrichtenstruktur	5
Guideline.....	16
Beispiel	1025

Einführung

Einführung

Einführung

- ORIGINAL GS1 XML 3.6 STANDARD -

Die invoiceMessage steht in DEUTSCH und ENGLISCH zur Verfügung.

Ziel der vorliegenden Broschüre ist es, eine Dokumentation anzubieten, mit der elektronische Daten zwischen Geschäftspartnern ausgetauscht werden können.

Basis dieser Ausarbeitung ist der internationale Standard GS1 XML 3.6. Zur Übermittlung der notwendigen Informationen wird der Nachrichtentyp invoiceMessage verwendet. Als Dokumentationstool wurde GEFEG.FX (Gefeg mbH, Berlin) benutzt.

Die vorliegende Dokumentation wurde von der GS1 Germany GmbH, Köln, erstellt. Jegliche Haftungsansprüche gegenüber GS1 Germany sind ausgeschlossen. Die Inhalte der Broschüre unterliegen dem Copyright von GS1 Germany und dürfen auch auszugsweise nur mit schriftlicher Genehmigung von GS1 Germany vervielfältigt oder an Dritte weitergegeben werden.

Es wird ausdrücklich darauf hingewiesen, dass die Broschüre nicht die komplette Originalbeschreibung der entsprechenden Kapitel und weitere relevante Hinweise der GS1 XML 3.6-Dokumentation ersetzt. Es handelt sich vielmehr um eine Beschreibung der zu verwendenden Segmente, Datenelemente und Codes für eine spezielle Aufgabenstellung.

Die vorliegende Dokumentation bietet verschiedene Einstiegsmöglichkeiten:

Introduction

„Introduction“ enthält eine kurze Beschreibung zur jeweiligen Nachricht.

Structure

„Structure“ listet die einzelnen verwendeten Segmente in der Reihenfolge auf, wie sie durch die GS1 XML-Nachricht vorgegeben ist. Dabei wird in der Regel für jede Information ein eigenes Element beschrieben.

Guideline

„Guideline“ stellt die betriebswirtschaftlichen den entsprechenden Elementen der GS1 XML 3.6-Syntax gegenüber.

Examples

„Examples“ enthält mindestens ein kommentiertes Beispiel für eine Nachricht.

Schema Download

„Schema Download“ enthält alle notwendigen Schemas der beschriebenen Nachricht zum download.

BMS

„BMS“ öffnet die PDF-Begleitdokumentation vom globalen Standard. Das "Business Message Standard" (BMS) - Dokument beschreibt die grundlegenden Funktionen und die Anwendungsfälle des Nachrichtentyps.

Einführung

Für diese Spezifikation gelten folgende Konventionen:

Nachrichtenaufbau

SBDH

Der Standard Business Document Header (SBDH) ermöglicht die Integration von EDI-Dokumenten zwischen internen Anwendungen, Unternehmensanwendungen und Business-to-Business-Infrastruktur durch eine konsistente Schnittstelle zwischen Anwendungen.

invoiceMessage

Die Nachricht beschreibt die eigentlichen Rechnungsinformationen.

Nachrichtenstruktur

Element	Wiederholung	Status
invoiceMessage		R
<i>xs:sequence</i>	1..1	
sh:StandardBusinessDocumentHeader	1..1	R
<i>xs:sequence</i>	1..1	
HeaderVersion	1..1	R
Sender	1..unbounded	R
<i>xs:sequence</i>	1..1	
Identifier	1..1	R
Authority		R
Receiver	1..unbounded	R
<i>xs:sequence</i>	1..1	
Identifier	1..1	R
Authority		R
DocumentIdentification	1..1	R
<i>xs:sequence</i>	1..1	
Standard	1..1	R
TypeVersion	1..1	R
InstanceIdentifier	1..1	R
Type	1..1	R
CreationDateAndTime	1..1	R
BusinessScope	0..1	D
<i>xs:sequence</i>	1..1	
Scope	0..unbounded	D
<i>xs:sequence</i>	1..1	
<i>xs:sequence</i>	1..1	
Type	1..1	R
InstanceIdentifier	1..1	R
sh:ScopeInformation	0..unbounded	D
sh:BusinessService		R
<i>xs:sequence</i>	1..1	
BusinessServiceName	0..1	O
invoice	1..10000	R
<i>xs:sequence</i>	1..1	
creationDateTime	1..1	R
documentStatusCode	1..1	R
documentStructureVersion	0..1	R
documentEffectiveDate	0..1	O
<i>xs:sequence</i>	1..1	
date	1..1	R
invoiceIdentification	1..1	R
<i>xs:sequence</i>	1..1	
entityIdentification	1..1	R
invoiceType	1..1	R
invoiceCurrencyCode	1..1	R
countryOfSupplyOfGoods	0..1	O
note	0..1	O
languageCode		R
discountAgreementTerms	0..1	D
buyer	1..1	R
<i>xs:sequence</i>	1..1	
gln	0..1	R

Status: M=Muss, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Nachrichtenstruktur

Element	Wiederholung	Status
additionalPartyIdentification	0..unbounded	O
additionalPartyIdentificationTypeCode		R
dutyFeeTaxRegistration	0..unbounded	R
<i>xs:sequence</i>	1..1	
dutyFeeTaxRegistrationID	1..1	R
dutyFeeTaxTypeCode	0..1	R
organisationDetails	0..1	O
<i>xs:sequence</i>	1..1	
organisationName	1..1	R
seller	1..1	R
<i>xs:sequence</i>	1..1	
gln	0..1	R
additionalPartyIdentification	0..unbounded	O
additionalPartyIdentificationTypeCode		R
contact	0..unbounded	O
<i>xs:sequence</i>	1..1	
contactTypeCode	0..1	R
departmentName	0..1	O
dutyFeeTaxRegistration	0..unbounded	R
<i>xs:sequence</i>	1..1	
dutyFeeTaxRegistrationID	1..1	R
dutyFeeTaxTypeCode	0..1	R
organisationDetails	0..1	O
<i>xs:sequence</i>	1..1	
organisationName	1..1	R
legalRegistration	0..unbounded	D
<i>xs:sequence</i>	1..1	
legalRegistrationNumber	1..1	R
legalRegistrationType	1..1	R
legalRegistrationAdditionalInformation	0..1	O
payer	0..1	O
<i>xs:sequence</i>	1..1	
gln	0..1	R
additionalPartyIdentification	0..unbounded	O
additionalPartyIdentificationTypeCode		R
dutyFeeTaxRegistration	0..unbounded	O
<i>xs:sequence</i>	1..1	
dutyFeeTaxRegistrationID	1..1	R
dutyFeeTaxTypeCode	0..1	R
payee	0..1	O
<i>xs:sequence</i>	1..1	

Status: M=Muss, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Nachrichtenstruktur

Element	Wiederholung	Status
gln	0..1	R
additionalPartyIdentification	0..unbounded	O
additionalPartyIdentificationTypeCode		R
dutyFeeTaxRegistration	0..unbounded	O
<i>xs:sequence</i>	1..1	
dutyFeeTaxRegistrationID	1..1	R
dutyFeeTaxTypeCode	0..1	R
		R
ultimateConsignee	0..1	O
<i>xs:sequence</i>	1..1	
gln	0..1	O
additionalPartyIdentification	0..unbounded	O
additionalPartyIdentificationTypeCode		R
address	0..1	O
<i>xs:sequence</i>	1..1	
city	0..1	O
countryCode	0..1	O
name	0..1	O
postalCode	0..1	O
state	0..1	O
streetAddressOne	0..1	O
shipFrom	0..1	O
<i>xs:sequence</i>	1..1	
gln	0..1	R
shipTo	0..1	R
<i>xs:sequence</i>	1..1	
gln	0..1	R
additionalPartyIdentification	0..unbounded	O
additionalPartyIdentificationTypeCode		R
		R
address	0..1	O
<i>xs:sequence</i>	1..1	
city	0..1	O
countryCode	0..1	O
name	0..1	O
postalCode	0..1	O
state	0..1	O
streetAddressOne	0..1	O
contact	0..unbounded	O
<i>xs:sequence</i>	1..1	
contactTypeCode	0..1	R
personName	0..1	O
departmentName	0..1	O
pickupFrom	0..1	O
<i>xs:sequence</i>	1..1	
gln	0..1	R
additionalPartyIdentification	0..unbounded	O
additionalPartyIdentificationTypeCode		R
address	0..1	O

Status: M=Muss, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Nachrichtenstruktur

Element	Wiederholung	Status
<i>xs:sequence</i>	1..1	
city	0..1	O
countryCode	0..1	O
name	0..1	O
postalCode	0..1	O
state	0..1	O
streetAddressOne	0..1	O
invoiceTotals	1..1	R
<i>xs:sequence</i>	1..1	
totalInvoiceAmount	1..1	R
currencyCode		R
totalAmountInvoiceAllowancesCharges	0..1	D
currencyCode		R
totalInvoiceAmountPayable	0..1	O
currencyCode		R
totalLineAmountInclusiveAllowancesCharges	0..1	R
currencyCode		R
totalTaxAmount	0..1	R
currencyCode		R
totalTaxBasisAmount	0..1	O
currencyCode		R
totalEconomicValue	0..1	O
currencyCode		R
totalGoodsValue	0..1	O
currencyCode		R
totalRetailValue	0..1	O
currencyCode		R
taxSubtotal	0..unbounded	R
<i>xs:sequence</i>	1..1	
dutyFeeTaxAmount	0..1	R
currencyCode		R
dutyFeeTaxBasisAmount	0..1	R
currencyCode		R
dutyFeeTaxCategoryCode	0..1	R
dutyFeeTaxPercentage	0..1	R
dutyFeeTaxTypeCode	0..1	R
invoiceAllowanceCharge	0..unbounded	O
<i>xs:sequence</i>	1..1	
allowanceChargeType	1..1	R
allowanceOrChargeType	1..1	R
settlementType	1..1	R
allowanceChargeAmount	0..1	R
currencyCode		R
allowanceChargePercentage	0..1	O
baseAmount	0..1	O
currencyCode		R
baseNumberOfUnits	0..1	O
measurementUnitCode		R
sequenceNumber	0..1	
allowanceChargeDescription	0..1	O
<i>xs:sequence</i>	1..1	

Status: M=Muss, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Nachrichtenstruktur

Element	Wiederholung	Status
description	1..unbounded	R
languageCode		R
leviedDutyFeeTax	0..1	D
xs:sequence	1..1	
dutyFeeTaxCategoryCode	0..1	R
dutyFeeTaxExemptionReason	0..1	
dutyFeeTaxPercentage	0..1	R
dutyFeeTaxTypeCode	0..1	D
taxCurrencyInformation	0..unbounded	D
xs:sequence	1..1	
currencyConversionFromCode	1..1	R
currencyConversionToCode	1..1	R
exchangeRate	0..1	D
paymentTerms	0..unbounded	O
xs:sequence	1..1	
paymentTermsEventCode	1..1	R
paymentTermsTypeCode	1..1	R
		R
netPaymentDue	0..1	O
xs:sequence	1..1	
dateDue	0..1	R
paymentTermsDiscount	0..unbounded	O
xs:sequence	1..1	
discountType	1..1	R
discountAmount	0..1	O
currencyCode		R
discountPercent	0..1	
paymentTimePeriod	1..1	R
xs:sequence	1..1	
dateDue	0..1	R
sEPAResource	0..unbounded	O
xs:sequence	1..1	
transactionalReferenceTypeCode	1..1	R
transactionalReferenceValue	1..1	R
endCustomerRelatedDetails	0..1	O
xs:sequence	1..1	
ultimateCustomer	0..1	O
xs:sequence	1..1	
gln	0..1	O
additionalPartyIdentification	0..unbounded	O
additionalPartyIdentificationTypeCode		R
administrativeUnit	0..unbounded	O
xs:sequence	1..1	
administrativeUnitTypeCode	1..1	R
gln	0..1	R
internalAdministrativeUnitIdentification	0..1	R
promotionalDeal	0..unbounded	O
xs:sequence	1..1	
entityIdentification	1..1	R
purchaseOrder	0..1	O
xs:sequence	1..1	

Status: M=Muss, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Nachrichtenstruktur

Element	Wiederholung	Status
entityIdentification	1..1	R
creationDateTime	0..1	O
manifest	0..1	O
<i>xs:sequence</i>	1..1	
entityIdentification	1..1	R
invoice	0..1	O
<i>xs:sequence</i>	1..1	
entityIdentification	1..1	R
creationDateTime	0..1	O
salesOrder	0..1	O
<i>xs:sequence</i>	1..1	
entityIdentification	1..1	R
creationDateTime	0..1	O
despatchAdvice	0..1	O
<i>xs:sequence</i>	1..1	
entityIdentification	1..1	R
creationDateTime	0..1	O
orderResponse	0..1	O
<i>xs:sequence</i>	1..1	
entityIdentification	1..1	R
creationDateTime	0..1	O
deliveryNote	0..1	O
<i>xs:sequence</i>	1..1	
entityIdentification	1..1	R
creationDateTime	0..1	O
receivingAdvice	0..1	O
<i>xs:sequence</i>	1..1	
entityIdentification	1..1	R
creationDateTime	0..1	O
contract	0..1	O
<i>xs:sequence</i>	1..1	
entityIdentification	1..1	R
creationDateTime	0..1	O
tradeAgreement	0..1	O
<i>xs:sequence</i>	1..1	
entityIdentification	1..1	R
blanketOrder	0..1	O
<i>xs:sequence</i>	1..1	
entityIdentification	1..1	R
disputeNotice	0..1	O
<i>xs:sequence</i>	1..1	
entityIdentification	1..1	R
creationDateTime	0..1	O
salesReport	0..1	O
<i>xs:sequence</i>	1..1	
entityIdentification	1..1	R
creationDateTime	0..1	O
inventoryReport	0..1	O
<i>xs:sequence</i>	1..1	
entityIdentification	1..1	R
creationDateTime	0..1	O

Status: M=Muss, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Nachrichtenstruktur

Element	Wiederholung	Status
returnsNotice	0..1	O
<i>xs:sequence</i>	1..1	
entityIdentification	1..1	R
creationDateTime	0..1	O
invoicingPeriod	0..1	D
<i>xs:sequence</i>	1..1	
beginDate	1..1	R
endDate	1..1	R
despatchInformation	0..1	D
<i>xs:sequence</i>	1..1	
actualShipDateTime	0..1	D
pickUpDateTime	0..1	D
releaseDateTimeOfSupplier	0..1	O
shipmentTransportationInformation	0..1	O
<i>xs:sequence</i>	1..1	
handlingInstructionCode	0..unbounded	O
actualDeliveryDate	0..1	D
<i>xs:sequence</i>	1..1	
date	1..1	R
transactionalGenericReference	0..unbounded	O
<i>xs:sequence</i>	1..1	
transactionalReferenceTypeCode	1..1	R
transactionalReferenceValue	1..1	R
transactionalReferenceValue		R
transactionalReferenceValue		R
transactionalReferenceValue		R
transactionalReferenceValue		R
invoiceLineItem	1..unbounded	R
<i>xs:sequence</i>	1..1	
lineItemNumber	1..1	R
invoicedQuantity	1..1	R
measurementUnitCode		O
amountExclusiveAllowancesCharges	0..1	D
currencyCode		R
amountInclusiveAllowancesCharges	0..1	D
currencyCode		R
deliveredQuantity	0..1	D
measurementUnitCode		D
excludedFromPaymentDiscountIndicator	0..1	O
itemPriceBaseQuantity	0..1	D
measurementUnitCode		D
itemPriceExclusiveAllowancesCharges	0..1	D
currencyCode		R
itemPriceInclusiveAllowancesCharges	0..1	D
currencyCode		R
transferOfOwnershipDate	0..1	
parentLineItemNumber	0..1	D
ownershipPriorToPayment	0..1	O
legallyFixedRetailPrice	0..1	O
currencyCode		R

Status: M=Muss, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Nachrichtenstruktur

Element	Wiederholung	Status
recommendedRetailPrice	0..1	O
currencyCode		R
retailPriceExcludingExcise	0..1	O
currencyCode		R
totalOrderedQuantity	0..1	O
measurementUnitCode		O
freeGoodsQuantity	0..1	O
measurementUnitCode		O
note	0..1	O
languageCode		R
extension	0..1	O
xs:sequence	1..1	
xs:any	0..unbounded	O
transactionalTradeItem	1..1	R
xs:sequence	1..1	
gtin	0..1	R
additionalTradeItemIdentification	0..unbounded	D
additionalTradeItemIdentificationTypeCode		D
additionalTradeItemIdentificationTypeCode		D
additionalTradeItemIdentificationTypeCode		D
additionalTradeItemIdentificationTypeCode		D
additionalTradeItemIdentificationTypeCode		O
additionalTradeItemIdentificationTypeCode		R
tradeItemDescription	0..1	R
languageCode		R
productVariantIdentifier	0..1	O
itemTypeCode	0..1	R
butterFatReference	0..1	O
transactionalItemData	0..unbounded	O
xs:sequence	1..1	
batchNumber	0..1	O
itemExpirationDate	0..1	D
productQualityIndication	0..1	O
serialNumber	0..unbounded	O
transactionalItemWeight	0..unbounded	O
xs:sequence	1..1	
measurementType	1..1	R
measurementValue	1..1	R
measurementUnitCode		R
serialNumberRange	0..unbounded	O
xs:sequence	1..1	
maximumValue	0..1	O
minimumValue	0..1	R
transactionalItemDimensions	0..unbounded	O
xs:sequence	1..1	
depth	1..1	R
measurementUnitCode		R
height	1..1	R
measurementUnitCode		R

Status: M=Muss, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Nachrichtenstruktur

Element	Wiederholung	Status
width	1..1	R
measurementUnitCode		R
tradeItemWaste	0..unbounded	O
xs:sequence	1..1	
wasteIdentification	0..1	O
typeOfWaste	0..unbounded	O
transactionalItemOrganicInformation	0..1	O
xs:sequence	1..1	
isTradeItemOrganic	1..1	R
organicCertification	0..1	O
xs:sequence	1..1	
itemCertificationAgency	0..1	R
colour	0..unbounded	O
xs:sequence	1..1	
colourCode	0..1	D
colourCodeListCode		R
colourDescription	0..unbounded	R
languageCode		R
size	0..unbounded	O
xs:sequence	1..1	
descriptiveSize	0..1	R
languageCode		R
sizeCode	0..1	D
sizeCodeListCode		R
tradeItemClassification	0..1	O
xs:sequence	1..1	
gpcCategoryCode	1..1	R
additionalTradeItemClassificationCode	0..unbounded	O
additionalTradeItemClassificationCodeListCode		R
gpcAttributeName	0..1	O
gpcAttribute	0..unbounded	O
xs:sequence	1..1	
gpcAttributeTypeCode	1..1	R
gpcAttributeValueCode	1..1	R
invoiceAllowanceCharge	0..unbounded	O
xs:sequence	1..1	
allowanceChargeType	1..1	R
allowanceOrChargeType	1..1	R
settlementType	1..1	R
allowanceChargeAmount	0..1	O
currencyCode		R
allowanceChargePercentage	0..1	O
baseAmount	0..1	O
currencyCode		R
baseNumberOfUnits	0..1	O
measurementUnitCode		D
sequenceNumber	0..1	D
allowanceChargeDescription	0..1	O
xs:sequence	1..1	
description	1..unbounded	R
languageCode		R

Status: M=Muss, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Nachrichtenstruktur

Element	Wiederholung	Status
invoiceLineTaxInformation	0..unbounded	D
<i>xs:sequence</i>	1..1	
dutyFeeTaxCategoryCode	0..1	R
dutyFeeTaxPercentage	0..1	R
dutyFeeTaxTypeCode	0..1	D
despatchInformation	0..1	D
<i>xs:sequence</i>	1..1	
pickUpDateTime	0..1	D
shipTo	0..1	O
<i>xs:sequence</i>	1..1	
gln	0..1	D
additionalPartyIdentification	0..unbounded	O
additionalPartyIdentificationTypeCode		R
address	0..1	O
<i>xs:sequence</i>	1..1	
city	0..1	O
countryCode	0..1	O
name	0..1	O
postalCode	0..1	O
state	0..1	O
streetAddressOne	0..1	O
returnableAssetIdentification	0..1	O
<i>xs:sequence</i>	1..1	
grai	0..1	O
additionalReturnableAssetIdentification	0..unbounded	O
additionalReturnableAssetIdentificationTypeCode		R
actualDeliveryDate	0..1	D
<i>xs:sequence</i>	1..1	
date	1..1	R
tradeItemStatisticalClassification	0..unbounded	O
<i>xs:sequence</i>	1..1	
classificationSystemName	0..1	O
classificationSystemVersion	0..1	O
classificationSystemCode	1..1	R
invoiceLineItemContact	0..unbounded	O
<i>xs:sequence</i>	1..1	
contactTypeCode	0..1	R
personName	0..1	O
departmentName	0..1	O
communicationChannel	0..unbounded	O
<i>xs:sequence</i>	1..1	
communicationChannelCode	1..1	R
communicationValue	1..1	R
administrativeUnit	0..unbounded	O
<i>xs:sequence</i>	1..1	
administrativeUnitTypeCode	1..1	R
gln	0..1	R
internalAdministrativeUnitIdentification	0..1	R
deliveryNote	0..1	O
<i>xs:sequence</i>	1..1	

Status: M=Muss, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Nachrichtenstruktur

Element	Wiederholung	Status
entityIdentification	1..1	R
creationDateTime	0..1	O
lineItemNumber	0..1	O
purchaseOrder	0..1	O
<i>xs:sequence</i>	1..1	
entityIdentification	1..1	R
creationDateTime	0..1	O
lineItemNumber	0..1	O
salesOrder	0..1	O
<i>xs:sequence</i>	1..1	
entityIdentification	1..1	R
creationDateTime	0..1	O
promotionalDeal	0..1	O
<i>xs:sequence</i>	1..1	
entityIdentification	1..1	R
despatchAdvice	0..1	O
<i>xs:sequence</i>	1..1	
entityIdentification	1..1	R
creationDateTime	0..1	O
lineItemNumber	0..1	O
contract	0..1	O
<i>xs:sequence</i>	1..1	
entityIdentification	1..1	R
creationDateTime	0..1	O
energyQuantity	0..1	O
<i>xs:sequence</i>	1..1	
countedMeasureandFactor	0..1	O
standardConditionConversion	0..1	O
calorificValue	0..1	O
paymentMethod	0..1	O
<i>xs:sequence</i>	1..1	
paymentMethodCode	1..1	R
paymentMethodIdentification	0..1	R
euUniqueID	0..1	O
<i>xs:sequence</i>	1..1	
euUniqueIDTypeCode	1..1	R
unitPacketLevelUniqueIdentifier	0..unbounded	O
aggregatedLevelUniqueIdentifier	0..unbounded	

Status: M=Muss, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

invoiceMessage	Schema-Status: M Typ: invoice:InvoiceMessageType Fachbegriff: Rechnungsnachricht Status: R Definition: Die Nachricht besteht aus dem SBDH, der die Informationen zur Sender und Empfänger der Nachricht enthält, sowie die eigentlichen Rechnungsinformationen.
xs:sequence	Wiederholung: 1 .. 1 Schema-Status: M
sh:StandardBusinessDocumentHeader	Wiederholung: 1 .. 1 Schema-Status: M Typ: sh:StandardBusinessDocumentHeader Fachbegriff: SBDH Status: R Definition: SBDH nach dem UN/CEFACT Standard. Er enthält alle notwendigen Routing- und Verarbeitungsinformationen. Darüber hinaus identifiziert er die gesendete Nachricht, die zusammen mit SBDH und der Versionsnummer der enthaltenen Dokumente gesendet wird.
xs:sequence	Wiederholung: 1 .. 1 Schema-Status: M
HeaderVersion	Wiederholung: 1 .. 1 Schema-Status: M Typ: xs:string Fachbegriff: Version des SBDH Status: R Beispiel: 1.0 Definition: Version des verwendeten SBDH Standards.
Sender	Wiederholung: 1 .. unbounded Schema-Status: M Typ: sh:Partner Fachbegriff: Sender der Nachricht Status: R Definition: Der Sender der Nachricht ist diejenige Organisation, die die enthaltenen Geschäftsdokumente erstellt hat.
xs:sequence	Wiederholung: 1 .. 1 Schema-Status: M

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Identifizier	Wiederholung:	1 .. 1	
	Schema-Status:	M	
Authority	Typ:	sh:PartnerIdentification	
	Fachbegriff:	Geschäftspartneridentifikation	
	Status:	R	
	Beispiel:	4000010000003	
	Bemerkung:	Die Identifikation muss eine GLN sein.	
	Definition:	Eine eindeutige Identifikation für einen Geschäftspartner.	
	Schema-Status:	O	
	Type:	xs:string	
Receiver	Fachbegriff:	Codevergebende Stelle	
	Status:	R	
	Beispiel:	GS1	
	Bemerkung:	Der Wert muss 'GS1' lauten.	
	Definition:	Codevergebende Stelle.	
	Wiederholung:	1 .. unbounded	
xs:sequence	Schema-Status:	M	
	Typ:	sh:Partner	
Identifizier	Fachbegriff:	Empfänger der Nachricht	
	Status:	R	
	Definition:	Dem Empfänger der Nachricht werden die enthaltenen Geschäftsdokumente zugestellt.	
	Wiederholung:	1 .. 1	
	Schema-Status:	M	
	Authority	Typ:	sh:PartnerIdentification
		Fachbegriff:	Geschäftspartneridentifikation
		Status:	R
Beispiel:		4000010000010	
Bemerkung:		Die Identifikation muss eine GLN sein.	
Definition:		Eine eindeutige Identifikation für einen Geschäftspartner.	
Schema-Status:		O	
Type:		xs:string	
Authority	Fachbegriff:	Codevergebende Stelle	
	Status:	R	

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	Beispiel:	GS1
	Bemerkung:	Der Wert muss 'GS1' lauten.
	Definition:	Codevergebende Stelle.
DocumentIdentification	Wiederholung:	1 .. 1
	Schema-Status:	M
	Typ:	sh:DocumentIdentification
	Fachbegriff:	Nachrichten-ID
	Status:	R
	Definition:	Identifikation des Dokuments.
xs:sequence	Wiederholung:	1 .. 1
	Schema-Status:	M
Standard	Wiederholung:	1 .. 1
	Schema-Status:	M
	Typ:	xs:string
	Fachbegriff:	Dokumentenstandards
	Status:	R
	Beispiel:	GS1
	Bemerkung:	Der Wert muss "GS1" lauten.
	Definition:	Name des Dokumentenstandards im Nachrichtenrumpf.
TypeVersion	Wiederholung:	1 .. 1
	Schema-Status:	M
	Typ:	xs:string
	Fachbegriff:	Version
	Status:	R
	Beispiel:	3.6
	Bemerkung:	Vollständige Versionsangabe. "3.6" ist Pflichtwert.
	Definition:	Vollständige Versionsangabe der zugrundeliegenden Version der Dokumente im Nachrichtenrumpf. Diese Angabe unterscheidet sich in der Regel von der Headerversion des SBDH. Die Versionsnummer muss mit der Version des Basisschemas des GS1 XML Standards übereinstimmen. Alle Dokumente innerhalb einer Nachricht müssen aufgrund der gleichen Version erstellt worden sein.
InstanceIdentifier	Wiederholung:	1 .. 1
	Schema-Status:	M
	Typ:	xs:string
	Fachbegriff:	Nachrichtenummer

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	Status:	R
	Beispiel:	MSG-164500099
	Definition:	Wert, der eine eindeutige Referenzangabe der Nachricht zwischen Sender und Empfänger definiert. Die Angabe unterscheidet die Nachricht eindeutig von anderen Nachrichten.
Type	Wiederholung:	1 .. 1
	Schema-Status:	M
	Typ:	xs:string
	Fachbegriff:	Nachrichtenart
	Status:	R
	Beispiel:	Invoice
	Bemerkung:	Die Nachrichtenart muss identisch mit dem Wurzelement des Businessdokuments sein.
	Definition:	In diesem Element wird der Typ des Dokuments definiert.
CreationDateAndTime	Wiederholung:	1 .. 1
	Schema-Status:	M
	Typ:	xs:dateTime
	Definition:	Date and time of the SBDH document creation.
	Fachbegriff:	Erstellzeitpunkt des Dokuments
	Status:	R
	Beispiel:	2023-10-20T11:00:00.000
	Bemerkung:	zusätzlich erlaubtes Format: 2023-10-20T11:00:00.000+05.00
	Definition:	Angabe des Erstellzeitpunktes des Dokuments.
BusinessScope	Wiederholung:	0 .. 1
	Schema-Status:	O
	Typ:	sh:BusinessScope
	Fachbegriff:	Geschäftsanwendungsfall
	Status:	D
	Definition:	Beschreibung eines vollständigen Geschäftsanwendungsfalls, in dem der Header (SBDH) und die Dokumente (SBD) verarbeitet werden. Der Geschäftsanwendungsfall definiert, welche Regeln auf die enthaltenen Dokumente anzuwenden sind.
xs:sequence	Wiederholung:	1 .. 1
	Schema-Status:	M
Scope	Wiederholung:	0 .. unbounded
	Schema-Status:	O
	Typ:	sh:Scope
	Fachbegriff:	Anwendungsbereich

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	Status:	D
	Bemerkung:	Ein Anwendungsbereich darf für eine Anwendungsempfehlung angegeben werden. Für jede Anwendungsempfehlung muss allerdings ein anderer Anwendungsbereich verwendet werden.
xs:sequence	Wiederholung:	1 .. 1
	Schema-Status:	M
xs:sequence	Wiederholung:	1 .. 1
	Schema-Status:	M
Type	Wiederholung:	1 .. 1
	Schema-Status:	M
	Typ:	xs:string
	Fachbegriff:	Art des Attributs
	Status:	R
	Used Codes	
	Code:	MESSAGE_STATUS
	Name:	Message status
	Beschreibung:	<i>Specifies whether the message is a test and should not be passed to business application.</i>
	Code:	SCHEMA_GUIDE
	Name:	Schema Guide
	Beschreibung:	<i>Indicates that the business document should be validated against the schema guide that is a subset of the 'generic' GS1 schema, adapted to specific geography or user group.</i>
InstanceIdentifier	Wiederholung:	1 .. 1
	Schema-Status:	M
	Typ:	xs:string
	Fachbegriff:	Instanz-ID
	Status:	R
sh:ScopeInformation	Wiederholung:	0 .. unbounded
	Schema-Status:	O
	Typ:	xs:anyType
	Fachbegriff:	Informationen zum Anwendungsfall
	Status:	D
sh:BusinessService	Schema-Status:	O
	Typ:	sh:BusinessService
	Fachbegriff:	Businessservice
	Status:	R

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

<p><i>xs:sequence</i></p>	<p>Wiederholung: 1 .. 1 Schema-Status: M</p>
<p>BusinessServiceName</p>	<p>Wiederholung: 0 .. 1 Schema-Status: O Typ: xs:string Fachbegriff: Belegqualifizierung Status: O Beispiel: KOSTENRECHNUNG-001 Bemerkung: Bei Verwendung der Belegqualifizierung kann nur eine Qualifizierungsart je Übertragungsdatei angegeben werden. Diese gilt dann für alle enthaltenen Belege. EANCOM®: INVOIC.BGM.C002.1000</p>
<p>invoice</p>	<p>Wiederholung: 1 .. 10000 Schema-Status: M Typ: invoice:InvoiceType Fachbegriff: Rechnung Status: R Definition: Die Rechnungsnachricht wird vom Lieferanten zum Kunden gesendet, um die Bezahlung von Waren oder Dienstleistungen zu veranlassen, die unter den zwischen Verkäufer und Käufer vereinbarten Bedingungen geliefert wurden. Durch entsprechende Kennzeichnung kann die gleiche Nachricht ebenfalls für die Versendung von Proforma-Rechnung, Belastungsanzeige und Gutschrift verwendet werden. Der Verkäufer kann in einer Rechnung mehrere Transaktionen zusammenfassen, die sich auf die Berechnung von Waren und Dienstleistungen im Zusammenhang mit einem oder mehreren Bestellungen, Lieferungen usw. beziehen. Die Rechnung kann Zahlungsbedingungen, Transportinformationen und zusätzliche Informationen für Zoll- und statistische Zwecke bei grenzüberschreitenden Transaktionen beinhalten.</p>
<p><i>xs:sequence</i></p>	<p>Wiederholung: 1 .. 1 Schema-Status: M</p>
<p>creationDateTime</p>	<p>Wiederholung: 1 .. 1 Schema-Status: M Typ: xs:dateTime Fachbegriff: Belegdatum Status: R Beispiel: 2023-06-15T11:00:00.000 Bemerkung: zusätzlich erlaubtes Format: 2023-06-15T11:00:00.000+05.00</p>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	Definition:	Erstelldatum und -uhrzeit des Dokuments.
	EANCOM®:	INVOIC.DTM[D_2005="137"].C507.2380
documentStatusCode	Wiederholung:	1 .. 1
	Schema-Status:	M
	Typ:	shared_common:DocumentStatusEnumerationType
	Fachbegriff:	Dokumentenstatus
	Status:	R
	Beispiel:	ORIGINAL
	Definition:	Legt fest, ob es sich bei dem Dokument um ein Original oder eine Kopie handelt
	EANCOM®:	INVOIC.BGM.1225
	Used Codes	
	Code:	COPY
	Name:	Copy
	Beschreibung:	<i>A copy of the original document issued by the sender.</i>
	Code:	ORIGINAL
	Name:	Original
	Beschreibung:	<i>The original document issued by the sender.</i>
documentStructureVersion	Wiederholung:	0 .. 1
	Schema-Status:	O
	Typ:	restriction (xs:string)
	Fachbegriff:	Version des verwendeten Nachrichtenstandards
	Status:	R
	Beispiel:	3.6
	Definition:	Spezifikation der Version des verwendeten Nachrichtenstandards, auf dem das Dokument basiert.
documentEffectiveDate	Wiederholung:	0 .. 1
	Schema-Status:	O
	Typ:	shared_common:DateOptionalTimeType
	Fachbegriff:	Effektives Dokumentendatum
	Status:	O
	Definition:	Das effektive Dokumentendatum definiert den Zeitpunkt, an dem das Dokument aus rechtlicher Sicht, oder innerhalb eines Geschäftsprozesses wirksam wird.
xs:sequence	Wiederholung:	1 .. 1
date	Schema-Status:	M
	Wiederholung:	1 .. 1

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	<p>Schema-Status: M Typ: xs:date Fachbegriff: Valutadatum Status: R Beispiel: 2023-06-05 Bemerkung: Das Valutadatum ist ein verlängertes Rechnungsdatum, auf dem die Zahlungskonditionen aufsetzen. Definition: Angabe eines Tages als Kalenderdatum. EANCOM®: INVOIC.SG8[D_4279="3" AND D_2005="209"].DTM.2380</p>
invoiceIdentification	<p>Wiederholung: 1 .. 1 Schema-Status: M Typ: ecom_common:Ecom_EntityIdentificationType Fachbegriff: Invoice identification Status: R Definition: Angabe der eindeutigen Beleg-ID der Rechnung.</p>
xs:sequence	<p>Wiederholung: 1 .. 1 Schema-Status: M</p>
entityIdentification	<p>Wiederholung: 1 .. 1 Schema-Status: M Typ: restriction (xs:string) Fachbegriff: Rechnungsnummer Status: R Bemerkung: Belegnummer vergeben vom Absender des Dokuments. Definition: Identification of the invoice. EANCOM®: INVOIC.BGM.C106.1004</p>
invoiceType	<p>Wiederholung: 1 .. 1 Schema-Status: M Typ: ecom_common:InvoiceTypeCodeType Definition: Typ, der über einen Code die Art der Rechnung bestimmt. Erlaubte Werte können der GS1 Codeliste InvoiceCodeType entnommen werden. Fachbegriff: Art der Rechnung (Code) Status: R Beispiel: INVOICE GDD URN: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:InvoiceTypeCode EANCOM®: INVOIC.BGM.C002.1001</p>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Used Codes

Code:	AGREED_TERMS
Name:	Vereinbarte Konditionen
Beschreibung:	<i>Anspruch auf Zahlung von Waren und Dienstleistungen auf der Grundlage auf einer bilateralen Basis vereinbarter Bedingungen zwischen den Handelspartnern.</i>
Code:	CORRECTED_INVOICE
Name:	Korrigierte Rechnung
Beschreibung:	<i>Der Beleg wurde im Vergleich zur früheren Version überarbeitet.</i>
Code:	CREDIT_NOTE
Name:	Gutschrift
Beschreibung:	<i>Habenkorrektur einer Forderung für den Ausgleich einer identifizierten und abgestimmten finanziellen Abweichung.</i>
Code:	DEBIT_NOTE
Name:	Belastungsanzeige
Beschreibung:	<i>Mit diesem Dokument/ dieser Nachricht wird der betroffene Partner über eine Belastung informiert.</i>
Code:	INVOICE
Name:	Rechnung
Beschreibung:	<i>Vom Verkäufer ausgestellter Anspruch auf Zahlung von Waren oder Dienstleistungen.</i>
Code:	OTHER
Name:	Andere
Beschreibung:	<i>Art der Rechnung, für die keine anderen Codes gelten.</i>
Code:	PRO_FORMA_INVOICE
Name:	Proforma-Rechnung
Beschreibung:	<i>Vorläufiges Dokument oder eine Nachricht, welches die gleichen Informationen wie die spätere Rechnung enthält, mit der aber kein Zahlungsanspruch verknüpft ist.</i>
Code:	SELF_BILLED_CREDIT_NOTE
Name:	Selbstaufgestellte Gutschrift
Beschreibung:	<i>Ein Dokument, das angibt, dass der Kunde eine Gutschrift im Gutschriftsverfahren fordert.</i>
Code:	SELF_BILLED_INVOICE
Name:	Selbstaufgestellte Rechnung
Beschreibung:	<i>Eine Rechnung, die der Zahlungspflichtige anstelle des Verkäufers ausstellt.</i>
Code:	TAX_INVOICE
Name:	Steuerrechnung

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

invoiceCurrencyCode	Used Codes	Beschreibung:	<i>Eine Rechnung für steuerliche Zwecke.</i>
	Wiederholung:	1 .. 1	
	Schema-Status:	M	
	Typ:	shared_common:CurrencyCodeType	
	Definition:	Währungsangabe, auf deren Basis die Rechnung gestellt ist.	
	Fachbegriff:	Rechnungswährung (Code)	
	Status:	R	
	Beispiel:	EUR	
	EANCOM®:	INVOIC.SG7.CUX.C504.6345	
		Used Codes	Code:
	Name:	Romanian Leu	
	Beschreibung:	<i>This currency code is effective from 1 July 2005</i>	
	Code:	ZWL	
	Name:	Zimbabwe Dollar	
	Beschreibung:	<i>(effective 1 February 2009)</i>	
countryOfSupplyOfGoods	Wiederholung:	0 .. 1	
	Schema-Status:	O	
	Typ:	shared_common:CountryCodeType	
	Definition:	Ländercode desjenigen Landes, von dem die Lieferung ausgegangen ist.	
	Fachbegriff:	Ursprungsland der Lieferung (Code)	
	Status:	O	
	Beispiel:	DE	
	Bemerkung:	Dieses Element wird nur bei Exportrechnungen verwendet.	
	EANCOM®:	INVOIC.ALI.3239	
		Used Codes	Code:
	Name:	Europäische Union	
	Beschreibung:	<i>Europäische Union</i>	
	Code:	D_A	
	Name:	Entwicklungshilfe	
	Beschreibung:	<i>Entwicklungshilfeagenturen wie USAID, UNFPA und Global Fund, die Ländern Auslandshilfe in Form von Waren und Dienstleistungen zur Unterstützung von</i>	

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	Used Codes
	<p><i>Entwicklungsprogrammen zur Verfügung stellen, einschließlich, aber nicht beschränkt auf globale Gesundheits-, Infrastruktur- und Nahrungsmittelhilfe. Beachten Sie, dass dieser Codewert nur für das Attribut targetMarketCountryCode verwendet werden kann.</i></p>
note	<p>Code: NON_EU Name: Nicht EU Beschreibung: Land, das nicht zur Europäischen Union gehört. Nur GDSN. Wiederholung: 0 .. 1 Schema-Status: O Typ: shared_common:Description500Type Definition: Das Vorkommen dieses Elements beeinflusst die Verarbeitung der Nachricht nicht; z.B. kann eine Begründung für Konditionssperre oder Gutschriftserteilung mitgeteilt werden. Fachbegriff: Bemerkung Status: O Beispiel: Freitext Bemerkung: Die Anwendung dieses Elements in freier Form wird nicht empfohlen, weil das die automatische Bearbeitung der Rechnung verhindert. Eine bessere Möglichkeit stellt die Vereinbarung codierter Referenzen (Schlüssel) dar, die die automatische Bearbeitung ermöglichen und die Anzahl der zu übertragenden Zeichen und Bearbeitungskosten reduziert. Die Standardtexte sollten zwischen den Austauschpartnern bilateral vereinbart werden und können gesetzliche und andere Anforderungen erfüllen.</p>
languageCode	<p>EANCOM®: INVOIC.FTX[D_4451="ZZZ"].C108.4440 Schema-Status: M Type: restriction (xs:string) Fachbegriff: Sprachcode Status: R Beispiel: en Bemerkung: Siehe ISO-Sprachcode unter www.iso.org Definition: Code, der die Sprache in der Beschreibung definiert. EANCOM®: INVOIC.FTX[D_4451="ZZZ"].C108.3453</p>
discountAgreementTerms	<p>Wiederholung: 0 .. 1 Schema-Status: O Typ: ecom_common:DiscountAgreementCodeType Definition: Code, der Basis für Rabatt, Gebührenermäßigung oder Bonus spezifiziert. Erlaubte Codewerte werden in der GS1-Codeliste DiscountAgreementCode angegeben.</p>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	<p>Fachbegriff: Entgeltminderung (Code) Status: D Beispiel: BONUS_AGREEMENT GDD URN: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DiscountAgreementCode EANCOM®: INVOIC.FTX[D_4451="AAK"].C107.4441</p> <p>Used Codes</p> <p>Code: BONUS_AGREEMENT Name: Bonusvereinbarung Beschreibung: <i>Gebührenermäßigung aufgrund von Rabatt- und Bonusvereinbarungen.</i></p> <p>Code: BUSINESS_TERMS Name: Geschäftsbedingungen Beschreibung: <i>Die Gebührenermäßigung richtet sich nach unseren aktuellen Geschäftsbedingungen.</i></p> <p>Code: FUTURE_DISCOUNT_OR_BONUS Name: Zukünftiger Rabatt oder Bonus Beschreibung: <i>Es gelten Rabatt- oder Bonusvereinbarungen.</i></p>
buyer	<p>Wiederholung: 1 .. 1 Schema-Status: M Typ: ecom_common:TransactionalPartyType Fachbegriff: Käufer Status: R Definition: Geschäftspartner, an den die Produkte oder Dienstleistungen verkauft werden.</p>
xs:sequence	<p>Wiederholung: 1 .. 1 Schema-Status: M</p>
gln	<p>Wiederholung: 0 .. 1 Schema-Status: O Typ: shared_common:GLNType Fachbegriff: Käufer (GLN) Status: R Beispiel: 4000001000005 Definition: Die Globale Lokationsnummer (GLN) ist ein GS1 Identifikationsschlüssel um physikalische Orte oder Geschäftspartner zu identifizieren. Er besteht aus der Basisnummer, dem eigengenerierten Nummernteil und der Prüfziffer.</p> <p>EANCOM®: INVOIC.SG2[D_3035="BY"].NAD.C082.3039</p>
AdditionalPartyIdentification	<p>Wiederholung: 0 .. unbounded</p>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	<p>Schema-Status: O Typ: shared_common:AdditionalPartyIdentificationType Definition: Typ, der eine zusätzliche Identifikation (keine GLN) eines Geschäftspartners ermöglicht. Fachbegriff: Interne Kundennummer beim Lieferanten Status: O Beispiel: 0815 Bemerkung: Sofern es keiner funktionalen- oder ablauforientierten Unterscheidung innerhalb eines Unternehmens bedarf, wird ausschließlich die GLN kommuniziert, der Empfänger verknüpft bei Bedarf im internen System. Zusätzliche Identifikationsverfahren sollten nur dann vereinbart werden, wenn in einer Lokation unterschiedliche funktionale Einheiten differenziert werden müssen.</p> <p>Fachbegriff: Interne Kundennummer Status: O Beispiel: 1567 Bemerkung: Sofern es keiner funktionalen- oder ablauforientierten Unterscheidung innerhalb eines Unternehmens bedarf, wird ausschließlich die GLN kommuniziert, der Empfänger verknüpft bei Bedarf im internen System. Zusätzliche Identifikationsverfahren sollten nur dann vereinbart werden, wenn in einer Lokation unterschiedliche funktionale Einheiten differenziert werden müssen.</p> <p>EANCOM®: INVOIC.SG2[D_3035="BY"].NAD.SG3[D_1153="IT"].C506.1154 EANCOM®: INVOIC.SG2[D_3035="BY"].NAD.SG3[D_1153="YC1"].C506.1154</p>
additionalPartyIdentificationTypeCode	<p>Schema-Status: M Type: restriction (xs:string) GDD URN: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode</p> <p>Fachbegriff: Interne Kundennummer beim Lieferanten (Code) Status: R Beispiel: SELLER_ASSIGNED_IDENTIFIER_FOR_A_PARTY Definition: Code, der die Art der zusätzlichen Identifikation des Geschäftspartners definiert. Fachbegriff: Interne Kundennummer (Code) Status: R Beispiel: BUYER_ASSIGNED_IDENTIFIER_FOR_A_PARTY EANCOM®: INVOIC.SG2[D_3035="BY"].NAD.SG3[D_1153="IT"].RFF.C506.1153 EANCOM®: INVOIC.SG2[D_3035="BY"].NAD.SG3[D_1153="YC1"].RFF.C506.1153</p>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

		Used Codes
		Code: BUYER_ASSIGNED_IDENTIFIER_FOR_A_PARTY
		Name: Vom Käufer vergeben
		Beschreibung: <i>Interne Identifikation vom Käufer vergeben. Diese Identifikation wird in einer Geschäftsbeziehung zur Identifikation eines Geschäftspartners verwendet.</i>
		Code: SELLER_ASSIGNED_IDENTIFIER_FOR_A_PARTY
		Name: Vom Verkäufer vergeben
		Beschreibung: <i>Interne Identifikation vom Verkäufer vergeben.</i>
dutyFeeTaxRegistration		Wiederholung: 0 .. unbounded
		Schema-Status: O
		Typ: ecom_common:DutyFeeTaxRegistrationType
		Fachbegriff: Abgaben-, Steuer- oder Gebühren-Registrierung
		Status: R
		Definition: Informationen zu einem Geschäftspartner bezüglich Abgaben, Steuern oder Gebühren.
xs:sequence		Wiederholung: 1 .. 1
		Schema-Status: M
dutyFeeTaxRegistrationID		Wiederholung: 1 .. 1
		Schema-Status: M
		Typ: shared_common:IdentifierType
		Definition: Identifikationsnummer für die Gebühr, Steuer oder Abgabe.
		Fachbegriff: (Umsatz)steuer-Identifikationsnummer Käufer
		Status: R
		Beispiel: DE122775856
		Fachbegriff: Steuernummer
		Status: R
		Beispiel: 75856
		EANCOM®: INVOIC.SG2[D_3035="BY"].SG3[D_1153="VA" AND "FC"].RFF.C506.1154
dutyFeeTaxTypeCode		Wiederholung: 0 .. 1
		Schema-Status: O
		Typ: ecom_common:DutyFeeTaxTypeCodeType
		Definition: Typ, der die Art der Abgabe, Gebühr oder Steuer beschreibt. Erlaubte Werte können der GS1 Codeliste DutyFeeTaxTypeCode entnommen werden.
		Fachbegriff: Umsatzsteuer-Identifikationsnummer (Code)
		Status: R
		Beispiel: VAT

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	GDD URN:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode
	Fachbegriff:	Steuernummer (Code)
	Status:	R
	Beispiel:	OTH
	EANCOM®:	INVOIC.SG2[D_3035="BY"].SG3[D_1153="VA" AND "FC"].RFF.C506.1153
	Used Codes	
	Code:	OTH
	Name:	Andere Steuern
	Beschreibung:	<i>Unspezifizierte, verschiedene Steuerabgaben.</i>
	Code:	VAT
	Name:	Mehrwertsteuer
	Beschreibung:	<i>Eine Steuer auf inländische oder importierte Waren, die für den Mehrwert des Produkts auf jeder Stufe des Produktions-/Distributionszyklus gilt.</i>
organisationDetails	Wiederholung:	0 .. 1
	Schema-Status:	O
	Typ:	ecom_common:OrganisationType
	Fachbegriff:	Einzelheiten zur Organisation
	Status:	O
	Definition:	Eine Gemeinschaft, die gemeinsame Ziele verfolgt, wie eine Firma, eine Behörde, eine Abteilung, eine gemeinnützige Organisation oder eine Finanzbehörde.
xs:sequence	Wiederholung:	1 .. 1
	Schema-Status:	M
organisationName	Wiederholung:	1 .. 1
	Schema-Status:	M
	Typ:	restriction (xs:string)
	Fachbegriff:	Name der Organisation
	Status:	R
	Beispiel:	GS1 Germany GmbH
	Definition:	Die offizielle Bezeichnung der Organisation.
seller	Wiederholung:	1 .. 1
	Schema-Status:	M
	Typ:	ecom_common:TransactionalPartyType
	Fachbegriff:	Verkäufer
	Status:	R

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	Definition:	Identifikation des Geschäftspartners der Produkte oder Dienstleistungen einem Käufer verkauft.
<code>xs:sequence</code>	Wiederholung:	1 .. 1
	Schema-Status:	M
<code>gln</code>	Wiederholung:	0 .. 1
	Schema-Status:	O
	Typ:	shared_common:GLNType
	Fachbegriff:	Verkäufer (GLN)
	Status:	R
	Beispiel:	4000001000005
	Definition:	Die Globale Lokationsnummer (GLN) ist ein GS1 Identifikationsschlüssel um physikalische Orte oder Geschäftspartner zu identifizieren. Er besteht aus der Basisnummer, dem eigengenerierten Nummernteil und der Prüfziffer.
	EANCOM®:	INVOIC.SG2[D_3035="SU"].NAD.C082.3039
<code>additionalPartyIdentification</code>	Wiederholung:	0 .. unbounded
	Schema-Status:	O
	Typ:	shared_common:AdditionalPartyIdentificationType
	Definition:	Typ, der eine zusätzliche Identifikation (keine GLN) eines Geschäftspartners ermöglicht.
	Fachbegriff:	Interne Lieferantenummer beim Kunden
	Status:	O
	Beispiel:	0817
	Bemerkung:	Sofern es keiner funktionalen- oder ablauforientierten Unterscheidung innerhalb eines Unternehmens bedarf, wird ausschließlich die GLN kommuniziert, der Empfänger verknüpft bei Bedarf im internen System. Zusätzliche Identifikationsverfahren sollten nur dann vereinbart werden, wenn in einer Lokation unterschiedliche funktionale Einheiten differenziert werden müssen.
	EANCOM®:	INVOIC.SG2[D_3035="SU"].NAD.SG3[D_1153="YC1"].C506.1154
<code>additionalPartyIdentificationTypeCode</code>	Schema-Status:	M
	Type:	restriction (xs:string)
	GDD URN:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode
	Fachbegriff:	Interne Lieferantenummer beim Kunden (Code)
	Status:	R
	Beispiel:	SELLER_ASSIGNED_IDENTIFIER_FOR_A_PARTY
	Definition:	Code, der die Art der zusätzlichen Identifikation des Geschäftspartners definiert.
	EANCOM®:	INVOIC.SG2[D_3035="SU"].NAD.SG3[D_1153="YC1"].RFF.C506.1153

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	Used Codes
	Code: SELLER_ASSIGNED_IDENTIFIER_FOR_A_PARTY
	Name: Vom Verkäufer vergeben
	Beschreibung: <i>Interne Identifikation vom Verkäufer vergeben.</i>
contact	Wiederholung: 0 .. unbounded
	Schema-Status: O
	Typ: shared_common:ContactType
	Fachbegriff: Kontakt oder Abteilung einer Firma
	Status: O
	Definition: Information zu einer Person oder Abteilung als Ansprechpartner einer Firma.
xs:sequence	Wiederholung: 1 .. 1
	Schema-Status: M
contactTypeCode	Wiederholung: 0 .. 1
	Schema-Status: O
	Typ: shared_common:ContactTypeCodeType
	Definition: Code, der die Art des Kontaktes spezifiziert. Erlaubte Werte können der GS1 Codeliste ContactTypeCode entnommen werden.
	Fachbegriff: Art des Kontaktes
	Status: R
	Beispiel: IC
	GDD URN: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode
	Used Codes
	Code: IC
	Name: Informationsstelle
	Beschreibung: <i>Abteilung/Person, die bei Fragen bezüglich der Übertragung anzusprechen ist.</i>
departmentName	Wiederholung: 0 .. 1
	Schema-Status: O
	Typ: restriction (xs:string)
	Fachbegriff: Abteilung
	Status: O
	Beispiel: Logistik
	Definition: Name der Abteilung, die für weitere Informationen kontaktiert werden kann.
	EANCOM®: http://www.eancom.org INVOIC.SG1[D_1153="SD"].RFF.C506.1154
dutyFeeTaxRegistration	Wiederholung: 0 .. unbounded

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	Schema-Status:	O
	Typ:	ecom_common:DutyFeeTaxRegistrationType
	Fachbegriff:	Abgaben-, Steuer- oder Gebühren-Registrierung
	Status:	R
	Definition:	Informationen zu einem Geschäftspartner bezüglich Abgaben, Steuern oder Gebühren.
<i>xs:sequence</i>	Wiederholung:	1 .. 1
	Schema-Status:	M
<i>dutyFeeTaxRegistrationID</i>	Wiederholung:	1 .. 1
	Schema-Status:	M
	Typ:	shared_common:IdentifizierType
	Definition:	Identifikationsnummer für die Gebühr, Steuer oder Abgabe.
	Fachbegriff:	Umsatzsteuer-Identifikationsnummer des Lieferanten/Rechnungsstellers
	Status:	R
	Beispiel:	DE122775856
	Fachbegriff:	Steuernummer
	Status:	R
	Beispiel:	75856
	EANCOM®:	INVOIC.SG2[D_3035="SU"].SG3[D_1153="VA"AND "FC"].RFF.C506.1154
<i>dutyFeeTaxTypeCode</i>	Wiederholung:	0 .. 1
	Schema-Status:	O
	Typ:	ecom_common:DutyFeeTaxTypeCodeType
	Definition:	Typ, der die Art der Abgabe, Gebühr oder Steuer beschreibt. Erlaubte Werte können der GS1 Codeliste DutyFeeTaxTypeCode entnommen werden.
	Fachbegriff:	Umsatzsteuer-Identifikationsnummer (Code)
	Status:	R
	Beispiel:	VAT
	GDD URN:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode
	Fachbegriff:	Steuernummer (Code)
	Status:	R
	Beispiel:	OTH
	EANCOM®:	INVOIC.SG2[D_3035="SU"].SG3[D_1153="VA" AND "FC"].RFF.C506.1153
	Used Codes	
	Code:	OTH
	Name:	Andere Steuern

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	Used Codes
	Beschreibung: <i>Unspezifizierte, verschiedene Steuerabgaben.</i> Code: VAT Name: Mehrwertsteuer Beschreibung: <i>Eine Steuer auf inländische oder importierte Waren, die für den Mehrwert des Produkts auf jeder Stufe des Produktions-/Distributionszyklus gilt.</i>
organisationDetails	Wiederholung: 0 .. 1 Schema-Status: O Typ: ecom_common:OrganisationType Fachbegriff: Einzelheiten zur Organisation Status: O Definition: Eine Gemeinschaft, die gemeinsame Ziele verfolgt, wie eine Firma, eine Behörde, eine Abteilung, eine gemeinnützige Organisation oder eine Finanzbehörde.
xs:sequence	Wiederholung: 1 .. 1 Schema-Status: M
organisationName	Wiederholung: 1 .. 1 Schema-Status: M Typ: restriction (xs:string) Fachbegriff: Name der Organisation Status: R Beispiel: GS1 Germany GmbH Definition: Die offizielle Bezeichnung der Organisation.
legalRegistration	Wiederholung: 0 .. unbounded Schema-Status: O Typ: ecom_common:LegalRegistrationType Fachbegriff: Handelsregister Status: D Definition: Registrierungsdetails einer Organisation in einem Handelsregister.
xs:sequence	Wiederholung: 1 .. 1 Schema-Status: M
legalRegistrationNumber	Wiederholung: 1 .. 1 Schema-Status: M Typ: restriction (xs:string) Fachbegriff: Registernummer Status: R

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	<p>Beispiel: HRB 6276 Definition: Eineindeutige Registernummer einer Organisation im Handelsregister. EANCOM®: INVOIC.SG2[D_3035="SU"].C058 bzw. INVOIC.SG2[D_3035="SU"].SG3[D_1153="GN"].C506.1154</p>
legalRegistrationType	<p>Wiederholung: 1 .. 1 Schema-Status: M Typ: ecom_common:LegalRegistrationCodeType Definition: Typ, der die Art des Registers beschreibt. Fachbegriff: Art des Registers (Code) Status: R Beispiel: CHAMBER_OF_COMMERCE_REGISTRATION GDD URN: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode</p> <p>Used Codes</p> <p>Code: CHAMBER_OF_COMMERCE_REGISTRATION Name: Steuernummer Beschreibung: <i>Handelskammer</i></p>
legalRegistrationAdditionalInformation	<p>Wiederholung: 0 .. 1 Schema-Status: O Typ: restriction (xs:string) Fachbegriff: Zusätzliche Registerinformation Status: O Definition: Zusätzliche Informationen zur Registerinformation, z. B. CEO-Name. EANCOM®: INVOIC.FTX[D_4451="AIQ"]</p>
payer	<p>Wiederholung: 0 .. 1 Schema-Status: O Typ: ecom_common:TransactionalPartyType Fachbegriff: Identifikation des Rechnungsempfängers Status: O Bemerkung: Der Rechnungsempfänger muss durch seine GLN identifiziert werden, wenn er vom Käufer abweicht. Definition: Geschäftspartner, der die Zahlung durchführt.</p>
xs:sequence	<p>Wiederholung: 1 .. 1 Schema-Status: M</p>
gln	<p>Wiederholung: 0 .. 1</p>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	<p>Schema-Status: O Typ: shared_common:GLNType Fachbegriff: Abweichender Zahlender (GLN) Status: R Beispiel: 4000001000005 Definition: Die Globale Lokationsnummer (GLN) ist ein GS1 Identifikationsschlüssel um physikalische Orte oder Geschäftspartner zu identifizieren. Er besteht aus der Basisnummer, dem eigengenerierten Nummernteil und der Prüfziffer.</p>
	<p>EANCOM®: INVOIC.SG2[D_3035="IV"].NAD.C082.3039</p>
additionalPartyIdentification	<p>Wiederholung: 0 .. unbounded Schema-Status: O Typ: shared_common:AdditionalPartyIdentificationType Definition: Typ, der eine zusätzliche Identifikation (keine GLN) eines Geschäftspartners ermöglicht. Fachbegriff: Interne Rechnungsempfängernummer beim Lieferanten Status: O Beispiel: 0815 Bemerkung: Sofern es keiner funktionalen- oder ablauforientierten Unterscheidung innerhalb eines Unternehmens bedarf, wird ausschließlich die GLN kommuniziert, der Empfänger verknüpft bei Bedarf im internen System. Zusätzliche Identifikationsverfahren sollten nur dann vereinbart werden, wenn in einer Lokation unterschiedliche funktionale Einheiten differenziert werden müssen.</p>
	<p>Fachbegriff: Interne Rechnungsempfängernummer Status: O Beispiel: 0815 Bemerkung: Sofern es keiner funktionalen- oder ablauforientierten Unterscheidung innerhalb eines Unternehmens bedarf, wird ausschließlich die GLN kommuniziert, der Empfänger verknüpft bei Bedarf im internen System. Zusätzliche Identifikationsverfahren sollten nur dann vereinbart werden, wenn in einer Lokation unterschiedliche funktionale Einheiten differenziert werden müssen.</p>
	<p>EANCOM®: INVOIC.SG2[D_3035="IV"].NAD.SG3[D_1153="IT"].C506.1154 EANCOM®: INVOIC.SG2[D_3035="IV"].NAD.SG3[D_1153="YCI"].C506.1154</p>
additionalPartyIdentificationTypeCode	<p>Schema-Status: M Type: restriction (xs:string) GDD URN: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode Fachbegriff: Interne Rechnungsempfängernummer beim Lieferanten (Code)</p>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	<p>Status: R Beispiel: SELLER_ASSIGNED_IDENTIFIER_FOR_A_PARTY Definition: Code, der die Art der zusätzlichen Identifikation des Geschäftspartners definiert. Fachbegriff: Interne Rechnungsempfängernummer (Code) Status: O Beispiel: BUYER_ASSIGNED_IDENTIFIER_FOR_A_PARTY EANCOM®: INVOIC.SG2[D_3035="IV"].NAD.SG3[D_1153="IT"].RFF.C506.1153 EANCOM®: INVOIC.SG2[D_3035="IV"].NAD.SG3[D_1153="YC1"].RFF.C506.1153</p>
	<p>Used Codes</p> <p>Code: BUYER_ASSIGNED_IDENTIFIER_FOR_A_PARTY Name: Vom Käufer vergeben Beschreibung: <i>Interne Identifikation vom Käufer vergeben. Diese Identifikation wird in einer Geschäftsbeziehung zur Identifikation eines Geschäftspartners verwendet.</i></p> <p>Code: SELLER_ASSIGNED_IDENTIFIER_FOR_A_PARTY Name: Vom Verkäufer vergeben Beschreibung: <i>Interne Identifikation vom Verkäufer vergeben.</i></p>
dutyFeeTaxRegistration	<p>Wiederholung: 0 .. unbounded Schema-Status: O Typ: ecom_common:DutyFeeTaxRegistrationType Fachbegriff: (Umsatz)steuer-Identifikationsnummer Rechnungsempfänger Status: O Definition: Informationen zu einem Geschäftspartner bezüglich Abgaben, Steuern oder Gebühren.</p>
xs:sequence	<p>Wiederholung: 1 .. 1 Schema-Status: M</p>
dutyFeeTaxRegistrationID	<p>Wiederholung: 1 .. 1 Schema-Status: M Typ: shared_common:IdentifierType Definition: Identifikationsnummer für die Gebühr, Steuer oder Abgabe. Fachbegriff: Umsatzsteuer-Identifikationsnummer Status: R Beispiel: DE122775856 Fachbegriff: Steuernummer Status: R Beispiel: 75856 EANCOM®: INVOIC.SG2[D_3035="IV"].SG3[D_1153="VA" AND "FC"].RFF.C506.1154</p>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

└─dutyFeeTaxTypeCode	Wiederholung:	0 .. 1
	Schema-Status:	O
	Typ:	ecom_common:DutyFeeTaxTypeCodeType
	Definition:	Typ, der die Art der Abgabe, Gebühr oder Steuer beschreibt. Erlaubte Werte können der GS1 Codeliste DutyFeeTaxTypeCode entnommen werden.
	Fachbegriff:	Umsatzsteuer-Identifikationsnummer (Code)
	Status:	R
	Beispiel:	VAT
	GDD URN:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode
	Fachbegriff:	Steuernummer (Code)
	Status:	R
Beispiel:	OTH	
EANCOM®:	INVOIC.SG2[D_3035="IV"].SG3[D_1153="VA" AND "FC"].RFF.C506.1153	
Used Codes		
Code:	OTH	
Name:	Andere Steuern	
Beschreibung:	<i>Unspezifizierte, verschiedene Steuerabgaben.</i>	
Code:	VAT	
Name:	Mehrwertsteuer	
Beschreibung:	<i>Eine Steuer auf inländische oder importierte Waren, die für den Mehrwert des Produkts auf jeder Stufe des Produktions-/Distributionszyklus gilt.</i>	
└─payee	Wiederholung:	0 .. 1
	Schema-Status:	O
	Typ:	ecom_common:TransactionalPartyType
	Fachbegriff:	Abweichender Zahlungsempfänger
Status:	O	
Definition:	Angabe des Gläubigers, wenn dieser vom Begünstigten abweicht.	
└─xs:sequence	Wiederholung:	1 .. 1
	Schema-Status:	M
└─gln	Wiederholung:	0 .. 1
	Schema-Status:	O
	Typ:	shared_common:GLNType
	Fachbegriff:	Abweichender Zahlungsempfänger (GLN)
	Status:	R

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	<p>Beispiel: 4000001000005 Definition: Die Globale Lokationsnummer (GLN) ist ein GS1 Identifikationsschlüssel um physikalische Orte oder Geschäftspartner zu identifizieren. Er besteht aus der Basisnummer, dem eigengenerierten Nummerenteil und der Prüfziffer. EANCOM®: INVOIC.SG2[D_3035="PE"].NAD.C082.3039</p>
<p>additionalPartyIdentification</p>	<p>Wiederholung: 0 .. unbounded Schema-Status: O Typ: shared_common:AdditionalPartyIdentificationType Definition: Typ, der eine zusätzliche Identifikation (keine GLN) eines Geschäftspartners ermöglicht. Fachbegriff: Zusatzidentifikation Zahlungsempfänger Status: O Beispiel: 0817 Bemerkung: Sofern es keiner funktionalen- oder ablauforientierten Unterscheidung innerhalb eines Unternehmens bedarf, wird ausschließlich die GLN kommuniziert, der Empfänger verknüpft bei Bedarf im internen System. Zusätzliche Identifikationsverfahren sollten nur dann vereinbart werden, wenn in einer Lokation unterschiedliche funktionale Einheiten differenziert werden müssen.</p>
<p>additionalPartyIdentificationTypeCode</p>	<p>EANCOM®: INVOIC.SG2[D_3035="PE"].NAD.SG3[D_1153="YC1"].C506.1154 Schema-Status: M Type: restriction (xs:string) GDD URN: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode Fachbegriff: Zusatzidentifikation Zahlungsempfänger (Code) Status: R Beispiel: BUYER_ASSIGNED_IDENTIFIER_FOR_A_PARTY Definition: Code, der die Art der zusätzlichen Identifikation des Geschäftspartners definiert. EANCOM®: INVOIC.SG2[D_3035="PE"].NAD.SG3[D_1153="YC1"].RFF.C506.1153</p>
<p>Used Codes</p>	<p>Code: BUYER_ASSIGNED_IDENTIFIER_FOR_A_PARTY Name: Vom Käufer vergeben Beschreibung: <i>Interne Identifikation vom Käufer vergeben. Diese Identifikation wird in einer Geschäftsbeziehung zur Identifikation eines Geschäftspartners verwendet.</i></p>
<p>dutyFeeTaxRegistration</p>	<p>Wiederholung: 0 .. unbounded Schema-Status: O Typ: ecom_common:DutyFeeTaxRegistrationType</p>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	<p>Fachbegriff: (Umsatz)steuer-Identifikationsnummer Zahlungsempfänger Status: O Definition: Informationen zu einem Geschäftspartner bezüglich Abgaben, Steuern oder Gebühren.</p>
xs:sequence	<p>Wiederholung: 1 .. 1 Schema-Status: M</p>
dutyFeeTaxRegistrationID	<p>Wiederholung: 1 .. 1 Schema-Status: M Typ: shared_common:IdentifierType Definition: Identifikationsnummer für die Gebühr, Steuer oder Abgabe. Fachbegriff: Identifikationsnummer für die Gebühr, Steuer oder Abgabe. Status: R Beispiel: DE122775856 Fachbegriff: Steuernummer Status: R Beispiel: 75856 EANCOM®: INVOIC.SG2[D_3035="PE"].SG3[D_1153="VA" AND "FC"].RFF.C506.1154</p>
dutyFeeTaxTypeCode	<p>Wiederholung: 0 .. 1 Schema-Status: O Typ: ecom_common:DutyFeeTaxTypeCodeType Definition: Typ, der die Art der Abgabe, Gebühr oder Steuer beschreibt. Erlaubte Werte können der GS1 Codeliste DutyFeeTaxTypeCode entnommen werden. Fachbegriff: Umsatzsteuer-Identifikationsnummer (Code) Status: R Beispiel: VAT GDD URN: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode Fachbegriff: Steuernummer (Code) Status: R Beispiel: OTH EANCOM®: INVOIC.SG2[D_3035="PE"].SG3[D_1153="VA" AND "FC"].RFF.C506.1153</p> <p>Used Codes</p> <p>Code: OTH Name: Andere Steuern Beschreibung: <i>Unspezifizierte, verschiedene Steuerabgaben.</i> Code: VAT</p>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	Used Codes
	<p>Name: Mehrwertsteuer</p> <p>Beschreibung: <i>Eine Steuer auf inländische oder importierte Waren, die für den Mehrwert des Produkts auf jeder Stufe des Produktions-/Distributionszyklus gilt.</i></p>
ultimateConsignee	<p>Wiederholung: 0 .. 1</p> <p>Schema-Status: O</p> <p>Typ: ecom_common:TransactionalPartyType</p> <p>Fachbegriff: Endempfänger</p> <p>Status: O</p> <p>Bemerkung: Wenn z.B. das Lager der Warenempfänger ist und die Sendung für eine bestimmte Filiale kommissioniert war, wird die Filiale als Endempfänger angegeben.</p> <p>Definition: Angabe des Geschäftspartners, zu dem die berechneten Waren endgültig versendet werden.</p>
xs:sequence	<p>Wiederholung: 1 .. 1</p> <p>Schema-Status: M</p>
gln	<p>Wiederholung: 0 .. 1</p> <p>Schema-Status: O</p> <p>Typ: shared_common:GLNType</p> <p>Fachbegriff: Endempfänger (GLN)</p> <p>Status: O</p> <p>Beispiel: 4000001000005</p> <p>Definition: Die Globale Lokationsnummer (GLN) ist ein GS1 Identifikationsschlüssel um physikalische Orte oder Geschäftspartner zu identifizieren. Er besteht aus der Basisnummer, dem eigengenerierten Nummernteil und der Prüfziffer.</p> <p>EANCOM®: INVOIC.SG2[D_3035="UC"].NAD.C082.3039</p>
additionalPartyIdentification	<p>Wiederholung: 0 .. unbounded</p> <p>Schema-Status: O</p> <p>Typ: shared_common:AdditionalPartyIdentificationType</p> <p>Definition: Typ, der eine zusätzliche Identifikation (keine GLN) eines Geschäftspartners ermöglicht.</p> <p>Fachbegriff: Zusatzidentifikation Endempfänger</p> <p>Status: O</p> <p>Beispiel: 0816</p> <p>EANCOM®: INVOIC.SG2[D_3035="UC"].NAD.SG3[D_1153="YC1"].C506.1154</p>
additionalPartyIdentificationTypeCode	<p>Schema-Status: M</p> <p>Type: restriction (xs:string)</p>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	GDD URN:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode
	Fachbegriff:	Art der zusätzlichen Identifikation des Geschäftspartners (Code)
	Status:	R
	Beispiel:	BUYER_ASSIGNED_IDENTIFIER_FOR_A_PARTY
	Definition:	Code, der die Art der zusätzlichen Identifikation des Geschäftspartners definiert.
	EANCOM®:	INVOIC.SG2[D_3035="UC"].NAD.SG3[D_1153="YC1"].RFF.C506.1153
	Used Codes	
	Code:	BUYER_ASSIGNED_IDENTIFIER_FOR_A_PARTY
	Name:	Vom Käufer vergeben
	Beschreibung:	<i>Interne Identifikation vom Käufer vergeben. Diese Identifikation wird in einer Geschäftsbeziehung zur Identifikation eines Geschäftspartners verwendet.</i>
address	Wiederholung:	0 .. 1
	Schema-Status:	O
	Typ:	shared_common:AddressType
	Fachbegriff:	Adresse der Firma oder Person
	Status:	O
	Definition:	Der Ort, an dem eine bestimmte Firma oder Person sitzt oder erreicht werden kann.
xs:sequence	Wiederholung:	1 .. 1
	Schema-Status:	M
city	Wiederholung:	0 .. 1
	Schema-Status:	O
	Typ:	restriction (xs:string)
	Fachbegriff:	Stadt
	Status:	O
	Beispiel:	Köln
	Definition:	Text, der den Namen einer Stadt enthält.
	EANCOM®:	INVOIC.SG2[D_3035="UC"].NAD.3164
countryCode	Wiederholung:	0 .. 1
	Schema-Status:	O
	Typ:	shared_common:CountryCodeType
	Definition:	Code der das Land der Adresse festlegt.
	Fachbegriff:	Land
	Status:	O
	Beispiel:	DE

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	<p>Bemerkung: Ländercode nach www.iso.org EANCOM®: INVOIC.SG2[D_3035="UC"].NAD.3207</p> <p>Used Codes</p> <p>Code: 097 Name: Europäische Union Beschreibung: <i>Europäische Union</i></p> <p>Code: D_A Name: Entwicklungshilfe Beschreibung: <i>Entwicklungshilfeagenturen wie USAID, UNFPA und Global Fund, die Ländern Auslandshilfe in Form von Waren und Dienstleistungen zur Unterstützung von Entwicklungsprogrammen zur Verfügung stellen, einschließlich, aber nicht beschränkt auf globale Gesundheits-, Infrastruktur- und Nahrungsmittelhilfe. Beachten Sie, dass dieser Codewert nur für das Attribut targetMarketCountryCode verwendet werden kann.</i></p> <p>Code: NON_EU Name: Nicht EU Beschreibung: <i>Land, das nicht zur Europäischen Union gehört. Nur GDSN.</i></p>
name	<p>Wiederholung: 0 .. 1 Schema-Status: O Typ: restriction (xs:string) Fachbegriff: Name Status: O Beispiel: GS1 Germany GmbH Definition: Name des Geschäftspartners. EANCOM®: INVOIC.SG2[D_3035="UC"].NAD.C080.3036</p>
postalCode	<p>Wiederholung: 0 .. 1 Schema-Status: O Typ: restriction (xs:string) Fachbegriff: Postleitzahl Status: O Beispiel: 50825 Definition: Postleitzahl der Adresse EANCOM®: INVOIC.SG2[D_3035="UC"].NAD.3251</p>
state	<p>Wiederholung: 0 .. 1 Schema-Status: O Typ: restriction (xs:string)</p>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	Fachbegriff:	Bundesland
	Status:	O
	Beispiel:	NRW
	Definition:	Eine eigenständige Einheit mit eigener Regierung einer Nation.
	EANCOM®:	INVOIC.SG2[D_3035="UC"].NAD.C819.3229
streetAddressOne	Wiederholung:	0 .. 1
	Schema-Status:	O
	Typ:	restriction (xs:string)
	Fachbegriff:	Adresszeile 1
	Status:	O
	Beispiel:	Maarweg 133
	Definition:	Die erste Zeile einer Anschrift als Freitext. Sie wird in einem Adresskopf als erste Zeile unterhalb des Namens angedruckt. Typische Inhalte sind die Straße mit Hausnummer oder der Gebäudename.
	EANCOM®:	INVOIC.SG2[D_3035="UC"].NAD.C059.3042
shipFrom	Wiederholung:	0 .. 1
	Schema-Status:	O
	Typ:	ecom_common:TransactionalPartyType
	Fachbegriff:	Verladestelle
	Status:	O
	Definition:	Angabe desjenigen Ortes, von dem aus die Waren geliefert wurden oder geliefert werden sollen.
xs:sequence	Wiederholung:	1 .. 1
	Schema-Status:	M
gln	Wiederholung:	0 .. 1
	Schema-Status:	O
	Typ:	shared_common:GLNType
	Fachbegriff:	Verladestelle (GLN)
	Status:	R
	Beispiel:	4000001000005
	Bemerkung:	Die Identifikation der Verladestelle erfolgt mit GLN.
	Definition:	Die Globale Lokationsnummer (GLN) ist ein GS1 Identifikationsschlüssel um physikalische Orte oder Geschäftspartner zu identifizieren. Er besteht aus der Basisnummer, dem eigengenerierten Nummernteil und der Prüfziffer.
	EANCOM®:	INVOIC.SG2[D_3035="SF"].NAD.C082.3039
shipTo	Wiederholung:	0 .. 1

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	Schema-Status: O Typ: ecom_common:TransactionalPartyType Fachbegriff: Lieferadresse Status: R Bemerkung: Dieses Element identifiziert immer den ersten Anlieferort. Regel: Die Lieferanschrift wird durch eine GLN identifiziert. Name und Anschrift des Warenempfängers in Klartext dürfen nur dann eingestellt werden, wenn (noch) keine GLN vorhanden ist. Die gleichzeitige Verwendung von GLN und Name und Anschrift des Warenempfängers ist nur nach bilateraler Vereinbarung zulässig.
	Definition: Angabe des Ortes zu dem die Waren gesendet wurden oder gesendet werden sollen.
xs:sequence	Wiederholung: 1 .. 1 Schema-Status: M
gln	Wiederholung: 0 .. 1 Schema-Status: O Typ: shared_common:GLNType Fachbegriff: Lieferadresse (GLN) Status: R Beispiel: 4000001000005 Definition: Die Globale Lokationsnummer (GLN) ist ein GS1 Identifikationsschlüssel um physikalische Orte oder Geschäftspartner zu identifizieren. Er besteht aus der Basisnummer, dem eigengenerierten Nummernteil und der Prüfziffer.
	EANCOM®: INVOIC.SG2[D_3035="DP"].NAD.C082.3039
additionalPartyIdentification	Wiederholung: 0 .. unbounded Schema-Status: O Typ: shared_common:AdditionalPartyIdentificationType Definition: Typ, der eine zusätzliche Identifikation (keine GLN) eines Geschäftspartners ermöglicht. Fachbegriff: Zusatzidentifikation Lieferanschrift Status: O Beispiel: 0816 Bemerkung: Typ, der eine zusätzliche Identifikation eines Geschäftspartners ermöglicht. Fachbegriff: Kundennummer im Lieferantensystem Status: O Beispiel: 9988 Bemerkung: Sofern es keiner funktionalen- oder ablauforientierten Unterscheidung innerhalb eines Unternehmens bedarf, wird ausschließlich die GLN kommuniziert, der Empfänger verknüpft bei Bedarf im internen System. Zusätzliche Identifikationsverfahren sollten nur

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

		dann vereinbart werden, wenn in einer Lokation unterschiedliche funktionale Einheiten differenziert werden müssen.
	EANCOM®:	INVOIC.SG2[D_3035="DP"].NAD.SG3[D_1153="IT"].C506.1154
	EANCOM®:	INVOIC.SG2[D_3035="DP"].NAD.SG3[D_1153="YC1"].C506.1154
additionalPartyIdentificationTypeCode	Schema-Status:	M
	Type:	restriction (xs:string)
	GDD URN:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode
	Fachbegriff:	Kundennummer im Lieferantensystem (Code)
	Status:	R
	Beispiel:	SELLER_ASSIGNED_IDENTIFIER_FOR_A_PARTY
	Definition:	Code, der die Art der zusätzlichen Identifikation des Geschäftspartners definiert.
	Fachbegriff:	Zusatzidentifikation Lieferanschrift (Code)
	Status:	R
	Beispiel:	BUYER_ASSIGNED_IDENTIFIER_FOR_A_PARTY
	EANCOM®:	INVOIC.SG2[D_3035="DP"].NAD.SG3[D_1153="IT"].RFF.C506.1153
	EANCOM®:	INVOIC.SG2[D_3035="DP"].NAD.SG3[D_1153="YC1"].RFF.C506.1153
	Used Codes	
	Code:	BUYER_ASSIGNED_IDENTIFIER_FOR_A_PARTY
	Name:	Vom Käufer vergeben
	Beschreibung:	<i>Interne Identifikation vom Käufer vergeben. Diese Identifikation wird in einer Geschäftsbeziehung zur Identifikation eines Geschäftspartners verwendet.</i>
	Code:	SELLER_ASSIGNED_IDENTIFIER_FOR_A_PARTY
	Name:	Vom Verkäufer vergeben
	Beschreibung:	<i>Interne Identifikation vom Verkäufer vergeben.</i>
address	Wiederholung:	0 .. 1
	Schema-Status:	O
	Typ:	shared_common:AddressType
	Fachbegriff:	Adresse der Firma oder Person
	Status:	O
	Definition:	Der Ort, an dem eine bestimmte Firma oder Person sitzt oder erreicht werden kann.
xs:sequence	Wiederholung:	1 .. 1
	Schema-Status:	M
city	Wiederholung:	0 .. 1
	Schema-Status:	O

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	<p>Typ: restriction (xs:string) Fachbegriff: Stadt Status: O Beispiel: Köln Definition: Text, der den Namen einer Stadt enthält. EANCOM®: INVOIC.SG2[D_3035="DP"].NAD.3164</p>
countryCode	<p>Wiederholung: 0 .. 1 Schema-Status: O Typ: shared_common:CountryCodeType Definition: Code der das Land der Adresse festlegt. Fachbegriff: Land Status: O Beispiel: DE Bemerkung: Ländercode nach www.iso.org EANCOM®: INVOIC.SG2[D_3035="DP"].NAD.3207</p> <p>Used Codes</p> <p>Code: 097 Name: Europäische Union Beschreibung: <i>Europäische Union</i></p> <p>Code: D_A Name: Entwicklungshilfe Beschreibung: <i>Entwicklungshilfeagenturen wie USAID, UNFPA und Global Fund, die Ländern Auslandshilfe in Form von Waren und Dienstleistungen zur Unterstützung von Entwicklungsprogrammen zur Verfügung stellen, einschließlich, aber nicht beschränkt auf globale Gesundheits-, Infrastruktur- und Nahrungsmittelhilfe. Beachten Sie, dass dieser Codewert nur für das Attribut targetMarketCountryCode verwendet werden kann.</i></p> <p>Code: NON_EU Name: Nicht EU Beschreibung: <i>Land, das nicht zur Europäischen Union gehört. Nur GDSN.</i></p>
name	<p>Wiederholung: 0 .. 1 Schema-Status: O Typ: restriction (xs:string) Fachbegriff: Name Status: O Beispiel: GS1 Germany GmbH</p>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	Definition:	Name des Geschäftspartners.
	EANCOM®:	INVOIC.SG2[D_3035="DP"].NAD.C080.3036
postalCode	Wiederholung:	0 .. 1
	Schema-Status:	O
	Typ:	restriction (xs:string)
	Fachbegriff:	Postleitzahl
	Status:	O
	Beispiel:	50825
	Definition:	Postleitzahl der Adresse
	EANCOM®:	INVOIC.SG2[D_3035="DP"].NAD.3251
state	Wiederholung:	0 .. 1
	Schema-Status:	O
	Typ:	restriction (xs:string)
	Fachbegriff:	Bundesland
	Status:	O
	Beispiel:	NRW
	Definition:	Eine eigenständige Einheit mit eigener Regierung einer Nation.
	EANCOM®:	INVOIC.SG2[D_3035="DP"].NAD.C819.3229
streetAddressOne	Wiederholung:	0 .. 1
	Schema-Status:	O
	Typ:	restriction (xs:string)
	Fachbegriff:	Adresszeile 1
	Status:	O
	Beispiel:	Maarweg 133
	Definition:	Die erste Zeile einer Anschrift als Freitext. Sie wird in einem Adresskopf als erste Zeile unterhalb des Namens angedruckt. Typische Inhalte sind die Straße mit Hausnummer oder der Gebäudename.
	EANCOM®:	INVOIC.SG2[D_3035="DP"].NAD.C059.3042
contact	Wiederholung:	0 .. unbounded
	Schema-Status:	O
	Typ:	shared_common:ContactType
	Fachbegriff:	Kontakt oder Abteilung einer Firma
	Status:	O
	Definition:	Information zu einer Person oder Abteilung als Ansprechpartner einer Firma.
xs:sequence	Wiederholung:	1 .. 1
	Schema-Status:	M

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

contactTypeCode	<p>Wiederholung: 0 .. 1 Schema-Status: O Typ: shared_common:ContactTypeCodeType Definition: Code, der die Art des Kontaktes spezifiziert. Erlaubte Werte können der GS1 Codeliste ContactTypeCode entnommen werden. Fachbegriff: Art des Kontaktes Status: R Beispiel: IC GDD URN: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode EANCOM®: INVOIC.SG2[D_3035="DP"].SG5.CTA.3139</p>
	<p>Used Codes Code: IC Name: Informationsstelle Beschreibung: <i>Abteilung/Person, die bei Fragen bezüglich der Übertragung anzusprechen ist.</i></p>
personName	<p>Wiederholung: 0 .. 1 Schema-Status: O Typ: restriction (xs:string) Fachbegriff: Name Status: O Beispiel: Max Mustermann Definition: Der Name der Person, die für weitere Informationen kontaktiert werden kann. EANCOM®: INVOIC.SG2[D_3035="DP"].SG5.CTA.C056.3412</p>
departmentName	<p>Wiederholung: 0 .. 1 Schema-Status: O Typ: restriction (xs:string) Fachbegriff: Abteilung Status: O Beispiel: Logistik Definition: Name der Abteilung, die für weitere Informationen kontaktiert werden kann. EANCOM®: INVOIC.SG2[D_3035="DP"].SG5.CTA.C056.3413</p>
pickupFrom	<p>Wiederholung: 0 .. 1 Schema-Status: O Typ: ecom_common:TransactionalPartyType Fachbegriff: Pick up from</p>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	Status:	O
	Bemerkung:	Das Vorhandensein dieses Elements zeigt an, dass die Ware abgeholt wird.
	Definition:	Identifiziert den Ort, an dem Waren abgeholt wurden.
<code>xs:sequence</code>	Wiederholung:	1 .. 1
	Schema-Status:	M
<code>gln</code>	Wiederholung:	0 .. 1
	Schema-Status:	O
	Typ:	shared_common:GLNType
	Fachbegriff:	Abholung von (GLN)
	Status:	R
	Beispiel:	4000001000005
	Definition:	Die Globale Lokationsnummer (GLN) ist ein GS1 Identifikationsschlüssel um physikalische Orte oder Geschäftspartner zu identifizieren. Er besteht aus der Basisnummer, dem eigengenerierten Nummerteil und der Prüfziffer.
	EANCOM®:	INVOIC.SG2[D_3035="PW"].NAD.C082.3039
<code>additionalPartyIdentification</code>	Wiederholung:	0 .. unbounded
	Schema-Status:	O
	Typ:	shared_common:AdditionalPartyIdentificationType
	Definition:	Typ, der eine zusätzliche Identifikation (keine GLN) eines Geschäftspartners ermöglicht.
	Fachbegriff:	Zusatzidentifikation Abholstelle
	Status:	O
	Beispiel:	MNP687
	Bemerkung:	Sofern es keiner funktionalen- oder ablauforientierten Unterscheidung innerhalb eines Unternehmens bedarf, wird ausschließlich die GLN kommuniziert, der Empfänger verknüpft bei Bedarf im internen System. Zusätzliche Identifikationsverfahren sollten nur dann vereinbart werden, wenn in einer Lokation unterschiedliche funktionale Einheiten differenziert werden müssen.
	EANCOM®:	INVOIC.SG2[D_3035="PW" AND D_1153="YC1"].SG3.RFF.C506.1154
<code>additionalPartyIdentificationTypeCode</code>	Schema-Status:	M
	Type:	restriction (xs:string)
	GDD URN:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode
	Fachbegriff:	Art der zusätzlichen Identifikation des Geschäftspartners (Code)
	Status:	R
	Beispiel:	SELLER_ASSIGNED_IDENTIFIER_FOR_A_PARTY
	Definition:	Code, der die Art der zusätzlichen Identifikation des Geschäftspartners definiert.

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	Used Codes
	Code: SELLER_ASSIGNED_IDENTIFIER_FOR_A_PARTY
	Name: Vom Verkäufer vergeben
	Beschreibung: <i>Interne Identifikation vom Verkäufer vergeben.</i>
address	Wiederholung: 0 .. 1
	Schema-Status: O
	Typ: shared_common:AddressType
	Fachbegriff: Adresse der Firma oder Person
	Status: O
	Definition: Der Ort, an dem eine bestimmte Firma oder Person sitzt oder erreicht werden kann.
xs:sequence	Wiederholung: 1 .. 1
	Schema-Status: M
city	Wiederholung: 0 .. 1
	Schema-Status: O
	Typ: restriction (xs:string)
	Fachbegriff: Stadt
	Status: O
	Beispiel: Köln
	Definition: Text, der den Namen einer Stadt enthält.
countryCode	Wiederholung: 0 .. 1
	Schema-Status: O
	Typ: shared_common:CountryCodeType
	Definition: Code der das Land der Adresse festlegt.
	Fachbegriff: Land
	Status: O
	Beispiel: DE
	Bemerkung: Ländercode nach www.iso.org
	Used Codes
	Code: 097
	Name: Europäische Union
	Beschreibung: <i>Europäische Union</i>
	Code: D_A
	Name: Entwicklungshilfe
	Beschreibung: <i>Entwicklungshilfeagenturen wie USAID, UNFPA und Global Fund, die Ländern Auslandshilfe in Form von Waren und Dienstleistungen zur Unterstützung von</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

		Used Codes
		<i>Entwicklungsprogrammen zur Verfügung stellen, einschließlich, aber nicht beschränkt auf globale Gesundheits-, Infrastruktur- und Nahrungsmittelhilfe. Beachten Sie, dass dieser Codewert nur für das Attribut targetMarketCountryCode verwendet werden kann.</i>
name	Code:	NON_EU
	Name:	Nicht EU
	Beschreibung:	<i>Land, das nicht zur Europäischen Union gehört. Nur GDSN.</i>
	Wiederholung:	0 .. 1
	Schema-Status:	O
	Typ:	restriction (xs:string)
	Fachbegriff:	Name
postalCode	Status:	O
	Beispiel:	GS1 Germany GmbH
	Definition:	Name des Geschäftspartners.
	Wiederholung:	0 .. 1
	Schema-Status:	O
	Typ:	restriction (xs:string)
	Fachbegriff:	Postleitzahl
state	Status:	O
	Beispiel:	50825
	Definition:	Postleitzahl der Adresse
	Wiederholung:	0 .. 1
	Schema-Status:	O
	Typ:	restriction (xs:string)
	Fachbegriff:	Bundesland
streetAddressOne	Status:	O
	Beispiel:	NRW
	Definition:	Eine eigenständige Einheit mit eigener Regierung einer Nation.
	Wiederholung:	0 .. 1
	Schema-Status:	O
	Typ:	restriction (xs:string)
	Fachbegriff:	Adresszeile 1
streetAddressOne	Status:	O
	Beispiel:	Maarweg 133
	Definition:	Die erste Zeile einer Anschrift als Freitext. Sie wird in einem Adresskopf als erste Zeile

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

unterhalb des Namens angedruckt. Typische Inhalte sind die Straße mit Hausnummer oder der Gebäudename.

invoiceTotals	Wiederholung: 1 .. 1 Schema-Status: M Typ: invoice:InvoiceTotalsType Definition: Angabe von Informationen zu Anzahlungen und den Gesamtsummen der Rechnung. Fachbegriff: Rechnungssummen Status: R
xs:sequence	Wiederholung: 1 .. 1 Schema-Status: M
totalInvoiceAmount	Wiederholung: 1 .. 1 Schema-Status: M Typ: shared_common:AmountType Fachbegriff: Gesamtbetrag der Rechnung Status: R Beispiel: 6000 Definition: In Rechnung gestellte Gesamtsumme der Einzelrechnung unter Beachtung der Lieferbedingungen.
currencyCode	EANCOM®: INVOIC.SG50[D_5025="77"].MOA.C516.5004 Schema-Status: M Type: restriction (xs:string) Fachbegriff: Währungscode Status: R Beispiel: EUR Definition: Code, der die Währung einer Wertangabe spezifiziert. Used Codes Code: RON Name: Romanian Leu Beschreibung: <i>This currency code is effective from 1 July 2005</i> Code: ZWL Name: Zimbabwe Dollar Beschreibung: <i>(effective 1 February 2009)</i>
totalAmountInvoiceAllowancesCharges	Wiederholung: 0 .. 1 Schema-Status: O Typ: shared_common:AmountType

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	<p>Fachbegriff: Gesamtbetrag der Zu- und Abschläge Status: D Beispiel: 2000 Definition: Angabe der Gesamtsumme aller Rechnungszu- und abschläge. EANCOM®: INVOIC.SG50[D_5025="131"].MOA.C516.5004</p>
<p>currencyCode</p>	<p>Schema-Status: M Type: restriction (xs:string) Fachbegriff: Währungscode Status: R Beispiel: EUR Definition: Code, der die Währung einer Wertangabe spezifiziert.</p> <p>Used Codes</p> <p>Code: RON Name: Romanian Leu Beschreibung: <i>This currency code is effective from 1 July 2005</i></p> <p>Code: ZWL Name: Zimbabwe Dollar Beschreibung: <i>(effective 1 February 2009)</i></p>
<p>totalInvoiceAmountPayable</p>	<p>Wiederholung: 0 .. 1 Schema-Status: O Typ: shared_common:AmountType Fachbegriff: Gesamtzahlbetrag der Rechnung Status: O Beispiel: 5500 Bemerkung: Angabe nur, wenn abweichend von totalInvoiceAmount. Definition: Angabe des Bruttobetrags der Rechnung unter Beachtung sämtlicher Steuern. EANCOM®: INVOIC.SG50[D_5025="9"].MOA.C516.5004</p>
<p>currencyCode</p>	<p>Schema-Status: M Type: restriction (xs:string) Fachbegriff: Währungscode Status: R Beispiel: EUR Definition: Code, der die Währung einer Wertangabe spezifiziert.</p> <p>Used Codes</p> <p>Code: RON</p>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

totalLineAmountInclusiveAllowancesCharges	Used Codes	Name: Romanian Leu Beschreibung: <i>This currency code is effective from 1 July 2005</i>
	Code: ZWL Name: Zimbabwe Dollar Beschreibung: <i>(effective 1 February 2009)</i>	
	Wiederholung: 0 .. 1 Schema-Status: O Typ: shared_common:AmountType	
	Fachbegriff: Gesamtpositionsbetrag mit Zu- und Abschlägen Status: R Beispiel: 1200	
	Definition: Angabe der Summe aller Einzelpositionsbeträge einschließlich Zu- und Abschlägen. Der Einzelpositionsbetrag errechnet sich aus Menge * Preis + Zuschläge - Abschläge.	
	EANCOM®: INVOIC.SG50[D_5025="79"].MOA.C516.5004	
	currencyCode	Schema-Status: M
		Type: restriction (xs:string)
		Fachbegriff: Währungscode
		Status: R
Beispiel: EUR Definition: Code, der die Währung einer Wertangabe spezifiziert.		
totalTaxAmount	Used Codes	Code: RON Name: Romanian Leu Beschreibung: <i>This currency code is effective from 1 July 2005</i>
	Code: ZWL Name: Zimbabwe Dollar Beschreibung: <i>(effective 1 February 2009)</i>	
	Wiederholung: 0 .. 1 Schema-Status: O Typ: shared_common:AmountType	
	Fachbegriff: Gesamtsteuerbetrag Status: R Beispiel: 1200	
	Definition: Gesamtsumme aller Abgaben, Steuern und Gebühren.	

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

currencyCode	EANCOM®:	INVOIC.SG50[D_5025="124"].MOA.C516.5004
	Schema-Status:	M
	Type:	restriction (xs:string)
	Fachbegriff:	Währungscode
	Status:	R
	Beispiel:	EUR
	Definition:	Code, der die Währung einer Wertangabe spezifiziert.
	Used Codes	
	Code:	RON
	Name:	Romanian Leu
Beschreibung:	<i>This currency code is effective from 1 July 2005</i>	
Code:	ZWL	
Name:	Zimbabwe Dollar	
Beschreibung:	<i>(effective 1 February 2009)</i>	
totalTaxBasisAmount	Wiederholung:	0 .. 1
	Schema-Status:	O
	Typ:	shared_common:AmountType
	Fachbegriff:	Steuergrundbetrag
	Status:	O
	Definition:	Betrag, der als Grundlage für die Berechnung der Steuern dient.
currencyCode	EANCOM®:	INVOIC.SG50[D_5025="125"].MOA.C516.5004
	Schema-Status:	M
	Type:	restriction (xs:string)
	Fachbegriff:	Währungscode
	Status:	R
	Beispiel:	EUR
	Definition:	Code, der die Währung einer Wertangabe spezifiziert.
	Used Codes	
	Code:	RON
	Name:	Romanian Leu
Beschreibung:	<i>This currency code is effective from 1 July 2005</i>	
Code:	ZWL	
Name:	Zimbabwe Dollar	
Beschreibung:	<i>(effective 1 February 2009)</i>	
totalEconomicValue	Wiederholung:	0 .. 1

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	<p>Schema-Status: O Typ: shared_common:AmountType Fachbegriff: Gesamtwirtschaftlicher Wert Status: O Definition: Gesamtbetrag berechnet als Verkaufspreis - (Sonderverbrauchsteuer + Mehrwertsteuer oder Umsatzsteuer + Recyclinggebühr). Erforderlich für Produkte, für die spezielle Verbrauchsteuer gelten, wie Zigaretten, Treibstoff oder Alkohol.</p>
currencyCode	<p>EANCOM®: INVOIC.SG50[D_5025="XB5"].MOA.C516.5004 Schema-Status: M Type: restriction (xs:string) Fachbegriff: Währungscode Status: R Beispiel: EUR Definition: Code, der die Währung einer Wertangabe spezifiziert.</p> <p>Used Codes</p> <p>Code: RON Name: Romanian Leu Beschreibung: <i>This currency code is effective from 1 July 2005</i></p> <p>Code: ZWL Name: Zimbabwe Dollar Beschreibung: <i>(effective 1 February 2009)</i></p>
totalGoodsValue	<p>Wiederholung: 0 .. 1 Schema-Status: O Typ: shared_common:AmountType Fachbegriff: Gesamtwarenwert Status: O Definition: Gesamtbetrag berechnet als Verkaufspreis - besondere Verbrauchsteuer. Erforderlich für Produkte, für die spezielle Verbrauchsteuer gelten, wie Zigaretten, Treibstoff oder Alkohol.</p>
currencyCode	<p>EANCOM®: INVOIC.SG50[D_5025="178"].MOA.C516.5004 Schema-Status: M Type: restriction (xs:string) Fachbegriff: Währungscode Status: R Beispiel: EUR</p>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

totalRetailValue	<p>Definition: Code, der die Wahrung einer Wertangabe spezifiziert.</p> <p>Used Codes</p> <p>Code: RON Name: Romanian Leu Beschreibung: <i>This currency code is effective from 1 July 2005</i></p> <p>Code: ZWL Name: Zimbabwe Dollar Beschreibung: <i>(effective 1 February 2009)</i></p> <p>Wiederholung: 0 .. 1 Schema-Status: O Typ: shared_common:AmountType Fachbegriff: Gesamtverkaufswert Status: O Definition: Gesamtbetrag berechnet als Verkaufspreis x Rechnungsmenge. Erforderlich fur Produkte mit reguliertem Preis, wie Zigaretten oder Bucher.</p>
currencyCode	<p>EANCOM®: INVOIC.SG50[D_5025="402"].MOA.C516.5004</p> <p>Schema-Status: M Type: restriction (xs:string) Fachbegriff: Wahrungscod Status: R Beispiel: EUR Definition: Code, der die Wahrung einer Wertangabe spezifiziert.</p>
taxSubtotal	<p>Used Codes</p> <p>Code: RON Name: Romanian Leu Beschreibung: <i>This currency code is effective from 1 July 2005</i></p> <p>Code: ZWL Name: Zimbabwe Dollar Beschreibung: <i>(effective 1 February 2009)</i></p> <p>Wiederholung: 0 .. unbounded Schema-Status: O Typ: ecom_common:LeviedDutyFeeTaxType Fachbegriff: Steuer-Zwischensumme Status: R Beispiel: 1200</p>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhangig von, A=Empfohlen, N=Nicht benutzt

Guideline

	Definition:	Zwischensummen der erhobenen Abgaben, Gebühren oder Steuern je Art oder Steuersatz.
<code>xs:sequence</code>	Wiederholung:	1 .. 1
	Schema-Status:	M
<code>dutyFeeTaxAmount</code>	Wiederholung:	0 .. 1
	Schema-Status:	O
	Typ:	shared_common:AmountType
	Fachbegriff:	Menge der Abgaben, Gebühren oder Steuern
	Status:	R
	Beispiel:	25200
	Definition:	Abgaben-, Gebühren oder Steuerbetrag.
	EANCOM®:	INVOIC.SG52.MOA[D_5025="124"].C516.5004
<code>currencyCode</code>	Schema-Status:	M
	Type:	restriction (xs:string)
	Fachbegriff:	Währungscode
	Status:	R
	Beispiel:	EUR
	Definition:	Code, der die Währung einer Wertangabe spezifiziert.
	Used Codes	
	Code:	RON
	Name:	Romanian Leu
	Beschreibung:	<i>This currency code is effective from 1 July 2005</i>
	Code:	ZWL
	Name:	Zimbabwe Dollar
	Beschreibung:	<i>(effective 1 February 2009)</i>
<code>dutyFeeTaxBasisAmount</code>	Wiederholung:	0 .. 1
	Schema-Status:	O
	Typ:	shared_common:AmountType
	Fachbegriff:	Basisbetrag der Abgaben, Gebühren oder Steuern
	Status:	R
	Beispiel:	120000
	Definition:	Betrag, auf dem die Berechnung der Abgaben, Gebühren oder Steuern basieren.
	EANCOM®:	INVOIC.SG52.MOA[D_5025="125"].C516.5004
<code>currencyCode</code>	Schema-Status:	M
	Type:	restriction (xs:string)

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Fachbegriff: **Währungscode**
 Status: **R**
 Beispiel: EUR
 Definition: Code, der die Währung einer Wertangabe spezifiziert.

Used Codes

Code: RON
 Name: Romanian Leu
 Beschreibung: *This currency code is effective from 1 July 2005*

Code: ZWL
 Name: Zimbabwe Dollar
 Beschreibung: *(effective 1 February 2009)*

dutyFeeTaxCategoryCode

Wiederholung: 0 .. 1
 Schema-Status: O
 Typ: shared_common:TaxCategoryCodeType
 Definition: Typ, der den zutreffenden Steuerfall beschreibt. Anwendbare Werte können der GS1 Codeliste TaxCategoryCode entnommen werden.

Fachbegriff: **Steuerkategorie der Abgaben, Gebühren oder Steuern (Code)**

Status: **R**
 Beispiel: STANDARD
 GDD URN: <http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TaxCategoryCode>

EANCOM®: **INVOIC.SG52[D_5283="7"].TAX.5305**

Used Codes

Code: APPLICABLE
 Name: Anwendbar
 Beschreibung: *Die Steuer gilt für das Produkt oder die Dienstleistung im Zielmarkt mit dem in TradeItemTaxAmount oder TradeItemTaxRate definierten Wert.*

Code: DOMESTIC_REVERSE_CHARGE
 Name: Nationaler Reverse Charge
 Beschreibung: *Er gilt das nationale Reverse Charge Verfahren. Dieser Codewert ist besonders relevant für den UK-Kontext.*

Code: EXEMPT
 Name: Befreit
 Beschreibung: *Das Produkt oder eine Dienstleistung unterliegt keiner Besteuerung.*

Code: FOOD

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	Lebensmittel
Beschreibung:	<i>Handelsartikel ist als Lebensmittel steuerpflichtig.</i>
Code:	FREE_EXPORT_ITEM
Name:	Export
Beschreibung:	<i>Aufgrund des Exports fallen keine Steuern an.</i>
Code:	HIGH
Name:	Erhöhter Satz
Beschreibung:	<i>Der Artikel unterliegt dem erhöhten Steuersatz. Die Definition hängt von den gesetzlichen Regelungen des Zielmarktes ab.</i>
Code:	HOTEL
Name:	Hotel
Beschreibung:	<i>Die Ware ist steuerpflichtig als Übernachtungsdienstleistung in einem Hotel, auf einem Campingplatz oder in einer anderen Einrichtung.</i>
Code:	LIMITED_RIGHT_FOR_DEDUCTION
Name:	Begrenztes Recht auf Abzug
Beschreibung:	<i>Gewerbliche Gegenstände sind steuerpflichtig mit eingeschränktem Recht auf Steuerabzug.</i>
Code:	LOCAL_GOVERNMENT_ACTIVITIES
Name:	Aktivitäten der lokalen Regierung
Beschreibung:	<i>Handelsware ist steuerpflichtig für Aktivitäten der lokalen Regierung.</i>
Code:	LOW
Name:	Ermäßigter Satz
Beschreibung:	<i>Das Produkt oder die Dienstleistung wird mit einem ermäßigten Steuersatz (nicht Null) besteuert, dessen Höhe von den gesetzlichen Regelungen des Zielmarktes abhängen.</i>
Code:	MEDIUM
Name:	Mittlerer Satz
Beschreibung:	<i>Das Produkt oder die Dienstleistung unterliegt einem Steuersatz, der zwischen den niedrigeren und höheren Steuersätzen liegt. Die Höhe hängt von den gesetzlichen Regelungen des Zielmarktes ab.</i>
Code:	MIXED
Name:	Gemischt
Beschreibung:	<i>Es liegt ein gemischter Steuersatz vor.</i>
Code:	NOT_APPLICABLE
Name:	Nicht anwendbar

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>Die Steuer ist im Zielmarkt nicht anwendbar.</i>
Code:	PAPER_MAGAZINE_BOOK
Name:	Papier-Magazin-Buch
Beschreibung:	<i>Der Handelsgegenstand ist als Papier, Zeitschrift oder Buch steuerpflichtig.</i>
Code:	PREPAID
Name:	Bereits bezahlt
Beschreibung:	<i>Die Steuern, Gebühren oder Abgabe wurde bereits vom Lieferanten des Artikels bezahlt.</i>
Code:	REDUCTION_IN_BASE
Name:	Basisreduktion
Beschreibung:	<i>In BR angewandte Besteuerung.</i>
Code:	REDUCTION_IN_TAX_RATE
Name:	Reduzierter Steuersatz
Beschreibung:	<i>In BR angewandte Besteuerung.</i>
Code:	RESTAURANT_SERVICE
Name:	Restaurant-Service
Beschreibung:	<i>Gewerblicher Gegenstand ist als Restaurantdienstleistung steuerpflichtig.</i>
Code:	SERVICES_OUTSIDE_SCOPE_OF_TAX
Name:	Nicht steuerbar
Beschreibung:	<i>Die Besteuerung ist bei dieser Dienstleistung nicht anwendbar.</i>
Code:	STANDARD
Name:	Normalsatz
Beschreibung:	<i>Normalsatz der Besteuerung. Die Höhe hängt von der gesetzlichen Regelung des Zielmarktes ab.</i>
Code:	TRAVEL_SERVICE
Name:	Reisedienst
Beschreibung:	<i>Der Handelsgegenstand ist als Reisedienstleistung steuerpflichtig.</i>
Code:	VALUE_ADDED
Name:	Mehrwert
Beschreibung:	<i>In Brasilien verwendete Besteuerung</i>
Code:	VALUE_ADDED_MARGIN
Name:	Mehrwertmarge
Beschreibung:	<i>In Brasilien verwendete Besteuerung.</i>
Code:	VALUE_ADDED_TAX_NOT_NOW_DUE_FOR_PAYMENT
Name:	Umsatzsteuer nicht zahlen

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	<p>Used Codes</p> <p>Beschreibung: <i>Die in der Rechnung ausgewiesene Umsatzsteuer ist nicht sofort zu zahlen, sondern erst nach Eingang einer separaten Umsatzsteuerzahlaufforderung</i></p> <p>Code: VAT_REVERSE_CHARGE</p> <p>Name: Reverse Charge Verfahren</p> <p>Beschreibung: <i>Es wird das Reverse Charge Verfahren angewandt</i></p> <p>Code: ZERO</p> <p>Name: Null</p> <p>Beschreibung: <i>Das Produkt oder eine Dienstleistung hat einen Steuersatz gleich NULL, aber noch weitere Anforderungen an die Rechnungsstellung. Dieser Wert kann durch die Gesetzgebung jederzeit geändert werden.</i></p>
dutyFeeTaxPercentage	<p>Wiederholung: 0 .. 1</p> <p>Schema-Status: O</p> <p>Typ: xs:float</p> <p>Definition: Prozentsatz, mit dem die Gebühr berechnet wird.</p> <p>Fachbegriff: Abgabenprozent der Abgaben, Gebühren oder Steuern</p> <p>Status: R</p> <p>Beispiel: 21</p> <p>EANCOM®: INVOIC.SG52[D_5283="7"].TAX.C243.5278</p>
dutyFeeTaxTypeCode	<p>Wiederholung: 0 .. 1</p> <p>Schema-Status: O</p> <p>Typ: ecom_common:DutyFeeTaxTypeCodeType</p> <p>Definition: Typ, der die Art der Abgabe, Gebühr oder Steuer beschreibt. Erlaubte Werte können der GS1 Codeliste DutyFeeTaxTypeCode entnommen werden.</p> <p>Fachbegriff: Art der Steuer, Abgabe oder Gebühr</p> <p>Status: R</p> <p>Beispiel: VAT</p> <p>GDD URN: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</p> <p>EANCOM®: INVOIC.SG52[D_5283="7"].TAX.C241.5153</p> <p>Used Codes</p> <p>Code: AAD</p> <p>Name: Tabaksteuer</p> <p>Beschreibung: <i>Steuer auf Tabakprodukte.</i></p> <p>Code: AAF</p>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Used Codes

Name:	Kaffeesteuer
Beschreibung:	<i>Eine Steuer, die speziell für Kaffeeprodukte erhoben wird.</i>
Code:	AAJ
Name:	Steuer auf Austauschteile
Beschreibung:	<i>Eine Steuer, die auf Austauschteile erhoben wird, wenn das Originalteil zurückgegeben wird.</i>
Code:	ACT
Name:	Alkoholsteuer (GS1-Code)
Beschreibung:	<i>Eine Steuer speziell für alkoholische Produkte.</i>
Code:	CAR
Name:	Kraftfahrzeugsteuer
Beschreibung:	<i>Eine Steuer, die auf den Wert eines Autos erhoben wird.</i>
Code:	ENV
Name:	Ökosteuer
Beschreibung:	<i>Steuer, die zur Bildung von Versicherungen oder Fonds zum Schutz oder zur Regenerierung der Umwelt erhoben wird.</i>
Code:	EXC
Name:	Verbrauchssteuer
Beschreibung:	<i>Zoll- oder Finanzbehördencode zur Identifikation einer speziellen oder zusätzlichen Abgabe einer speziellen Ware im Inland oder zum Zeitpunkt des Imports.</i>
Code:	GST
Name:	Waren- und Dienstleistungssteuer
Beschreibung:	<i>Steuer auf den Endverbrauch von Waren und Dienstleistungen über den Produktions- und Absatzweg.</i>
Code:	IMP
Name:	Importsteuer
Beschreibung:	<i>Steuer auf Importe.</i>
Code:	OIL
Name:	Ölsteuer
Beschreibung:	<i>Ölsteuer</i>
Code:	OTH
Name:	Andere Steuern
Beschreibung:	<i>Unspezifizierte, verschiedene Steuerabgaben.</i>
Code:	VAT

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	Used Codes	
	Name:	Mehrwertsteuer
	Beschreibung:	<i>Eine Steuer auf inländische oder importierte Waren, die für den Mehrwert des Produkts auf jeder Stufe des Produktions-/Distributionszyklus gilt.</i>
invoiceAllowanceCharge	Wiederholung:	0 .. unbounded
	Schema-Status:	O
	Typ:	invoice:InvoiceAllowanceChargeType
	Fachbegriff:	Zu- und Abschläge der Rechnung
	Status:	O
	Definition:	Informationen zu Zuschlägen und Abschlägen der Rechnung.
xs:sequence	Wiederholung:	1 .. 1
	Schema-Status:	M
allowanceChargeType	Wiederholung:	1 .. 1
	Schema-Status:	M
	Typ:	shared_common:AllowanceChargeTypeCodeType
	Definition:	Definition der Art des Zu- oder Abschlags. Erlaubte Codewerte können der GS1 Codeliste AllowanceChargeTypeCode entnommen werden.
	Fachbegriff:	Art der Zu- und Abschläge (Code)
	Status:	R
	Beispiel:	ADR
	GDD URN:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AllowanceChargeTypeCode
	Used Codes	
	Code:	1
	Name:	Qualitätskontrolle noch nicht abgeschlossen (GS1-Code)
	Beschreibung:	<i>Der Lagerhalter wird angewiesen, mit der Verteilung der Waren zu warten, bis der Hersteller eine Qualitätskontrolle abgeschlossen hat.</i>
	Code:	2
	Name:	Sperre nach Qualitätskontrolle (GS1-Code)
	Beschreibung:	<i>Der Lagerhalter wird angewiesen, die Waren, die bei der Qualitätskontrolle durchgefallen sind, zurückzuhalten.</i>
	Code:	3
	Name:	Akzeptprovision
	Beschreibung:	<i>Gebühr für die Annahme des Entwurfs eines Dokumentenakkreditivs (eine Art ""Garantieprovision"").</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Used Codes

Code:	4
Name:	Provision für den Erhalt der Akzeptanz
Beschreibung:	<i>Gebühr für die Erteilung einer Akzeptanz auf der Grundlage ""Dokumente gegen Akzeptanz"".</i>
Code:	5
Name:	Lieferprovision
Beschreibung:	<i>Gebühr für die Zustellung von Dokumenten ohne entsprechende Bezahlung.</i>
Code:	6
Name:	Beratungsprovision
Beschreibung:	<i>Gebühr für die Beratung von Dokumentenakkreditiven (kann auch im Falle eines bestätigten Kredite berechnet werden).</i>
Code:	7
Name:	Bestätigungsprovision
Beschreibung:	<i>Gebühr für die Bestätigung des Kredits.</i>
Code:	8
Name:	Ratenzahlungsprovision
Beschreibung:	<i>Gebühr für Ratenzahlung bei Dokumentenakkreditiven, die durch die Bank bestätigt wurden. Diese Gebühr sind die Gebühren für den Zeitraum von der Ausstellung des Dokuments bis zur tatsächlichen Fälligkeit.</i>
Code:	9
Name:	Provision für die Aufnahme der Dokumente
Beschreibung:	<i>Der Fremdbank berechnete Gebühr für die Bearbeitung von Dokumentenakkreditiven.</i>
Code:	10
Name:	Eröffnungsprovision
Beschreibung:	<i>Gebühr für die Eröffnung widerrufbarer Dokumentenakkreditive</i>
Code:	11
Name:	Gebühr für die Eröffnung eines widerruflichen Dokumentenakkreditivs
Beschreibung:	<i>Dem Kunden berechnete Gebühr für Unstimmigkeiten in den Kreditbelegen, bei denen die Bank die Zahlung unter Vorbehalt vorsehen muss.</i>
Code:	12
Name:	Gebühr für Unstimmigkeiten
Beschreibung:	<i>An die Fremdbank berechnete Gebühr für Unstimmigkeiten in den Kreditbriefen</i>
Code:	13
Name:	Zahlbarstellungsprovision

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>Gebühr für die Zahlbarstellung von Rechnungen durch die Bank.</i>
Code:	14
Name:	Provision für die Freigabe von Waren
Beschreibung:	<i>Provision für die Freigabe von Waren</i>
Code:	15
Name:	Sammlungsprovision
Beschreibung:	<i>Gebühr für die Zusammenstellung auf der Grundlage ""Dokumente gegen Zahlung"".</i>
Code:	16
Name:	Verhandlungsprovision
Beschreibung:	<i>Gebühr für den Erwerb von Dokumenten eines Kontokorrentkredits für die ersten zehn Tage.</i>
Code:	17
Name:	Rückgabeprovision
Beschreibung:	<i>Gebühr für unbezahlte oder zurückgerufene Schecks, Rechnungen und Sammlungen.</i>
Code:	18
Name:	Gebühren für die Aufteilung des Frachtbriefs
Beschreibung:	<i>Gebühr für die Aufteilung der Frachtbriefe.</i>
Code:	19
Name:	Treuhandgebühren
Beschreibung:	<i>Gebühr für die Bearbeitung importierter Güter auf einer treuhänderischen Basis.</i>
Code:	20
Name:	Weitergabeprovision
Beschreibung:	<i>Gebühr für die Übertragung von übertragbaren Dokumentenakkreditiven.</i>
Code:	21
Name:	Kommission für die Eröffnung unwiderruflicher Dokumentenakkreditive
Beschreibung:	<i>Gebühr für die Eröffnung unwiderruflicher Dokumentenakkreditive. Diese Gebühr ist eine Art ""Garantieprovision"" als Ausgleich für die Verpflichtung der Bank im Kundenauftrag.</i>
Code:	22
Name:	Provision für Vorankündigung
Beschreibung:	<i>Gebühr für die Vorankündigung eines dokumentarischen Kredits.</i>
Code:	23
Name:	Betreuungsprovision
Beschreibung:	<i>Gebühr für die Betreuung unbestätigter Dokumentenakkreditive mit späterer Bezahlung.</i>
Code:	24

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	Modell-Gebühren
Beschreibung:	<i>Gebühr für Verarbeitung von Telex-Nachrichten.</i>
Code:	25
Name:	Risikoprovision
Beschreibung:	<i>Provision zusätzlich zur Bestätigungsprovision für Dokumentenakkreditive aus bestimmten Ländern.</i>
Code:	26
Name:	Garantieprovision
Beschreibung:	<i>Provision für die Erstellung von Garantien.</i>
Code:	27
Name:	Kostenerstattungsprovision
Beschreibung:	<i>Gebühr für die Kostenerstattung, z.B. bei Dokumentenakkreditiven.</i>
Code:	28
Name:	Stempelsteuer
Beschreibung:	<i>Auf Rechnungen nach dem nationalen Wechselrecht zu zahlende Steuer.</i>
Code:	29
Name:	Vermittlung
Beschreibung:	<i>Maklerprovision beim Handel mit ausländischen Währungen.</i>
Code:	30
Name:	Bankgebühren
Beschreibung:	<i>Von beteiligten Banken geforderte Gebühren für eine Transaktion.</i>
Code:	31
Name:	Informationen zu Bankgebühren
Beschreibung:	<i>Gebühren, die im Gesamtbetrag nicht enthalten sind. Diese werden nur zu Informationszwecken dargestellt.</i>
Code:	32
Name:	Gebühr für Kurierdienst
Beschreibung:	<i>Gebühr für die Nutzung der Kurierdienst.</i>
Code:	33
Name:	Telefongebühr
Beschreibung:	<i>Gebühr für die Nutzung des Telefons.</i>
Code:	34
Name:	Portogebühr
Beschreibung:	<i>Gebühr für Porto.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	35
Name:	S.W.I.F.T. .-Gebühr
Beschreibung:	<i>Gebühr für die Nutzung von S.W.I.F.T.</i>
Code:	36
Name:	Telex-Gebühr
Beschreibung:	<i>Gebühr für Telex.</i>
Code:	37
Name:	Gebühr für die verspätete Lieferung von Dokumenten
Beschreibung:	<i>Gebühr, wenn Dokumente zu spät geliefert werden.</i>
Code:	38
Name:	Gebühr für die verspätete Lieferung der Bewertung der Leistungen
Beschreibung:	<i>Gebühr für die verspätete Lieferung der Bewertung der Leistungen</i>
Code:	39
Name:	Gebühr für die Ausführung der Arbeiten hinter dem Zeitplan
Beschreibung:	<i>Gebühr für die Ausführung der Arbeiten hinter dem Zeitplan</i>
Code:	40
Name:	Andere Gebühren
Beschreibung:	<i>Sanktion aus anderen Gründen.</i>
Code:	41
Name:	Bonus für Werke vor dem Zeitplan
Beschreibung:	<i>Bonus für das Abschließen der Arbeit vor dem Zeitplan</i>
Code:	42
Name:	Andere Boni
Beschreibung:	<i>Prämie aus anderen Gründen</i>
Code:	44
Name:	Projektmanagementkosten
Beschreibung:	<i>Kosten für das Projektmanagement.</i>
Code:	45
Name:	Pro-Rata Aufbewahrung
Beschreibung:	<i>Anteilige Aufbewahrungsgebühr</i>
Code:	46
Name:	Vertragliche Aufbewahrung
Beschreibung:	<i>Gebühr für vertragliche Aufbewahrung</i>
Code:	47

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	Andere Einbehalte
Beschreibung:	<i>Andere Gebühren für Einbehalte</i>
Code:	48
Name:	Verzugszinsen
Beschreibung:	<i>Verzugszinsen.</i>
Code:	49
Name:	Zinsen
Beschreibung:	<i>Kosten für die Verwendung von Geld</i>
Code:	50
Name:	Kosten pro Kreditdeckung
Beschreibung:	<i>Gebühr je Kreditdeckung</i>
Code:	51
Name:	Gebühr je ungenutzter Kreditdeckung
Beschreibung:	<i>Gebühr je ungenutzter Kreditdeckung</i>
Code:	52
Name:	Minimalprovision
Beschreibung:	<i>Minimalprovision</i>
Code:	53
Name:	Factoringsprovision
Beschreibung:	<i>Provision für Factoring Dienstleistungen.</i>
Code:	54
Name:	Handelskammergebühr
Beschreibung:	<i>Gebühren der Handelskammer.</i>
Code:	55
Name:	Transfergebühren
Beschreibung:	<i>Gebühren für die Übertragung.</i>
Code:	56
Name:	Rückführungsgebühren
Beschreibung:	<i>Gebühren für die Rückführung.</i>
Code:	57
Name:	Sonstige Zuschläge
Beschreibung:	<i>Nicht genau definierte Gebühren.</i>
Code:	58
Name:	Devisengebühren

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>Gebühren für Devisen.</i>
Code:	59
Name:	Gebühr für vereinbarte Sollzinsen
Beschreibung:	<i>Gebühr für vereinbarte Sollzinsen</i>
Code:	60
Name:	Verbraucherrabatt des Herstellers
Beschreibung:	<i>Durch den Hersteller gewährter Rabatt, der an den Endverbraucher weitergegeben werden soll.</i>
Code:	61
Name:	Gebühr für Beratung per Fax
Beschreibung:	<i>Gebühr für Beratung per Fax</i>
Code:	62
Name:	Aufgrund militärischem Status
Beschreibung:	<i>Rabatt wegen des militärischen Status.</i>
Code:	63
Name:	Aufgrund Arbeitsunfall
Beschreibung:	<i>Rabatt wegen Arbeitsunfall.</i>
Code:	64
Name:	Besondere Vereinbarung
Beschreibung:	<i>Zu-/Abschlag gemäß besonderer Vereinbarung.</i>
Code:	65
Name:	Rabatt wegen Produktionsfehlers
Beschreibung:	<i>Rabatt für den Kauf eines Produkts mit einem Produktionsfehler</i>
Code:	66
Name:	Neueröffnungsrabatt
Beschreibung:	<i>Rabatt anlässlich der Eröffnung einer neuen Verkaufsstelle</i>
Code:	67
Name:	Musterrabatt
Beschreibung:	<i>Rabatt für den Kauf einer Probe eines Produktes.</i>
Code:	68
Name:	Rabatt für Auslaufware
Beschreibung:	<i>Rabatt für den Kauf eines auslaufenden Produkts</i>
Code:	69
Name:	Zuschlag für Kundenspezifische Veredelung

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Used Codes

Beschreibung:	<i>Zuschlag für Kundenspezifische Veredelung</i>
Code:	70
Name:	Incoterm-Rabatt
Beschreibung:	<i>Rabatt für einen angegebenen Incoterm.</i>
Code:	71
Name:	Abschlag für Umsatzschwelle am POS
Beschreibung:	<i>Rabatt bei Erreichen oder Überschreiten einer vereinbarten Umsatzschwelle am Verkaufspunkt.</i>
Code:	72
Name:	Kosten für technische Änderungen
Beschreibung:	<i>Kosten für technische Änderungen an einem Produkt.</i>
Code:	73
Name:	Kosten für Arbeitsauftrag
Beschreibung:	<i>Kosten für Arbeitsauftrag</i>
Code:	74
Name:	Kosten für Tätigkeiten außerhab der Geschäftsräume
Beschreibung:	<i>Kosten für Tätigkeiten außerhab der Geschäftsräume</i>
Code:	75
Name:	Zusätzliche Bearbeitungsgebühren
Beschreibung:	<i>Kosten für zusätzliche Verarbeitung.</i>
Code:	76
Name:	Gebühr für eine Bescheinigung
Beschreibung:	<i>Kosten für amtliche Bescheinigung.</i>
Code:	77
Name:	Eillieferungszuschlag
Beschreibung:	<i>Gebühr für erhöhte Liefergeschwindigkeit.</i>
Code:	78
Name:	Spezielle Baukosten
Beschreibung:	<i>Gebühren für Kostenm die durch Spezialkonstruktionen entstehen.</i>
Code:	79
Name:	Frachtkosten
Beschreibung:	<i>Gebühr für Warenbeförderungen</i>
Code:	80
Name:	Verpackungskosten

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>Kosten für Verpackung.</i>
Code:	81
Name:	Reparaturkosten
Beschreibung:	<i>Kosten für Reparatur.</i>
Code:	82
Name:	Ladekosten
Beschreibung:	<i>Kosten für die Beladung</i>
Code:	83
Name:	Setupgebühr
Beschreibung:	<i>Kosten für die Einrichtung.</i>
Code:	84
Name:	Testgebühr
Beschreibung:	<i>Kosten für die Durchführung von Tests.</i>
Code:	85
Name:	Lagerhaltungskosten
Beschreibung:	<i>Kosten für Lagerung und Handhabung.</i>
Code:	86
Name:	Goldzuschlag
Beschreibung:	<i>Differenz zwischen aktuellem Preis und Grundpreis des im Produktpreis enthaltenen Goldanteils.</i>
Code:	87
Name:	Kupferzuschlag
Beschreibung:	<i>Differenz zwischen aktuellem Preis und Grundpreis des im Produktpreis enthaltenen Kupferanteils.</i>
Code:	88
Name:	Material Zu-/Abschlag
Beschreibung:	<i>Aufschlag/Abzug für höhern oder niedrigeren Materialverbrauch</i>
Code:	89
Name:	Bleizuschlag
Beschreibung:	<i>Differenz zwischen aktuellem Preis und Grundpreis des im Produktpreis enthaltenen Bleianteils.</i>
Code:	90
Name:	Preisindex-Zuschlag
Beschreibung:	<i>Höher/niedrigerer Preis infolge der Änderung der Kosten zwischen den Angebot und</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

	<i>Lieferung.</i>
Code:	91
Name:	Platinzuschlag
Beschreibung:	<i>Differenz zwischen aktuellem Preis und Grundpreis des im Produktpreis enthaltenen Platinanteils.</i>
Code:	92
Name:	Silberzuschlag
Beschreibung:	<i>Differenz zwischen aktuellem Preis und Grundpreis des im Produktpreis enthaltenen Silberanteils.</i>
Code:	93
Name:	Wolframzuschlag
Beschreibung:	<i>Differenz zwischen aktuellem Preis und Grundpreis des im Produktpreis enthaltenen Wolframanteils.</i>
Code:	94
Name:	Aluminiumzuschlag
Beschreibung:	<i>Differenz zwischen aktuellem Preis und Grundpreis des im Produktpreis enthaltenen Aluminiumanteils.</i>
Code:	95
Name:	Rabatt
Beschreibung:	<i>Eine Reduzierung von einem üblichen oder Listenpreis.</i>
Code:	96
Name:	Versicherung
Beschreibung:	<i>Gebühr für die Versicherung.</i>
Code:	97
Name:	Gebühr für Mindestbestellwert
Beschreibung:	<i>Gebühr für die Mindestbestellmenge.</i>
Code:	98
Name:	Materialzuschlag (Sondermaterialien)
Beschreibung:	<i>Zuschlag für Sondermaterialien.</i>
Code:	99
Name:	Zuschlag
Beschreibung:	<i>Ein zusätzlicher Betrag zur üblichen Gebühr.</i>
Code:	100
Name:	Spezialrabatt

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>Eine Rückzahlung eines Teils des für Waren oder Dienstleistungen bezahlten Betrags.</i>
Code:	101
Name:	Gebühr für CO2-Fußabdruck
Beschreibung:	<i>Gebühr für CO2-Fußabdruck</i>
Code:	60E
Name:	Fixierte Langzeitabmachung (GS1-Code)
Beschreibung:	<i>Temporärer GS1-Code. Ein fixer langfristiger Zu- oder Abschlag.</i>
Code:	61E
Name:	Temporär (GS1-Code)
Beschreibung:	<i>Temporäre GS1-Code. Eine befristeter Zu- oder Abschlag.</i>
Code:	62E
Name:	Standard (GS1-Code)
Beschreibung:	<i>Temporäre GS1-Code. Standard Zu-/ oder Abschlag.</i>
Code:	64E
Name:	Zu-/Abschlag für Jahresumsatz (GS1-Code)
Beschreibung:	<i>Temporärer GS1-Code. Zu-/Abschlag für erreichten Jahresumsatz</i>
Code:	AA
Name:	Werbekostenzuschuss
Beschreibung:	<i>Beschreibung folgt.</i>
Code:	AAB
Name:	Rücksendungsgebühren
Beschreibung:	<i>Gebühren für Rücksendungen</i>
Code:	AAJ
Name:	Kupferzuschlag
Beschreibung:	<i>Unterschied zwischen dem Marktpreis und dem Basis-Kupferpreis enthalten im Produktpreis.</i>
Code:	AAM
Name:	Gummizuschlag
Beschreibung:	<i>Unterschied zwischen dem Marktpreis und dem Basis-Gummipreis enthalten im Produktpreis.</i>
Code:	AAT
Name:	Eillieferung
Beschreibung:	<i>Zuschlag für höhere Liefergeschwindigkeit.</i>
Code:	AAX

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	Wolframzuschlag
Beschreibung:	<i>Unterschied zwischen dem Marktpreis und dem Basispreis enthalten im Produktpreis.</i>
Code:	AA Y
Name:	Flughafengebühr
Beschreibung:	<i>Zuschlag für die Inanspruchnahme von Flughafeneinrichtungen.</i>
Code:	ABA
Name:	Obligatorische Lagerungsgebühr
Beschreibung:	<i>Gebühr, die für das Führen einer bestimmten, obligatorischen Lagermenge erhoben wird (festgelegt von einer Durchführungsbehörde).</i>
Code:	ABH
Name:	Absatzvergütung
Beschreibung:	<i>Abschlag für das Erreichen oder Überschreiten einer vereinbarten Durchsatzmenge.</i>
Code:	ABL
Name:	Verpackungsaufschlag
Beschreibung:	<i>Zuschlag für das Verpacken von Gegenständen.</i>
Code:	ABZ
Name:	Verschiedene Rabatte/Rückvergütungen
Beschreibung:	<i>Nicht definierte Rabatte oder Rückvergütungen.</i>
Code:	ACQ
Name:	Tantiemenzuschlag
Beschreibung:	<i>Zusätzlicher Zuschlag auf einen Positionspreis für Tantiemen.</i>
Code:	ACY
Name:	Pfand auf Verpackung
Beschreibung:	<i>Die Gebühr im Bezug auf die Verpackung eines Produktes in einem Behälter, wenn erwartet wird, daß die Verpackung zurückgegeben wird und erneut verwendet werden kann.</i>
Code:	ACZ
Name:	Beschädigte Ware
Beschreibung:	<i>Abschlag oder Gutschrift wegen beschädigter und unverkäuflicher Produkte.</i>
Code:	ADM
Name:	Bindeauftrag
Beschreibung:	<i>Ein Code, der Bindungsdienstleistungen für Einbände anzeigt.</i>
Code:	ADO
Name:	Effiziente Logistik

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>Ein Code, der effiziente Logistikdienstleistungen anzeigt.</i>
Code:	ADP
Name:	Absatzförderung
Beschreibung:	<i>Ein Code, der angibt, daß die absatzfördernden Dienstleistungen gegenwärtig durchgeführt werden.</i>
Code:	ADQ
Name:	Produktmix
Beschreibung:	<i>Ein Code, der angibt, daß die Produktmischdienstleistungen gegenwärtig durchgeführt werden.</i>
Code:	ADR
Name:	Andere Dienste
Beschreibung:	<i>Ein Code, der angibt, daß andere nicht näher bezeichnete Dienstleistungen gegenwärtig durchgeführt werden.</i>
Code:	ADS
Name:	Palettenweise Bestellung
Beschreibung:	<i>Palettenweise Bestellung eines Produktes.</i>
Code:	ADT
Name:	Aufnahme
Beschreibung:	<i>Für das Aufnehmen oder Abholen von Waren.</i>
Code:	ADZ
Name:	Direktlieferung
Beschreibung:	<i>Angabe direkter Anlieferung als spezielle Dienstleistung.</i>
Code:	AEK
Name:	Lieferung per Nachnahme
Beschreibung:	<i>Zu- oder Abschlag bezüglich der speziellen Dienstleistung Barzahlung bei Lieferung.</i>
Code:	AEM
Name:	Büro- und Verwaltungsdienste
Beschreibung:	<i>Die Bereitstellung von Büro- und Verwaltungsdiensten.</i>
Code:	AEN
Name:	Garantieservice
Beschreibung:	<i>Die Bereitstellung von Garantieservice.</i>
Code:	AEO
Name:	Sammel- und Recyclingservice
Beschreibung:	<i>Sammeln und recyceln von Produkten als Dienstleistung.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	AEP
Name:	Inkasso für Copyright-Gebühr
Beschreibung:	<i>Inkasso für Copyright-Gebühr als Dienstleistung.</i>
Code:	AEQ
Name:	Übermengenzuschlag
Beschreibung:	<i>Zuschlag, der dann zum Tragen kommt, wenn die bestellte Menge die vorher vereinbarte Menge überschreitet.</i>
Code:	AES
Name:	Tierärztlicher Untersuchungsservice
Beschreibung:	<i>Zu- oder Abschlag im Bezug auf einen tierärztlichen Untersuchungsservice.</i>
Code:	AEV
Name:	Umweltschutz-Dienstleistung
Beschreibung:	<i>Ein Zu-oder Abschlag im Bezug auf die Bereitstellung von Umweltschutz als Dienstleistung.</i>
Code:	AEX
Name:	Inlandsscheckverarbeitung ausserhalb des Einzugsbereiches
Beschreibung:	<i>Bearbeitung eines Inlandsschecks außerhalb des Gebiets, wo der auftragserteilende Kunde sein Konto hat.</i>
Code:	AEY
Name:	Inlandszahlungsverarbeitung ausserhalb des Einzugsbereiches
Beschreibung:	<i>Bearbeitung einer Inlandszahlung für einen Begünstigten außerhalb des Gebiets, wo der auftragserteilende Kunde sein Konto hat.</i>
Code:	AEZ
Name:	Inlandszahlungsverarbeitung innerhalb des Einzugsbereiches
Beschreibung:	<i>Bearbeitung einer Inlandszahlung für einen Begünstigten innerhalb des Gebiets, wo der auftragserteilende Kunde sein Konto hat.</i>
Code:	AG
Name:	Silberzuschlag
Beschreibung:	<i>Unterschied zwischen dem aktuellen Preis und dem Basispreis enthalten im Produktpreis.</i>
Code:	AJ
Name:	Berichtigungen
Beschreibung:	<i>Beschreibung folgt.</i>
Code:	AND
Name:	Reparatur oder Ersatz von kaputten Mehrwegverpackungen

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>Reparatur oder Ersatz von kaputten Mehrwegverpackungen</i>
Code:	ASS
Name:	Sortimentsabschlag (GS1-Code)
Beschreibung:	<i>Abschlag, der gewährt wird, wenn ein bestimmtes Teil aus dem Sortiment des Lieferanten vom Käufer bestellt wird.</i>
Code:	CA
Name:	Katalogisierungsdienstleistungen
Beschreibung:	<i>Beschreibung folgt.</i>
Code:	CAC
Name:	Barzahlungsrabatt
Beschreibung:	<i>Rabatt im Zusammenhang mit Barzahlung.</i>
Code:	CAG
Name:	Wettbewerbsabschlag
Beschreibung:	<i>Preisberichtigung zulässig bei entsprechenden Marktbedingungen.</i>
Code:	CAI
Name:	Zuschnittzuschlag
Beschreibung:	<i>Beschreibung folgt.</i>
Code:	CAL
Name:	Lohnlistenbearbeitung
Beschreibung:	<i>Gebühr für die Bearbeitung einer Lohnliste.</i>
Code:	CAM
Name:	Bargeldtransport
Beschreibung:	<i>Gebühr für den Service des Bargeldtransportes.</i>
Code:	CAN
Name:	Home Banking
Beschreibung:	<i>Gebühr für den Service des Home Bankings.</i>
Code:	CAP
Name:	Versicherungsvermittlung
Beschreibung:	<i>Gebühr für die Vermittlung von Versicherungs-Dienstleistungen.</i>
Code:	CAQ
Name:	Scheckerstellung
Beschreibung:	<i>Gebühr für die Erstellung von Schecks.</i>
Code:	CAR
Name:	Bevorzugter Absatzort

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Used Codes

Beschreibung:	<i>Zuordnung eines präferierten Absatzortes.</i>
Code:	CAS
Name:	Kran Service
Beschreibung:	<i>Bereitstellung von Kran Service.</i>
Code:	CAT
Name:	Spezieller Farb-Service
Beschreibung:	<i>Bereitstellung einer Farbe, die sich von der Standardfarbe unterscheidet.</i>
Code:	CP
Name:	Wettbewerbspreis
Beschreibung:	<i>Beschreibung folgt.</i>
Code:	DAE
Name:	Distributorsabzug/-abschlag
Beschreibung:	<i>Spezieller Abzug (Rabatt)/Abschlag für Distributeure.</i>
Code:	DBD
Name:	Schuldner gebunden (GS1-Code)
Beschreibung:	<i>Ein spezieller Zu- oder Abschlag, der auf einen bestimmten Schuldner zutrifft.</i>
Code:	DDA
Name:	Händlerabzug/-abschlag
Beschreibung:	<i>Abzug oder Abschlag, angeboten von einer Partei, die mit einer bestimmten Marke oder mit Markenprodukten handelt.</i>
Code:	DI
Name:	Abzug (Rabatt)
Beschreibung:	<i>Eine Reduktion des üblichen Preises oder Listenpreises.</i>
Code:	DTC
Name:	Endverbraucherrabatt (GS1-Code)
Beschreibung:	<i>Ein vom Hersteller gewährter Rabatt, der an den Konsumenten weitergegeben werden sollte.</i>
Code:	EAA
Name:	Frühbezugs-Abschlag
Beschreibung:	<i>Abschlag, der Kunden, die früh kaufen, gewährt wird.</i>
Code:	EAB
Name:	Skonto
Beschreibung:	<i>Abschlag, der bei einer frühzeitigen Bezahlung durch den Kunden gewährt wird.</i>
Code:	FA

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Used Codes

Name:	Frachtabschlag
Beschreibung:	<i>Beschreibung folgt.</i>
Code:	FC
Name:	Frachtgebühren
Beschreibung:	<i>Betrag, der für die Bewegung von Waren, durch jegliche Verkehrsmittel, von einem Ort zu einem anderen, bezahlt werden muß, inklusive Abzüge, Abschläge, Rabatte, Berichtigungsfaktoren und zusätzlichen Kosten die zu den Frachtkosten gehören (UN/ECE Empfehlung Nummer 23).</i>
Code:	FG
Name:	Naturalrabatt
Beschreibung:	<i>Abschlag oder Rabatt, der in Form einer Lieferung von Gratisware gewährt wird.</i>
Code:	FI
Name:	Finanzierungsgebühr
Beschreibung:	<i>Beschreibung folgt.</i>
Code:	FR
Name:	Flat Rate (GS1-Code)
Beschreibung:	<i>Pauschaltarif</i>
Code:	GRB
Name:	Geschäftsentwicklung (GS1-Code)
Beschreibung:	<i>Zu- oder Abschlag, bezogen auf die Geschäftsentwicklung während eines vorher festgelegten Zeitabschnittes.</i>
Code:	HD
Name:	Handhabung
Beschreibung:	<i>Gebühr für die Handhabung einer Ware.</i>
Code:	IN
Name:	Versicherung
Beschreibung:	<i>Versicherungsgebühr.</i>
Code:	INT
Name:	Einführungsabschlag (GS1-Code)
Beschreibung:	<i>Abschlag, der für die Einführung eines neuen Produkts zur existierenden Produktpalette eines Einzelhändlers gewährt wird.</i>
Code:	IS
Name:	Fakturierdienstleistung
Beschreibung:	<i>Beschreibung folgt.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	LA
Name:	Etikettieren
Beschreibung:	<i>Etikettieren (Labelling) von Gegenständen als Dienstleistung.</i>
Code:	MAC
Name:	Mindermengenzuschlag
Beschreibung:	<i>Beschreibung folgt.</i>
Code:	MB
Name:	Kombiwerbung (GS1-Code)
Beschreibung:	<i>Ein Code, der spezielle Konditionen bezüglich einer multi-buy-Verkaufsförderungsaktion angibt.</i>
Code:	MC
Name:	Materialzuschlag (spezielle Materialien)
Beschreibung:	<i>Beschreibung folgt.</i>
Code:	NAA
Name:	Einwegbehälter
Beschreibung:	<i>Beschreibung folgt.</i>
Code:	PAD
Name:	Verkaufsförderungsabschlag
Beschreibung:	<i>Beschreibung folgt.</i>
Code:	PAE
Name:	Verkaufsförderungsabzug
Beschreibung:	<i>Beschreibung folgt.</i>
Code:	PAR
Name:	Partnerschafts-Abschlag (GS1-Code)
Beschreibung:	<i>Zu- oder Abschlag zwecks Aufnahme und Aufrechterhaltung einer langfristigen Geschäftsbeziehung.</i>
Code:	PC
Name:	Verpacken
Beschreibung:	<i>Verpackungszuschlag.</i>
Code:	PI
Name:	Abholabschlag
Beschreibung:	<i>Beschreibung folgt.</i>
Code:	PL
Name:	Palettierung

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**Beschreibung: *Beschreibung folgt.*

Code: PN

Name: Palettengebühr

Beschreibung: *Beschreibung folgt.*

Code: QAA

Name: Mengenaufschlag

Beschreibung: *Gebühr in Verbindung mit der Bereitstellung von Gütern ausserhalb normaler""
Mengenbegrenzungen. ""*

Code: QD

Name: Mengenrabatt

Beschreibung: *Beschreibung folgt.*

Code: RAA

Name: Rückvergütung

Beschreibung: *Beschreibung folgt.*

Code: RAD

Name: Mehrwegbehälter

Beschreibung: *Beschreibung folgt.*

Code: RAE

Name: Wiederverkäuferabzug

Beschreibung: *Beschreibung folgt.*

Code: RCH

Name: Rücksendungsbehandlung (GS1-Code)

Beschreibung: *Zu- oder Abschlag bezüglich der Handhabung von Rücksendungen.*

Code: SER

Name: Dienstleistungsgebühren (GS1-Code)

Beschreibung: *Zuschlag für die Erbringung einer Dienstleistung.*

Code: SH

Name: Spezielle Handhabungsdienstleistungen

Beschreibung: *Beschreibung folgt.*

Code: SOR

Name: Sortieren (GS1-Code)

Beschreibung: *Die Bereitstellung von Sortier-Services.*

Code: TAE

Name: LKW-Rabatt

Guideline**Used Codes**

Beschreibung:	<i>Beschreibung folgt.</i>
Code:	TD
Name:	Handelsrabatt
Beschreibung:	<i>Beschreibung folgt.</i>
Code:	TX
Name:	Steuer
Beschreibung:	<i>Abgabe, die von einer Behörde erhoben wurde.</i>
Code:	TZ
Name:	Temporärer Abschlag
Beschreibung:	<i>Beschreibung folgt.</i>
Code:	VAB
Name:	Volumenrabatt
Beschreibung:	<i>Abzug, der aufgrund des Bestellwertes angeboten wird.</i>
Code:	WHE
Name:	Großhändlerrabatt (GS1-Code)
Beschreibung:	<i>Ein spezieller Rabatt für die Beschaffung von Produkten durch einen Großhändler.</i>
Code:	X01
Name:	Globaler Abschlag (GS1-Code)
Beschreibung:	<i>Globaler Abschlag</i>
Code:	X02
Name:	Globaler Zuschlag (GS1-Code)
Beschreibung:	<i>Globaler Zuschlag</i>
Code:	X03
Name:	Konsolidiert (GS1-Code)
Beschreibung:	<i>Konsolidiert</i>
Code:	X04
Name:	Pauschale (GS1-Code)
Beschreibung:	<i>Pauschale</i>
Code:	X05
Name:	Aufschlag für kleinvolumigen Erwerb (GS1-Code)
Beschreibung:	<i>Aufschlag für kleinvolumigen Erwerb</i>
Code:	X21
Name:	Spezielle Vereinbarung (GS1-Code)
Beschreibung:	<i>Zu- oder Abschlag in Bezug auf eine spezielle Vereinbarung.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	X22
Name:	Bank berechnet Informationen (GS1-Code)
Beschreibung:	<i>Zuschläge, die nicht im Gesamtzuschlagsbetrag enthalten sind.</i>
Code:	X23
Name:	Transfergebühr (GS1-Code)
Beschreibung:	<i>Gebühr für den Transfer übertragbarer Dokumentenakkreditive.</i>
Code:	X29
Name:	Zuschlag wegen Nichterfüllung der Mindestbestellung (GS1-Code)
Beschreibung:	<i>Zuschlag erhoben, weil minimale Bestellmenge nicht erfüllt werden konnte.</i>
Code:	X30
Name:	Verkaufsstellen-Abschlag (GS1-Code)
Beschreibung:	<i>Abschlag für das Erreichen oder Überschreiten von grenzwerten am Verkaufsort.</i>
Code:	X31
Name:	Überweisung (GS1-Code)
Beschreibung:	<i>Zu- oder Abschlag für die Zahlung mit einem Scheck an einem Ort, der unterschiedlich ist von dem, wo der Begünstigte sein Konto hat.</i>
Code:	X32
Name:	Inlandsüberweisung (GS1-Code)
Beschreibung:	<i>Zu- oder Abschlag für eine Zahlung ausgeführt an einem Ort, der unterschiedlich ist von dem, wo das Konto eröffnet wurde.</i>
Code:	X33
Name:	Regionale Überweisung (GS1-Code)
Beschreibung:	<i>Zu- oder Abschlag für eine Zahlung ausgeführt an dem Ort, wo das Konto eröffnet wurde.</i>
Code:	X34
Name:	Geschenkverpackungszuschlag (GS1-Code)
Beschreibung:	<i>Temporäre GS1-Code. Aufpreis für die Verpackung der Ware in Geschenkpapier</i>
Code:	X35
Name:	Mengenrabatt (GS1 Code)
Beschreibung:	<i>Temporärer GS1-Code. Preisnachlass auf Basis der bestellten Menge</i>
Code:	X36
Name:	WEEE Zuschlag (GS1-Code)
Beschreibung:	<i>Temporäre GS1-Code. Abfallgebühren auf Basis der Elektro- und Elektronik-Altgeräte-Richtlinie der Europäischen Gemeinschaft. Berechnet zusätzlich zum Basispreis.</i>
Code:	X37

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Used Codes

Name:	Enthaltene WEEE Gebühr (GS1-Code)
Beschreibung:	<i>Temporäre GS1-Code. Abfallgebühren auf Basis der Elektro- und Elektronik-Altgeräte-Richtlinie der Europäischen Gemeinschaft. Bereits im Basispreis inbegriffen.</i>
Code:	X38
Name:	Gravurzuschlag (GS1-Code)
Beschreibung:	<i>Temporärer GS1-Code. Aufpreis für spezielle angeforderte Gravuren</i>
Code:	X39
Name:	Zuschlag für Urheberrecht (GS1-Code)
Beschreibung:	<i>Temporärer GS1-Code. Zusätzliche Kosten für Urheberrechte zusätzlich zum Produktpreis.</i>
Code:	X40
Name:	Enthaltener Urheberrechtszuschlag (GS1-Code)
Beschreibung:	<i>Temporärer GS1-Code. Zusätzliche Kosten für Urheberrechte, die bereits im Produktpreis enthalten sind.</i>
Code:	X41
Name:	Werbekostenzuschuss (GS1-Code)
Beschreibung:	<i>Temporärer GS1-Code. Preisnachlass auf Basis von Werbung</i>
Code:	X42
Name:	Kombirabatt (GS1-Code)
Beschreibung:	<i>Temporärer GS1-Code. Rabatt auf Basis der Kombination der bestellten Produkte (manchmal bei einer festgelegten Kombination)</i>
Code:	X43
Name:	Batteriesteuer (GS1-Code)
Beschreibung:	<i>Temporärer GS1-Code. Steuern für Batterien, zusätzlich zum Produktpreis.</i>
Code:	X44
Name:	Enthaltene Batteriesteuer (GS1-Code)
Beschreibung:	<i>Temporärer GS1-Code. Steuern für Batterien, bereits im Produktpreis enthalten.</i>
Code:	X45
Name:	WEEE Gebühr (GS1 Code)
Beschreibung:	<i>GS1 temporärer Code. Abfallgebühren auf der Grundlage der Richtlinie über Elektro- und Elektronik-Altgeräte der Europäischen Gemeinschaft, die zum (Grund-) Preis hinzuzurechnen sind.</i>
allowanceOrChargeType	Wiederholung: 1 .. 1
	Schema-Status: M

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	Typ: shared_common:AllowanceOrChargeEnumerationType Fachbegriff: Zu-/Abschlag (Schalter) Status: R Beispiel: CHARGE Definition: Code für Zu- oder Abschläge EANCOM®: INVOIC.SG16.ALC.5463
	Used Codes Code: ALLOWANCE Name: Abschlag Beschreibung: <i>Code zur Angabe eines Abschlags.</i>
	Code: CHARGE Name: Zuschlag Beschreibung: <i>Code zur Angabe eines Zuschlags.</i>
settlementType	Wiederholung: 1 .. 1 Schema-Status: M Typ: ecom_common:SettlementTypeCodeType Definition: Angabe der Art der Regulierung über einen Code. Erlaubte Codewerte können der GS1 Codelise SettlementTypeCode entnommen werden. Fachbegriff: Art der Regulierung Status: R Beispiel: 6 GDD URN: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:SettlementTypeCode
	Used Codes Code: 1 Name: Rückverrechnung Beschreibung: <i>Bezieht sich auf einen Zu- oder Abschlag für den Käufer, der Käufer wird dem Verkäufer rückverrechnen.</i>
	Code: 2 Name: Nicht in der Rechnung Beschreibung: <i>Der Zu- oder Abschlag wird in der Rechnung verrechnet.</i>
	Code: 3 Name: Verkäuferscheck an Kunden Beschreibung: <i>Der Lieferant gewährt dem Kunden einen Abschlag in Form eines Schecks .</i>
	Code: 4

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	<p>Used Codes</p> <p>Name: Kundenkreditkonto Beschreibung: <i>Dem Kunden wird ein Abschlag durch eine Gutschrift auf sein Konto gewährt.</i> Code: 5</p> <p>Name: Gebühr, zahlbar durch Verkäufer Beschreibung: <i>Eine Gebühr, die der Verkäufer bezahlt.</i> Code: 6</p> <p>Name: Gebühr, zahlbar durch Kunden Beschreibung: <i>Eine Gebühr, die der Kunde bezahlt.</i> Code: 1X</p> <p>Name: Artikel-Rückstellungen Beschreibung: <i>Aufwendungen im Zusammenhang mit einem Artikel für den die Rechnungen zum Ende des aktuellen Abrechnungszeitraums noch nicht eingegangen sind.</i> Code: 2X</p> <p>Name: Kreditor-Rückstellungen Beschreibung: <i>Aufwendungen eines Lieferanten, dessen Rechnungen am Ende des aktuellen Abrechnungszeitraums noch nicht eingegangen sind.</i></p>
allowanceChargeAmount	<p>Wiederholung: 0 .. 1 Schema-Status: O Typ: shared_common:AmountType Fachbegriff: Zu-Abschlagsbetrag Status: R Beispiel: 300 Definition: Angabe des Betrags des angewendeten Zu- oder Abschlags. EANCOM®: INVOIC.SG16.SG20[D_5025="8"].MOA.C516.5004</p>
currencyCode	<p>Schema-Status: M Type: restriction (xs:string) Fachbegriff: Währungscode Status: R Beispiel: EUR Definition: Code, der die Währung einer Wertangabe spezifiziert.</p> <p>Used Codes</p> <p>Code: RON Name: Romanian Leu Beschreibung: <i>This currency code is effective from 1 July 2005</i></p>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	<p>Used Codes</p> <p>Code: ZWL Name: Zimbabwe Dollar Beschreibung: <i>(effective 1 February 2009)</i></p>
allowanceChargePercentage	<p>Wiederholung: 0 .. 1 Schema-Status: O Typ: xs:float Definition: Angabe eines prozentualen Zu- oder Abschlags. Fachbegriff: Zu-Abschlagsprozent Status: O Beispiel: 5 EANCOM®: <i>INVOIC.SG16.SG19[D_5245="3"].PCD.C501.5482</i></p>
baseAmount	<p>Wiederholung: 0 .. 1 Schema-Status: O Typ: shared_common:AmountType Fachbegriff: Basisbetrag Status: O Beispiel: 60000 Definition: Betrag, auf dem die Zu- oder Abschlagsrechnung basiert. EANCOM®: <i>INVOIC.SG16.SG20[D_5025="25"].MOA.C516.5004</i></p>
currencyCode	<p>Schema-Status: M Type: restriction (xs:string) Fachbegriff: Währungscode Status: R Beispiel: EUR Definition: Code, der die Währung einer Wertangabe spezifiziert.</p> <p>Used Codes</p> <p>Code: RON Name: Romanian Leu Beschreibung: <i>This currency code is effective from 1 July 2005</i></p> <p>Code: ZWL Name: Zimbabwe Dollar Beschreibung: <i>(effective 1 February 2009)</i></p>
baseNumberOfUnits	<p>Wiederholung: 0 .. 1 Schema-Status: O</p>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

measurementUnitCode	Typ:	shared_common:MeasurementType
	Fachbegriff:	Basisanzahl von Einheiten
	Status:	O
	Beispiel:	300
	Definition:	Menge von Einheiten, auf dem die Zu- oder Abschlagsrechnung basiert.
	EANCOM®:	INVOIC.SG16.SG18[D_6063="130"].QTY.C186.6060
	Schema-Status:	M
	Type:	restriction (xs:string)
	Fachbegriff:	Einheit
	Status:	R
	Beispiel:	MM
	Definition:	Eine standardisierte, reproduzierbare Einheit, die zur Messung physikalischer Größen dient. Erlaubte Codewerte sind in der UN / ECE Empfehlung 20 - vollständig von GS1 adaptiert - spezifiziert.
	EANCOM®:	INVOIC.SG16.SG18[D_6063="130"].QTY.C186.6411
	Used Codes	
	Code:	10
	Name:	group
	Beschreibung:	<i>A unit of count defining the number of groups (group: set of items classified together).</i>
	Code:	11
	Name:	outfit
	Beschreibung:	<i>A unit of count defining the number of outfits (outfit: a complete set of equipment / materials / objects used for a specific purpose).</i>
	Code:	13
	Name:	ration
	Beschreibung:	<i>A unit of count defining the number of rations (ration: a single portion of provisions).</i>
	Code:	14
	Name:	shot
	Beschreibung:	<i>A unit of liquid measure, especially related to spirits.</i>
	Code:	15
	Name:	stick, military
	Beschreibung:	<i>A unit of count defining the number of military sticks (military stick: bombs or paratroops released in rapid succession from an aircraft).</i>
	Code:	20
	Name:	twenty foot container

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of count defining the number of shipping containers that measure 20 foot in length.</i>
Code:	21
Name:	forty foot container
Beschreibung:	<i>A unit of count defining the number of shipping containers that measure 40 foot in length.</i>
Code:	24
Name:	theoretical pound
Beschreibung:	<i>A unit of mass defining the expected mass of material expressed as the number of pounds.</i>
Code:	27
Name:	theoretical ton
Beschreibung:	<i>A unit of mass defining the expected mass of material, expressed as the number of tons.</i>
Code:	56
Name:	sitas
Beschreibung:	<i>A unit of area for tin plate equal to a surface area of 100 square metres.</i>
Code:	57
Name:	mesh
Beschreibung:	<i>A unit of count defining the number of strands per inch as a measure of the fineness of a woven product.</i>
Code:	58
Name:	net kilogram
Beschreibung:	<i>A unit of mass defining the total number of kilograms after deductions.</i>
Code:	59
Name:	Teile pro Million (ppm)
Beschreibung:	<i>A unit of proportion equal to 10 to the power of -6.</i>
Code:	60
Name:	percent weight
Beschreibung:	<i>A unit of proportion equal to 10 to the power of -2.</i>
Code:	61
Name:	part per billion (US)
Beschreibung:	<i>A unit of proportion equal to 10 to the power of -9.</i>
Code:	84
Name:	kilopound-force per square inch
Beschreibung:	<i>A unit of pressure defining the number of kilopounds force per square inch. Use kip per square inch (common code N20).</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	1I
Name:	fixed rate
Beschreibung:	<i>A unit of quantity expressed as a predetermined or set rate for usage of a facility or service.</i>
Code:	2A
Name:	radian per second
Beschreibung:	<i>Refer ISO/TC12 SI Guide</i>
Code:	2B
Name:	radian per second squared
Beschreibung:	<i>Refer ISO/TC12 SI Guide</i>
Code:	2G
Name:	volt AC
Beschreibung:	<i>A unit of electric potential in relation to alternating current (AC).</i>
Code:	2H
Name:	volt DC
Beschreibung:	<i>A unit of electric potential in relation to direct current (DC).</i>
Code:	2P
Name:	kilobyte
Beschreibung:	<i>A unit of information equal to 10 to the power of 3 (1000) bytes.</i>
Code:	3C
Name:	manmonth
Beschreibung:	<i>A unit of count defining the number of months for a person or persons to perform an undertaking.</i>
Code:	4L
Name:	Megabyte
Beschreibung:	<i>A unit of information equal to 10 to the power of 6 (1000000) bytes.</i>
Code:	5B
Name:	batch
Beschreibung:	<i>A unit of count defining the number of batches (batch: quantity of material produced in one operation or number of animals or persons coming at once).</i>
Code:	5E
Name:	MMSCF/day
Beschreibung:	<i>A unit of volume equal to one million (1000000) cubic feet of gas per day.</i>
Code:	5J

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	hydraulic horse power
Beschreibung:	<i>A unit of power defining the hydraulic horse power delivered by a fluid pump depending on the viscosity of the fluid.</i>
Code:	A25
Name:	Pferdestärken (PS)
Beschreibung:	<i>Synonym: metric horse power</i>
Code:	A43
Name:	deadweight tonnage
Beschreibung:	<i>A unit of mass defining the difference between the weight of a ship when completely empty and its weight when completely loaded, expressed as the number of tons.</i>
Code:	A47
Name:	decitex
Beschreibung:	<i>A unit of yarn density. One decitex equals a mass of 1 gram per 10 kilometres of length.</i>
Code:	A48
Name:	degree Rankine
Beschreibung:	<i>Refer ISO 80000-5 (Quantities and units — Part 5: Thermodynamics)</i>
Code:	A49
Name:	denier
Beschreibung:	<i>A unit of yarn density. One denier equals a mass of 1 gram per 9 kilometres of length.</i>
Code:	A59
Name:	8-part cloud cover
Beschreibung:	<i>A unit of count defining the number of eighth-parts as a measure of the celestial dome cloud coverage. Synonym: OKTA , OCTA</i>
Code:	A75
Name:	freight ton
Beschreibung:	<i>A unit of information typically used for billing purposes, defined as either the number of metric tons or the number of cubic metres, whichever is the larger.</i>
Code:	A9
Name:	rate
Beschreibung:	<i>A unit of quantity expressed as a rate for usage of a facility or service.</i>
Code:	A91
Name:	gon
Beschreibung:	<i>Synonym: grade</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	A99
Name:	Bit
Beschreibung:	<i>A unit of information equal to one binary digit.</i>
Code:	AA
Name:	ball
Beschreibung:	<i>A unit of count defining the number of balls (ball: object formed in the shape of sphere).</i>
Code:	AB
Name:	bulk pack
Beschreibung:	<i>A unit of count defining the number of items per bulk pack.</i>
Code:	ACT
Name:	activity
Beschreibung:	<i>A unit of count defining the number of activities (activity: a unit of work or action).</i>
Code:	AD
Name:	Byte
Beschreibung:	<i>A unit of information equal to 8 bits.</i>
Code:	AH
Name:	additional minute
Beschreibung:	<i>A unit of time defining the number of minutes in addition to the referenced minutes.</i>
Code:	AI
Name:	average minute per call
Beschreibung:	<i>A unit of count defining the number of minutes for the average interval of a call.</i>
Code:	AL
Name:	access line
Beschreibung:	<i>A unit of count defining the number of telephone access lines.</i>
Code:	AMH
Name:	Amperestunde
Beschreibung:	<i>A unit of electric charge defining the amount of charge accumulated by a steady flow of one ampere for one hour.</i>
Code:	ANN
Name:	Jahr
Beschreibung:	<i>Unit of time equal to 365,25 days. Synonym: Julian year</i>
Code:	AQ
Name:	anti-hemophilic factor (AHF) unit

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of measure for blood potency (US).</i>
Code:	ARE
Name:	are
Beschreibung:	<i>Synonym: square decametre</i>
Code:	AS
Name:	assortment
Beschreibung:	<i>A unit of count defining the number of assortments (assortment: set of items grouped in a mixed collection).</i>
Code:	ASM
Name:	Alkoholgehalt pro Masse
Beschreibung:	<i>A unit of mass defining the alcoholic strength of a liquid.</i>
Code:	ASU
Name:	Alkoholgehalt pro Volumen
Beschreibung:	<i>A unit of volume defining the alcoholic strength of a liquid (e.g. spirit, wine, beer, etc), often at a specific temperature.</i>
Code:	AWG
Name:	american wire gauge
Beschreibung:	<i>A unit of distance used for measuring the diameter of small tubes or wires such as the outer diameter of hypotermic or suture needles.</i>
Code:	AY
Name:	assembly
Beschreibung:	<i>A unit of count defining the number of assemblies (assembly: items that consist of component parts).</i>
Code:	B10
Name:	bit per second
Beschreibung:	<i>A unit of information equal to one binary digit per second.</i>
Code:	B13
Name:	Joule pro Quadratmeter
Beschreibung:	<i>Synonym: joule per metre squared</i>
Code:	B17
Name:	Soll-Buchungen
Beschreibung:	<i>A unit of count defining the number of entries made to the credit side of an account.</i>
Code:	B19
Name:	digit

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of information defining the quantity of numerals used to form a number.</i>
Code:	B3
Name:	batting pound
Beschreibung:	<i>A unit of mass defining the number of pounds of wadded fibre.</i>
Code:	B30
Name:	gibibit
Beschreibung:	<i>A unit of information equal to 2³⁰ bits (binary digits).</i>
Code:	B4
Name:	barrel, imperial
Beschreibung:	<i>A unit of volume used to measure beer. One beer barrel equals 36 imperial gallons.</i>
Code:	B51
Name:	kilopond
Beschreibung:	<i>Synonym: kilogram-force</i>
Code:	B57
Name:	light year
Beschreibung:	<i>A unit of length defining the distance that light travels in a vacuum in one year.</i>
Code:	B68
Name:	gigabit
Beschreibung:	<i>A unit of information equal to 10 to the power of 9 bits (binary digits).</i>
Code:	B7
Name:	cycle
Beschreibung:	<i>A unit of count defining the number of cycles (cycle: a recurrent period of definite duration).</i>
Code:	B80
Name:	gigabit per second
Beschreibung:	<i>A unit of information equal to 10 to the power of 9 bits (binary digits) per second.</i>
Code:	B82
Name:	inch per linear foot
Beschreibung:	<i>A unit of length defining the number of inches per linear foot.</i>
Code:	BB
Name:	base box
Beschreibung:	<i>A unit of area of 112 sheets of tin mil products (tin plate, tin free steel or black plate) 14 by 20 inches, or 31,360 square inches.</i>
Code:	BFT

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	board foot
Beschreibung:	<i>A unit of volume defining the number of cords (cord: a stack of firewood of 128 cubic feet).</i>
Code:	BIL
Name:	billion (EUR)
Beschreibung:	<i>Synonym: trillion (US)</i>
Code:	BP
Name:	hundred board foot
Beschreibung:	<i>A unit of volume equal to one hundred board foot.</i>
Code:	BPM
Name:	beats per minute
Beschreibung:	<i>The number of beats per minute.</i>
Code:	C0
Name:	Telefoneinheit
Beschreibung:	<i>A unit of count defining the number of calls (call: communication session or visitation).</i>
Code:	C21
Name:	kibibit
Beschreibung:	<i>A unit of information equal to 2 to the power of 10 (1024) bits (binary digits).</i>
Code:	C37
Name:	kilobit
Beschreibung:	<i>A unit of information equal to 10 to the power of 3 (1000) bits (binary digits).</i>
Code:	C59
Name:	octave
Beschreibung:	<i>A unit used in music to describe the ratio in frequency between notes.</i>
Code:	C62
Name:	one
Beschreibung:	<i>Synonym: unit</i>
Code:	C69
Name:	phon
Beschreibung:	<i>A unit of subjective sound loudness. A sound has loudness p phons if it seems to the listener to be equal in loudness to the sound of a pure tone of frequency 1 kilohertz and strength p decibels.</i>
Code:	C74
Name:	kilobit per second

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of information equal to 10 to the power of 3 (1000) bits (binary digits) per second.</i>
Code:	C79
Name:	kilovolt ampere hour
Beschreibung:	<i>A unit of accumulated energy of 1000 volt amperes over a period of one hour.</i>
Code:	C87
Name:	reciprocal cubic metre per second
Beschreibung:	<i>Synonym: reciprocal second per cubic metre</i>
Code:	C9
Name:	coil group
Beschreibung:	<i>A unit of count defining the number of coil groups (coil group: groups of items arranged by lengths of those items placed in a joined sequence of concentric circles).</i>
Code:	C93
Name:	reciprocal square metre
Beschreibung:	<i>Synonym: reciprocal metre squared</i>
Code:	CCT
Name:	carrying capacity in metric ton
Beschreibung:	<i>A unit of mass defining the carrying capacity, expressed as the number of metric tons.</i>
Code:	CEL
Name:	Grad Celsius
Beschreibung:	<i>Refer ISO 80000-5 (Quantities and units — Part 5: Thermodynamics)</i>
Code:	CEN
Name:	hundred
Beschreibung:	<i>A unit of count defining the number of units in multiples of 100.</i>
Code:	CG
Name:	card
Beschreibung:	<i>A unit of count defining the number of units of card (card: thick stiff paper or cardboard).</i>
Code:	CLF
Name:	hundred leave
Beschreibung:	<i>A unit of count defining the number of leaves, expressed in units of one hundred leaves.</i>
Code:	CNP
Name:	hundred pack
Beschreibung:	<i>A unit of count defining the number of hundred-packs (hundred-pack: set of one hundred items packaged together).</i>
Code:	CNT

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	cental (UK)
Beschreibung:	<i>A unit of mass equal to one hundred weight (US).</i>
Code:	CTG
Name:	content gram
Beschreibung:	<i>A unit of mass defining the number of grams of a named item in a product.</i>
Code:	CTN
Name:	content ton (metric)
Beschreibung:	<i>A unit of mass defining the number of metric tons of a named item in a product.</i>
Code:	D03
Name:	kilowatt hour per hour
Beschreibung:	<i>A unit of accumulated energy of a thousand watts over a period of one hour.</i>
Code:	D04
Name:	lot [unit of weight]
Beschreibung:	<i>A unit of weight equal to about 1/2 ounce or 15 grams.</i>
Code:	D11
Name:	mebibit
Beschreibung:	<i>A unit of information equal to 2 to the power of 20 (1048576) bits (binary digits).</i>
Code:	D15
Name:	sones
Beschreibung:	<i>A unit of subjective sound loudness. One sone is the loudness of a pure tone of frequency one kilohertz and strength 40 decibels.</i>
Code:	D23
Name:	pen gram (protein)
Beschreibung:	<i>A unit of count defining the number of grams of amino acid prescribed for parenteral/ enteral therapy.</i>
Code:	D34
Name:	tex
Beschreibung:	<i>A unit of yarn density. One decitex equals a mass of 1 gram per 1 kilometre of length.</i>
Code:	D36
Name:	megabit
Beschreibung:	<i>A unit of information equal to 10 to the power of 6 (1000000) bits (binary digits).</i>
Code:	D44
Name:	var
Beschreibung:	<i>The name of the unit is an acronym for volt-ampere-reactive.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	D63
Name:	book
Beschreibung:	<i>A unit of count defining the number of books (book: set of items bound together or written document of a material whole).</i>
Code:	D65
Name:	round
Beschreibung:	<i>A unit of count defining the number of rounds (round: A circular or cylindrical object).</i>
Code:	D68
Name:	number of words
Beschreibung:	<i>A unit of count defining the number of words.</i>
Code:	D78
Name:	megajoule per second
Beschreibung:	<i>A unit of accumulated energy equal to one million joules per second.</i>
Code:	DAD
Name:	ten day
Beschreibung:	<i>A unit of time defining the number of days in multiples of 10.</i>
Code:	DB
Name:	dry pound
Beschreibung:	<i>A unit of mass defining the number of pounds of a product, disregarding the water content of the product.</i>
Code:	DEC
Name:	decade
Beschreibung:	<i>A unit of count defining the number of decades (decade: quantity equal to 10 or time equal to 10 years).</i>
Code:	DMO
Name:	standard kilolitre
Beschreibung:	<i>A unit of volume defining the number of kilolitres of a product at a temperature of 15 degrees Celsius, especially in relation to hydrocarbon oils.</i>
Code:	DPC
Name:	dozen piece
Beschreibung:	<i>A unit of count defining the number of pieces in multiples of 12 (piece: a single item, article or exemplar).</i>
Code:	DPR
Name:	dozen pair

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of count defining the number of pairs in multiples of 12 (pair: item described by two's).</i>
Code:	DPT
Name:	displacement tonnage
Beschreibung:	<i>A unit of mass defining the volume of sea water a ship displaces, expressed as the number of tons.</i>
Code:	DRA
Name:	dram (US)
Beschreibung:	<i>Synonym: drachm (UK), troy dram</i>
Code:	DRI
Name:	dram (UK)
Beschreibung:	<i>Synonym: avoirdupois dram</i>
Code:	DRL
Name:	dozen roll
Beschreibung:	<i>A unit of count defining the number of rolls, expressed in twelve roll units.</i>
Code:	DT
Name:	dry ton
Beschreibung:	<i>A unit of mass defining the number of tons of a product, disregarding the water content of the product.</i>
Code:	DTN
Name:	decitonne
Beschreibung:	<i>Synonym: centner, metric 100 kg, quintal, metric 100 kg</i>
Code:	DZN
Name:	Dutzend
Beschreibung:	<i>A unit of count defining the number of units in multiples of 12.</i>
Code:	DZP
Name:	dozen pack
Beschreibung:	<i>A unit of count defining the number of packs in multiples of 12 (pack: standard packaging unit).</i>
Code:	E01
Name:	newton per square centimetre
Beschreibung:	<i>A measure of pressure expressed in newtons per square centimetre.</i>
Code:	E07
Name:	megawatt hour per hour

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of accumulated energy of a million watts over a period of one hour.</i>
Code:	E08
Name:	megawatt per hertz
Beschreibung:	<i>A unit of energy expressed as the load change in million watts that will cause a frequency shift of one hertz.</i>
Code:	E09
Name:	milliampere hour
Beschreibung:	<i>A unit of power load delivered at the rate of one thousandth of an ampere over a period of one hour.</i>
Code:	E10
Name:	degree day
Beschreibung:	<i>A unit of measure used in meteorology and engineering to measure the demand for heating or cooling over a given period of days.</i>
Code:	E11
Name:	gigacalorie
Beschreibung:	<i>A unit of heat energy equal to one thousand million calories.</i>
Code:	E12
Name:	mille
Beschreibung:	<i>A unit of count defining the number of cigarettes in units of 1000.</i>
Code:	E14
Name:	kilocalorie (international table)
Beschreibung:	<i>A unit of heat energy equal to one thousand calories.</i>
Code:	E15
Name:	kilocalorie (thermochemical) per hour
Beschreibung:	<i>A unit of energy equal to one thousand calories per hour.</i>
Code:	E16
Name:	million Btu(IT) per hour
Beschreibung:	<i>A unit of power equal to one million British thermal units per hour.</i>
Code:	E17
Name:	cubic foot per second
Beschreibung:	<i>A unit of volume equal to one cubic foot passing a given point in a period of one second.</i>
Code:	E18
Name:	tonne per hour
Beschreibung:	<i>A unit of weight or mass equal to one tonne per hour.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	E19
Name:	ping
Beschreibung:	<i>A unit of area equal to 3.3 square metres.</i>
Code:	E20
Name:	megabit per second
Beschreibung:	<i>A unit of information equal to 10 to the power of 6 (1000000) bits (binary digits) per second.</i>
Code:	E21
Name:	shares
Beschreibung:	<i>A unit of count defining the number of shares (share: a total or portion of the parts into which a business entity's capital is divided).</i>
Code:	E22
Name:	TEU
Beschreibung:	<i>A unit of count defining the number of twenty-foot equivalent units (TEUs) as a measure of containerized cargo capacity.</i>
Code:	E23
Name:	tyre
Beschreibung:	<i>A unit of count defining the number of tyres (a solid or air-filled covering placed around a wheel rim to form a soft contact with the road, absorb shock and provide traction).</i>
Code:	E25
Name:	active unit
Beschreibung:	<i>A unit of count defining the number of active units within a substance.</i>
Code:	E27
Name:	dose
Beschreibung:	<i>A unit of count defining the number of doses (dose: a definite quantity of a medicine or drug).</i>
Code:	E28
Name:	air dry ton
Beschreibung:	<i>A unit of mass defining the number of tons of a product, disregarding the water content of the product.</i>
Code:	E30
Name:	strand
Beschreibung:	<i>A unit of count defining the number of strands (strand: long, thin, flexible, single thread, strip of fibre, constituent filament or multiples of the same, twisted together).</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	E31
Name:	square metre per litre
Beschreibung:	<i>A unit of count defining the number of square metres per litre.</i>
Code:	E32
Name:	litre per hour
Beschreibung:	<i>A unit of count defining the number of litres per hour.</i>
Code:	E33
Name:	foot per thousand
Beschreibung:	<i>A unit of count defining the number of feet per thousand units.</i>
Code:	E34
Name:	Gigabyte
Beschreibung:	<i>A unit of information equal to 10 to the power of 9 bytes.</i>
Code:	E35
Name:	terabyte
Beschreibung:	<i>A unit of information equal to 10 to the power of 12 bytes.</i>
Code:	E36
Name:	petabyte
Beschreibung:	<i>A unit of information equal to 10 to the power of 15 bytes.</i>
Code:	E37
Name:	Pixel
Beschreibung:	<i>A unit of count defining the number of pixels (pixel: picture element).</i>
Code:	E38
Name:	Megapixel
Beschreibung:	<i>A unit of count equal to 10 to the power of 6 (1000000) pixels (picture elements).</i>
Code:	E39
Name:	DPI, Dots per inch
Beschreibung:	<i>A unit of information defining the number of dots per linear inch as a measure of the resolution or sharpness of a graphic image.</i>
Code:	E4
Name:	gross kilogram
Beschreibung:	<i>A unit of mass defining the total number of kilograms before deductions.</i>
Code:	E40
Name:	part per hundred thousand
Beschreibung:	<i>A unit of proportion equal to 10 to the power of -5.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	E41
Name:	kilogram-force per square millimetre
Beschreibung:	<i>A unit of pressure defining the number of kilograms force per square millimetre.</i>
Code:	E42
Name:	kilogram-force per square centimetre
Beschreibung:	<i>A unit of pressure defining the number of kilograms force per square centimetre.</i>
Code:	E43
Name:	joule per square centimetre
Beschreibung:	<i>A unit of energy defining the number of joules per square centimetre.</i>
Code:	E44
Name:	kilogram-force metre per square centimetre
Beschreibung:	<i>A unit of torsion defining the torque kilogram-force metre per square centimetre.</i>
Code:	E46
Name:	kilowatt hour per cubic metre
Beschreibung:	<i>A unit of energy consumption expressed as kilowatt hour per cubic metre.</i>
Code:	E47
Name:	kilowatt hour per kelvin
Beschreibung:	<i>A unit of energy consumption expressed as kilowatt hour per kelvin.</i>
Code:	E48
Name:	service unit
Beschreibung:	<i>A unit of count defining the number of service units (service unit: defined period / property / facility / utility of supply).</i>
Code:	E49
Name:	working day
Beschreibung:	<i>A unit of count defining the number of working days (working day: a day on which work is ordinarily performed).</i>
Code:	E50
Name:	accounting unit
Beschreibung:	<i>A unit of count defining the number of accounting units.</i>
Code:	E51
Name:	job
Beschreibung:	<i>A unit of count defining the number of jobs.</i>
Code:	E52
Name:	run foot

Guideline**Used Codes**

Beschreibung:	<i>A unit of count defining the number feet per run.</i>
Code:	E53
Name:	test
Beschreibung:	<i>A unit of count defining the number of tests.</i>
Code:	E54
Name:	trip
Beschreibung:	<i>A unit of count defining the number of trips.</i>
Code:	E55
Name:	use
Beschreibung:	<i>A unit of count defining the number of times an object is used.</i>
Code:	E56
Name:	well
Beschreibung:	<i>A unit of count defining the number of wells.</i>
Code:	E57
Name:	zone
Beschreibung:	<i>A unit of count defining the number of zones.</i>
Code:	E58
Name:	exabit per second
Beschreibung:	<i>A unit of information equal to 10 to the power of 18 bits (binary digits) per second.</i>
Code:	E59
Name:	exbibyte
Beschreibung:	<i>A unit of information equal to 2 to the power of 60 bytes.</i>
Code:	E60
Name:	pebibyte
Beschreibung:	<i>A unit of information equal to 2 to the power of 50 bytes.</i>
Code:	E61
Name:	tebibyte
Beschreibung:	<i>A unit of information equal to 2 to the power of 40 bytes.</i>
Code:	E62
Name:	gibibyte
Beschreibung:	<i>A unit of information equal to 2 to the power of 30 bytes.</i>
Code:	E63
Name:	mebibyte
Beschreibung:	<i>A unit of information equal to 2 to the power of 20 bytes.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	E64
Name:	kibibyte
Beschreibung:	<i>A unit of information equal to 2 to the power of 10 bytes.</i>
Code:	E65
Name:	exbibit per metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 60 bits (binary digits) per metre.</i>
Code:	E66
Name:	exbibit per square metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 60 bits (binary digits) per square metre.</i>
Code:	E67
Name:	exbibit per cubic metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 60 bits (binary digits) per cubic metre.</i>
Code:	E68
Name:	gigabyte per second
Beschreibung:	<i>A unit of information equal to 10 to the power of 9 bytes per second.</i>
Code:	E69
Name:	gibibit per metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 30 bits (binary digits) per metre.</i>
Code:	E70
Name:	gibibit per square metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 30 bits (binary digits) per square metre.</i>
Code:	E71
Name:	gibibit per cubic metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 30 bits (binary digits) per cubic metre.</i>
Code:	E72
Name:	kibibit per metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 10 bits (binary digits) per metre.</i>
Code:	E73
Name:	kibibit per square metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 10 bits (binary digits) per square metre.</i>
Code:	E74
Name:	kibibit per cubic metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 10 bits (binary digits) per cubic metre.</i>
Code:	E75

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	mebibit per metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 20 bits (binary digits) per metre.</i>
Code:	E76
Name:	mebibit per square metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 20 bits (binary digits) per square metre.</i>
Code:	E77
Name:	mebibit per cubic metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 20 bits (binary digits) per cubic metre.</i>
Code:	E78
Name:	petabit
Beschreibung:	<i>A unit of information equal to 10 to the power of 15 bits (binary digits).</i>
Code:	E79
Name:	petabit per second
Beschreibung:	<i>A unit of information equal to 10 to the power of 15 bits (binary digits) per second.</i>
Code:	E80
Name:	pebibit per metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 50 bits (binary digits) per metre.</i>
Code:	E81
Name:	pebibit per square metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 50 bits (binary digits) per square metre.</i>
Code:	E82
Name:	pebibit per cubic metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 50 bits (binary digits) per cubic metre.</i>
Code:	E83
Name:	terabit
Beschreibung:	<i>A unit of information equal to 10 to the power of 12 bits (binary digits).</i>
Code:	E84
Name:	terabit per second
Beschreibung:	<i>A unit of information equal to 10 to the power of 12 bits (binary digits) per second.</i>
Code:	E85
Name:	tebibit per metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 40 bits (binary digits) per metre.</i>
Code:	E86
Name:	tebibit per cubic metre

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of information equal to 2 to the power of 40 bits (binary digits) per cubic metre.</i>
Code:	E87
Name:	tebibit per square metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 40 bits (binary digits) per square metre.</i>
Code:	E88
Name:	bit per metre
Beschreibung:	<i>A unit of information equal to 1 bit (binary digit) per metre.</i>
Code:	E89
Name:	bit per square metre
Beschreibung:	<i>A unit of information equal to 1 bit (binary digit) per square metre.</i>
Code:	EA
Name:	Jedes einzelne (Eines)
Beschreibung:	<i>A unit of count defining the number of items regarded as separate units.</i>
Code:	EB
Name:	electronic mail box
Beschreibung:	<i>A unit of count defining the number of electronic mail boxes.</i>
Code:	EQ
Name:	equivalent gallon
Beschreibung:	<i>A unit of volume defining the number of gallons of product produced from concentrate.</i>
Code:	F01
Name:	bit per cubic metre
Beschreibung:	<i>A unit of information equal to 1 bit (binary digit) per cubic metre.</i>
Code:	F13
Name:	slug
Beschreibung:	<i>A unit of mass. One slug is the mass accelerated at 1 foot per second per second by a force of 1 pound.</i>
Code:	F49
Name:	rod [unit of distance]
Beschreibung:	<i>A unit of distance equal to 5.5 yards (16 feet 6 inches).</i>
Code:	F80
Name:	water horse power
Beschreibung:	<i>A unit of power defining the amount of power required to move a given volume of water against acceleration of gravity to a specified elevation (pressure head).</i>
Code:	FAH

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	Grad Fahrenheit
Beschreibung:	<i>Refer ISO 80000-5 (Quantities and units – Part 5: Thermodynamics)</i>
Code:	FBM
Name:	fibre metre
Beschreibung:	<i>A unit of length defining the number of metres of individual fibre.</i>
Code:	FC
Name:	thousand cubic foot
Beschreibung:	<i>A unit of volume equal to one thousand cubic foot.</i>
Code:	FF
Name:	hundred cubic metre
Beschreibung:	<i>A unit of volume equal to one hundred cubic metres.</i>
Code:	FIT
Name:	failures in time
Beschreibung:	<i>A unit of count defining the number of failures that can be expected over a specified time interval. Failure rates of semiconductor components are often specified as FIT (failures in time unit) where 1 FIT = 10 to the power of -9 /h.</i>
Code:	FL
Name:	flake ton
Beschreibung:	<i>A unit of mass defining the number of tons of a flaked substance (flake: a small flattish fragment).</i>
Code:	GDW
Name:	gram, dry weight
Beschreibung:	<i>A unit of mass defining the number of grams of a product, disregarding the water content of the product.</i>
Code:	GFI
Name:	gram of fissile isotope
Beschreibung:	<i>A unit of mass defining the number of grams of a fissile isotope (fissile isotope: an isotope whose nucleus is able to be split when irradiated with low energy neutrons).</i>
Code:	GGR
Name:	great gross
Beschreibung:	<i>A unit of count defining the number of units in multiples of 1728 (12 x 12 x 12).</i>
Code:	GIC
Name:	gram, including container
Beschreibung:	<i>A unit of mass defining the number of grams of a product, including its container.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	GIP
Name:	gram, including inner packaging
Beschreibung:	<i>A unit of mass defining the number of grams of a product, including its inner packaging materials.</i>
Code:	GRO
Name:	Gross
Beschreibung:	<i>A unit of count defining the number of units in multiples of 144 (12 x 12).</i>
Code:	GRT
Name:	gross register ton
Beschreibung:	<i>A unit of mass equal to the total cubic footage before deductions, where 1 register ton is equal to 100 cubic feet. Refer International Convention on tonnage measurement of ships.</i>
Code:	GT
Name:	gross ton
Beschreibung:	<i>A unit of mass equal to 2240 pounds. Refer International Convention on Tonnage measurement of Ships. Synonym: ton (UK) or long ton (US) (common code LTN)</i>
Code:	H16
Name:	square decametre
Beschreibung:	<i>Synonym: are</i>
Code:	H18
Name:	square hectometre
Beschreibung:	<i>Synonym: hectare</i>
Code:	H21
Name:	blank
Beschreibung:	<i>A unit of count defining the number of blanks.</i>
Code:	H25
Name:	percent per kelvin
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to the SI base unit Kelvin.</i>
Code:	H71
Name:	percent per month
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to a month.</i>
Code:	H72
Name:	percent per hectobar

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to 100-fold of the unit bar.</i>
Code:	H73
Name:	percent per decakelvin
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to 10-fold of the SI base unit Kelvin.</i>
Code:	H77
Name:	module width
Beschreibung:	<i>A unit of measure used to describe the breadth of electronic assemblies as an installation standard or mounting dimension.</i>
Code:	H79
Name:	Charrière
Beschreibung:	<i>A unit of distance used for measuring the diameter of small tubes such as urological instruments and catheters.</i> <i>Synonym: French, French gauge, Charrière gauge</i>
Code:	H80
Name:	rack unit
Beschreibung:	<i>A unit of measure used to describe the height in rack units of equipment intended for mounting in a 19-inch rack or a 23-inch rack. One rack unit is 1.75 inches (44.45 mm) high.</i>
Code:	H82
Name:	big point
Beschreibung:	<i>A unit of length defining the number of big points (big point: Adobe software(US) defines the big point to be exactly 1/72 inch (0.013 888 9 inch or 0.352 777 8 millimeters))</i>
Code:	H87
Name:	piece
Beschreibung:	<i>A unit of count defining the number of pieces (piece: a single item, article or exemplar).</i>
Code:	H89
Name:	percent per ohm
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to the SI derived unit ohm.</i>
Code:	H90
Name:	percent per degree
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to an angle of one degree.</i>
Code:	H91
Name:	percent per ten thousand
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to multiples of ten thousand.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	H92
Name:	percent per one hundred thousand
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to multiples of one hundred thousand.</i>
Code:	H93
Name:	percent per hundred
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to multiples of one hundred.</i>
Code:	H94
Name:	percent per thousand
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to multiples of one thousand.</i>
Code:	H95
Name:	percent per volt
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to the SI derived unit volt.</i>
Code:	H96
Name:	percent per bar
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to an atmospheric pressure of one bar.</i>
Code:	H98
Name:	percent per inch
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to an inch.</i>
Code:	H99
Name:	percent per metre
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to a metre.</i>
Code:	HA
Name:	hank
Beschreibung:	<i>A unit of length, typically for yarn.</i>
Code:	HAR
Name:	hectare
Beschreibung:	<i>Synonym: square hectometre</i>
Code:	HBX
Name:	hundred boxes
Beschreibung:	<i>A unit of count defining the number of boxes in multiples of one hundred box units.</i>
Code:	HC
Name:	hundred count
Beschreibung:	<i>A unit of count defining the number of units counted in multiples of 100.</i>
Code:	HDW

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	hundred kilogram, dry weight
Beschreibung:	<i>A unit of mass defining the number of hundred kilograms of a product, disregarding the water content of the product.</i>
Code:	HEA
Name:	head
Beschreibung:	<i>A unit of count defining the number of heads (head: a person or animal considered as one of a number).</i>
Code:	HH
Name:	hundred cubic foot
Beschreibung:	<i>A unit of volume equal to one hundred cubic foot.</i>
Code:	HIU
Name:	hundred international unit
Beschreibung:	<i>A unit of count defining the number of international units in multiples of 100.</i>
Code:	HKM
Name:	hundred kilogram, net mass
Beschreibung:	<i>A unit of mass defining the number of hundred kilograms of a product, after deductions.</i>
Code:	HMQ
Name:	million cubic metre
Beschreibung:	<i>A unit of volume equal to one million cubic metres.</i>
Code:	HPA
Name:	hectolitre of pure alcohol
Beschreibung:	<i>A unit of volume equal to one hundred litres of pure alcohol.</i>
Code:	IE
Name:	person
Beschreibung:	<i>A unit of count defining the number of persons.</i>
Code:	INQ
Name:	Square inch
Beschreibung:	<i>Synonym: inch cubed</i>
Code:	ISD
Name:	international sugar degree
Beschreibung:	<i>A unit of measure defining the sugar content of a solution, expressed in degrees.</i>
Code:	J10
Name:	percent per millimetre
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to a millimetre.</i>

Guideline**Used Codes**

Code:	J12
Name:	per mille per psi
Beschreibung:	<i>A unit of pressure equal to one thousandth of a psi (pound-force per square inch).</i>
Code:	J13
Name:	degree API
Beschreibung:	<i>A unit of relative density as a measure of how heavy or light a petroleum liquid is compared to water (API: American Petroleum Institute).</i>
Code:	J14
Name:	degree Baume (origin scale)
Beschreibung:	<i>A traditional unit of relative density for liquids. Named after Antoine Baumé.</i>
Code:	J15
Name:	degree Baume (US heavy)
Beschreibung:	<i>A unit of relative density for liquids heavier than water.</i>
Code:	J16
Name:	degree Baume (US light)
Beschreibung:	<i>A unit of relative density for liquids lighter than water.</i>
Code:	J17
Name:	degree Balling
Beschreibung:	<i>A unit of density as a measure of sugar content, especially of beer wort. Named after Karl Balling.</i>
Code:	J18
Name:	degree Brix
Beschreibung:	<i>A unit of proportion used in measuring the dissolved sugar-to-water mass ratio of a liquid. Named after Adolf Brix.</i>
Code:	J27
Name:	degree Oechsle
Beschreibung:	<i>A unit of density as a measure of sugar content of must, the unfermented liqueur from which wine is made. Named after Ferdinand Oechsle.</i>
Code:	J31
Name:	degree Twaddell
Beschreibung:	<i>A unit of density for liquids that are heavier than water. 1 degree Twaddle represents a difference in specific gravity of 0.005.</i>
Code:	J38
Name:	baud

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of signal transmission speed equal to one signalling event per second.</i>
Code:	J54
Name:	megabaud
Beschreibung:	<i>A unit of signal transmission speed equal to 10 to the power of 6 (1000000) signaling events per second.</i>
Code:	JNT
Name:	pipeline joint
Beschreibung:	<i>A count of the number of pipeline joints.</i>
Code:	JPS
Name:	hundred metre
Beschreibung:	<i>A unit of count defining the number of 100 metre lengths.</i>
Code:	JWL
Name:	number of jewels
Beschreibung:	<i>A unit of count defining the number of jewels (jewel: precious stone).</i>
Code:	K1
Name:	kilowatt demand
Beschreibung:	<i>A unit of measure defining the power load measured at predetermined intervals.</i>
Code:	K2
Name:	kilovolt ampere reactive demand
Beschreibung:	<i>A unit of measure defining the reactive power demand equal to one kilovolt ampere of reactive power.</i>
Code:	K3
Name:	kilovolt ampere reactive hour
Beschreibung:	<i>A unit of measure defining the accumulated reactive energy equal to one kilovolt ampere of reactive power per hour.</i>
Code:	K5
Name:	kilovolt ampere (reactive)
Beschreibung:	<i>Use kilovar (common code KVR)</i>
Code:	K50
Name:	kilobaud
Beschreibung:	<i>A unit of signal transmission speed equal to 10 to the power of 3 (1000) signaling events per second.</i>
Code:	KA
Name:	cake

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of count defining the number of cakes (cake: object shaped into a flat, compact mass).</i>
Code:	KAT
Name:	katal
Beschreibung:	<i>A unit of catalytic activity defining the catalytic activity of enzymes and other catalysts.</i>
Code:	KB
Name:	Kilobyte
Beschreibung:	<i>A unit of information equal to 10 to the power of 3 (1000) characters.</i>
Code:	KCC
Name:	kilogram of choline chloride
Beschreibung:	<i>A unit of mass equal to one thousand grams of choline chloride.</i>
Code:	KDW
Name:	kilogram drained net weight
Beschreibung:	<i>A unit of mass defining the net number of kilograms of a product, disregarding the liquid content of the product.</i>
Code:	KEL
Name:	Kelvin
Beschreibung:	<i>Refer ISO 80000-5 (Quantities and units — Part 5: Thermodynamics)</i>
Code:	KGM
Name:	Kilogramm
Beschreibung:	<i>A unit of mass equal to one thousand grams.</i>
Code:	KHY
Name:	kilogram of hydrogen peroxide
Beschreibung:	<i>A unit of mass equal to one thousand grams of hydrogen peroxide.</i>
Code:	KIC
Name:	kilogram, including container
Beschreibung:	<i>A unit of mass defining the number of kilograms of a product, including its container.</i>
Code:	KIP
Name:	kilogram, including inner packaging
Beschreibung:	<i>A unit of mass defining the number of kilograms of a product, including its inner packaging materials.</i>
Code:	KJ
Name:	kilosegment
Beschreibung:	<i>A unit of information equal to 10 to the power of 3 (1000) segments.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	KLK
Name:	lactic dry material percentage
Beschreibung:	<i>A unit of proportion defining the percentage of dry lactic material in a product.</i>
Code:	KLX
Name:	kilolux
Beschreibung:	<i>A unit of illuminance equal to one thousand lux.</i>
Code:	KMA
Name:	kilogram of methylamine
Beschreibung:	<i>A unit of mass equal to one thousand grams of methylamine.</i>
Code:	KMQ
Name:	Kilogramm pro Kubikmeter
Beschreibung:	<i>A unit of weight expressed in kilograms of a substance that fills a volume of one cubic metre.</i>
Code:	KNI
Name:	kilogram of nitrogen
Beschreibung:	<i>A unit of mass equal to one thousand grams of nitrogen.</i>
Code:	KNM
Name:	kilonewton per square metre
Beschreibung:	<i>Pressure expressed in kN/m².</i>
Code:	KNS
Name:	kilogram named substance
Beschreibung:	<i>A unit of mass equal to one kilogram of a named substance.</i>
Code:	KO
Name:	milliequivalence caustic potash per gram of product
Beschreibung:	<i>A unit of count defining the number of milligrams of potassium hydroxide per gram of product as a measure of the concentration of potassium hydroxide in the product.</i>
Code:	KPH
Name:	kilogram of potassium hydroxide (caustic potash)
Beschreibung:	<i>A unit of mass equal to one thousand grams of potassium hydroxide (caustic potash).</i>
Code:	KPO
Name:	kilogram of potassium oxide
Beschreibung:	<i>A unit of mass equal to one thousand grams of potassium oxide.</i>
Code:	KPP
Name:	kilogram of phosphorus pentoxide (phosphoric anhydride)

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of mass equal to one thousand grams of phosphorus pentoxide phosphoric anhydride.</i>
Code:	KSD
Name:	kilogram of substance 90 % dry
Beschreibung:	<i>A unit of mass equal to one thousand grams of a named substance that is 90% dry.</i>
Code:	KSH
Name:	kilogram of sodium hydroxide (caustic soda)
Beschreibung:	<i>A unit of mass equal to one thousand grams of sodium hydroxide (caustic soda).</i>
Code:	KT
Name:	kit
Beschreibung:	<i>A unit of count defining the number of kits (kit: tub, barrel or pail).</i>
Code:	KUR
Name:	kilogram of uranium
Beschreibung:	<i>A unit of mass equal to one thousand grams of uranium.</i>
Code:	KWN
Name:	Kilowatt hour per normalized cubic metre
Beschreibung:	<i>Kilowatt hour per normalized cubic metre (temperature 0°C and pressure 101325 millibars).</i>
Code:	KWO
Name:	kilogram of tungsten trioxide
Beschreibung:	<i>A unit of mass equal to one thousand grams of tungsten trioxide.</i>
Code:	KWS
Name:	Kilowatt hour per standard cubic metre
Beschreibung:	<i>Kilowatt hour per standard cubic metre (temperature 15°C and pressure 101325 millibars).</i>
Code:	LAC
Name:	lactose excess percentage
Beschreibung:	<i>A unit of proportion defining the percentage of lactose in a product that exceeds a defined percentage level.</i>
Code:	LEF
Name:	leaf
Beschreibung:	<i>A unit of count defining the number of leaves.</i>
Code:	LF
Name:	linear foot

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of count defining the number of feet (12-inch) in length of a uniform width object.</i>
Code:	LH
Name:	labour hour
Beschreibung:	<i>A unit of time defining the number of labour hours.</i>
Code:	LK
Name:	link
Beschreibung:	<i>A unit of distance equal to 0.01 chain.</i>
Code:	LM
Name:	linear metre
Beschreibung:	<i>A unit of count defining the number of metres in length of a uniform width object.</i>
Code:	LN
Name:	length
Beschreibung:	<i>A unit of distance defining the linear extent of an item measured from end to end.</i>
Code:	LO
Name:	lot [unit of procurement]
Beschreibung:	<i>A unit of count defining the number of lots (lot: a collection of associated items).</i>
Code:	LP
Name:	liquid pound
Beschreibung:	<i>A unit of mass defining the number of pounds of a liquid substance.</i>
Code:	LPA
Name:	litre of pure alcohol
Beschreibung:	<i>A unit of volume equal to one litre of pure alcohol.</i>
Code:	LR
Name:	layer
Beschreibung:	<i>A unit of count defining the number of layers.</i>
Code:	LS
Name:	lump sum
Beschreibung:	<i>A unit of count defining the number of whole or a complete monetary amounts.</i>
Code:	LTN
Name:	ton (UK) or long ton (US)
Beschreibung:	<i>Synonym: gross ton (2240 lb)</i>
Code:	LUB
Name:	metric ton, lubricating oil
Beschreibung:	<i>A unit of mass defining the number of metric tons of lubricating oil.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	LY
Name:	linear yard
Beschreibung:	<i>A unit of count defining the number of 36-inch units in length of a uniform width object.</i>
Code:	M19
Name:	Beaufort
Beschreibung:	<i>An empirical measure for describing wind speed based mainly on observed sea conditions. The Beaufort scale indicates the wind speed by numbers that typically range from 0 for calm, to 12 for hurricane.</i>
Code:	M25
Name:	percent per degree Celsius
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to a temperature of one degree.</i>
Code:	M36
Name:	30-day month
Beschreibung:	<i>A unit of count defining the number of months expressed in multiples of 30 days, one day equals 24 hours.</i>
Code:	M37
Name:	actual/360
Beschreibung:	<i>A unit of count defining the number of years expressed in multiples of 360 days, one day equals 24 hours.</i>
Code:	M38
Name:	kilometre per second squared
Beschreibung:	<i>1000-fold of the SI base unit metre divided by the power of the SI base unit second by exponent 2.</i>
Code:	M39
Name:	centimetre per second squared
Beschreibung:	<i>0,01-fold of the SI base unit metre divided by the power of the SI base unit second by exponent 2.</i>
Code:	M4
Name:	monetary value
Beschreibung:	<i>A unit of measure expressed as a monetary amount.</i>
Code:	M40
Name:	yard per second squared
Beschreibung:	<i>Unit of the length according to the Anglo-American and Imperial system of units divided by the power of the SI base unit second by exponent 2.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	M41
Name:	millimetre per second squared
Beschreibung:	<i>0,001-fold of the SI base unit metre divided by the power of the SI base unit second by exponent 2.</i>
Code:	M42
Name:	mile (statute mile) per second squared
Beschreibung:	<i>Unit of the length according to the Imperial system of units divided by the power of the SI base unit second by exponent 2.</i>
Code:	M43
Name:	mil
Beschreibung:	<i>Unit to indicate an angle at military zone, equal to the 6400th part of the full circle of the 360° or 2·p·rad.</i>
Code:	M44
Name:	revolution
Beschreibung:	<i>Unit to identify an angle of the full circle of 360° or 2·p·rad (Refer ISO/TC12 SI Guide).</i>
Code:	M45
Name:	degree [unit of angle] per second squared
Beschreibung:	<i>360 part of a full circle divided by the power of the SI base unit second and the exponent 2.</i>
Code:	M46
Name:	revolution per minute
Beschreibung:	<i>Unit of the angular velocity.</i>
Code:	M47
Name:	circular mil
Beschreibung:	<i>Unit of an area, of which the size is given by a diameter of length of 1 mm (0,001 in) based on the formula: $area = p \cdot (diameter/2)^2$.</i>
Code:	M48
Name:	square mile (based on U.S. survey foot)
Beschreibung:	<i>Unit of the area, which is mainly common in the agriculture and forestry.</i>
Code:	M49
Name:	chain (based on U.S. survey foot)
Beschreibung:	<i>Unit of the length according the Anglo-American system of units.</i>
Code:	M50
Name:	furlong

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>Unit commonly used in Great Britain at rural distances: 1 furlong = 40 rods = 10 chains (UK) = 1/8 mile = 1/10 furlong = 220 yards = 660 foot.</i>
Code:	M51
Name:	foot (U.S. survey)
Beschreibung:	<i>Unit commonly used in the United States for ordnance survey.</i>
Code:	M52
Name:	mile (based on U.S. survey foot)
Beschreibung:	<i>Unit commonly used in the United States for ordnance survey.</i>
Code:	M53
Name:	metre per pascal
Beschreibung:	<i>SI base unit metre divided by the derived SI unit pascal.</i>
Code:	M55
Name:	metre per radiant
Beschreibung:	<i>Unit of the translation factor for implementation from rotation to linear movement.</i>
Code:	M56
Name:	shake
Beschreibung:	<i>Unit for a very short period.</i>
Code:	M57
Name:	mile per minute
Beschreibung:	<i>Unit of velocity from the Imperial system of units.</i>
Code:	M58
Name:	mile per second
Beschreibung:	<i>Unit of the velocity from the Imperial system of units.</i>
Code:	M59
Name:	metre per second pascal
Beschreibung:	<i>SI base unit meter divided by the product of SI base unit second and the derived SI unit pascal.</i>
Code:	M60
Name:	metre per hour
Beschreibung:	<i>SI base unit metre divided by the unit hour.</i>
Code:	M61
Name:	inch per year
Beschreibung:	<i>Unit of the length according to the Anglo-American and Imperial system of units divided by the unit common year with 365 days.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	M62
Name:	kilometre per second
Beschreibung:	<i>1000-fold of the SI base unit metre divided by the SI base unit second.</i>
Code:	M63
Name:	inch per minute
Beschreibung:	<i>Unit inch according to the Anglo-American and Imperial system of units divided by the unit minute.</i>
Code:	M64
Name:	yard per second
Beschreibung:	<i>Unit yard according to the Anglo-American and Imperial system of units divided by the SI base unit second.</i>
Code:	M65
Name:	yard per minute
Beschreibung:	<i>Unit yard according to the Anglo-American and Imperial system of units divided by the unit minute.</i>
Code:	M66
Name:	yard per hour
Beschreibung:	<i>Unit yard according to the Anglo-American and Imperial system of units divided by the unit hour.</i>
Code:	M67
Name:	acre-foot (based on U.S. survey foot)
Beschreibung:	<i>Unit of the volume, which is used in the United States to measure/gauge the capacity of reservoirs.</i>
Code:	M68
Name:	cord (128 ft ³)
Beschreibung:	<i>Traditional unit of the volume of stacked firewood which has been measured with a cord.</i>
Code:	M69
Name:	cubic mile (UK statute)
Beschreibung:	<i>Unit of volume according to the Imperial system of units.</i>
Code:	M70
Name:	ton, register
Beschreibung:	<i>Traditional unit of the cargo capacity.</i>
Code:	M71
Name:	cubic metre per pascal

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>Power of the SI base unit meter by exponent 3 divided by the derived SI base unit pascal.</i>
Code:	M72
Name:	bel
Beschreibung:	<i>Logarithmic relationship to base 10.</i>
Code:	M73
Name:	kilogram per cubic metre pascal
Beschreibung:	<i>SI base unit kilogram divided by the product of the power of the SI base unit metre with exponent 3 and the derived SI unit pascal.</i>
Code:	M74
Name:	kilogram per pascal
Beschreibung:	<i>SI base unit kilogram divided by the derived SI unit pascal.</i>
Code:	M75
Name:	kilopound-force
Beschreibung:	<i>1000-fold of the unit of the force pound-force (lbf) according to the Anglo-American system of units with the relationship.</i>
Code:	M76
Name:	poundal
Beschreibung:	<i>Non SI-conforming unit of the power, which corresponds to a mass of a pound multiplied with the acceleration of a foot per square second.</i>
Code:	M77
Name:	kilogram metre per second squared
Beschreibung:	<i>Product of the SI base unit kilogram and the SI base unit metre divided by the power of the SI base unit second by exponent 2.</i>
Code:	M78
Name:	pond
Beschreibung:	<i>0,001-fold of the unit of the weight, defined as a mass of 1 kg which finds out about a weight strength from 1 kp by the gravitational force at sea level which corresponds to a strength of 9,806 65 newton.</i>
Code:	M79
Name:	square foot per hour
Beschreibung:	<i>Power of the unit foot according to the Anglo-American and Imperial system of units by exponent 2 divided by the unit of time hour.</i>
Code:	M80

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	stokes per pascal
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit stokes divided by the derived SI unit pascal.</i>
Code:	M81
Name:	square centimetre per second
Beschreibung:	<i>0,000 1-fold of the power of the SI base unit metre by exponent 2 divided by the SI base unit second.</i>
Code:	M82
Name:	square metre per second pascal
Beschreibung:	<i>Power of the SI base unit metre with the exponent 2 divided by the SI base unit second and the derived SI unit pascal.</i>
Code:	M83
Name:	denier
Beschreibung:	<i>Traditional unit for the indication of the linear mass of textile fibers and yarns.</i>
Code:	M84
Name:	pound per yard
Beschreibung:	<i>Unit for linear mass according to avoirdupois system of units.</i>
Code:	M85
Name:	ton, assay
Beschreibung:	<i>Non SI-conforming unit of the mass used in the mineralogy to determine the concentration of precious metals in ore according to the mass of the precious metal in milligrams in a sample of the mass of an assay sound (number of troy ounces in a short ton (1 000 lb)).</i>
Code:	M86
Name:	pfund
Beschreibung:	<i>Outdated unit of the mass used in Germany.</i>
Code:	M87
Name:	kilogram per second pascal
Beschreibung:	<i>SI base unit kilogram divided by the product of the SI base unit second and the derived SI unit pascal.</i>
Code:	M88
Name:	tonne per month
Beschreibung:	<i>Unit tonne divided by the unit month.</i>
Code:	M89
Name:	tonne per year

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>Unit tonne divided by the unit year with 365 days.</i>
Code:	M90
Name:	kilopound per hour
Beschreibung:	<i>1000-fold of the unit of the mass avoirdupois pound according to the avoirdupois unit system divided by the unit hour.</i>
Code:	M91
Name:	pound per pound
Beschreibung:	<i>Proportion of the mass consisting of the avoirdupois pound according to the avoirdupois unit system divided by the avoirdupois pound according to the avoirdupois unit system.</i>
Code:	M92
Name:	pound-force foot
Beschreibung:	<i>Product of the unit pound-force according to the Anglo-American system of units and the unit foot according to the Anglo-American and the Imperial system of units.</i>
Code:	M93
Name:	newton metre per radian
Beschreibung:	<i>Product of the derived SI unit newton and the SI base unit metre divided by the unit radian.</i>
Code:	M94
Name:	kilogram metre
Beschreibung:	<i>Unit of imbalance as a product of the SI base unit kilogram and the SI base unit metre.</i>
Code:	M95
Name:	poundal foot
Beschreibung:	<i>Product of the non SI-conforming unit of the force poundal and the unit foot according to the Anglo-American and Imperial system of units .</i>
Code:	M96
Name:	poundal inch
Beschreibung:	<i>Product of the non SI-conforming unit of the force poundal and the unit inch according to the Anglo-American and Imperial system of units .</i>
Code:	M97
Name:	dyne metre
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of the rotational moment.</i>
Code:	M98
Name:	kilogram centimetre per second
Beschreibung:	<i>Product of the SI base unit kilogram and the 0,01-fold of the SI base unit metre divided</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

	<i>by the SI base unit second.</i>
Code:	M99
Name:	gram centimetre per second
Beschreibung:	<i>Product of the 0,001-fold of the SI base unit kilogram and the 0,01-fold of the SI base unit metre divided by the SI base unit second.</i>
Code:	MAH
Name:	megavolt ampere reactive hour
Beschreibung:	<i>A unit of electrical reactive power defining the total amount of reactive power across a power system.</i>
Code:	MAR
Name:	megavar
Beschreibung:	<i>A unit of electrical reactive power represented by a current of one thousand amperes flowing due a potential difference of one thousand volts where the sine of the phase angle between them is 1.</i>
Code:	MAW
Name:	Megawatt
Beschreibung:	<i>A unit of power defining the rate of energy transferred or consumed when a current of 1000 amperes flows due to a potential of 1000 volts at unity power factor.</i>
Code:	MBE
Name:	thousand standard brick equivalent
Beschreibung:	<i>A unit of count defining the number of one thousand brick equivalent units.</i>
Code:	MBF
Name:	thousand board foot
Beschreibung:	<i>A unit of volume equal to one thousand board foot.</i>
Code:	MD
Name:	air dry metric ton
Beschreibung:	<i>A unit of count defining the number of metric tons of a product, disregarding the water content of the product.</i>
Code:	MIU
Name:	million international unit
Beschreibung:	<i>A unit of count defining the number of international units in multiples of 10 to the power of 6.</i>
Code:	MLD
Name:	milliard

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>Synonym: billion (US)</i>
Code:	MND
Name:	kilogram, dry weight
Beschreibung:	<i>A unit of mass defining the number of kilograms of a product, disregarding the water content of the product.</i>
Code:	MON
Name:	Monat
Beschreibung:	<i>Unit of time equal to 1/12 of a year of 365,25 days.</i>
Code:	MTQ
Name:	Kubikmeter
Beschreibung:	<i>Synonym: metre cubed</i>
Code:	MWH
Name:	Megawatt Stunde (1000 KWh)
Beschreibung:	<i>A unit of power defining the total amount of bulk energy transferred or consumed.</i>
Code:	N1
Name:	pen calorie
Beschreibung:	<i>A unit of count defining the number of calories prescribed daily for parenteral/enteral therapy.</i>
Code:	N10
Name:	pound foot per second
Beschreibung:	<i>Product of the avoirdupois pound according to the avoirdupois unit system and the unit foot according to the Anglo-American and Imperial system of units divided by the SI base unit second.</i>
Code:	N11
Name:	pound inch per second
Beschreibung:	<i>Product of the avoirdupois pound according to the avoirdupois unit system and the unit inch according to the Anglo-American and Imperial system of units divided by the SI base unit second.</i>
Code:	N12
Name:	Pferdestaerke
Beschreibung:	<i>Obsolete unit of the power relating to DIN 1301-3:1979: 1 PS = 735,498 75 W.</i>
Code:	N13
Name:	centimetre of mercury (0 °C)
Beschreibung:	<i>Non SI-conforming unit of pressure, at which a value of 1 cmHg meets the static</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

	<i>pressure, which is generated by a mercury at a temperature of 0 °C with a height of 1 centimetre .</i>
Code:	N14
Name:	centimetre of water (4 °C)
Beschreibung:	<i>Non SI-conforming unit of pressure, at which a value of 1 cmH2O meets the static pressure, which is generated by a head of water at a temperature of 4 °C with a height of 1 centimetre .</i>
Code:	N15
Name:	foot of water (39.2 °F)
Beschreibung:	<i>Non SI-conforming unit of pressure according to the Anglo-American and Imperial system for units, whereas the value of 1 ftH2O is equivalent to the static pressure, which is generated by a head of water at a temperature 39,2°F with a height of 1 foot .</i>
Code:	N16
Name:	inch of mercury (32 °F)
Beschreibung:	<i>Non SI-conforming unit of pressure according to the Anglo-American and Imperial system for units, whereas the value of 1 inHg meets the static pressure, which is generated by a mercury at a temperature of 32°F with a height of 1 inch.</i>
Code:	N17
Name:	inch of mercury (60 °F)
Beschreibung:	<i>Non SI-conforming unit of pressure according to the Anglo-American and Imperial system for units, whereas the value of 1 inHg meets the static pressure, which is generated by a mercury at a temperature of 60°F with a height of 1 inch.</i>
Code:	N18
Name:	inch of water (39.2 °F)
Beschreibung:	<i>Non SI-conforming unit of pressure according to the Anglo-American and Imperial system for units, whereas the value of 1 inH2O meets the static pressure, which is generated by a head of water at a temperature of 39,2°F with a height of 1 inch .</i>
Code:	N19
Name:	inch of water (60 °F)
Beschreibung:	<i>Non SI-conforming unit of pressure according to the Anglo-American and Imperial system for units, whereas the value of 1 inH2O meets the static pressure, which is generated by a head of water at a temperature of 60°F with a height of 1 inch .</i>
Code:	N20
Name:	kip per square inch

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>Non SI-conforming unit of the pressure according to the Anglo-American system of units as the 1000-fold of the unit of the force pound-force divided by the power of the unit inch by exponent 2.</i>
Code:	N21
Name:	poundal per square foot
Beschreibung:	<i>Non SI-conforming unit of pressure by the Imperial system of units according to NIST: 1 pdl/ft² = 1,488 164 Pa.</i>
Code:	N22
Name:	ounce (avoirdupois) per square inch
Beschreibung:	<i>Unit of the surface specific mass (avoirdupois ounce according to the avoirdupois system of units according to the surface square inch according to the Anglo-American and Imperial system of units).</i>
Code:	N23
Name:	conventional metre of water
Beschreibung:	<i>Not SI-conforming unit of pressure, whereas a value of 1 mH₂O is equivalent to the static pressure, which is produced by one metre high water column .</i>
Code:	N24
Name:	gram per square millimetre
Beschreibung:	<i>0,001-fold of the SI base unit kilogram divided by the 0.000 001-fold of the power of the SI base unit meter by exponent 2.</i>
Code:	N25
Name:	pound per square yard
Beschreibung:	<i>Unit for areal-related mass as a unit pound according to the avoirdupois unit system divided by the power of the unit yard according to the Anglo-American and Imperial system of units with exponent 2.</i>
Code:	N26
Name:	poundal per square inch
Beschreibung:	<i>Non SI-conforming unit of the pressure according to the Imperial system of units (poundal by square inch).</i>
Code:	N27
Name:	foot to the fourth power
Beschreibung:	<i>Power of the unit foot according to the Anglo-American and Imperial system of units by exponent 4 according to NIST: 1 ft⁴ = 8,630 975 m⁴.</i>
Code:	N28

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	cubic decimetre per kilogram
Beschreibung:	<i>0,001 fold of the power of the SI base unit meter by exponent 3 divided by the SI based unit kilogram.</i>
Code:	N29
Name:	cubic foot per pound
Beschreibung:	<i>Power of the unit foot according to the Anglo-American and Imperial system of units by exponent 3 divided by the unit avoirdupois pound according to the avoirdupois unit system.</i>
Code:	N30
Name:	cubic inch per pound
Beschreibung:	<i>Power of the unit inch according to the Anglo-American and Imperial system of units by exponent 3 divided by the avoirdupois pound according to the avoirdupois unit system .</i>
Code:	N31
Name:	kilonewton per metre
Beschreibung:	<i>1000-fold of the derived SI unit newton divided by the SI base unit metre.</i>
Code:	N32
Name:	poundal per inch
Beschreibung:	<i>Non SI-conforming unit of the surface tension according to the Imperial unit system as quotient poundal by inch.</i>
Code:	N33
Name:	pound-force per yard
Beschreibung:	<i>Unit of force per unit length based on the Anglo-American system of units.</i>
Code:	N34
Name:	poundal second per square foot
Beschreibung:	<i>Non SI-conforming unit of viscosity.</i>
Code:	N35
Name:	poise per pascal
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit poise divided by the derived SI unit pascal.</i>
Code:	N36
Name:	newton second per square metre
Beschreibung:	<i>Unit of the dynamic viscosity as a product of unit of the pressure (newton by square metre) multiplied with the SI base unit second.</i>
Code:	N37
Name:	kilogram per metre second

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>Unit of the dynamic viscosity as a quotient SI base unit kilogram divided by the SI base unit metre and by the SI base unit second.</i>
Code:	N38
Name:	kilogram per metre minute
Beschreibung:	<i>Unit of the dynamic viscosity as a quotient SI base unit kilogram divided by the SI base unit metre and by the unit minute.</i>
Code:	N39
Name:	kilogram per metre day
Beschreibung:	<i>Unit of the dynamic viscosity as a quotient SI base unit kilogram divided by the SI base unit metre and by the unit day.</i>
Code:	N40
Name:	kilogram per metre hour
Beschreibung:	<i>Unit of the dynamic viscosity as a quotient SI base unit kilogram divided by the SI base unit metre and by the unit hour.</i>
Code:	N41
Name:	gram per centimetre second
Beschreibung:	<i>Unit of the dynamic viscosity as a quotient of the 0,001-fold of the SI base unit kilogram divided by the 0,01-fold of the SI base unit metre and SI base unit second.</i>
Code:	N42
Name:	poundal second per square inch
Beschreibung:	<i>Non SI-conforming unit of dynamic viscosity according to the Imperial system of units as product unit of the pressure (poundal by square inch) multiplied by the SI base unit second.</i>
Code:	N43
Name:	pound per foot minute
Beschreibung:	<i>Unit of the dynamic viscosity according to the Anglo-American unit system.</i>
Code:	N44
Name:	pound per foot day
Beschreibung:	<i>Unit of the dynamic viscosity according to the Anglo-American unit system.</i>
Code:	N45
Name:	cubic metre per second pascal
Beschreibung:	<i>Power of the SI base unit meter by exponent 3 divided by the product of the SI base unit second and the derived SI base unit pascal.</i>
Code:	N46

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	foot poundal
Beschreibung:	<i>Unit of the work (force-path).</i>
Code:	N47
Name:	inch poundal
Beschreibung:	<i>Unit of work (force multiplied by path) according to the Imperial system of units as a product unit inch multiplied by poundal.</i>
Code:	N48
Name:	watt per square centimetre
Beschreibung:	<i>Derived SI unit watt divided by the power of the 0,01-fold the SI base unit metre by exponent 2.</i>
Code:	N49
Name:	watt per square inch
Beschreibung:	<i>Derived SI unit watt divided by the power of the unit inch according to the Anglo-American and Imperial system of units by exponent 2.</i>
Code:	N50
Name:	British thermal unit (international table) per square foot hour
Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>
Code:	N51
Name:	British thermal unit (thermochemical) per square foot hour
Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>
Code:	N52
Name:	British thermal unit (thermochemical) per square foot minute
Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>
Code:	N53
Name:	British thermal unit (international table) per square foot second
Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>
Code:	N54
Name:	British thermal unit (thermochemical) per square foot second
Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>
Code:	N55
Name:	British thermal unit (international table) per square inch second
Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>
Code:	N56
Name:	calorie (thermochemical) per square centimetre minute

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>
Code:	N57
Name:	calorie (thermochemical) per square centimetre second
Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>
Code:	N58
Name:	British thermal unit (international table) per cubic foot
Beschreibung:	<i>Unit of the energy density according to the Imperial system of units.</i>
Code:	N59
Name:	British thermal unit (thermochemical) per cubic foot
Beschreibung:	<i>Unit of the energy density according to the Imperial system of units.</i>
Code:	N60
Name:	British thermal unit (international table) per degree Fahrenheit
Beschreibung:	<i>Unit of the heat capacity according to the Imperial system of units.</i>
Code:	N61
Name:	British thermal unit (thermochemical) per degree Fahrenheit
Beschreibung:	<i>Unit of the heat capacity according to the Imperial system of units.</i>
Code:	N62
Name:	British thermal unit (international table) per degree Rankine
Beschreibung:	<i>Unit of the heat capacity according to the Imperial system of units.</i>
Code:	N63
Name:	British thermal unit (thermochemical) per degree Rankine
Beschreibung:	<i>Unit of the heat capacity according to the Imperial system of units.</i>
Code:	N64
Name:	British thermal unit (thermochemical) per pound degree Rankine
Beschreibung:	<i>Unit of the heat capacity (British thermal unit according to the international table according to the Rankine degree) according to the Imperial system of units divided by the unit avoirdupois pound according to the avoirdupois system of units.</i>
Code:	N65
Name:	kilocalorie (international table) per gram kelvin
Beschreibung:	<i>Unit of the mass-related heat capacity as quotient 1000-fold of the calorie (international table) divided by the product of the 0,001-fold of the SI base units kilogram and kelvin.</i>
Code:	N66
Name:	British thermal unit (39 °F)
Beschreibung:	<i>Unit of heat energy according to the Imperial system of units in a reference temperature</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Used Codes

	<i>of 39 °F.</i>
Code:	N67
Name:	British thermal unit (59 °F)
Beschreibung:	<i>Unit of heat energy according to the Imperial system of units in a reference temperature of 59 °F.</i>
Code:	N68
Name:	British thermal unit (60 °F)
Beschreibung:	<i>Unit of head energy according to the Imperial system of units at a reference temperature of 60 °F.</i>
Code:	N69
Name:	calorie (20 °C)
Beschreibung:	<i>Unit for quantity of heat, which is to be required for 1 g air free water at a constant pressure from 101,325 kPa, to warm up the pressure of standard atmosphere at sea level, from 19,5 °C on 20,5 °C.</i>
Code:	N70
Name:	quad (1015 BtuIT)
Beschreibung:	<i>Unit of heat energy according to the imperial system of units.</i>
Code:	N71
Name:	therm (EC)
Beschreibung:	<i>Unit of heat energy in commercial use, within the EU defined: 1 thm (EC) = 100 000 BtuIT.</i>
Code:	N72
Name:	therm (U.S.)
Beschreibung:	<i>Unit of heat energy in commercial use.</i>
Code:	N73
Name:	British thermal unit (thermochemical) per pound
Beschreibung:	<i>Unit of the heat energy according to the Imperial system of units divided the unit avoirdupois pound according to the avoirdupois system of units.</i>
Code:	N74
Name:	British thermal unit (international table) per hour square foot degree Fahrenheit
Beschreibung:	<i>Unit of the heat transition coefficient according to the Imperial system of units.</i>
Code:	N75
Name:	British thermal unit (thermochemical) per hour square foot degree Fahrenheit
Beschreibung:	<i>Unit of the heat transition coefficient according to the imperial system of units.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	N76
Name:	British thermal unit (international table) per second square foot degree Fahrenheit
Beschreibung:	<i>Unit of the heat transition coefficient according to the imperial system of units.</i>
Code:	N77
Name:	British thermal unit (thermochemical) per second square foot degree Fahrenheit
Beschreibung:	<i>Unit of the heat transition coefficient according to the imperial system of units.</i>
Code:	N78
Name:	kilowatt per square metre kelvin
Beschreibung:	<i>1000-fold of the derived SI unit watt divided by the product of the power of the SI base unit metre by exponent 2 and the SI base unit kelvin.</i>
Code:	N79
Name:	kelvin per pascal
Beschreibung:	<i>SI base unit kelvin divided by the derived SI unit pascal.</i>
Code:	N80
Name:	watt per metre degree Celsius
Beschreibung:	<i>Derived SI unit watt divided by the product of the SI base unit metre and the unit for temperature degree Celsius.</i>
Code:	N81
Name:	kilowatt per metre kelvin
Beschreibung:	<i>1000-fold of the derived SI unit watt divided by the product of the SI base unit metre and the SI base unit kelvin.</i>
Code:	N82
Name:	kilowatt per metre degree Celsius
Beschreibung:	<i>1000-fold of the derived SI unit watt divided by the product of the SI base unit metre and the unit for temperature degree Celsius.</i>
Code:	N83
Name:	metre per degree Celcius metre
Beschreibung:	<i>SI base unit metre divided by the product of the unit degree Celsius and the SI base unit metre.</i>
Code:	N84
Name:	degree Fahrenheit hour per British thermal unit (international table)
Beschreibung:	<i>Non SI-conforming unit of the thermal resistance according to the Imperial system of units.</i>
Code:	N85

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	degree Fahrenheit hour per British thermal unit (thermochemical)
Beschreibung:	<i>Non SI-conforming unit of the thermal resistance according to the Imperial system of units.</i>
Code:	N86
Name:	degree Fahrenheit second per British thermal unit (international table)
Beschreibung:	<i>Non SI-conforming unit of the thermal resistance according to the Imperial system of units.</i>
Code:	N87
Name:	degree Fahrenheit second per British thermal unit (thermochemical)
Beschreibung:	<i>Non SI-conforming unit of the thermal resistance according to the Imperial system of units.</i>
Code:	N88
Name:	degree Fahrenheit hour square foot per British thermal unit (international table) inch
Beschreibung:	<i>Unit of specific thermal resistance according to the Imperial system of units.</i>
Code:	N89
Name:	degree Fahrenheit hour square foot per British thermal unit (thermochemical) inch
Beschreibung:	<i>Unit of specific thermal resistance according to the Imperial system of units.</i>
Code:	N90
Name:	kilofarad
Beschreibung:	<i>1000-fold of the derived SI unit farad.</i>
Code:	N91
Name:	reciprocal joule
Beschreibung:	<i>Reciprocal of the derived SI unit joule.</i>
Code:	N92
Name:	picosiemens
Beschreibung:	<i>0,000 000 000 001-fold of the derived SI unit siemens.</i>
Code:	N93
Name:	ampere per pascal
Beschreibung:	<i>SI base unit ampere divided by the derived SI unit pascal.</i>
Code:	N94
Name:	franklin
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of the electrical charge, where the charge amounts to exactly 1 Fr where the force of 1 dyn on an equal load is performed at a distance of 1 cm.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	N95
Name:	ampere minute
Beschreibung:	<i>A unit of electric charge defining the amount of charge accumulated by a steady flow of one ampere for one minute..</i>
Code:	N96
Name:	biot
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of the electric power which is defined by a force of 2 dyn per cm between two parallel conductors of infinite length with negligible cross-section in the distance of 1 cm.</i>
Code:	N97
Name:	gilbert
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of the magnetomotive force, which is defined by the work to increase the magnetic potential of a positive common pol with 1 erg.</i>
Code:	N98
Name:	volt per pascal
Beschreibung:	<i>Derived SI unit volt divided by the derived SI unit pascal.</i>
Code:	N99
Name:	picovolt
Beschreibung:	<i>0,000 000 000 001-fold of the derived SI unit volt.</i>
Code:	NAR
Name:	Anzahl der Artikel
Beschreibung:	<i>A unit of count defining the number of articles (article: item).</i>
Code:	NCL
Name:	number of cells
Beschreibung:	<i>A unit of count defining the number of cells (cell: an enclosed or circumscribed space, cavity, or volume).</i>
Code:	NF
Name:	message
Beschreibung:	<i>A unit of count defining the number of messages.</i>
Code:	NIL
Name:	nil
Beschreibung:	<i>A unit of count defining the number of instances of nothing.</i>
Code:	NIU

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	Anzahl internationaler Einheiten
Beschreibung:	<i>A unit of count defining the number of international units.</i>
Code:	NL
Name:	load
Beschreibung:	<i>A unit of volume defining the number of loads (load: a quantity of items carried or processed at one time).</i>
Code:	NM3
Name:	Normalised cubic metre
Beschreibung:	<i>Normalised cubic metre (temperature 0°C and pressure 101325 millibars)</i>
Code:	NMP
Name:	number of packs
Beschreibung:	<i>A unit of count defining the number of packs (pack: a collection of objects packaged together).</i>
Code:	NPR
Name:	number of pairs
Beschreibung:	<i>A unit of count defining the number of pairs (pair: item described by two's).</i>
Code:	NPT
Name:	number of parts
Beschreibung:	<i>A unit of count defining the number of parts (part: component of a larger entity).</i>
Code:	NT
Name:	net ton
Beschreibung:	<i>A unit of mass equal to 2000 pounds, see ton (US). Refer International Convention on tonnage measurement of Ships.</i>
Code:	NTT
Name:	net register ton
Beschreibung:	<i>A unit of mass equal to the total cubic footage after deductions, where 1 register ton is equal to 100 cubic feet. Refer International Convention on tonnage measurement of Ships.</i>
Code:	NX
Name:	part per thousand
Beschreibung:	<i>A unit of proportion equal to 10 to the power of -3. Synonym: per mille</i>
Code:	OA
Name:	panel

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of count defining the number of panels (panel: a distinct, usually rectangular, section of a surface).</i>
Code:	ODE
Name:	ozone depletion equivalent
Beschreibung:	<i>A unit of mass defining the ozone depletion potential in kilograms of a product relative to the calculated depletion for the reference substance, Trichlorofluoromethane (CFC-11).</i>
Code:	ODG
Name:	ODS Grams
Beschreibung:	<i>A unit of measure calculated by multiplying the mass of the substance in grams and the ozone-depleting potential for the substance.</i>
Code:	ODK
Name:	ODS Kilograms
Beschreibung:	<i>A unit of measure calculated by multiplying the mass of the substance in kilograms and the ozone-depleting potential for the substance.</i>
Code:	ODM
Name:	ODS Milligrams
Beschreibung:	<i>A unit of measure calculated by multiplying the mass of the substance in milligrams and the ozone-depleting potential for the substance.</i>
Code:	OPM
Name:	oscillations per minute
Beschreibung:	<i>The number of oscillations per minute.</i>
Code:	OT
Name:	overtime hour
Beschreibung:	<i>A unit of time defining the number of overtime hours.</i>
Code:	OZ
Name:	ounce av
Beschreibung:	<i>A unit of measure equal to 1/16 of a pound or about 28.3495 grams (av = avoirdupois). Use ounce (common code ONZ).</i>
Code:	P1
Name:	Prozent
Beschreibung:	<i>A unit of proportion equal to 0.01.</i>
Code:	P10
Name:	coulomb per metre
Beschreibung:	<i>Derived SI unit coulomb divided by the SI base unit metre.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	P11
Name:	kiloweber
Beschreibung:	<i>1000 fold of the derived SI unit weber.</i>
Code:	P12
Name:	gamma
Beschreibung:	<i>Unit of magnetic flow density.</i>
Code:	P13
Name:	kilotesla
Beschreibung:	<i>1000-fold of the derived SI unit tesla.</i>
Code:	P14
Name:	joule per second
Beschreibung:	<i>Quotient of the derived SI unit joule divided by the SI base unit second.</i>
Code:	P15
Name:	joule per minute
Beschreibung:	<i>Quotient from the derived SI unit joule divided by the unit minute.</i>
Code:	P16
Name:	joule per hour
Beschreibung:	<i>Quotient from the derived SI unit joule divided by the unit hour.</i>
Code:	P17
Name:	joule per day
Beschreibung:	<i>Quotient from the derived SI unit joule divided by the unit day.</i>
Code:	P18
Name:	kilojoule per second
Beschreibung:	<i>Quotient from the 1000-fold of the derived SI unit joule divided by the SI base unit second.</i>
Code:	P19
Name:	kilojoule per minute
Beschreibung:	<i>Quotient from the 1000-fold of the derived SI unit joule divided by the unit minute.</i>
Code:	P20
Name:	kilojoule per hour
Beschreibung:	<i>Quotient from the 1000-fold of the derived SI unit joule divided by the unit hour.</i>
Code:	P21
Name:	kilojoule per day
Beschreibung:	<i>Quotient from the 1000-fold of the derived SI unit joule divided by the unit day.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	P22
Name:	nanoohm
Beschreibung:	<i>0,000 000 001-fold of the derived SI unit ohm.</i>
Code:	P23
Name:	ohm circular-mil per foot
Beschreibung:	<i>Unit of resistivity.</i>
Code:	P24
Name:	kilohenry
Beschreibung:	<i>1000-fold of the derived SI unit henry.</i>
Code:	P25
Name:	lumen per square foot
Beschreibung:	<i>Derived SI unit lumen divided by the power of the unit foot according to the Anglo-American and Imperial system of units by exponent 2.</i>
Code:	P26
Name:	phot
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of luminance, defined as lumen by square centimetre.</i>
Code:	P27
Name:	footcandle
Beschreibung:	<i>Non SI conform traditional unit, defined as density of light which impinges on a surface which has a distance of one foot from a light source, which shines with an intensity of an international candle.</i>
Code:	P28
Name:	candela per square inch
Beschreibung:	<i>SI base unit candela divided by the power of unit inch according to the Anglo-American and Imperial system of units by exponent 2.</i>
Code:	P29
Name:	footlambert
Beschreibung:	<i>Unit of the luminance according to the Anglo-American system of units, defined as emitted or reflected luminance of a lm/ft².</i>
Code:	P30
Name:	lambert
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of luminance, defined as the emitted or reflected luminance by one lumen per square centimetre.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	P31
Name:	stilb
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of luminance, defined as emitted or reflected luminance by one lumen per square centimetre.</i>
Code:	P32
Name:	candela per square foot
Beschreibung:	<i>Base unit SI candela divided by the power of the unit foot according to the Anglo-American and Imperial system of units by exponent 2.</i>
Code:	P33
Name:	kilocandela
Beschreibung:	<i>1000-fold of the SI base unit candela.</i>
Code:	P34
Name:	millicandela
Beschreibung:	<i>0,001-fold of the SI base unit candela.</i>
Code:	P35
Name:	Hefner-Kerze
Beschreibung:	<i>Obsolete, non-legal unit of the power in Germany relating to DIN 1301-3:1979: 1 HK = 0,903 cd.</i>
Code:	P36
Name:	international candle
Beschreibung:	<i>Obsolete, non-legal unit of the power in Germany relating to DIN 1301-3:1979: 1 HK = 1,019 cd.</i>
Code:	P37
Name:	British thermal unit (international table) per square foot
Beschreibung:	<i>Unit of the areal-related energy transmission according to the Imperial system of units.</i>
Code:	P38
Name:	British thermal unit (thermochemical) per square foot
Beschreibung:	<i>Unit of the areal-related energy transmission according to the Imperial system of units.</i>
Code:	P39
Name:	calorie (thermochemical) per square centimetre
Beschreibung:	<i>Unit of the areal-related energy transmission according to the Imperial system of units.</i>
Code:	P40
Name:	langley
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of the areal-related energy transmission (as</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

	<i>a measure of the incident quantity of heat of solar radiation on the earth's surface).</i>
Code:	P41
Name:	decade (logarithmic)
Beschreibung:	<i>1 Dec := log₂ 10 ~ 3,32 according to the logarithm for frequency range between f1 and f2, when f2/f1 = 10.</i>
Code:	P42
Name:	pascal squared second
Beschreibung:	<i>Unit of the set as a product of the power of derived SI unit pascal with exponent 2 and the SI base unit second.</i>
Code:	P43
Name:	bel per metre
Beschreibung:	<i>Unit bel divided by the SI base unit metre.</i>
Code:	P44
Name:	pound mole
Beschreibung:	<i>Non SI-conforming unit of quantity of a substance relating that one pound mole of a chemical composition corresponds to the same number of pounds as the molecular weight of one molecule of this composition in atomic mass units.</i>
Code:	P45
Name:	pound mole per second
Beschreibung:	<i>Non SI-conforming unit of the power of the amount of substance non-SI compliant unit of the molar flux relating that a pound mole of a chemical composition the same number of pound corresponds like the molecular weight of a molecule of this composition in atomic mass units.</i>
Code:	P46
Name:	pound mole per minute
Beschreibung:	<i>Non SI-conforming unit of the power of the amount of substance non-SI compliant unit of the molar flux relating that a pound mole of a chemical composition the same number of pound corresponds like the molecular weight of a molecule of this composition in atomic mass units.</i>
Code:	P47
Name:	kilomole per kilogram
Beschreibung:	<i>1000-fold of the SI base unit mol divided by the SI base unit kilogram.</i>
Code:	P48
Name:	pound mole per pound

Guideline**Used Codes**

Beschreibung:	<i>Non SI-conforming unit of the material molar flux divided by the avoirdupois pound for mass according to the avoirdupois unit system.</i>
Code:	P49
Name:	newton square metre per ampere
Beschreibung:	<i>Product of the derived SI unit newton and the power of SI base unit metre with exponent 2 divided by the SI base unit ampere.</i>
Code:	P5
Name:	five pack
Beschreibung:	<i>A unit of count defining the number of five-packs (five-pack: set of five items packaged together).</i>
Code:	P50
Name:	weber metre
Beschreibung:	<i>Product of the derived SI unit weber and SI base unit metre.</i>
Code:	P51
Name:	mol per kilogram pascal
Beschreibung:	<i>SI base unit mol divided by the product of the SI base unit kilogram and the derived SI unit pascal.</i>
Code:	P52
Name:	mol per cubic metre pascal
Beschreibung:	<i>SI base unit mol divided by the product of the power from the SI base unit metre with exponent 3 and the derived SI unit pascal.</i>
Code:	P53
Name:	unit pole
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit for magnetic flux of a magnetic pole (according to the interaction of identical poles of 1 dyn at a distance of a cm).</i>
Code:	P54
Name:	milligray per second
Beschreibung:	<i>0,001-fold of the derived SI unit gray divided by the SI base unit second.</i>
Code:	P55
Name:	microgray per second
Beschreibung:	<i>0,000 001-fold of the derived SI unit gray divided by the SI base unit second.</i>
Code:	P56
Name:	nanogray per second
Beschreibung:	<i>0,000 000 001-fold of the derived SI unit gray divided by the SI base unit second.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	P57
Name:	gray per minute
Beschreibung:	<i>SI derived unit gray divided by the unit minute.</i>
Code:	P58
Name:	milligray per minute
Beschreibung:	<i>0,001-fold of the derived SI unit gray divided by the unit minute.</i>
Code:	P59
Name:	microgray per minute
Beschreibung:	<i>0,000 001-fold of the derived SI unit gray divided by the unit minute.</i>
Code:	P60
Name:	nanogray per minute
Beschreibung:	<i>0,000 000 001-fold of the derived SI unit gray divided by the unit minute.</i>
Code:	P61
Name:	gray per hour
Beschreibung:	<i>SI derived unit gray divided by the unit hour.</i>
Code:	P62
Name:	milligray per hour
Beschreibung:	<i>0,001-fold of the derived SI unit gray divided by the unit hour.</i>
Code:	P63
Name:	microgray per hour
Beschreibung:	<i>0,000 001-fold of the derived SI unit gray divided by the unit hour.</i>
Code:	P64
Name:	nanogray per hour
Beschreibung:	<i>0,000 000 001-fold of the derived SI unit gray divided by the unit hour.</i>
Code:	P65
Name:	sievert per second
Beschreibung:	<i>Derived SI unit sievert divided by the SI base unit second.</i>
Code:	P66
Name:	millisievert per second
Beschreibung:	<i>0,001-fold of the derived SI unit sievert divided by the SI base unit second.</i>
Code:	P67
Name:	microsievert per second
Beschreibung:	<i>0,000 001-fold of the derived SI unit sievert divided by the SI base unit second.</i>
Code:	P68

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	nanosievert per second
Beschreibung:	<i>0,000 000 001-fold of the derived SI unit sievert divided by the SI base unit second.</i>
Code:	P69
Name:	rem per second
Beschreibung:	<i>Unit for the equivalent tin rate relating to DIN 1301-3:1979: 1 rem/s = 0,01 J/(kg·s) = 1 Sv/s.</i>
Code:	P70
Name:	sievert per hour
Beschreibung:	<i>Derived SI unit sievert divided by the unit hour.</i>
Code:	P71
Name:	millisievert per hour
Beschreibung:	<i>0,001-fold of the derived SI unit sievert divided by the unit hour.</i>
Code:	P72
Name:	microsievert per hour
Beschreibung:	<i>0,000 001-fold of the derived SI unit sievert divided by the unit hour.</i>
Code:	P73
Name:	nanosievert per hour
Beschreibung:	<i>0,000 000 001-fold of the derived SI unit sievert divided by the unit hour.</i>
Code:	P74
Name:	sievert per minute
Beschreibung:	<i>Derived SI unit sievert divided by the unit minute.</i>
Code:	P75
Name:	millisievert per minute
Beschreibung:	<i>0,001-fold of the derived SI unit sievert divided by the unit minute.</i>
Code:	P76
Name:	microsievert per minute
Beschreibung:	<i>0,000 001-fold of the derived SI unit sievert divided by the unit minute.</i>
Code:	P77
Name:	nanosievert per minute
Beschreibung:	<i>0,000 000 001-fold of the derived SI unit sievert divided by the unit minute.</i>
Code:	P78
Name:	reciprocal square inch
Beschreibung:	<i>Complement of the power of the unit inch according to the Anglo-American and Imperial system of units by exponent 2.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	P79
Name:	pascal square metre per kilogram
Beschreibung:	<i>Unit of the burst index as derived unit for pressure pascal related to the substance, represented as a quotient from the SI base unit kilogram divided by the power of the SI base unit metre by exponent 2.</i>
Code:	P80
Name:	millipascal per metre
Beschreibung:	<i>0,001-fold of the derived SI unit pascal divided by the SI base unit metre.</i>
Code:	P81
Name:	kilopascal per metre
Beschreibung:	<i>1000-fold of the derived SI unit pascal divided by the SI base unit metre.</i>
Code:	P82
Name:	hectopascal per metre
Beschreibung:	<i>100-fold of the derived SI unit pascal divided by the SI base unit metre.</i>
Code:	P83
Name:	standard atmosphere per metre
Beschreibung:	<i>Outdated unit of the pressure divided by the SI base unit metre.</i>
Code:	P84
Name:	technical atmosphere per metre
Beschreibung:	<i>Obsolete and non-legal unit of the pressure which is generated by a 10 metre water column divided by the SI base unit metre.</i>
Code:	P85
Name:	torr per metre
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of the pressure divided by the SI base unit metre.</i>
Code:	P86
Name:	psi per inch
Beschreibung:	<i>Compound unit for pressure (pound-force according to the Anglo-American unit system divided by the power of the unit inch according to the Anglo-American and Imperial system of units with the exponent 2) divided by the unit inch according to the Anglo-American and Imperial system of units .</i>
Code:	P87
Name:	cubic metre per second square metre
Beschreibung:	<i>Unit of volume flow cubic meters by second related to the transmission surface in square</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

	<i>metres.</i>
Code:	P88
Name:	rhe
Beschreibung:	<i>Non SI-conforming unit of fluidity of dynamic viscosity.</i>
Code:	P89
Name:	pound-force foot per inch
Beschreibung:	<i>Unit for length-related rotational moment according to the Anglo-American and Imperial system of units.</i>
Code:	P90
Name:	pound-force inch per inch
Beschreibung:	<i>Unit for length-related rotational moment according to the Anglo-American and Imperial system of units.</i>
Code:	P91
Name:	perm (0 °C)
Beschreibung:	<i>Traditional unit for the ability of a material to allow the transition of the steam, defined at a temperature of 0 °C as steam transmittance, where the mass of one grain steam penetrates an area of one foot squared at a pressure from one inch mercury per hour.</i>
Code:	P92
Name:	perm (23 °C)
Beschreibung:	<i>Traditional unit for the ability of a material to allow the transition of the steam, defined at a temperature of 23 °C as steam transmittance at which the mass of one grain of steam penetrates an area of one square foot at a pressure of one inch mercury per hour.</i>
Code:	P93
Name:	byte per second
Beschreibung:	<i>Unit byte divided by the SI base unit second.</i>
Code:	P94
Name:	kilobyte per second
Beschreibung:	<i>1000-fold of the unit byte divided by the SI base unit second.</i>
Code:	P95
Name:	megabyte per second
Beschreibung:	<i>1 000 000-fold of the unit byte divided by the SI base unit second.</i>
Code:	P96
Name:	reciprocal volt
Beschreibung:	<i>Reciprocal of the derived SI unit volt.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	P97
Name:	reciprocal radian
Beschreibung:	<i>Reciprocal of the unit radian.</i>
Code:	P98
Name:	pascal to the power sum of stoichiometric numbers
Beschreibung:	<i>Unit of the equilibrium constant on the basis of the pressure(ISO 80000-9:2009, 9-35.a).</i>
Code:	P99
Name:	mole per cubiv metre to the power sum of stoichiometric numbers
Beschreibung:	<i>Unit of the equilibrium constant on the basis of the concentration (ISO 80000-9:2009, 9-36.a).</i>
Code:	PD
Name:	pad
Beschreibung:	<i>A unit of count defining the number of pads (pad: block of paper sheets fastened together at one end).</i>
Code:	PFL
Name:	proof litre
Beschreibung:	<i>A unit of volume equal to one litre of proof spirits, or the alcohol equivalent thereof. Used for measuring the strength of distilled alcoholic liquors, expressed as a percentage of the alcohol content of a standard mixture at a specific temperature.</i>
Code:	PGL
Name:	proof gallon
Beschreibung:	<i>A unit of volume equal to one gallon of proof spirits, or the alcohol equivalent thereof. Used for measuring the strength of distilled alcoholic liquors, expressed as a percentage of the alcohol content of a standard mixture at a specific temperature.</i>
Code:	PI
Name:	pitch
Beschreibung:	<i>A unit of count defining the number of characters that fit in a horizontal inch.</i>
Code:	PLA
Name:	degree Plato
Beschreibung:	<i>A unit of proportion defining the sugar content of a product, especially in relation to beer.</i>
Code:	PQ
Name:	page per inch
Beschreibung:	<i>A unit of quantity defining the degree of thickness of a bound publication, expressed as the number of pages per inch of thickness.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	PR
Name:	Paar
Beschreibung:	<i>A unit of count defining the number of pairs (pair: item described by two's).</i>
Code:	PT
Name:	pint (US)
Beschreibung:	<i>Use liquid pint (common code PTL)</i>
Code:	PTN
Name:	Portion
Beschreibung:	<i>A quantity of allowance of food allotted to, or enough for, one person.</i>
Code:	Q10
Name:	joule per tesla
Beschreibung:	<i>Unit of the magnetic dipole moment of the molecule as derived SI unit joule divided by the derived SI unit tesla.</i>
Code:	Q11
Name:	erlang
Beschreibung:	<i>Unit of the market value according to the feature of a single feature as a statistical measurement of the existing utilization.</i>
Code:	Q12
Name:	octet
Beschreibung:	<i>Synonym for byte: 1 octet = 8 bit = 1 byte.</i>
Code:	Q13
Name:	octet per second
Beschreibung:	<i>Unit octet divided by the SI base unit second.</i>
Code:	Q14
Name:	shannon
Beschreibung:	<i>Logarithmic unit for information equal to the content of decision of a sentence of two mutually exclusive events, expressed as a logarithm to base 2.</i>
Code:	Q15
Name:	hartley
Beschreibung:	<i>Logarithmic unit for information equal to the content of decision of a sentence of ten mutually exclusive events, expressed as a logarithm to base 10.</i>
Code:	Q16
Name:	natural unit of information
Beschreibung:	<i>Logarithmic unit for information equal to the content of decision of a sentence of ,718</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	281 828 459 mutually exclusive events, expressed as a logarithm to base Euler value e.
Name:	Q17
Beschreibung:	shannon per second <i>Time related logarithmic unit for information equal to the content of decision of a sentence of two mutually exclusive events, expressed as a logarithm to base 2.</i>
Code:	Q18
Name:	hartley per second
Beschreibung:	<i>Time related logarithmic unit for information equal to the content of decision of a sentence of ten mutually exclusive events, expressed as a logarithm to base 10.</i>
Code:	Q19
Name:	natural unit of information per second
Beschreibung:	<i>Time related logarithmic unit for information equal to the content of decision of a sentence of 2,718 281 828 459 mutually exclusive events, expressed as a logarithm to base of the Euler value e.</i>
Code:	Q20
Name:	second per kilogramm
Beschreibung:	<i>Unit of the Einstein transition probability for spontaneous or inducing emissions and absorption according to ISO 80000-7:2008, expressed as SI base unit second divided by the SI base unit kilogram.</i>
Code:	Q21
Name:	watt square metre
Beschreibung:	<i>Unit of the first radiation constants $c_1 = 2 \cdot p \cdot h \cdot c_0$ to the power of 2, the value of which is 3,741 771 18 · 10¹⁶-fold that of the comparative value of the product of the derived SI unit watt multiplied with the power of the SI base unit metre with the exponent 2.</i>
Code:	Q22
Name:	second per radian cubic metre
Beschreibung:	<i>Unit of the density of states as an expression of angular frequency as complement of the product of hertz and radiant and the power of SI base unit metre by exponent 3 .</i>
Code:	Q23
Name:	weber to the power minus one
Beschreibung:	<i>Complement of the derived SI unit weber as unit of the Josephson constant, which value is equal to the 384 597,891-fold of the reference value gigahertz divided by volt.</i>
Code:	Q24
Name:	reciprocal inch

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>Complement of the unit inch according to the Anglo-American and Imperial system of units.</i>
Code:	Q25
Name:	dioptre
Beschreibung:	<i>Unit used at the statement of relative refractive indexes of optical systems as complement of the focal length with correspondence to: 1 dpt = 1/m.</i>
Code:	Q26
Name:	one per one
Beschreibung:	<i>Value of the quotient from two physical units of the same kind as a numerator and denominator whereas the units are shortened mutually.</i>
Code:	Q27
Name:	newton metre per metre
Beschreibung:	<i>Unit for length-related rotational moment as product of the derived SI unit newton and the SI base unit metre divided by the SI base unit metre.</i>
Code:	Q28
Name:	kilogram per square metre pascal second
Beschreibung:	<i>Unit for the ability of a material to allow the transition of steam.</i>
Code:	Q29
Name:	microgram per hectogram
Beschreibung:	<i>Microgram per hectogram.</i>
Code:	Q3
Name:	meal
Beschreibung:	<i>A unit of count defining the number of meals (meal: an amount of food to be eaten on a single occasion).</i>
Code:	Q30
Name:	pH (potential of Hydrogen)
Beschreibung:	<i>The activity of the (solvated) hydrogen ion (a logarithmic measure used to state the acidity or alkalinity of a chemical solution).</i>
Code:	Q35
Name:	megawatts per minute
Beschreibung:	<i>A unit of power defining the total amount of bulk energy transferred or consumer per minute.</i>
Code:	Q36
Name:	square metre per cubic metre

Guideline**Used Codes**

Beschreibung:	<i>A unit of the amount of surface area per unit volume of an object or collection of objects.</i>
Code:	Q37
Name:	Standard cubic metre per day
Beschreibung:	<i>Standard cubic metre (temperature 15°C and pressure 101325 millibars) per day</i>
Code:	Q38
Name:	Standard cubic metre per hour
Beschreibung:	<i>Standard cubic metre (temperature 15°C and pressure 101325 millibars) per hour</i>
Code:	Q39
Name:	Normalized cubic metre per day
Beschreibung:	<i>Normalized cubic metre (temperature 0°C and pressure 101325 millibars) per day</i>
Code:	Q40
Name:	Normalized cubic metre per hour
Beschreibung:	<i>Normalized cubic metre (temperature 0°C and pressure 101325 millibars) per hour</i>
Code:	Q41
Name:	Joule per normalised cubic metre
Beschreibung:	<i>Joule per normalised cubic metre (temperature 0°C and pressure 101325 millibars).</i>
Code:	Q42
Name:	Joule per standard cubic metre
Beschreibung:	<i>Joule per standard cubic metre (temperature 15°C and pressure 101325 millibars).</i>
Code:	QA
Name:	page - facsimile
Beschreibung:	<i>A unit of count defining the number of facsimile pages.</i>
Code:	QAN
Name:	Viertel (jahr)
Beschreibung:	<i>A unit of time defining the number of quarters (3 months).</i>
Code:	QB
Name:	page - hardcopy
Beschreibung:	<i>A unit of count defining the number of hardcopy pages (hardcopy page: a page rendered as printed or written output on paper, film, or other permanent medium).</i>
Code:	QR
Name:	quire
Beschreibung:	<i>A unit of count for paper, expressed as the number of quires (quire: a number of paper sheets, typically 25).</i>
Code:	QT

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	quart (US)
Beschreibung:	<i>Use liquid quart (common code QTL)</i>
Code:	QTR
Name:	quarter (UK)
Beschreibung:	<i>A traditional unit of weight equal to 1/4 hundredweight. In the United Kingdom, one quarter equals 28 pounds.</i>
Code:	R1
Name:	pica
Beschreibung:	<i>A unit of count defining the number of picas. (pica: typographical length equal to 12 points or 4.22 mm (approx.)).</i>
Code:	R9
Name:	thousand cubic metre
Beschreibung:	<i>A unit of volume equal to one thousand cubic metres.</i>
Code:	RH
Name:	running or operating hour
Beschreibung:	<i>A unit of time defining the number of hours of operation.</i>
Code:	RM
Name:	ream
Beschreibung:	<i>A unit of count for paper, expressed as the number of reams (ream: a large quantity of paper sheets, typically 500).</i>
Code:	ROM
Name:	room
Beschreibung:	<i>A unit of count defining the number of rooms.</i>
Code:	RP
Name:	pound per ream
Beschreibung:	<i>A unit of mass for paper, expressed as pounds per ream. (ream: a large quantity of paper, typically 500 sheets).</i>
Code:	RPM
Name:	Umdrehung pro Minute
Beschreibung:	<i>Refer ISO/TC12 SI Guide</i>
Code:	RPS
Name:	revolutions per second
Beschreibung:	<i>Refer ISO/TC12 SI Guide</i>
Code:	RT

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	revenue ton mile
Beschreibung:	<i>A unit of information typically used for billing purposes, expressed as the number of revenue tons (revenue ton: either a metric ton or a cubic metres, whichever is the larger), moved over a distance of one mile.</i>
Code:	S3
Name:	square foot per second
Beschreibung:	<i>Synonym: foot squared per second</i>
Code:	S4
Name:	square metre per second
Beschreibung:	<i>Synonym: metre squared per second (square metres/second US)</i>
Code:	SAN
Name:	half year (6 months)
Beschreibung:	<i>'A unit of time defining the number of half years (6 months).</i>
Code:	SCO
Name:	score
Beschreibung:	<i>A unit of count defining the number of units in multiples of 20.</i>
Code:	SET
Name:	set
Beschreibung:	<i>A unit of count defining the number of sets (set: a number of objects grouped together).</i>
Code:	SG
Name:	segment
Beschreibung:	<i>A unit of information equal to 64000 bytes.</i>
Code:	SHT
Name:	shipping ton
Beschreibung:	<i>A unit of mass defining the number of tons for shipping.</i>
Code:	SM3
Name:	Standard cubic metre
Beschreibung:	<i>Standard cubic metre (temperature 15°C and pressure 101325 millibars)</i>
Code:	SQ
Name:	square
Beschreibung:	<i>A unit of count defining the number of squares (square: rectangular shape).</i>
Code:	SQR
Name:	square, roofing
Beschreibung:	<i>A unit of count defining the number of squares of roofing materials, measured in</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

	<i>multiples of 100 square feet.</i>
Code:	SR
Name:	strip
Beschreibung:	<i>A unit of count defining the number of strips (strip: long narrow piece of an object).</i>
Code:	STC
Name:	stick
Beschreibung:	<i>A unit of count defining the number of sticks (stick: slender and often cylindrical piece of a substance).</i>
Code:	STK
Name:	stick, cigarette
Beschreibung:	<i>A unit of count defining the number of cigarettes in the smallest unit for stock-taking and/or duty computation.</i>
Code:	STL
Name:	standard litre
Beschreibung:	<i>A unit of volume defining the number of litres of a product at a temperature of 15 degrees Celsius, especially in relation to hydrocarbon oils.</i>
Code:	STN
Name:	ton (US) or short ton (UK/US)
Beschreibung:	<i>Synonym: net ton (2000 lb)</i>
Code:	STW
Name:	straw
Beschreibung:	<i>A unit of count defining the number of straws (straw: a slender tube used for sucking up liquids).</i>
Code:	SW
Name:	skein
Beschreibung:	<i>A unit of count defining the number of skeins (skein: a loosely-coiled bundle of yarn or thread).</i>
Code:	SX
Name:	shipment
Beschreibung:	<i>A unit of count defining the number of shipments (shipment: an amount of goods shipped or transported).</i>
Code:	SYR
Name:	syringe
Beschreibung:	<i>A unit of count defining the number of syringes (syringe: a small device for pumping,</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Used Codes

	<i>spraying and/or injecting liquids through a small aperture).</i>
Code:	T0
Name:	telecommunication line in service
Beschreibung:	<i>A unit of count defining the number of lines in service.</i>
Code:	T3
Name:	thousand piece
Beschreibung:	<i>A unit of count defining the number of pieces in multiples of 1000 (piece: a single item, article or exemplar).</i>
Code:	TAN
Name:	total acid number
Beschreibung:	<i>A unit of chemistry defining the amount of potassium hydroxide (KOH) in milligrams that is needed to neutralize the acids in one gram of oil. It is an important quality measurement of crude oil.</i>
Code:	TIC
Name:	metric ton, including container
Beschreibung:	<i>A unit of mass defining the number of metric tons of a product, including its container.</i>
Code:	TIP
Name:	metric ton, including inner packaging
Beschreibung:	<i>A unit of mass defining the number of metric tons of a product, including its inner packaging materials.</i>
Code:	TKM
Name:	tonne kilometre
Beschreibung:	<i>A unit of information typically used for billing purposes, expressed as the number of tonnes (metric tons) moved over a distance of one kilometre.</i>
Code:	TMS
Name:	kilogram of imported meat, less offal
Beschreibung:	<i>A unit of mass equal to one thousand grams of imported meat, disregarding less valuable by-products such as the entrails.</i>
Code:	TNE
Name:	Tonne (metrische Tonne)
Beschreibung:	<i>Synonym: metric ton</i>
Code:	TP
Name:	ten pack
Beschreibung:	<i>A unit of count defining the number of items in multiples of 10.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	TPI
Name:	teeth per inch
Beschreibung:	<i>The number of teeth per inch.</i>
Code:	TPR
Name:	ten pair
Beschreibung:	<i>A unit of count defining the number of pairs in multiples of 10 (pair: item described by two's).</i>
Code:	TQD
Name:	thousand cubic metre per day
Beschreibung:	<i>A unit of volume equal to one thousand cubic metres per day.</i>
Code:	TST
Name:	ten set
Beschreibung:	<i>A unit of count defining the number of sets in multiples of 10 (set: a number of objects grouped together).</i>
Code:	TTS
Name:	ten thousand sticks
Beschreibung:	<i>A unit of count defining the number of sticks in multiples of 10000 (stick: slender and often cylindrical piece of a substance).</i>
Code:	U1
Name:	treatment
Beschreibung:	<i>A unit of count defining the number of treatments (treatment: subjection to the action of a chemical, physical or biological agent).</i>
Code:	U2
Name:	Tablette
Beschreibung:	<i>A unit of count defining the number of tablets (tablet: a small flat or compressed solid object).</i>
Code:	UB
Name:	telecommunication line in service average
Beschreibung:	<i>A unit of count defining the average number of lines in service.</i>
Code:	UC
Name:	telecommunication port
Beschreibung:	<i>A unit of count defining the number of network access ports.</i>
Code:	UIG
Name:	international unit per gram

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Used Codes

Beschreibung:	<i>A unit of count defining the number of international units per gram.</i>
Code:	VP
Name:	percent volume
Beschreibung:	<i>A measure of concentration, typically expressed as the percentage volume of a solute in a solution.</i>
Code:	W2
Name:	wet kilo
Beschreibung:	<i>A unit of mass defining the number of kilograms of a product, including the water content of the product.</i>
Code:	WB
Name:	wet pound
Beschreibung:	<i>A unit of mass defining the number of pounds of a material, including the water content of the material.</i>
Code:	WCD
Name:	cord
Beschreibung:	<i>A unit of volume used for measuring lumber. One board foot equals 1/12 of a cubic foot.</i>
Code:	WE
Name:	wet ton
Beschreibung:	<i>A unit of mass defining the number of tons of a material, including the water content of the material.</i>
Code:	WG
Name:	wine gallon
Beschreibung:	<i>A unit of volume equal to 231 cubic inches.</i>
Code:	WM
Name:	working month
Beschreibung:	<i>A unit of time defining the number of working months.</i>
Code:	WSD
Name:	standard
Beschreibung:	<i>A unit of volume of finished lumber equal to 165 cubic feet. Synonym: standard cubic foot</i>
Code:	WW
Name:	millilitre of water
Beschreibung:	<i>A unit of volume equal to the number of millilitres of water.</i>
Code:	X1

Guideline

Used Codes	
	Name: Gunter's chain
	Beschreibung: <i>A unit of distance used or formerly used by British surveyors.</i>
	Code: Z11
	Name: hanging container
	Beschreibung: <i>A unit of count defining the number of hanging containers.</i>
	Code: ZP
	Name: Seite
	Beschreibung: <i>A unit of count defining the number of pages.</i>
	Code: ZZ
	Name: mutually defined
	Beschreibung: <i>A unit of measure as agreed in common between two or more parties.</i>
sequenceNumber	Wiederholung: 0 .. 1
	Schema-Status: O
	Typ: xs:nonNegativeInteger
	Definition: Angabe der Berechnungsreihenfolge der angegebenen Zu- oder Abschläge.
	Fachbegriff: Sequenznummer
	Beispiel: 1
	EANCOM®: INVOIC.SG16.ALC.C552.1227
allowanceChargeDescription	Wiederholung: 0 .. 1
	Schema-Status: O
	Typ: shared_common:MultiDescription70Type
	Fachbegriff: Zu- oder Abschlag Beschreibung
	Status: O
	Beispiel: Freitext
	Regel: Die Verwendung dieses Feldes ist zwischen den Datenaustauschpartnern bilateral abzustimmen.
	Definition: Beschreibung des Zu- oder Abschlag
	EANCOM®: INVOIC.SG16.ALC.C552.1230
xs:sequence	Wiederholung: 1 .. 1
	Schema-Status: M
description	Wiederholung: 1 .. unbounded
	Schema-Status: M
	Typ: shared_common:Description70Type
	Definition: Textinhalt der Beschreibung.

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	Fachbegriff:	Beschreibung
languageCode	Status:	R
	Schema-Status:	M
	Type:	restriction (xs:string)
	Fachbegriff:	Sprachcode
leviedDutyFeeTax	Status:	R
	Beispiel:	en
	Bemerkung:	Siehe ISO-Sprachcode unter www.iso.org
	Definition:	Code, der die Sprache in der Beschreibung definiert.
	Wiederholung:	0 .. 1
	Schema-Status:	O
xs:sequence	Typ:	ecom_common:LeviedDutyFeeTaxType
	Fachbegriff:	Erhobene Abgaben, Gebühren oder Steuern
	Status:	D
	Definition:	Angabe der für die vorliegenden Zu- oder Abschläge erhobenen Abgaben, Gebühren oder Steuern.
dutyFeeTaxCategoryCode	Wiederholung:	1 .. 1
	Schema-Status:	M
	Wiederholung:	0 .. 1
	Schema-Status:	O
	Typ:	shared_common:TaxCategoryCodeType
	Definition:	Typ, der den zutreffenden Steuerfall beschreibt. Anwendbare Werte können der GS1 Codeliste TaxCategoryCode entnommen werden.
	Fachbegriff:	Zuordnung Kondition: UST-Satz (Code)
	Status:	R
	Beispiel:	STANDARD
	GDD URN:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TaxCategoryCode
EANCOM®:	INVOIC.SG22[D_5283="7"].TAX.5305	
Used Codes		
Code:	APPLICABLE	
Name:	Anwendbar	
Beschreibung:	<i>Die Steuer gilt für das Produkt oder die Dienstleistung im Zielmarkt mit dem in TradeItemTaxAmount oder TradeItemTaxRate definierten Wert.</i>	
Code:	DOMESTIC_REVERSE_CHARGE	

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Used Codes

Name:	Nationaler Reverse Charge
Beschreibung:	<i>Er gilt das nationale Reverse Charge Verfahren. Dieser Codewert ist besonders relevant für den UK-Kontext.</i>
Code:	EXEMPT
Name:	Befreit
Beschreibung:	<i>Das Produkt oder eine Dienstleistung unterliegt keiner Besteuerung.</i>
Code:	FOOD
Name:	Lebensmittel
Beschreibung:	<i>Handelsartikel ist als Lebensmittel steuerpflichtig.</i>
Code:	FREE_EXPORT_ITEM
Name:	Export
Beschreibung:	<i>Aufgrund des Exports fallen keine Steuern an.</i>
Code:	HIGH
Name:	Erhöhter Satz
Beschreibung:	<i>Der Artikel unterliegt dem erhöhten Steuersatz. Die Definition hängt von den gesetzlichen Regelungen des Zielmarktes ab.</i>
Code:	HOTEL
Name:	Hotel
Beschreibung:	<i>Die Ware ist steuerpflichtig als Übernachtungsdienstleistung in einem Hotel, auf einem Campingplatz oder in einer anderen Einrichtung.</i>
Code:	LIMITED_RIGHT_FOR_DEDUCTION
Name:	Begrenztes Recht auf Abzug
Beschreibung:	<i>Gewerbliche Gegenstände sind steuerpflichtig mit eingeschränktem Recht auf Steuerabzug.</i>
Code:	LOCAL_GOVERNMENT_ACTIVITIES
Name:	Aktivitäten der lokalen Regierung
Beschreibung:	<i>Handelsware ist steuerpflichtig für Aktivitäten der lokalen Regierung.</i>
Code:	LOW
Name:	Ermäßigter Satz
Beschreibung:	<i>Das Produkt oder die Dienstleistung wird mit einem ermäßigten Steuersatz (nicht Null) besteuert, dessen Höhe von den gesetzlichen Regelungen des Zielmarktes abhängen.</i>
Code:	MEDIUM
Name:	Mittlerer Satz
Beschreibung:	<i>Das Produkt oder die Dienstleistung unterliegt einem Steuersatz , der zwischen den</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Used Codes

	<i>niedrigeren und höheren Steuersätzen liegt. Die Höhe hängt von den gesetzlichen Regelungen des Zielmarktes ab.</i>
Code:	MIXED
Name:	Gemischt
Beschreibung:	<i>Es liegt ein gemischter Steuersatz vor.</i>
Code:	NOT_APPLICABLE
Name:	Nicht anwendbar
Beschreibung:	<i>Die Steuer ist im Zielmarkt nicht anwendbar.</i>
Code:	PAPER_MAGAZINE_BOOK
Name:	Papier-Magazin-Buch
Beschreibung:	<i>Der Handelsgegenstand ist als Papier, Zeitschrift oder Buch steuerpflichtig.</i>
Code:	PREPAID
Name:	Bereits bezahlt
Beschreibung:	<i>Die Steuern, Gebühren oder Abgabe wurde bereits vom Lieferanten des Artikels bezahlt.</i>
Code:	REDUCTION_IN_BASE
Name:	Basisreduktion
Beschreibung:	<i>In BR angewandte Besteuerung.</i>
Code:	REDUCTION_IN_TAX_RATE
Name:	Reduzierter Steuersatz
Beschreibung:	<i>In BR angewandte Besteuerung.</i>
Code:	RESTAURANT_SERVICE
Name:	Restaurant-Service
Beschreibung:	<i>Gewerblicher Gegenstand ist als Restaurantdienstleistung steuerpflichtig.</i>
Code:	SERVICES_OUTSIDE_SCOPE_OF_TAX
Name:	Nicht steuerbar
Beschreibung:	<i>Die Besteuerung ist bei dieser Dienstleistung nicht anwendbar.</i>
Code:	STANDARD
Name:	Normalsatz
Beschreibung:	<i>Normalsatz der Besteuerung. Die Höhe hängt von der gesetzlichen Regelung des Zielmarktes ab.</i>
Code:	TRAVEL_SERVICE
Name:	Reisedienst
Beschreibung:	<i>Der Handelsgegenstand ist als Reisedienstleistung steuerpflichtig.</i>
Code:	VALUE_ADDED

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Used Codes

Name:	Mehrwert
Beschreibung:	<i>In Brasilien verwendete Besteuerung</i>
Code:	VALUE_ADDED_MARGIN
Name:	Mehrwertmarge
Beschreibung:	<i>In Brasilien verwendete Besteuerung.</i>
Code:	VALUE_ADDED_TAX_NOT_NOW_DUE_FOR_PAYMENT
Name:	Umsatzsteuer nicht zahlen
Beschreibung:	<i>Die in der Rechnung ausgewiesene Umsatzsteuer ist nicht sofort zu zahlen, sondern erst nach Eingang einer separaten Umsatzsteuerzahlaufforderung</i>
Code:	VAT_REVERSE_CHARGE
Name:	Reverse Charge Verfahren
Beschreibung:	<i>Es wird das Reverse Charge Verfahren angewandt</i>
Code:	ZERO
Name:	Null
Beschreibung:	<i>Das Produkt oder eine Dienstleistung hat einen Steuersatz gleich NULL, aber noch weitere Anforderungen an die Rechnungsstellung. Dieser Wert kann durch die Gesetzgebung jederzeit geändert werden.</i>

dutyFeeTaxExemptionReason

Wiederholung:	0 .. 1
Schema-Status:	O
Typ:	ecom_common:DutyFeeTaxExemptionReasonCodeType
Definition:	Gibt den Grund für die Befreiung von Steuer, Abgaben oder Gebühren an.
Fachbegriff:	Innergemeinschaftliche Lieferung
Beispiel:	INTRA_COMMUNITY_DELIVERY
GDD URN:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxExemptionReasonCode
EANCOM®:	INVOIC.FTX.[D_4451="REG"].4441

Used Codes

Code:	ACQUISITION
Name:	Akquisition
Beschreibung:	<i>Befreiung von der Steuerpflicht für den Erwerb.</i>
Code:	BANKING_FINANCING_SERVICE
Name:	Bankfinanzierungsservice
Beschreibung:	<i>Befreiung von der Steuerpflicht für Bank- und Finanzierungsdienstleistungen wie Wertpapierhandel, Verzugsgebühren und Verzugszinsen.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Used Codes

Code:	BROKERED_COST
Name:	Vermittelte Kosten
Beschreibung:	<i>Befreiung von der Steuerpflicht für vermittelte Kosten.</i>
Code:	INSURANCE_SERVICE
Name:	Versicherungsdienstleistungen
Beschreibung:	<i>Befreiung von der Steuerpflicht für Versicherungsleistungen.</i>
Code:	INTRA_COMMUNITY_DELIVERY
Name:	Innergemeinschaftliche Lieferung
Beschreibung:	<i>Verwendung bei der Rechnungsstellung einer Warenlieferung an einen Kunden in einem anderen EU-Land.</i>
Code:	OTHER
Name:	Andere
Beschreibung:	<i>Andere Gründe für die Steuerbefreiung.</i>
Code:	PHARMACEUTICAL
Name:	Pharmazeutische
Beschreibung:	<i>Befreiung von der Steuerpflicht für Arzneimittel.</i>
Code:	RETURNABLE_ASSET
Name:	Mehrweg-Anlagegut
Beschreibung:	<i>Befreiung von der Steuerpflicht für Mehrweggegenstände wie leere Flaschen oder Paletten (keine Steuer, da kein Umsatz zu erwarten ist).</i>
Code:	REVERSE_TAX_LIABILITY
Name:	Umkehrung der Steuerpflicht
Beschreibung:	<i>Der Käufer ist für die Zahlung der Steuer verantwortlich.</i>
Code:	SERVICE_EXPORT
Name:	Export einer Dienstleistung
Beschreibung:	<i>Befreiung von der Steuerpflicht für die Ausfuhr einer Dienstleistung.</i>
dutyFeeTaxPercentage	Wiederholung: 0 .. 1
	Schema-Status: 0
	Typ: xs:float
	Definition: Prozentsatz, mit dem die Gebühr berechnet wird.
	Fachbegriff: Abgabenprozent der Abgaben, Gebühren oder Steuern
	Status: R
	Beispiel: 21
	Regel: Angabe von 0 bei Reverse Charge

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

L dutyFeeTaxTypeCode	EANCOM®:	INVOIC.SG22[D_5283="7"].TAX.C243.5278
	Wiederholung:	0 .. 1
	Schema-Status:	O
	Typ:	ecom_common:DutyFeeTaxTypeCodeType
	Definition:	Typ, der die Art der Abgabe, Gebühr oder Steuer beschreibt. Erlaubte Werte können der GS1 Codeliste DutyFeeTaxTypeCode entnommen werden.
	Fachbegriff:	Art der Steuer, Abgabe oder Gebühr
	Status:	D
	Beispiel:	VAT
	GDD URN:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode
	EANCOM®:	INVOIC.SG22[D_5283="7"].TAX.C241.5153
	Used Codes	
	Code:	AAD
	Name:	Tabaksteuer
	Beschreibung:	<i>Steuer auf Tabakprodukte.</i>
Code:	AAF	
Name:	Kaffeesteuer	
Beschreibung:	<i>Eine Steuer, die speziell für Kaffeeprodukte erhoben wird.</i>	
Code:	AAJ	
Name:	Steuer auf Austauschteile	
Beschreibung:	<i>Eine Steuer, die auf Austauschteile erhoben wird, wenn das Originalteil zurückgegeben wird.</i>	
Code:	ACT	
Name:	Alkoholsteuer (GS1-Code)	
Beschreibung:	<i>Eine Steuer speziell für alkoholische Produkte.</i>	
Code:	CAR	
Name:	Kraftfahrzeugsteuer	
Beschreibung:	<i>Eine Steuer, die auf den Wert eines Autos erhoben wird.</i>	
Code:	ENV	
Name:	Ökosteuer	
Beschreibung:	<i>Steuer, die zur Bildung von Versicherungen oder Fonds zum Schutz oder zur Regenerierung der Umwelt erhoben wird.</i>	
Code:	EXC	
Name:	Verbrauchssteuer	

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Used Codes	
	<p>Beschreibung: <i>Zoll- oder Finanzbehördencode zur Identifikation einer speziellen oder zusätzlichen Abgabe einer speziellen Ware im Inland oder zum Zeitpunkt des Imports.</i></p> <p>Code: GST</p> <p>Name: Waren- und Dienstleistungssteuer</p> <p>Beschreibung: <i>Steuer auf den Endverbrauch von Waren und Dienstleistungen über den Produktions- und Absatzweg.</i></p> <p>Code: IMP</p> <p>Name: Importsteuer</p> <p>Beschreibung: <i>Steuer auf Importe.</i></p> <p>Code: OIL</p> <p>Name: Ölsteuer</p> <p>Beschreibung: <i>Ölsteuer</i></p> <p>Code: OTH</p> <p>Name: Andere Steuern</p> <p>Beschreibung: <i>Unspezifizierte, verschiedene Steuerabgaben.</i></p> <p>Code: VAT</p> <p>Name: Mehrwertsteuer</p> <p>Beschreibung: <i>Eine Steuer auf inländische oder importierte Waren, die für den Mehrwert des Produkts auf jeder Stufe des Produktions-/Distributionszyklus gilt.</i></p>
taxCurrencyInformation	<p>Wiederholung: 0 .. unbounded</p> <p>Schema-Status: O</p> <p>Typ: shared_common:CurrencyExchangeRateInformationType</p> <p>Definition: Angabe von Währung, in der die Steuern der rechnng beglichen werden sollen sowie den Umrechnungskurs zur Rechnungswährung.</p> <p>Fachbegriff: Währungsumrechnungsinformationen</p> <p>Status: D</p>
xs:sequence	<p>Wiederholung: 1 .. 1</p> <p>Schema-Status: M</p>
currencyConversionFromCode	<p>Wiederholung: 1 .. 1</p> <p>Schema-Status: M</p> <p>Typ: shared_common:CurrencyCodeType</p> <p>Definition: ISO Code der Quellwährung.</p> <p>Fachbegriff: Währungsumrechnung von (Code)</p> <p>Status: R</p>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	<p>Beispiel: USD EANCOM®: INVOIC.SG7.CUX.C504.6345</p> <p>Used Codes</p> <p>Code: RON Name: Romanian Leu Beschreibung: <i>This currency code is effective from 1 July 2005</i></p> <p>Code: ZWL Name: Zimbabwe Dollar Beschreibung: <i>(effective 1 February 2009)</i></p>
currencyConversionToCode	<p>Wiederholung: 1 .. 1 Schema-Status: M Typ: shared_common:CurrencyCodeType Definition: ISO-Code der Zielwährung der Umrechnung. Fachbegriff: Währungsumrechnung nach (Code) Status: R Beispiel: EUR EANCOM®: INVOIC.SG7.CUX.C504#2.6345</p> <p>Used Codes</p> <p>Code: RON Name: Romanian Leu Beschreibung: <i>This currency code is effective from 1 July 2005</i></p> <p>Code: ZWL Name: Zimbabwe Dollar Beschreibung: <i>(effective 1 February 2009)</i></p>
exchangeRate	<p>Wiederholung: 0 .. 1 Schema-Status: O Typ: xs:float Definition: Angabe des Faktors, mit der eine Währung in eine andere umgerechnet werden kann. Fachbegriff: Umrechnungskurs Status: D Beispiel: 0.755106 EANCOM®: INVOIC.SG7.CUX.5402</p>
paymentTerms	<p>Wiederholung: 0 .. unbounded Schema-Status: O Typ: ecom_common:PaymentTermsType</p>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	Definition:	Bedingungen und Regeln, unter der eine Zahlung durchgeführt wurde oder durchgeführt werden soll.
	Fachbegriff:	Zahlungskondition
	Status:	O
xs:sequence	Wiederholung:	1 .. 1
	Schema-Status:	M
paymentTermsEventCode	Wiederholung:	1 .. 1
	Schema-Status:	M
	Typ:	ecom_common:PaymentTermsEventCodeType
	Definition:	Typ, der über einen Code den Auslöser der Zahlungskondition bestimmt. Erlaubte Werte können der GS1 Codeliste PaymentTermsEventCode entnommen werden.
	Fachbegriff:	Auslöser der Zahlungskondition (Code)
	Status:	R
	Beispiel:	AFTER_DATE_OF_DELIVERY
	GDD URN:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:PaymentTermsEventCode
	Used Codes	
	Code:	AFTER_DATE_OF_DELIVERY
	Name:	Nach Lieferdatum
	Beschreibung:	<i>Beliebiges Datum nach dem Datum wird Ware zum vereinbarten Bestimmungsort geliefert.</i>
	Code:	ANTICIPATED_DELIVERY_DATE
	Name:	Voraussichtlicher Liefertermin
	Beschreibung:	<i>Das Datum an dem die Lieferung voraussichtlich stattfinden wird.</i>
	Code:	DATE_INVOICE_RECEIVED
	Name:	Datum Rechnung erhalten
	Beschreibung:	<i>Fälligkeit/Buchungsdatum ist der Tag an dem die Rechnung eingetroffen ist.</i>
	Code:	DATE_OF_DELIVERY_TO_SITE
	Name:	Datum der Lieferung an den Bestimmungsort
	Beschreibung:	<i>Das Datum an dem die Waren an den vereinbarten Bestimmungsort geliefert werden.</i>
	Code:	DATE_OF_INVOICE
	Name:	Rechnungsdatum
	Beschreibung:	<i>Zahlung-Zeitreferenz ist Rechnungsdatum.</i>
	Code:	DATE_OF_SHIPMENT_AS_EVIDENCED_BY_TRANSPORT_DOCUMENTS
	Name:	Versanddatum wie es die Transport-Dokumente belegen

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	<p>Used Codes</p> <p>Beschreibung: <i>Fälligkeit/Buchungsdatum ist das Rechnungsdatum.</i></p> <p>Code: EFFECTIVE_DATE</p> <p>Name: Effektives Datum</p> <p>Beschreibung: <i>Das Datum, an dem eine Aktion oder ein Ereignis in Kraft tritt.</i></p> <p>Code: INVOICE_TRANSMISSION_DATE</p> <p>Name: Übertragungsdatum der Rechnung</p> <p>Beschreibung: <i>Das Datum an dem die Rechnung vom Rechnungssteller übertragen/versandt wird.</i></p> <p>Code: PRIOR_TO_DATE_OF_DELIVERY</p> <p>Name: Vor dem Liefertermin</p> <p>Beschreibung: <i>Beliebiges Datum vor dem Datum an dem die Ware am vereinbarten Bestimmungsort geliefert wird.</i></p> <p>Code: RECEIPT_OF_GOODS</p> <p>Name: Nach Erhalt der Ware</p> <p>Beschreibung: <i>Das Datum des Wareneingangs durch den Empfänger.</i></p>
paymentTermsTypeCode	<p>Wiederholung: 1 .. 1</p> <p>Schema-Status: M</p> <p>Typ: shared_common:PaymentTermsTypeCodeType</p> <p>Definition: Angabe der Art der Zahlungskondition z. B. DISCOUNT</p> <p>Fachbegriff: Art der Zahlungskondition (Code)</p> <p>Status: R</p> <p>Beispiel: 22</p> <p>Bemerkung: Angabe der Art der Zahlungskondition z. B. DISCOUNT</p> <p>GDD URN: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:PaymentTermsTypeCode</p> <p>Fachbegriff: Konditionssperre (Code)</p> <p>Status: R</p> <p>Beispiel: 5</p> <p>Bemerkung: Dieses Element wird nur zur Anzeige einer Konditionssperre verwendet.</p> <p>EANCOM®: INVOIC.ALI[4183="15"]</p> <p>Used Codes</p> <p>Code: 1</p> <p>Name: Wie üblich</p> <p>Beschreibung: <i>Zahlungsbedingungen werden wie üblich angewendet.</i></p> <p>Code: 2</p>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	Ende des Monats
Beschreibung:	<i>Die Zahlungen sind am Monatsende fällig.</i>
Code:	3
Name:	Fixdatum
Beschreibung:	<i>Die Zahlungen sind zum angegebenen Fixdatum fällig.</i>
Code:	4
Name:	Verschoben
Beschreibung:	<i>Die Zahlungen sind über das normale Fälligkeitsdatum hinaus verschoben.</i>
Code:	5
Name:	Abzug nicht anwendbar
Beschreibung:	<i>Zahlungsbedingungen, auf die Rabatte nicht anwendbar sind.</i>
Code:	6
Name:	Gemischt
Beschreibung:	<i>Verschiedene Zahlungsbedingungen auf Basis eines Dokumentenakkreditivs verhandelt.</i>
Code:	7
Name:	Verlängert
Beschreibung:	<i>Zahlung über das normale Fälligkeitsdatum hinaus verlängert.</i>
Code:	8
Name:	Basisabzug angeboten
Beschreibung:	<i>Zahlungsbedingungen geben den Basisabzug wieder.</i>
Code:	9
Name:	Nächsten Monat
Beschreibung:	<i>Auswirkung im Folgemonat nach dem jeweils aktuellen Monat.</i>
Code:	10
Name:	Prompt
Beschreibung:	<i>Zahlung fällig nach Erhalt der Rechnung.</i>
Code:	11
Name:	Wahlweise
Beschreibung:	<i>Zahlungsbedingungen werden vom Käufer gewählt (aus verschiedenen Möglichkeiten wählbar).</i>
Code:	18
Name:	Wie früher vereinbart
Beschreibung:	<i>Zahlungsbedingungen wurden früher vereinbart.</i>
Code:	20

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Used Codes	
	Name: Vertragsstrafen
	Beschreibung: <i>Zahlungsbedingungen, auf die Vertragsstrafen zutreffen.</i>
	Code: 21
	Name: Ratenzahlung
	Beschreibung: <i>Zahlungsbedingungen basieren auf Ratenzahlungen.</i>
	Code: 22
	Name: Abzug (Rabatt)
	Beschreibung: <i>Zahlungsbedingungen, auf die Abzüge/Rabatte anwendbar sind.</i>
	Code: X11
	Name: Valuta (GS1-Code)
	Beschreibung: <i>Valutadatum, was eine Verlängerung des Zahlungsziels ist.</i>
	Code: X12
	Name: Rabatt nach Abzug der Fracht
	Beschreibung: <i>Zahlungsbedingung ist Rabatt nach Abzug der Fracht. (Neuer Code)</i>
	Code: X13
	Name: Kostenlos
	Beschreibung: <i>Der Zahlungsbedingung sind keine Kosten zugeordnet. (Neuer Code)</i>
netPaymentDue	Wiederholung: 0 .. 1
	Schema-Status: O
	Typ: shared_common:PaymentTimePeriodType
	Definition: Angabe des Zahlungszeitpunktes (Zahlungsziel) oder des Zahlungszeitraums des Nettobetrags.
	Fachbegriff: Zahlungsziel (netto)
	Status: O
xs:sequence	Wiederholung: 1 .. 1
	Schema-Status: M
dateDue	Wiederholung: 0 .. 1
	Schema-Status: O
	Typ: xs:date
	Definition: Datum, an dem die Zahlung fällig ist.
	Fachbegriff: Zahlung fällig (Datum)
	Status: R
	Beispiel: 2023-06-05
	EANCOM®: INVOIC.SG8[D_4279="3" AND D_2005="13"].DTM.C507.2380

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

paymentTermsDiscount	Wiederholung: 0 .. unbounded Schema-Status: O Typ: ecom_common:PaymentTermsDiscountType Fachbegriff: Zahlungskonditionen (Rabatt) Status: O Definition: Angabe von Rabatten in Form von Zahlungskonditionen. Diese Rabatte können von der Art der Zahlung oder dem Zeitpunkt der Zahlung abhängig sein.
xs:sequence	Wiederholung: 1 .. 1 Schema-Status: M
discountType	Wiederholung: 1 .. 1 Schema-Status: M Typ: restriction (xs:string) Definition: Verbale Beschreibung der Zahlungskondition. Fachbegriff: Zahlungskondition (Text) Status: R Beispiel: 2% innerhalb von 10 Tagen
discountAmount	Wiederholung: 0 .. 1 Schema-Status: O Typ: shared_common:AmountType Fachbegriff: Rabattbetrag Status: O Beispiel: 200 Definition: Angabe des Rabatts als Betrag. EANCOM®: INVOIC.SG8[D_4279="3" AND D_5025="8"].MOA.5004
currencyCode	Schema-Status: M Type: restriction (xs:string) Fachbegriff: Währungscode Status: R Beispiel: EUR Definition: Code, der die Währung einer Wertangabe spezifiziert. Used Codes Code: RON Name: Romanian Leu Beschreibung: <i>This currency code is effective from 1 July 2005</i> Code: ZWL

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

		Used Codes
discountPercent	Name:	Zimbabwe Dollar
	Beschreibung:	(effective 1 February 2009)
paymentTimePeriod	Wiederholung:	0 .. 1
	Schema-Status:	O
	Typ:	xs:float
	Definition:	Angabe des Rabatts als Prozentzahl.
	Fachbegriff:	Rabattprozent
	Beispiel:	2
	EANCOM®:	INVOIC.SG8[D_4279="3" AND D_5245="12"].PCD.5482
	Wiederholung:	1 .. 1
	Schema-Status:	M
	Typ:	shared_common:PaymentTimePeriodType
Definition:	Angabe des Zahlungszeitpunktes (Zahlungsziel) oder des Zahlungszeitraums.	
xs:sequence	Fachbegriff:	Zahlungsziel
	Status:	R
dateDue	Wiederholung:	1 .. 1
	Schema-Status:	M
sEPARepference	Wiederholung:	0 .. 1
	Schema-Status:	O
	Typ:	xs:date
	Definition:	Datum, an dem die Zahlung fällig ist.
	Fachbegriff:	Zahlung fällig (Datum)
	Status:	R
	Beispiel:	2023-06-05
	EANCOM®:	INVOIC.SG8[D_4279="3" AND D_2005="12"].DTM.C507.2380
	Wiederholung:	0 .. unbounded
	Schema-Status:	O
Typ:	ecom_common:TransactionalGenericReferenceType	
Definition:	Eine Referenz, die im einheitlichen Euro-Zahlungsverkehrsraum - SEPA, wie z. B. Creditor Reference oder Mandate Reference, erforderlich ist.	
xs:sequence	Fachbegriff:	SEPA Referenz
	Status:	O
xs:sequence	Wiederholung:	1 .. 1
	Schema-Status:	M

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

transactionalReferenceTypeCode	<p>Wiederholung: 1 .. 1 Schema-Status: M Typ: ecom_common:TransactionalReferenceTypeCodeType Definition: Code, der einen Transaktionsreferenztyp angibt. Erlaubte Codewerte werden in der GS1-Codeliste TransactionalReferenceTypeCode angegeben.</p> <p>Fachbegriff: Art der Transaktionsreferenz (Code) Status: R Beispiel: ACK GDD URN: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TransactionalReferenceTypeCode</p> <p>Used Codes</p> <p>Code: ACK Name: Bank-Referenz Beschreibung: <i>Querverweis vergeben von einem Kreditinstitut.</i></p>
transactionalReferenceValue	<p>Wiederholung: 1 .. 1 Schema-Status: M Typ: restriction (xs:string) Definition: Enthält den Referenzwert. Fachbegriff: Angabe der Transaktionsreferenz (SEPA-Nummer) Status: R</p>
endCustomerRelatedDetails	<p>Wiederholung: 0 .. 1 Schema-Status: O Typ: ecom_common:EndCustomerRelatedDetailsType Fachbegriff: Endkundenbezogene Details Status: O Definition: Gibt detaillierte Informationen zum Endkunden an, z. B. Identifikation, Lieferart, etc.</p>
xs:sequence	<p>Wiederholung: 1 .. 1 Schema-Status: M</p>
ultimateCustomer	<p>Wiederholung: 0 .. 1 Schema-Status: O Typ: ecom_common:TransactionalPartyType Fachbegriff: Endkunde Status: O Definition: Ermöglicht es, den Endkunden anzugeben, der sich von Ultimate Consignee unterscheiden kann. Z.B. in B2C-Szenarien kann der entscheidende Kunde die Sendung abholen, die an</p>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

		den Ultimate Consignee geliefert worden ist.
xs:sequence	Wiederholung: 1 .. 1 Schema-Status: M	
gln	Wiederholung: 0 .. 1 Schema-Status: O Typ: shared_common:GLNType Fachbegriff: Endkunde (GLN) Status: O Beispiel: 4000001000005 Definition: Die Globale Lokationsnummer (GLN) ist ein GS1 Identifikationsschlüssel um physikalische Orte oder Geschäftspartner zu identifizieren. Er besteht aus der Basisnummer, dem eigengenerierten Nummerenteil und der Prüfziffer.	
additionalPartyIdentification	Wiederholung: 0 .. unbounded Schema-Status: O Typ: shared_common:AdditionalPartyIdentificationType Definition: Typ, der eine zusätzliche Identifikation (keine GLN) eines Geschäftspartners ermöglicht. Fachbegriff: Zusätzliche Geschäftspartner-ID Status: O Beispiel: MNP687	
additionalPartyIdentificationTypeCode	Schema-Status: M Type: restriction (xs:string) GDD URN: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode Fachbegriff: Art der zusätzlichen Identifikation des Geschäftspartners (Code) Status: R Beispiel: SELLER_ASSIGNED_IDENTIFIER_FOR_A_PARTY Definition: Code, der die Art der zusätzlichen Identifikation des Geschäftspartners definiert.	
	Used Codes	
	Code: BUYER_ASSIGNED_IDENTIFIER_FOR_A_PARTY Name: Vom Käufer vergeben Beschreibung: <i>Interne Identifikation vom Käufer vergeben. Diese Identifikation wird in einer Geschäftsbeziehung zur Identifikation eines Geschäftspartners verwendet.</i>	
	Code: CASHSSP Name: Cash SSP Beschreibung: <i>Von der Cash Single Shared Platform vergebene Nummer, die von diversen europäischen</i>	

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Used Codes

	<i>Zentralbanken verwendet wird.</i>
Code:	DEA_DRUG_ENFORCEMENT_AGENCY
Name:	Von der DEA vergeben
Beschreibung:	<i>Identifikation der United States official Drug Enforcement Agency Datenbank von Personen und Organisationen, die zertifiziert sind mit entsprechenden Substanzen umzugehen (nach dem Controlled Substances Act).</i>
Code:	DUNS
Name:	Von Dun & Bradstreet vergeben
Beschreibung:	<i>Data Universal Numbering System. Es handelt sich um eine 9stellige Nummer, die einzelne Niederlassungen eindeutig identifiziert. Sie wird von Dun & Bradstreet jeder geschäftlichen Lokation einzeln zugewiesen. Mit Hilfe einer DUNS können einzelne Geschäftseinheiten, die keine einheitliche Namensgebung haben, als eine einzelne Einheit markiert werden.</i>
Code:	DUNS_PLUS_FOUR
Name:	Von Dun & Bradstreet vergeben mit 4 Zeichen Suffix.
Beschreibung:	<i>Die DUNS+4 basiert auf einer DUNS Nummer ergänzt um ein 4-Zeichen-Suffix. Dieses wird vom Hersteller hinzugefügt, um bei elektronischen Überweisungen zusätzliche Central Contractor Registration (CCR) Nummern in der Datenbank zu erzeugen. Dun and Bradstreet hat keinen Einfluss auf den Suffix.</i>
Code:	EO_ID
Name:	Identifikationsnummer des Wirtschaftsteilnehmers
Beschreibung:	<i>Eine Art von Kennung im Format der unveränderlichen Menge von ISO646:1991, die gemäß der EU-Durchführungsverordnung 2018/574 zur Identifizierung eines Wirtschaftsteilnehmers verwendet wird.</i>
Code:	EU_VAT_IDENTIFICATION_NUMBER
Name:	EU-Umsatzsteuer-Identifikationsnummer
Beschreibung:	<i>Eine Kennung, mit der Unternehmen für Mehrwertsteuerzwecke in der Europäischen Union identifiziert werden.</i>
Code:	FOR_INTERNAL_USE_1
Name:	Zur internen Verwendung 1
Beschreibung:	<i>Identifikation für interne Mappings.</i>
Code:	FOR_INTERNAL_USE_10
Name:	Zur internen Verwendung 10
Beschreibung:	<i>Identifikation für interne Mappings.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	FOR_INTERNAL_USE_11
Name:	Zur internen Verwendung 11
Beschreibung:	<i>Identifikation für interne Mappings.</i>
Code:	FOR_INTERNAL_USE_12
Name:	Zur internen Verwendung 12
Beschreibung:	<i>Identifikation für interne Mappings.</i>
Code:	FOR_INTERNAL_USE_13
Name:	Zur internen Verwendung 13
Beschreibung:	<i>Identifikation für interne Mappings.</i>
Code:	FOR_INTERNAL_USE_14
Name:	Zur internen Verwendung 14
Beschreibung:	<i>Identifikation für interne Mappings.</i>
Code:	FOR_INTERNAL_USE_15
Name:	Zur internen Verwendung 15
Beschreibung:	<i>Identifikation für interne Mappings.</i>
Code:	FOR_INTERNAL_USE_16
Name:	Zur internen Verwendung 16
Beschreibung:	<i>Identifikation für interne Mappings.</i>
Code:	FOR_INTERNAL_USE_17
Name:	Zur internen Verwendung 17
Beschreibung:	<i>Identifikation für interne Mappings.</i>
Code:	FOR_INTERNAL_USE_18
Name:	Zur internen Verwendung 18
Beschreibung:	<i>Identifikation für interne Mappings.</i>
Code:	FOR_INTERNAL_USE_19
Name:	Zur internen Verwendung 19
Beschreibung:	<i>Identifikation für interne Mappings.</i>
Code:	FOR_INTERNAL_USE_2
Name:	Zur internen Verwendung 2
Beschreibung:	<i>Identifikation für interne Mappings.</i>
Code:	FOR_INTERNAL_USE_20
Name:	Zur internen Verwendung 20
Beschreibung:	<i>Identifikation für interne Mappings.</i>
Code:	FOR_INTERNAL_USE_3

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	Zur internen Verwendung 3
Beschreibung:	<i>Identifikation für interne Mappings.</i>
Code:	FOR_INTERNAL_USE_4
Name:	Zur internen Verwendung 4
Beschreibung:	<i>Identifikation für interne Mappings.</i>
Code:	FOR_INTERNAL_USE_5
Name:	Zur internen Verwendung 5
Beschreibung:	<i>Identifikation für interne Mappings.</i>
Code:	FOR_INTERNAL_USE_6
Name:	Zur internen Verwendung 6
Beschreibung:	<i>Identifikation für interne Mappings.</i>
Code:	FOR_INTERNAL_USE_7
Name:	Zur internen Verwendung 7
Beschreibung:	<i>Identifikation für interne Mappings.</i>
Code:	FOR_INTERNAL_USE_8
Name:	Zur internen Verwendung 8
Beschreibung:	<i>Identifikation für interne Mappings.</i>
Code:	FOR_INTERNAL_USE_9
Name:	Zur internen Verwendung 9
Beschreibung:	<i>Identifikation für interne Mappings.</i>
Code:	HIN_CANADIAN_HEALTHCARE_IDENTIFICATION_NUMBER
Name:	HIN Canacddian Healthcare Identification Number.
Beschreibung:	<i>Identifikation der Gesundheitsbranche in Kanada.</i>
Code:	PARTITA_IVA
Name:	Agenzia delle Entrate
Beschreibung:	<i>Von der italienischen ""Agenzia delle Entrate"" vergebene Nummer für steuerliche Zwecke.</i>
Code:	SCAC
Name:	Standard Carrier Alpha Code
Beschreibung:	<i>Der Standard Carrier Alpha Code wird zur Identifikation von LKW-Fahrern, Straßen und anderen Arten der Beförderung verwendet.</i>
Code:	SELLER_ASSIGNED_IDENTIFIER_FOR_A_PARTY
Name:	Vom Verkäufer vergeben
Beschreibung:	<i>Interne Identifikation vom Verkäufer vergeben.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Used Codes	
	<p>Code: SIRET Name: Système d'Identification du Répertoire des Etablissements Beschreibung: Die SIRET ist eine 14 stellige Nummer zur Identifikation einer Lokation bestehend aus einer 9 stelligen SIREN und einer internationalen Klassifikationsnummer mit 5 Stellen (NIC). Dieser Code wird in Frankreich verwendet.</p>
	<p>Code: TD_LINK_TRADE_DIMENSIONS Name: TD Link trade dimensions. Beschreibung: Von Nielsen vergebene Geschäftspartneridentifikation. Sie erlaubt es Firmen ihre Stammdaten mit dem zugehörigen Nielsen TDLinx Code zu verbinden. Nielsen TDLinx erzeugt eine Datei, die die jeweilige Kundennummer mit dem Nielsen TDLinx Code verbindet.</p>
	<p>Code: UCC_COMMUNICATION_IDENTIFICATION Name: UCC Communication Identification Beschreibung: UCC Communication Identifikation</p>
	<p>Code: UNKNOWN Name: Unbekannt Beschreibung: Die Art der Partneridentifikationsnummer ist unbekannt.</p>
	<p>Code: UN_LOCATION_CODE Name: UN Location Code Beschreibung: UN-Lokations Code</p>
	<p>Code: USDA_ESTABLISHMENT_NUMBER Name: USDA Nummer Beschreibung: Vom United States Department of Agriculture vergebene Identifikation. Alle Behälter für Fleisch, Geflügel, und Ei -Produkte müssen mit einem USDA Kontrollnummer (EST number) versehen werden. Diese ist der jeweiligen Produktionsstätte zugeordnet.</p>
administrativeUnit	<p>Wiederholung: 0 .. unbounded Schema-Status: O Typ: ecom_common:AdministrativeUnitType Fachbegriff: Kostenstelle Status: O Definition: Identifikation der Kostenstelle eines Beteiligten.</p>
xs:sequence	<p>Wiederholung: 1 .. 1 Schema-Status: M</p>
administrativeUnitTypeCode	<p>Wiederholung: 1 .. 1</p>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Schema-Status: M
 Typ: ecom_common:AdministrativeUnitTypeCodeType
 Definition: Dieser Code spezifiziert den Typ der Verwaltungseinheit.
 Fachbegriff: **Typ der Verwaltungseinheit**
 Status: **R**
 Beispiel: COST_CENTER
 GDD URN: <http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdministrativeUnitTypeCode>

Used Codes

Code: BUSINESS_UNIT
 Name: Geschäftsbereich
 Beschreibung: *Unterscheidung für administrative Zwecke um Ressourcen einem Geschäftsbereich zuzuordnen.*

Code: COST_CENTER
 Name: Kostenstelle
 Beschreibung: *Unterscheidung für administrative Zwecke um Ressourcen einer Kostenstelle zuzuordnen.*

Code: DISTRIBUTION_CHANNEL
 Name: Vertriebskanal
 Beschreibung: *Unterscheidung für administrative Zwecke um Ressourcen einem Vertriebskanal zuzuordnen.*

Code: DIVISION
 Name: Abteilung
 Beschreibung: *Unterscheidung für administrative Zwecke um Ressourcen einer Abteilung zuzuordnen.*

Code: FOR_INTERNAL_USE_1
 Name: Für den internen Gebrauch 1
 Beschreibung: *Kennung für die interne Zuordnung.*

Code: FOR_INTERNAL_USE_10
 Name: Für den internen Gebrauch 10
 Beschreibung: *Kennung für die interne Zuordnung.*

Code: FOR_INTERNAL_USE_2
 Name: Für die interne Verwendung 2
 Beschreibung: *Kennung für die interne Zuordnung.*

Code: FOR_INTERNAL_USE_3
 Name: Für den internen Gebrauch 3
 Beschreibung: *Kennung für die interne Zuordnung.*

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	FOR_INTERNAL_USE_4
Name:	Für den internen Gebrauch 4
Beschreibung:	<i>Kennung für die interne Zuordnung.</i>
Code:	FOR_INTERNAL_USE_5
Name:	Für den internen Gebrauch 5
Beschreibung:	<i>Kennung für die interne Zuordnung.</i>
Code:	FOR_INTERNAL_USE_6
Name:	Für den internen Gebrauch 6
Beschreibung:	<i>Kennung für die interne Zuordnung.</i>
Code:	FOR_INTERNAL_USE_7
Name:	Für den internen Gebrauch 7
Beschreibung:	<i>Kennung für die interne Zuordnung.</i>
Code:	FOR_INTERNAL_USE_8
Name:	Für den internen Gebrauch 8
Beschreibung:	<i>Kennung für die interne Zuordnung.</i>
Code:	FOR_INTERNAL_USE_9
Name:	Für den internen Gebrauch 9
Beschreibung:	<i>Kennung für die interne Zuordnung.</i>
Code:	INVENTORY_OWNER
Name:	Inventar-Besitzer
Beschreibung:	<i>Unterscheidung für administrative Zwecke, wo das Lager in Gewahrsam gehalten wird, aber im Besitz eines anderen Geschäftspartners ist.</i>
Code:	OPERATING_UNIT
Name:	Bedieneinheit
Beschreibung:	<i>Unterscheidung für administrative Zwecke um Ressourcen einer Bedieneinheit zuzuordnen.</i>
Code:	PROFIT_CENTRE
Name:	Profit-Center
Beschreibung:	<i>Unterscheidung, die zu administrativen Zwecken getroffen wird, um Unternehmensressourcen einem Profit-Center zuzuweisen.</i>
Code:	SALES_ORGANIZATION
Name:	Verkaufsbereich
Beschreibung:	<i>Unterscheidung für administrative Zwecke um Ressourcen einem Verkaufsbereich Abteilung zuzuordnen.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Used Codes	
	Code: SUB_CONTRACTOR
	Name: Sub-Auftragnehmer
	Beschreibung: Unterscheidung für administrative Zwecke um Ressourcen einem Subunternehmer zuzuordnen.
gln	Wiederholung: 0 .. 1
	Schema-Status: 0
	Typ: shared_common:GLNType
	Fachbegriff: Referenz-ID (GLN)
	Status: R
	Beispiel: 4000001000005
	Bemerkung: An dieser Stelle muss die GLN des zugehörigen Beteiligten (z. B. des Käufers/ Rechnungsempfängers, des Leistungsnehmers, des Bestellers, des Rechnungsempfängers, der Lieferanschrift oder des Kostenstellen-Inhabers angegeben werden, damit eine eindeutige Zuordnung zwischen dem Beteiligten und der Kostenstellenreferenz gewährleistet ist.
	Definition: Die Globale Lokationsnummer (GLN) ist ein GS1 Identifikationsschlüssel um physikalische Orte oder Geschäftspartner zu identifizieren. Er besteht aus der Basisnummer, dem eigengenerierten Nummerenteil und der Prüfziffer. In diesem Fall dient die Nummer zur Identifikation der verwaltenden Organisation.
	EANCOM®: INVOIC.SG2.NAD[D_3035="BY"].C082.3039
	EANCOM®: INVOIC.SG2.NAD[D_3035="AP"].C082.3039
	EANCOM®: INVOIC.SG2.NAD[D_3035="OB"].C082.3039
	EANCOM®: INVOIC.SG2.NAD[D_3035="IV"].C082.3039
	EANCOM®: INVOIC.SG2.NAD[D_3035="DP"].C082.3039
	EANCOM®: INVOIC.SG2.NAD[D_3035="DM"].C082.3039
internalAdministrativeUnitIdentification	Wiederholung: 0 .. 1
	Schema-Status: 0
	Typ: restriction (xs:string)
	Definition: Interne Nummer der Verwaltungseinheit
	Fachbegriff: Entsprechende Kostenstellennummer
	Status: R
	Beispiel: 1236
	Bemerkung: Hinweis: Temporäre Lösung, solange ein neuer Code in der richtigen Codeliste (AdditionalPartyIdentificationTypeCode) verfügbar ist.

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

promotionalDeal	EANCOM®:	ORDERS.SG3.RFF.1154 AND 1153 ="ADE"
	Wiederholung:	0 .. unbounded
xs:sequence	Schema-Status:	O
	Typ:	ecom_common:Ecom_DocumentReferenceType
entityIdentification	Fachbegriff:	Werbeaktion
	Status:	O
	Beispiel:	
	Definition:	Referenz auf die der Rechnung zugrundeliegende Werbeaktion.
purchaseOrder	Wiederholung:	1 .. 1
	Schema-Status:	M
entityIdentification	Wiederholung:	1 .. 1
	Schema-Status:	M
	Typ:	restriction (xs:string)
	Fachbegriff:	Werbeaktionsnummer
	Status:	R
	Definition:	Eindeutige Identifikation der Werbeaktion.
purchaseOrder	EANCOM®:	INVOIC.SG1[D_1153="PD"].RFF.C506.1154
	Wiederholung:	0 .. 1
xs:sequence	Schema-Status:	O
	Typ:	ecom_common:Ecom_DocumentReferenceType
entityIdentification	Fachbegriff:	Bestellung
	Status:	O
	Beispiel:	
	Definition:	Referenz auf die der Rechnung zugrundeliegende Bestellung.
creationDateTime	Wiederholung:	1 .. 1
	Schema-Status:	M
entityIdentification	Wiederholung:	1 .. 1
	Schema-Status:	M
	Typ:	restriction (xs:string)
	Fachbegriff:	Bestellnummer
	Status:	R
	Definition:	Eindeutige Identifikation der Bestellung.
creationDateTime	EANCOM®:	INVOIC.SG1[D_1153="ON"].RFF.C506.1154
	Wiederholung:	0 .. 1
	Schema-Status:	O

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	<p>Typ: xs:dateTime Definition: Date and time of creation of the referenced document. Fachbegriff: Bestelldatum Status: O Beispiel: 2023-06-05T11:00:00.000 Bemerkung: zusätzlich erlaubtes Format: 2023-06-05T11:00:00.000+05.00 Definition: Datum und Uhrzeit der Erstellung des referenzierten Dokuments. EANCOM®: INVOIC.SG1[D_1153="ON"].DTM.C507.2380</p>
manifest	<p>Wiederholung: 0 .. 1 Schema-Status: O Typ: ecom_common:Ecom_DocumentReferenceType Fachbegriff: Packliste / Frachtliste Status: O Beispiel: Definition: Referenz auf die der Rechnung zugrundeliegende Pack- oder Frachtliste.</p>
xs:sequence	<p>Wiederholung: 1 .. 1 Schema-Status: M</p>
entityIdentification	<p>Wiederholung: 1 .. 1 Schema-Status: M Typ: restriction (xs:string) Fachbegriff: Pack- oder Frachtlistennummer Status: R Definition: Eindeutige Identifikation der Pack- oder Frachtliste. EANCOM®: INVOIC.SG1[D_1153="AAS"].RFF.C506.1154</p>
invoice	<p>Wiederholung: 0 .. 1 Schema-Status: O Typ: ecom_common:Ecom_DocumentReferenceType Fachbegriff: Ursprungsbeleg Status: O Beispiel: Bemerkung: Mit diesem Element muss in Gutschriften auf den auslösenden Ursprungsbeleg (alle Möglichkeiten außer Reklamationen) referenziert werden. Definition: Referenz auf die der Rechnung zugrundeliegende (Original-) Rechnung.</p>
xs:sequence	<p>Wiederholung: 1 .. 1 Schema-Status: M</p>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

entityIdentification	Wiederholung: 1 .. 1 Schema-Status: M Typ: restriction (xs:string) Fachbegriff: Ursprungsbelegsnummer Status: R Definition: Eindeutige Identifikation der (Original-) Rechnung. EANCOM®: INVOIC.SG1[D_1153="DM"].RFF.C506.1154
creationDateTime	Wiederholung: 0 .. 1 Schema-Status: O Typ: xs:dateTime Definition: Date and time of creation of the referenced document. Fachbegriff: Datum des Ursprungsbelegs Status: O Beispiel: 2023-06-05T11:00:00.000 Bemerkung: zusätzlich erlaubtes Format: 2023-06-05T11:00:00.000+05.00 Definition: Datum und Uhrzeit der Erstellung des referenzierten Dokuments. EANCOM®: INVOIC.SG1[D_1153="DM"].DTM.C507.2380
salesOrder	Wiederholung: 0 .. 1 Schema-Status: O Typ: ecom_common:Ecom_DocumentReferenceType Fachbegriff: Kundenauftrag Status: O Beispiel: Definition: Referenznummer, die vom Lieferanten der Bestellung eines Käufers zugewiesen wurde.
xs:sequence	Wiederholung: 1 .. 1 Schema-Status: M
entityIdentification	Wiederholung: 1 .. 1 Schema-Status: M Typ: restriction (xs:string) Fachbegriff: Kundenauftragsnummer Status: R Definition: Eindeutige Identifikation des Kundenauftrag. EANCOM®: INVOIC.SG1[D_1153="VN"].RFF.C506.1154
creationDateTime	Wiederholung: 0 .. 1 Schema-Status: O

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	<p>Typ: xs:dateTime Definition: Date and time of creation of the referenced document. Fachbegriff: Kundenauftragsdatum Status: O Beispiel: 2023-06-05T11:00:00.000 Bemerkung: zusätzlich erlaubtes Format: 2023-06-05T11:00:00.000+05.00 Definition: Datum und Uhrzeit der Erstellung des referenzierten Dokuments. EANCOM®: INVOIC.SG1[D_1153="VN"].DTM.C507.2380</p>
despatchAdvice	<p>Wiederholung: 0 .. 1 Schema-Status: O Typ: ecom_common:Ecom_DocumentReferenceType Fachbegriff: Lieferavis Status: O Beispiel: Definition: Referenz auf die der Rechnung zugrundeliegende Liefermeldung.</p>
xs:sequence	<p>Wiederholung: 1 .. 1 Schema-Status: M</p>
entityIdentification	<p>Wiederholung: 1 .. 1 Schema-Status: M Typ: restriction (xs:string) Fachbegriff: Lieferavisnummer Status: R Definition: Eindeutige Identifikation des Lieferavis. EANCOM®: INVOIC.SG1[D_1153="AAK"].RFF.C506.1154</p>
creationDateTime	<p>Wiederholung: 0 .. 1 Schema-Status: O Typ: xs:dateTime Definition: Date and time of creation of the referenced document. Fachbegriff: Lieferavisdatum Status: O Beispiel: 2023-06-05T11:00:00.000 Bemerkung: zusätzlich erlaubtes Format: 2023-06-05T11:00:00.000+05.00 Definition: Datum und Uhrzeit der Erstellung des referenzierten Dokuments. EANCOM®: INVOIC.SG1[D_1153="AAK"].DTM.C507.2380</p>
orderResponse	<p>Wiederholung: 0 .. 1</p>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	Schema-Status:	O
	Typ:	ecom_common:Ecom_DocumentReferenceType
	Fachbegriff:	Bestellantwort
	Status:	O
	Beispiel:	
	Definition:	Referenz auf die der Rechnung zugrundeliegende Bestellantwort.
<i>xs:sequence</i>	Wiederholung:	1 .. 1
	Schema-Status:	M
entityIdentification	Wiederholung:	1 .. 1
	Schema-Status:	M
	Typ:	restriction (xs:string)
	Fachbegriff:	Bestellantwort
	Status:	R
	Beispiel:	
	Definition:	Referenz auf die der Rechnung zugrundeliegende Bestellantwort.
	EANCOM®:	INVOIC.SG1[D_1153="POR"].RFF.C506.1154
creationDateTime	Wiederholung:	0 .. 1
	Schema-Status:	O
	Typ:	xs:dateTime
	Definition:	Date and time of creation of the referenced document.
	Fachbegriff:	Bestellantwortsdatum
	Status:	O
	Beispiel:	2023-06-05T11:00:00.000
	Bemerkung:	zusätzlich erlaubtes Format: 2023-06-05T11:00:00.000+05.00
	Definition:	Datum und Uhrzeit der Erstellung des referenzierten Dokuments.
	EANCOM®:	INVOIC.SG1[D_1153="POR"].DTM.C507.2380
deliveryNote	Wiederholung:	0 .. 1
	Schema-Status:	O
	Typ:	ecom_common:Ecom_DocumentReferenceType
	Fachbegriff:	Lieferschein
	Status:	O
	Beispiel:	
	Definition:	Referenz auf den der Rechnung zugrundeliegenden Lieferschein.
<i>xs:sequence</i>	Wiederholung:	1 .. 1
	Schema-Status:	M

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

entityIdentification	Wiederholung: 1 .. 1 Schema-Status: M Typ: restriction (xs:string) Fachbegriff: Lieferscheinnummer Status: R Definition: Eindeutige Identifikation des Lieferscheins. EANCOM®: INVOIC.SG1[D_1153="DQ"].RFF.C506.1154
creationDateTime	Wiederholung: 0 .. 1 Schema-Status: O Typ: xs:dateTime Definition: Date and time of creation of the referenced document. Fachbegriff: Lieferscheindatum Status: O Beispiel: 2023-06-05T11:00:00.000 Bemerkung: zusätzlich erlaubtes Format: 2023-06-05T11:00:00.000+05.00 Definition: Datum und Uhrzeit der Erstellung des referenzierten Dokuments. EANCOM®: INVOIC.SG1[D_1153="DQ"].DTM.C507.2380
receivingAdvice	Wiederholung: 0 .. 1 Schema-Status: O Typ: ecom_common:Ecom_DocumentReferenceType Fachbegriff: Wareneingangsmeldung Status: O Beispiel: Definition: Referenz auf die der Rechnung zugrundeliegende Wareneingangsmeldung.
xs:sequence	Wiederholung: 1 .. 1 Schema-Status: M
entityIdentification	Wiederholung: 1 .. 1 Schema-Status: M Typ: restriction (xs:string) Fachbegriff: Wareneingangsmeldungsnummer Status: R Definition: Eindeutige Identifikation der Wareneingangsmeldung. EANCOM®: INVOIC.SG1[D_1153="ALO"].RFF.C506.1154
creationDateTime	Wiederholung: 0 .. 1 Schema-Status: O

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	<p>Typ: xs:dateTime Definition: Date and time of creation of the referenced document. Fachbegriff: Wareneingangsmeldungsdatum Status: O Beispiel: 2023-06-05T11:00:00.000 Bemerkung: zusätzlich erlaubtes Format: 2023-06-05T11:00:00.000+05.00 Definition: Datum und Uhrzeit der Erstellung des referenzierten Dokuments. EANCOM®: INVOIC.SG1[D_1153="ALO"].DTM.C507.2380</p>
contract	<p>Wiederholung: 0 .. 1 Schema-Status: O Typ: ecom_common:Ecom_DocumentReferenceType Fachbegriff: Vertrag Status: O Bemerkung: Mit diesem Element kann auf die Abkommensnummer referenziert werden, sofern mehrere Abkommen vereinbart sind. Definition: Referenz auf einen Vertrag.</p>
xs:sequence	<p>Wiederholung: 1 .. 1 Schema-Status: M</p>
entityIdentification	<p>Wiederholung: 1 .. 1 Schema-Status: M Typ: restriction (xs:string) Fachbegriff: Vertragsnummer Status: R Definition: Eindeutige Identifikation des Vertrags. EANCOM®: INVOIC.SG1[D_1153="CT"].1154</p>
creationDateTime	<p>Wiederholung: 0 .. 1 Schema-Status: O Typ: xs:dateTime Definition: Date and time of creation of the referenced document. Fachbegriff: Vertragsdatum Beispiel: 2023-06-05T11:00:00.000 Bemerkung: zusätzlich erlaubtes Format: 2023-06-05T11:00:00.000+05.00 Definition: Datum und Uhrzeit der Erstellung des referenzierten Dokuments.</p>
tradeAgreement	<p>Wiederholung: 0 .. 1 Schema-Status: O</p>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	Typ:	ecom_common:Ecom_DocumentReferenceType
	Fachbegriff:	Handelsvereinbarung
	Status:	O
	Definition:	Gibt die Handelsvereinbarung an, auf die sich die Rechnung bezieht.
<i>xs:sequence</i>	Wiederholung:	1 .. 1
	Schema-Status:	M
entityIdentification	Wiederholung:	1 .. 1
	Schema-Status:	M
	Typ:	restriction (xs:string)
	Fachbegriff:	Entgeltminderungshinweise (Text)
	Status:	R
	Definition:	Eindeutige Identifikation der Handelsvereinbarung.
	EANCOM®:	INVOIC.FTX[D_4451="AAK"].C107.4440
blanketOrder	Wiederholung:	0 .. 1
	Schema-Status:	O
	Typ:	ecom_common:Ecom_DocumentReferenceType
	Fachbegriff:	Rahmenauftrag
	Status:	O
	Definition:	Referenz auf den Rahmenauftrag.
<i>xs:sequence</i>	Wiederholung:	1 .. 1
	Schema-Status:	M
entityIdentification	Wiederholung:	1 .. 1
	Schema-Status:	M
	Typ:	restriction (xs:string)
	Fachbegriff:	Rahmenauftragsnummer
	Status:	R
	Definition:	Eindeutige Identifikation des Rahmenauftrags.
	EANCOM®:	INVOIC.SG1[D_1153="BO"].1154
disputeNotice	Wiederholung:	0 .. 1
	Schema-Status:	O
	Typ:	ecom_common:Ecom_DocumentReferenceType
	Fachbegriff:	Handelsstreitmeldung
	Status:	O
	Definition:	Referenz auf die Bekanntmachung des Handelsstreits.
<i>xs:sequence</i>	Wiederholung:	1 .. 1

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

entityIdentification	Schema-Status:	M
	Wiederholung:	1 .. 1
creationDateTime	Schema-Status:	M
	Typ:	restriction (xs:string)
	Fachbegriff:	Reklamationsnummer
	Status:	R
	Definition:	Eindeutige Identifikation der Handelsstreitmeldung.
	EANCOM®:	INVOIC.SG1[D_1153="AGG"].1154
	Wiederholung:	0 .. 1
	Schema-Status:	O
salesReport	Typ:	xs:dateTime
	Definition:	Date and time of creation of the referenced document.
	Fachbegriff:	Commercial dispute date
	Status:	O
	Beispiel:	2023-06-05T11:00:00.000
	Bemerkung:	zusätzlich erlaubtes Format: 2023-06-05T11:00:00.000+05.00
	Definition:	Datum und Uhrzeit der Erstellung des referenzierten Dokuments.
	EANCOM®:	INVOIC.SG1[D_1153="AGG"].DTM.2380
xs:sequence	Wiederholung:	0 .. 1
	Schema-Status:	O
entityIdentification	Typ:	ecom_common:Ecom_DocumentReferenceType
	Fachbegriff:	Verkaufsdatenbericht
	Status:	O
	Definition:	Referenz auf den Verkaufsdatenbericht.
	Wiederholung:	1 .. 1
creationDateTime	Schema-Status:	M
	Wiederholung:	1 .. 1
	Schema-Status:	M
	Typ:	restriction (xs:string)
	Fachbegriff:	Verkaufsdatenberichtsnummer
	Status:	R
	Definition:	Eindeutige Identifikation des Verkaufsdatenberichts.
	EANCOM®:	INVOIC.SG1[D_1153="ALS"].1154

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	<p>Typ: xs:dateTime Definition: Date and time of creation of the referenced document. Fachbegriff: Verkaufsdatenberichtsdatum Status: O Beispiel: 2023-06-05T11:00:00.000 Bemerkung: zusätzlich erlaubtes Format: 2023-06-05T11:00:00.000+05.00 Definition: Datum und Uhrzeit der Erstellung des referenzierten Dokuments. EANCOM®: INVOIC.SG1[D_1153="ALS"].DTM.2380</p>
inventoryReport	<p>Wiederholung: 0 .. 1 Schema-Status: O Typ: ecom_common:Ecom_DocumentReferenceType Fachbegriff: Inventurbericht Status: O Definition: Referenz auf den Inventurbericht.</p>
xs:sequence	<p>Wiederholung: 1 .. 1 Schema-Status: M</p>
entityIdentification	<p>Wiederholung: 1 .. 1 Schema-Status: M Typ: restriction (xs:string) Fachbegriff: Inventurberichtsnummer Status: R Definition: Eindeutige Identifikation des Inventurberichts. EANCOM®: INVOIC.SG1[D_1153="API"].1154</p>
creationDateTime	<p>Wiederholung: 0 .. 1 Schema-Status: O Typ: xs:dateTime Definition: Date and time of creation of the referenced document. Fachbegriff: Inventurberichtsdatum Status: O Beispiel: 2023-06-05T11:00:00.000 Bemerkung: zusätzlich erlaubtes Format: 2023-06-05T11:00:00.000+05.00 Definition: Datum und Uhrzeit der Erstellung des referenzierten Dokuments. EANCOM®: INVOIC.SG1[D_1153="API"].DTM.2380</p>
returnsNotice	<p>Wiederholung: 0 .. 1 Schema-Status: O</p>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	Typ: ecom_common:Ecom_DocumentReferenceType Fachbegriff: Retourensending Status: O Definition: Referenz auf den Retourensending.
xs:sequence	Wiederholung: 1 .. 1 Schema-Status: M
entityIdentification	Wiederholung: 1 .. 1 Schema-Status: M Typ: restriction (xs:string) Fachbegriff: snummer Status: R Definition: Eindeutige Identifikation der Retourensending. EANCOM®: INVOIC.SG1[D_1153="ALQ"].1154
creationDateTime	Wiederholung: 0 .. 1 Schema-Status: O Typ: xs:dateTime Definition: Date and time of creation of the referenced document. Fachbegriff: Retourensendingdatum Status: O Beispiel: 2023-06-05T11:00:00.000 Bemerkung: zusätzlich erlaubtes Format: 2023-06-05T11:00:00.000+05.00 Definition: Datum und Uhrzeit der Erstellung des referenzierten Dokuments. EANCOM®: INVOIC.SG1[D_1153="ALQ"].DTM.2380
invoicingPeriod	Wiederholung: 0 .. 1 Schema-Status: O Typ: shared_common:DateTimeRangeType Fachbegriff: Abrechnungszeitraum Status: D Bemerkung: Alternativ kann das Leistungsdatum auf Positionsebene direkt (transferOfOwnershipDate) oder das Abholdatum (pickUpDateTime) angegeben werden. Definition: Angabe des Zeitraums, für den die Berechnung erfolgt. EANCOM®: INVOIC.DTM[D_2005="263"]
xs:sequence	Wiederholung: 1 .. 1 Schema-Status: M
beginDate	Wiederholung: 1 .. 1

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	<p>Schema-Status: M Typ: xs:date Fachbegriff: Startdatum Status: R Beispiel: 2023-05-05 Definition: Erster Tag des Zeitintervalls. EANCOM®: INVOIC.DTM[D_2005="263"].C507[D_2379="718"].2380</p>
endDate	<p>Wiederholung: 1 .. 1 Schema-Status: M Typ: xs:date Fachbegriff: Enddatum Status: R Beispiel: 2023-06-05 Definition: Letzter Tag des Zeitintervalls. EANCOM®: INVOIC.DTM[D_2005="263"].C507[D_2379="718"].2380</p>
despatchInformation	<p>Wiederholung: 0 .. 1 Schema-Status: O Typ: ecom_common:DespatchInformationType Definition: Informationen bezüglich Versand oder Sendung der berechneten Waren. Fachbegriff: Versandinformationen Status: D</p>
xs:sequence	<p>Wiederholung: 1 .. 1 Schema-Status: M</p>
actualShipDateTime	<p>Wiederholung: 0 .. 1 Schema-Status: O Typ: xs:dateTime Definition: Zeitpunkt, an dem der Versand tatsächlich durchgeführt wurde. Fachbegriff: Tatsächlicher Versandzeitpunkt Status: D Beispiel: 2023-06-05T11:00:00.000 EANCOM®: INVOIC.DTM[D_2005="11"].2380</p>
pickUpDateTime	<p>Wiederholung: 0 .. 1 Schema-Status: O Typ: xs:dateTime Definition: Zeitpunkt, an dem die Ladung abgeholt wird.</p>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	<p>Fachbegriff: Abholzeitpunkt Status: D Beispiel: 2023-06-05T11:00:00.000 Bemerkung: Alternativ kann das Leistungsdatum auf Positionsebene direkt (transferOfOwnershipDate) oder der Abrechnungszeitraum (invoicingPeriod) angegeben werden.</p>
releaseDateTimeOfSupplier	<p>EANCOM®: INVOIC.DTM[D_2005="200"].2380 Wiederholung: 0 .. 1 Schema-Status: O Typ: xs:dateTime Definition: Zeitpunkt, an dem der Lieferant die Waren freigibt.</p>
	<p>Fachbegriff: Entnahmedatum Status: O Beispiel: 2023-06-05T11:00:00.000 Bemerkung: Dieses Segment wird - wenn z.B. bei Gutschriftsverfahren/Selbstfakturierung erforderlich - für geforderte Datumsangaben bezüglich der Materialentnahme aus dem Materiallager benutzt.</p>
shipmentTransportationInformation	<p>EANCOM®: INVOIC.DTM[D_2005="199"].2380 Wiederholung: 0 .. 1 Schema-Status: O Typ: ecom_common:ShipmentTransportationInformationType Definition: Angabe detaillierter Informationen zum Transport der zu dieser Rechnung gehörenden Sendung.</p>
	<p>Fachbegriff: Transportinformationen zur Sendung Status: O</p>
xs:sequence	<p>Wiederholung: 1 .. 1 Schema-Status: M</p>
handlingInstructionCode	<p>Wiederholung: 0 .. unbounded Schema-Status: O Typ: ecom_common:HandlingInstructionCodeType Definition: Code, der die Handlungsanweisungen der Sendung bestimmt. Erlaubte Werte können der GS1 Codeliste HandlingInstructionCode entnommen werden. Sie beinhalten zum Beispiel Angaben zur Temperatur, Feuchtigkeit oder Abholanweisungen.</p>
	<p>Fachbegriff: Handlungsanweisungen (Code) Status: O Beispiel: 1 Bemerkung: Typ, der über einen Code die Handlungsanweisungen bestimmt. Erlaubte Werte können</p>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

der GS1 Codeliste HandlingInstructionCode entnommen werden. Sie beinhalten zum Beispiel Angaben zur Temperatur, Feuchtigkeit oder Abholanweisungen.
<http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:HandlingInstructionCode>

GDD URN: HandlingInstructionCode

Fachbegriff: **Streckenlieferung (Code)**

Status: **O**

Beispiel: DDE

Bemerkung: Dieses Element wird zur Kennzeichnung von Streckenrechnungen verwendet.

EANCOM®: **INVOIC.ALI[D_4183="148"]**

Used Codes

Code:	1
Name:	Hitzeempfindlich
Beschreibung:	<i>Das Gut ist hitzeempfindlich.</i>
Code:	2
Name:	Lagerung in trockener Umgebung
Beschreibung:	<i>Das Produkt muß in trockener Umgebung gelagert werden.</i>
Code:	3
Name:	Gestapelt
Beschreibung:	<i>Die identifizierte Einheit ist gestapelt oder kann gestapelt werden.</i>
Code:	11
Name:	Kühlung erforderlich
Beschreibung:	<i>Der Artikel muss gekühlt werden.</i>
Code:	12
Name:	Kühlung nicht erforderlich
Beschreibung:	<i>Der Artikel braucht nicht gekühlt zu werden.</i>
Code:	AVI
Name:	Lebende Tiere (GS1-Code)
Beschreibung:	<i>Code, der anzeigt, daß der Artikel lebende Tiere beinhaltet.</i>
Code:	BAT
Name:	Chargennummer (GS1-Code)
Beschreibung:	<i>Chargennummer erforderlich</i>
Code:	BIG
Name:	Übergröße (GS1-Code)
Beschreibung:	<i>Code, der anzeigt, daß der Artikel Übergröße hat.</i>
Code:	CRU

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	Zerbrechlich (GS1-Code)
Beschreibung:	<i>Code, der anzeigt, daß der Artikel zerbrechlich ist.</i>
Code:	DAE
Name:	Gefährlicher Artikel (GS1-Code)
Beschreibung:	<i>Code, der anzeigt, daß der Artikel Gefahren birgt.</i>
Code:	DCE
Name:	Lieferung über ein Warenverteilzentrum (GS1-Code)
Beschreibung:	<i>Die Lieferung erfolgt über ein Warenverteilzentrum.</i>
Code:	DDE
Name:	Direktbelieferung (GS1-Code)
Beschreibung:	<i>Die Lieferung erfolgt direkt.</i>
Code:	DES
Name:	Zerstören (GS1-Code)
Beschreibung:	<i>Die identifizierten Produkte sind entsprechend den Anweisungen zu vernichten.</i>
Code:	EAT
Name:	Lebensmittel (GS1-Code)
Beschreibung:	<i>Code, der anzeigt, daß der Artikel aus Lebensmitteln besteht.</i>
Code:	FAC
Name:	Werksverpackung (GS1-Code)
Beschreibung:	<i>Das Produkt ist nicht für den Endverbraucher verpackt. Umpacken kann nötig sein.</i>
Code:	FRO
Name:	Gefroren (GS1-Code)
Beschreibung:	<i>Das identifizierte Produkt ist gefroren und sollte gefroren bleiben.</i>
Code:	FTD
Name:	Frostgefährdet (GS1-Code)
Beschreibung:	<i>Code, der anzeigt, daß der Artikel frostgefährdet ist.</i>
Code:	HEA
Name:	Schwere Fracht/150 kg und mehr pro Stück (GS1-Code)
Beschreibung:	<i>Code, der anzeigt, daß der Artikel als schwere Fracht deklariert ist.</i>
Code:	HGA
Name:	Hängende Kleidungsstücke (GS1-Code)
Beschreibung:	<i>Die identifizierten Produkte sollten als hängende Kleidungsstücke behandelt werden (Hängeversand).</i>
Code:	HWC

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	Handle with care (GS1-Code)
Beschreibung:	<i>Code, der anzeigt, daß der Artikel mit Vorsicht zu behandeln ist.</i>
Code:	LAB
Name:	Etikettieren (GS1-Code)
Beschreibung:	<i>Die identifizierten Produkte sind mit einem Etikett zu versehen.</i>
Code:	LYG
Name:	Liegend (GS1-Code)
Beschreibung:	<i>Das identifizierte Produkt sollte flach liegen.</i>
Code:	MF
Name:	Multiple facings (GS1-Code)
Beschreibung:	<i>Der Artikel hat mehrere Ansichtsseiten für die Präsentation im Regal.</i>
Code:	MOV
Name:	Bewegen (GS1-Code)
Beschreibung:	<i>Das identifizierte Produkt sollte gemäß der besonderen Bestimmungen bewegt werden.</i>
Code:	NES
Name:	Nestbar (GS1-Code)
Beschreibung:	<i>Eine Verpackung, die in gleichartige Verpackungsarten gestapelt werden kann, z. B. für Geschirr, Teller, Schüsseln oder Becher.</i>
Code:	NSD
Name:	Nesting Tiefe (GS1-Code)
Beschreibung:	<i>Artikel, die in gleichartige Artikel gestapelt werden können, (z. B. Teller, Schüsseln oder Eimer). Die Angabe bezieht sich auf die Tiefe der (Haupt-)Ansicht (facing).</i>
Code:	NSH
Name:	Nesting Höhe (GS1-Code)
Beschreibung:	<i>Artikel, die in gleichartige Artikel gestapelt werden können, (z. B. Teller, Schüsseln oder Eimer). Die Angabe bezieht sich auf die Höhe der (Haupt-)Ansicht (facing).</i>
Code:	NSW
Name:	Nesting Breite (GS1-Code)
Beschreibung:	<i>Artikel, die in gleichartige Artikel gestapelt werden können, (z. B. Teller, Schüsseln oder Eimer). Die Angabe bezieht sich auf die Breite der (Haupt-)Ansicht (facing).</i>
Code:	NWP
Name:	Zeitschriften, Magazine (GS1-Code)
Beschreibung:	<i>Code, der anzeigt, daß der Artikel aus Zeitschriften besteht.</i>
Code:	OHG

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	Überzählige Einheiten (GS1-Code)
Beschreibung:	<i>Code, der anzeigt, daß der Artikel aus überzähligen Einheiten besteht.</i>
Code:	PACE
Name:	Packen (GS1-Code)
Beschreibung:	<i>Das Produkt muß gemäß den Anweisungen verpackt werden.</i>
Code:	PER
Name:	Verderbliche Ladung (GS1-Code)
Beschreibung:	<i>Code, der anzeigt, daß der Artikel als verderbliche Ladung deklariert wird.</i>
Code:	PFS
Name:	Für den Versand fertig machen (GS1-Code)
Beschreibung:	<i>Die identifizierten Produkte sind für den Versand fertig zu machen.</i>
Code:	PIC
Name:	Aufnehmen (GS1-Code)
Beschreibung:	<i>Die identifizierten Produkte sind aufzunehmen.</i>
Code:	PKS
Name:	In Reihenfolge aufnehmen (GS1-Code)
Beschreibung:	<i>Die identifizierten Produkte sind entsprechend einer bestimmten Reihenfolge aufzunehmen.</i>
Code:	PSC
Name:	Vor Schädlingen schützen (GS1-Code)
Beschreibung:	<i>Code, der anzeigt, daß der Artikel vor Schädlingen zu schützen ist.</i>
Code:	RCY
Name:	Wiederverwertbare Verpackung (GS1-Code)
Beschreibung:	<i>Code, der anzeigt, daß der Artikel eine wiederverwertbare Verpackung beinhaltet.</i>
Code:	RES
Name:	Reserve (GS1-Code)
Beschreibung:	<i>Als Reserve identifizierte Waren bezüglich spezieller Anweisungen.</i>
Code:	RFG
Name:	Entflammbares Gas unter Druck (GS1-Code)
Beschreibung:	<i>Code, der anzeigt, daß der Artikel entflammbares Gas unter Druck enthält.</i>
Code:	RFL
Name:	Entflammbare Flüssigkeit (GS1-Code)
Beschreibung:	<i>Code, der anzeigt, daß der Artikel entflammbare Flüssigkeitenthält.</i>
Code:	RFS

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	Entflammbarer Feststoff (GS1-Code)
Beschreibung:	<i>Code, der anzeigt, daß der Artikel entflammbaren Feststoff enthält.</i>
Code:	RPB
Name:	Gift (GS1-Code)
Beschreibung:	<i>Code, der anzeigt, daß der Artikel Gift enthält.</i>
Code:	SAN
Name:	Sandwich-Palette erlaubt (GS1-Code)
Beschreibung:	<i>Sandwich-Palette erlaubt</i>
Code:	SER
Name:	Seriennummer (GS1-Code)
Beschreibung:	<i>Seriennummer erforderlich</i>
Code:	SGU
Name:	Lagern - Allgemein (GS1-Code)
Beschreibung:	<i>Produkt ist entsprechend den Anweisungen zu lagern (GS1 Code)</i>
Code:	SLT
Name:	Lichtempfindlich (GS1-Code)
Beschreibung:	<i>Das Produkt ist lichtempfindlich.</i>
Code:	SSN
Name:	Geruchsintensiv (GS1-Code)
Beschreibung:	<i>Das Produkt ist geruchsintensiv.</i>
Code:	STR
Name:	Beschränkt stapelbar (GS1-Code)
Beschreibung:	<i>Das Produkt ist beschränkt stapelbar.</i>
Code:	TRD
Name:	Transit- oder Cross-Docking-Lieferung (GS1-Code)
Beschreibung:	<i>Das identifizierte Produkt ist über Transit- oder Cross Dockingmöglichkeit zu liefern.</i>
Code:	UNP
Name:	Auspacken (GS1-Code)
Beschreibung:	<i>Das identifizierte Produkt ist aus der identifizierten Verpackung zu entnehmen.</i>
Code:	UPR
Name:	Aufrecht/Stehend (GS1-Code)
Beschreibung:	<i>Das identifizierte Produkt sollte aufrecht oder stehend gelagert werden.</i>
Code:	UST
Name:	Nicht stapelbar (GS1-Code)

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	Used Codes
	Beschreibung: <i>Das Produkt ist nicht stapelbar.</i> Code: VAL Name: Wertvolle Fracht (GS1-Code) Beschreibung: <i>Das Produkt wird als wertvolle Fracht deklariert.</i>
actualDeliveryDate	Wiederholung: 0 .. 1 Schema-Status: O Typ: shared_common:DateOptionalTimeType Fachbegriff: Tatsächliches Lieferdatum Status: D Regel: Abhängig, entweder Liefer- oder Abholdatum und/oder der Abrechnungszeitraum müssen angegeben werden. Definition: Das Datum, an dem die Ware tatsächlich an den Empfänger geliefert wurde.
xs:sequence	Wiederholung: 1 .. 1 Schema-Status: M
date	Wiederholung: 1 .. 1 Schema-Status: M Typ: xs:date Fachbegriff: Tatsächliches Lieferdatum Status: R Beispiel: 2023-06-05 Bemerkung: Das tatsächliche Lieferdatum entspricht im steuerrechtlichen Sinne dem Leistungsdatum. Definition: Angabe eines Tages als Kalenderdatum. EANCOM®: INVOIC.DTM[D_2005="35"].C507.2380
transactionalGenericReference	Wiederholung: 0 .. unbounded Schema-Status: O Typ: ecom_common:TransactionalGenericReferenceType Definition: Verweis auf eine zugehörige Information zur Unterstützung verwandter Geschäftsprozesse. Die Art der Referenzen sind in der TransactionalReferenceTypeCode-Liste definiert. Fachbegriff: Transaktionale generische Referenz Status: O
xs:sequence	Wiederholung: 1 .. 1 Schema-Status: M
transactionalReferenceTypeCode	Wiederholung: 1 .. 1

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	<p>Schema-Status: M Typ: ecom_common:TransactionalReferenceTypeCodeType Definition: Code, der einen Transaktionsreferenztyp angibt. Erlaubte Codewerte werden in der GS1-Codeliste TransactionalReferenceTypeCode angegeben.</p> <p>Fachbegriff: Vertragsnummer beim Energielieferanten (Code) Status: R Beispiel: AJS GDD URN: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TransactionalReferenceTypeCode</p> <p>Fachbegriff: Bezugnehmende Dokumentennummer (Code) Status: R Beispiel: ACE</p> <p>Fachbegriff: Zolltarifnummer (Code) Status: R Beispiel: HS EANCOM®: INVOIC.SG1[D_1153="AJS"] EANCOM®: INVOIC.SG1[D_1153="ACE"] EANCOM®: INVOIC.SG26.PIA[D_7143="HS"]</p> <p>Used Codes</p> <p>Code: ACE Name: Bezugnehmende Dokumentennummer Beschreibung: <i>Referenznummer, die ein bezugnehmendes Dokument identifiziert.</i></p> <p>Code: AJS Name: Vereinbarungs-Nummerr Beschreibung: <i>Nummer zur Identifikation einer Vereinbarung.</i></p> <p>Code: HS Name: Zolltarifnummer Beschreibung: <i>Nummer, die die Warenklassifikation in der harmonisierten Warenbeschreibung und im Coding System des Customs Cooperation Councils (CCC) spezifiziert.</i></p>
transactionalReferenceValue	<p>Wiederholung: 1 .. 1 Schema-Status: M Typ: restriction (xs:string) Definition: Enthält den Referenzwert. Fachbegriff: Vertragsnummer beim Energielieferanten Status: R</p>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	Fachbegriff:	Zolltarifnummer
	Status:	R
	Fachbegriff:	Bezugnehmende Dokumentennummer
	Status:	R
	EANCOM®:	INVOIC.SG1[D_1153="AJS"].1154
	EANCOM®:	INVOIC.SG1[D_1153="ACE"].1154
	EANCOM®:	INVOIC.SG26.PIA[D_7143="HS"].7140
InvoiceLineItem	Wiederholung:	1 .. unbounded
	Schema-Status:	M
	Typ:	invoice:InvoiceLineItemType
	Fachbegriff:	Rechnungsposition
	Status:	R
	Definition:	Angabe der positionsbezogenen Informationen der Rechnung. Jede Rechnung enthält eine oder mehrere Belegpositionen.
xs:sequence	Wiederholung:	1 .. 1
	Schema-Status:	M
lineItemNumber	Wiederholung:	1 .. 1
	Schema-Status:	M
	Typ:	xs:positiveInteger
	Fachbegriff:	Positionsnummer
	Status:	R
	Beispiel:	1
	Definition:	Angabe der zur Belegposition zugehörigen Nummer.
	EANCOM®:	INVOIC.SG26.LIN.1082
invoicedQuantity	Wiederholung:	1 .. 1
	Schema-Status:	M
	Typ:	shared_common:QuantityType
	Definition:	Angabe der in Rechnung gestellten Menge der Belegposition.
	Fachbegriff:	Menge, berechnet
	Status:	R
	Beispiel:	500
	EANCOM®:	INVOIC.SG26[D_6063 = "47"].QTY.C186.6060
measurementUnitCode	Schema-Status:	O
	Type:	restriction (xs:string)
	Definition:	Angabe einer standardisierten, reproduzierbaren Einheit, die zur physikalischen Messung einer Menge verwendet werden kann.

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Fachbegriff: **Einheit**
 Status: **O**
 Beispiel: KGM
 EANCOM®: **INVOIC.SG26[D_6063 = "47"].C186.6411**

Used Codes

Code:	10
Name:	group
Beschreibung:	<i>A unit of count defining the number of groups (group: set of items classified together).</i>
Code:	11
Name:	outfit
Beschreibung:	<i>A unit of count defining the number of outfits (outfit: a complete set of equipment / materials / objects used for a specific purpose).</i>
Code:	13
Name:	ration
Beschreibung:	<i>A unit of count defining the number of rations (ration: a single portion of provisions).</i>
Code:	14
Name:	shot
Beschreibung:	<i>A unit of liquid measure, especially related to spirits.</i>
Code:	15
Name:	stick, military
Beschreibung:	<i>A unit of count defining the number of military sticks (military stick: bombs or paratroops released in rapid succession from an aircraft).</i>
Code:	20
Name:	twenty foot container
Beschreibung:	<i>A unit of count defining the number of shipping containers that measure 20 foot in length.</i>
Code:	21
Name:	forty foot container
Beschreibung:	<i>A unit of count defining the number of shipping containers that measure 40 foot in length.</i>
Code:	24
Name:	theoretical pound
Beschreibung:	<i>A unit of mass defining the expected mass of material expressed as the number of pounds.</i>
Code:	27
Name:	theoretical ton
Beschreibung:	<i>A unit of mass defining the expected mass of material, expressed as the number of tons.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	56
Name:	sitas
Beschreibung:	<i>A unit of area for tin plate equal to a surface area of 100 square metres.</i>
Code:	57
Name:	mesh
Beschreibung:	<i>A unit of count defining the number of strands per inch as a measure of the fineness of a woven product.</i>
Code:	58
Name:	net kilogram
Beschreibung:	<i>A unit of mass defining the total number of kilograms after deductions.</i>
Code:	59
Name:	Teile pro Million (ppm)
Beschreibung:	<i>A unit of proportion equal to 10 to the power of -6.</i>
Code:	60
Name:	percent weight
Beschreibung:	<i>A unit of proportion equal to 10 to the power of -2.</i>
Code:	61
Name:	part per billion (US)
Beschreibung:	<i>A unit of proportion equal to 10 to the power of -9.</i>
Code:	84
Name:	kilopound-force per square inch
Beschreibung:	<i>A unit of pressure defining the number of kilopounds force per square inch. Use kip per square inch (common code N20).</i>
Code:	11
Name:	fixed rate
Beschreibung:	<i>A unit of quantity expressed as a predetermined or set rate for usage of a facility or service.</i>
Code:	2A
Name:	radian per second
Beschreibung:	<i>Refer ISO/TC12 SI Guide</i>
Code:	2B
Name:	radian per second squared
Beschreibung:	<i>Refer ISO/TC12 SI Guide</i>
Code:	2G

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	volt AC
Beschreibung:	<i>A unit of electric potential in relation to alternating current (AC).</i>
Code:	2H
Name:	volt DC
Beschreibung:	<i>A unit of electric potential in relation to direct current (DC).</i>
Code:	2P
Name:	kilobyte
Beschreibung:	<i>A unit of information equal to 10 to the power of 3 (1000) bytes.</i>
Code:	3C
Name:	manmonth
Beschreibung:	<i>A unit of count defining the number of months for a person or persons to perform an undertaking.</i>
Code:	4L
Name:	Megabyte
Beschreibung:	<i>A unit of information equal to 10 to the power of 6 (1000000) bytes.</i>
Code:	5B
Name:	batch
Beschreibung:	<i>A unit of count defining the number of batches (batch: quantity of material produced in one operation or number of animals or persons coming at once).</i>
Code:	5E
Name:	MMSCF/day
Beschreibung:	<i>A unit of volume equal to one million (1000000) cubic feet of gas per day.</i>
Code:	5J
Name:	hydraulic horse power
Beschreibung:	<i>A unit of power defining the hydraulic horse power delivered by a fluid pump depending on the viscosity of the fluid.</i>
Code:	A25
Name:	Pferdestärken (PS)
Beschreibung:	<i>Synonym: metric horse power</i>
Code:	A43
Name:	deadweight tonnage
Beschreibung:	<i>A unit of mass defining the difference between the weight of a ship when completely empty and its weight when completely loaded, expressed as the number of tons.</i>
Code:	A47

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	decitex
Beschreibung:	<i>A unit of yarn density. One decitex equals a mass of 1 gram per 10 kilometres of length.</i>
Code:	A48
Name:	degree Rankine
Beschreibung:	<i>Refer ISO 80000-5 (Quantities and units — Part 5: Thermodynamics)</i>
Code:	A49
Name:	denier
Beschreibung:	<i>A unit of yarn density. One denier equals a mass of 1 gram per 9 kilometres of length.</i>
Code:	A59
Name:	8-part cloud cover
Beschreibung:	<i>A unit of count defining the number of eighth-parts as a measure of the celestial dome cloud coverage. Synonym: OKTA , OCTA</i>
Code:	A75
Name:	freight ton
Beschreibung:	<i>A unit of information typically used for billing purposes, defined as either the number of metric tons or the number of cubic metres, whichever is the larger.</i>
Code:	A9
Name:	rate
Beschreibung:	<i>A unit of quantity expressed as a rate for usage of a facility or service.</i>
Code:	A91
Name:	gon
Beschreibung:	<i>Synonym: grade</i>
Code:	A99
Name:	Bit
Beschreibung:	<i>A unit of information equal to one binary digit.</i>
Code:	AA
Name:	ball
Beschreibung:	<i>A unit of count defining the number of balls (ball: object formed in the shape of sphere).</i>
Code:	AB
Name:	bulk pack
Beschreibung:	<i>A unit of count defining the number of items per bulk pack.</i>
Code:	ACT
Name:	activity

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of count defining the number of activities (activity: a unit of work or action).</i>
Code:	AD
Name:	Byte
Beschreibung:	<i>A unit of information equal to 8 bits.</i>
Code:	AH
Name:	additional minute
Beschreibung:	<i>A unit of time defining the number of minutes in addition to the referenced minutes.</i>
Code:	AI
Name:	average minute per call
Beschreibung:	<i>A unit of count defining the number of minutes for the average interval of a call.</i>
Code:	AL
Name:	access line
Beschreibung:	<i>A unit of count defining the number of telephone access lines.</i>
Code:	AMH
Name:	Amperestunde
Beschreibung:	<i>A unit of electric charge defining the amount of charge accumulated by a steady flow of one ampere for one hour.</i>
Code:	ANN
Name:	Jahr
Beschreibung:	<i>Unit of time equal to 365,25 days. Synonym: Julian year</i>
Code:	AQ
Name:	anti-hemophilic factor (AHF) unit
Beschreibung:	<i>A unit of measure for blood potency (US).</i>
Code:	ARE
Name:	are
Beschreibung:	<i>Synonym: square decametre</i>
Code:	AS
Name:	assortment
Beschreibung:	<i>A unit of count defining the number of assortments (assortment: set of items grouped in a mixed collection).</i>
Code:	ASM
Name:	Alkoholgehalt pro Masse
Beschreibung:	<i>A unit of mass defining the alcoholic strength of a liquid.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	ASU
Name:	Alkoholgehalt pro Volumen
Beschreibung:	<i>A unit of volume defining the alcoholic strength of a liquid (e.g. spirit, wine, beer, etc), often at a specific temperature.</i>
Code:	AWG
Name:	american wire gauge
Beschreibung:	<i>A unit of distance used for measuring the diameter of small tubes or wires such as the outer diameter of hypotermic or suture needles.</i>
Code:	AY
Name:	assembly
Beschreibung:	<i>A unit of count defining the number of assemblies (assembly: items that consist of component parts).</i>
Code:	B10
Name:	bit per second
Beschreibung:	<i>A unit of information equal to one binary digit per second.</i>
Code:	B13
Name:	Joule pro Quadratmeter
Beschreibung:	<i>Synonym: joule per metre squared</i>
Code:	B17
Name:	Soll-Buchungen
Beschreibung:	<i>A unit of count defining the number of entries made to the credit side of an account.</i>
Code:	B19
Name:	digit
Beschreibung:	<i>A unit of information defining the quantity of numerals used to form a number.</i>
Code:	B3
Name:	batting pound
Beschreibung:	<i>A unit of mass defining the number of pounds of wadded fibre.</i>
Code:	B30
Name:	gibibit
Beschreibung:	<i>A unit of information equal to 2³⁰ bits (binary digits).</i>
Code:	B4
Name:	barrel, imperial
Beschreibung:	<i>A unit of volume used to measure beer. One beer barrel equals 36 imperial gallons.</i>
Code:	B51

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	kilopond
Beschreibung:	<i>Synonym: kilogram-force</i>
Code:	B57
Name:	light year
Beschreibung:	<i>A unit of length defining the distance that light travels in a vacuum in one year.</i>
Code:	B68
Name:	gigabit
Beschreibung:	<i>A unit of information equal to 10 to the power of 9 bits (binary digits).</i>
Code:	B7
Name:	cycle
Beschreibung:	<i>A unit of count defining the number of cycles (cycle: a recurrent period of definite duration).</i>
Code:	B80
Name:	gigabit per second
Beschreibung:	<i>A unit of information equal to 10 to the power of 9 bits (binary digits) per second.</i>
Code:	B82
Name:	inch per linear foot
Beschreibung:	<i>A unit of length defining the number of inches per linear foot.</i>
Code:	BB
Name:	base box
Beschreibung:	<i>A unit of area of 112 sheets of tin mil products (tin plate, tin free steel or black plate) 14 by 20 inches, or 31,360 square inches.</i>
Code:	BFT
Name:	board foot
Beschreibung:	<i>A unit of volume defining the number of cords (cord: a stack of firewood of 128 cubic feet).</i>
Code:	BIL
Name:	billion (EUR)
Beschreibung:	<i>Synonym: trillion (US)</i>
Code:	BP
Name:	hundred board foot
Beschreibung:	<i>A unit of volume equal to one hundred board foot.</i>
Code:	BPM
Name:	beats per minute

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>The number of beats per minute.</i>
Code:	C0
Name:	Telefoneinheit
Beschreibung:	<i>A unit of count defining the number of calls (call: communication session or visitation).</i>
Code:	C21
Name:	kibibit
Beschreibung:	<i>A unit of information equal to 2 to the power of 10 (1024) bits (binary digits).</i>
Code:	C37
Name:	kilobit
Beschreibung:	<i>A unit of information equal to 10 to the power of 3 (1000) bits (binary digits).</i>
Code:	C59
Name:	octave
Beschreibung:	<i>A unit used in music to describe the ratio in frequency between notes.</i>
Code:	C62
Name:	one
Beschreibung:	<i>Synonym: unit</i>
Code:	C69
Name:	phon
Beschreibung:	<i>A unit of subjective sound loudness. A sound has loudness p phons if it seems to the listener to be equal in loudness to the sound of a pure tone of frequency 1 kilohertz and strength p decibels.</i>
Code:	C74
Name:	kilobit per second
Beschreibung:	<i>A unit of information equal to 10 to the power of 3 (1000) bits (binary digits) per second.</i>
Code:	C79
Name:	kilovolt ampere hour
Beschreibung:	<i>A unit of accumulated energy of 1000 volt amperes over a period of one hour.</i>
Code:	C87
Name:	reciprocal cubic metre per second
Beschreibung:	<i>Synonym: reciprocal second per cubic metre</i>
Code:	C9
Name:	coil group
Beschreibung:	<i>A unit of count defining the number of coil groups (coil group: groups of items arranged by lengths of those items placed in a joined sequence of concentric circles).</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	C93
Name:	reciprocal square metre
Beschreibung:	<i>Synonym: reciprocal metre squared</i>
Code:	CCT
Name:	carrying capacity in metric ton
Beschreibung:	<i>A unit of mass defining the carrying capacity, expressed as the number of metric tons.</i>
Code:	CEL
Name:	Grad Celsius
Beschreibung:	<i>Refer ISO 80000-5 (Quantities and units — Part 5: Thermodynamics)</i>
Code:	CEN
Name:	hundred
Beschreibung:	<i>A unit of count defining the number of units in multiples of 100.</i>
Code:	CG
Name:	card
Beschreibung:	<i>A unit of count defining the number of units of card (card: thick stiff paper or cardboard).</i>
Code:	CLF
Name:	hundred leave
Beschreibung:	<i>A unit of count defining the number of leaves, expressed in units of one hundred leaves.</i>
Code:	CNP
Name:	hundred pack
Beschreibung:	<i>A unit of count defining the number of hundred-packs (hundred-pack: set of one hundred items packaged together).</i>
Code:	CNT
Name:	cental (UK)
Beschreibung:	<i>A unit of mass equal to one hundred weight (US).</i>
Code:	CTG
Name:	content gram
Beschreibung:	<i>A unit of mass defining the number of grams of a named item in a product.</i>
Code:	CTN
Name:	content ton (metric)
Beschreibung:	<i>A unit of mass defining the number of metric tons of a named item in a product.</i>
Code:	D03
Name:	kilowatt hour per hour
Beschreibung:	<i>A unit of accumulated energy of a thousand watts over a period of one hour.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	D04
Name:	lot [unit of weight]
Beschreibung:	<i>A unit of weight equal to about 1/2 ounce or 15 grams.</i>
Code:	D11
Name:	mebibit
Beschreibung:	<i>A unit of information equal to 2 to the power of 20 (1048576) bits (binary digits).</i>
Code:	D15
Name:	sonne
Beschreibung:	<i>A unit of subjective sound loudness. One sone is the loudness of a pure tone of frequency one kilohertz and strength 40 decibels.</i>
Code:	D23
Name:	pen gram (protein)
Beschreibung:	<i>A unit of count defining the number of grams of amino acid prescribed for parenteral/ enteral therapy.</i>
Code:	D34
Name:	tex
Beschreibung:	<i>A unit of yarn density. One decitex equals a mass of 1 gram per 1 kilometre of length.</i>
Code:	D36
Name:	megabit
Beschreibung:	<i>A unit of information equal to 10 to the power of 6 (1000000) bits (binary digits).</i>
Code:	D44
Name:	var
Beschreibung:	<i>The name of the unit is an acronym for volt-ampere-reactive.</i>
Code:	D63
Name:	book
Beschreibung:	<i>A unit of count defining the number of books (book: set of items bound together or written document of a material whole).</i>
Code:	D65
Name:	round
Beschreibung:	<i>A unit of count defining the number of rounds (round: A circular or cylindrical object).</i>
Code:	D68
Name:	number of words
Beschreibung:	<i>A unit of count defining the number of words.</i>
Code:	D78

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	megajoule per second
Beschreibung:	<i>A unit of accumulated energy equal to one million joules per second.</i>
Code:	DAD
Name:	ten day
Beschreibung:	<i>A unit of time defining the number of days in multiples of 10.</i>
Code:	DB
Name:	dry pound
Beschreibung:	<i>A unit of mass defining the number of pounds of a product, disregarding the water content of the product.</i>
Code:	DEC
Name:	decade
Beschreibung:	<i>A unit of count defining the number of decades (decade: quantity equal to 10 or time equal to 10 years).</i>
Code:	DMO
Name:	standard kilolitre
Beschreibung:	<i>A unit of volume defining the number of kilolitres of a product at a temperature of 15 degrees Celsius, especially in relation to hydrocarbon oils.</i>
Code:	DPC
Name:	dozen piece
Beschreibung:	<i>A unit of count defining the number of pieces in multiples of 12 (piece: a single item, article or exemplar).</i>
Code:	DPR
Name:	dozen pair
Beschreibung:	<i>A unit of count defining the number of pairs in multiples of 12 (pair: item described by two's).</i>
Code:	DPT
Name:	displacement tonnage
Beschreibung:	<i>A unit of mass defining the volume of sea water a ship displaces, expressed as the number of tons.</i>
Code:	DRA
Name:	dram (US)
Beschreibung:	<i>Synonym: drachm (UK), troy dram</i>
Code:	DRI
Name:	dram (UK)

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>Synonym: avoirdupois dram</i>
Code:	DRL
Name:	dozen roll
Beschreibung:	<i>A unit of count defining the number of rolls, expressed in twelve roll units.</i>
Code:	DT
Name:	dry ton
Beschreibung:	<i>A unit of mass defining the number of tons of a product, disregarding the water content of the product.</i>
Code:	DTN
Name:	decitonne
Beschreibung:	<i>Synonym: centner, metric 100 kg, quintal, metric 100 kg</i>
Code:	DZN
Name:	Dutzend
Beschreibung:	<i>A unit of count defining the number of units in multiples of 12.</i>
Code:	DZP
Name:	dozen pack
Beschreibung:	<i>A unit of count defining the number of packs in multiples of 12 (pack: standard packaging unit).</i>
Code:	E01
Name:	newton per square centimetre
Beschreibung:	<i>A measure of pressure expressed in newtons per square centimetre.</i>
Code:	E07
Name:	megawatt hour per hour
Beschreibung:	<i>A unit of accumulated energy of a million watts over a period of one hour.</i>
Code:	E08
Name:	megawatt per hertz
Beschreibung:	<i>A unit of energy expressed as the load change in million watts that will cause a frequency shift of one hertz.</i>
Code:	E09
Name:	milliampere hour
Beschreibung:	<i>A unit of power load delivered at the rate of one thousandth of an ampere over a period of one hour.</i>
Code:	E10
Name:	degree day

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of measure used in meteorology and engineering to measure the demand for heating or cooling over a given period of days.</i>
Code:	E11
Name:	gigacalorie
Beschreibung:	<i>A unit of heat energy equal to one thousand million calories.</i>
Code:	E12
Name:	mille
Beschreibung:	<i>A unit of count defining the number of cigarettes in units of 1000.</i>
Code:	E14
Name:	kilocalorie (international table)
Beschreibung:	<i>A unit of heat energy equal to one thousand calories.</i>
Code:	E15
Name:	kilocalorie (thermochemical) per hour
Beschreibung:	<i>A unit of energy equal to one thousand calories per hour.</i>
Code:	E16
Name:	million Btu(IT) per hour
Beschreibung:	<i>A unit of power equal to one million British thermal units per hour.</i>
Code:	E17
Name:	cubic foot per second
Beschreibung:	<i>A unit of volume equal to one cubic foot passing a given point in a period of one second.</i>
Code:	E18
Name:	tonne per hour
Beschreibung:	<i>A unit of weight or mass equal to one tonne per hour.</i>
Code:	E19
Name:	ping
Beschreibung:	<i>A unit of area equal to 3.3 square metres.</i>
Code:	E20
Name:	megabit per second
Beschreibung:	<i>A unit of information equal to 10 to the power of 6 (1000000) bits (binary digits) per second.</i>
Code:	E21
Name:	shares
Beschreibung:	<i>A unit of count defining the number of shares (share: a total or portion of the parts into which a business entity's capital is divided).</i>

Guideline**Used Codes**

Code:	E22
Name:	TEU
Beschreibung:	<i>A unit of count defining the number of twenty-foot equivalent units (TEUs) as a measure of containerized cargo capacity.</i>
Code:	E23
Name:	tyre
Beschreibung:	<i>A unit of count defining the number of tyres (a solid or air-filled covering placed around a wheel rim to form a soft contact with the road, absorb shock and provide traction).</i>
Code:	E25
Name:	active unit
Beschreibung:	<i>A unit of count defining the number of active units within a substance.</i>
Code:	E27
Name:	dose
Beschreibung:	<i>A unit of count defining the number of doses (dose: a definite quantity of a medicine or drug).</i>
Code:	E28
Name:	air dry ton
Beschreibung:	<i>A unit of mass defining the number of tons of a product, disregarding the water content of the product.</i>
Code:	E30
Name:	strand
Beschreibung:	<i>A unit of count defining the number of strands (strand: long, thin, flexible, single thread, strip of fibre, constituent filament or multiples of the same, twisted together).</i>
Code:	E31
Name:	square metre per litre
Beschreibung:	<i>A unit of count defining the number of square metres per litre.</i>
Code:	E32
Name:	litre per hour
Beschreibung:	<i>A unit of count defining the number of litres per hour.</i>
Code:	E33
Name:	foot per thousand
Beschreibung:	<i>A unit of count defining the number of feet per thousand units.</i>
Code:	E34
Name:	Gigabyte

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of information equal to 10 to the power of 9 bytes.</i>
Code:	E35
Name:	terabyte
Beschreibung:	<i>A unit of information equal to 10 to the power of 12 bytes.</i>
Code:	E36
Name:	petabyte
Beschreibung:	<i>A unit of information equal to 10 to the power of 15 bytes.</i>
Code:	E37
Name:	Pixel
Beschreibung:	<i>A unit of count defining the number of pixels (pixel: picture element).</i>
Code:	E38
Name:	Megapixel
Beschreibung:	<i>A unit of count equal to 10 to the power of 6 (1000000) pixels (picture elements).</i>
Code:	E39
Name:	DPI, Dots per inch
Beschreibung:	<i>A unit of information defining the number of dots per linear inch as a measure of the resolution or sharpness of a graphic image.</i>
Code:	E4
Name:	gross kilogram
Beschreibung:	<i>A unit of mass defining the total number of kilograms before deductions.</i>
Code:	E40
Name:	part per hundred thousand
Beschreibung:	<i>A unit of proportion equal to 10 to the power of -5.</i>
Code:	E41
Name:	kilogram-force per square millimetre
Beschreibung:	<i>A unit of pressure defining the number of kilograms force per square millimetre.</i>
Code:	E42
Name:	kilogram-force per square centimetre
Beschreibung:	<i>A unit of pressure defining the number of kilograms force per square centimetre.</i>
Code:	E43
Name:	joule per square centimetre
Beschreibung:	<i>A unit of energy defining the number of joules per square centimetre.</i>
Code:	E44
Name:	kilogram-force metre per square centimetre

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of torsion defining the torque kilogram-force metre per square centimetre.</i>
Code:	E46
Name:	kilowatt hour per cubic metre
Beschreibung:	<i>A unit of energy consumption expressed as kilowatt hour per cubic metre.</i>
Code:	E47
Name:	kilowatt hour per kelvin
Beschreibung:	<i>A unit of energy consumption expressed as kilowatt hour per kelvin.</i>
Code:	E48
Name:	service unit
Beschreibung:	<i>A unit of count defining the number of service units (service unit: defined period / property / facility / utility of supply).</i>
Code:	E49
Name:	working day
Beschreibung:	<i>A unit of count defining the number of working days (working day: a day on which work is ordinarily performed).</i>
Code:	E50
Name:	accounting unit
Beschreibung:	<i>A unit of count defining the number of accounting units.</i>
Code:	E51
Name:	job
Beschreibung:	<i>A unit of count defining the number of jobs.</i>
Code:	E52
Name:	run foot
Beschreibung:	<i>A unit of count defining the number feet per run.</i>
Code:	E53
Name:	test
Beschreibung:	<i>A unit of count defining the number of tests.</i>
Code:	E54
Name:	trip
Beschreibung:	<i>A unit of count defining the number of trips.</i>
Code:	E55
Name:	use
Beschreibung:	<i>A unit of count defining the number of times an object is used.</i>
Code:	E56

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	well
Beschreibung:	<i>A unit of count defining the number of wells.</i>
Code:	E57
Name:	zone
Beschreibung:	<i>A unit of count defining the number of zones.</i>
Code:	E58
Name:	exabit per second
Beschreibung:	<i>A unit of information equal to 10 to the power of 18 bits (binary digits) per second.</i>
Code:	E59
Name:	exbibyte
Beschreibung:	<i>A unit of information equal to 2 to the power of 60 bytes.</i>
Code:	E60
Name:	pebibyte
Beschreibung:	<i>A unit of information equal to 2 to the power of 50 bytes.</i>
Code:	E61
Name:	tebibyte
Beschreibung:	<i>A unit of information equal to 2 to the power of 40 bytes.</i>
Code:	E62
Name:	gibibyte
Beschreibung:	<i>A unit of information equal to 2 to the power of 30 bytes.</i>
Code:	E63
Name:	mebibyte
Beschreibung:	<i>A unit of information equal to 2 to the power of 20 bytes.</i>
Code:	E64
Name:	kibibyte
Beschreibung:	<i>A unit of information equal to 2 to the power of 10 bytes.</i>
Code:	E65
Name:	exbibit per metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 60 bits (binary digits) per metre.</i>
Code:	E66
Name:	exbibit per square metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 60 bits (binary digits) per square metre.</i>
Code:	E67
Name:	exbibit per cubic metre

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of information equal to 2 to the power of 60 bits (binary digits) per cubic metre.</i>
Code:	E68
Name:	gigabyte per second
Beschreibung:	<i>A unit of information equal to 10 to the power of 9 bytes per second.</i>
Code:	E69
Name:	gibibit per metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 30 bits (binary digits) per metre.</i>
Code:	E70
Name:	gibibit per square metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 30 bits (binary digits) per square metre.</i>
Code:	E71
Name:	gibibit per cubic metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 30 bits (binary digits) per cubic metre.</i>
Code:	E72
Name:	kibibit per metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 10 bits (binary digits) per metre.</i>
Code:	E73
Name:	kibibit per square metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 10 bits (binary digits) per square metre.</i>
Code:	E74
Name:	kibibit per cubic metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 10 bits (binary digits) per cubic metre.</i>
Code:	E75
Name:	mebibit per metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 20 bits (binary digits) per metre.</i>
Code:	E76
Name:	mebibit per square metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 20 bits (binary digits) per square metre.</i>
Code:	E77
Name:	mebibit per cubic metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 20 bits (binary digits) per cubic metre.</i>
Code:	E78
Name:	petabit
Beschreibung:	<i>A unit of information equal to 10 to the power of 15 bits (binary digits).</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	E79
Name:	petabit per second
Beschreibung:	<i>A unit of information equal to 10 to the power of 15 bits (binary digits) per second.</i>
Code:	E80
Name:	pebibit per metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 50 bits (binary digits) per metre.</i>
Code:	E81
Name:	pebibit per square metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 50 bits (binary digits) per square metre.</i>
Code:	E82
Name:	pebibit per cubic metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 50 bits (binary digits) per cubic metre.</i>
Code:	E83
Name:	terabit
Beschreibung:	<i>A unit of information equal to 10 to the power of 12 bits (binary digits).</i>
Code:	E84
Name:	terabit per second
Beschreibung:	<i>A unit of information equal to 10 to the power of 12 bits (binary digits) per second.</i>
Code:	E85
Name:	tebibit per metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 40 bits (binary digits) per metre.</i>
Code:	E86
Name:	tebibit per cubic metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 40 bits (binary digits) per cubic metre.</i>
Code:	E87
Name:	tebibit per square metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 40 bits (binary digits) per square metre.</i>
Code:	E88
Name:	bit per metre
Beschreibung:	<i>A unit of information equal to 1 bit (binary digit) per metre.</i>
Code:	E89
Name:	bit per square metre
Beschreibung:	<i>A unit of information equal to 1 bit (binary digit) per square metre.</i>
Code:	EA

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	Jedes einzelne (Eines)
Beschreibung:	<i>A unit of count defining the number of items regarded as separate units.</i>
Code:	EB
Name:	electronic mail box
Beschreibung:	<i>A unit of count defining the number of electronic mail boxes.</i>
Code:	EQ
Name:	equivalent gallon
Beschreibung:	<i>A unit of volume defining the number of gallons of product produced from concentrate.</i>
Code:	F01
Name:	bit per cubic metre
Beschreibung:	<i>A unit of information equal to 1 bit (binary digit) per cubic metre.</i>
Code:	F13
Name:	slug
Beschreibung:	<i>A unit of mass. One slug is the mass accelerated at 1 foot per second per second by a force of 1 pound.</i>
Code:	F49
Name:	rod [unit of distance]
Beschreibung:	<i>A unit of distance equal to 5.5 yards (16 feet 6 inches).</i>
Code:	F80
Name:	water horse power
Beschreibung:	<i>A unit of power defining the amount of power required to move a given volume of water against acceleration of gravity to a specified elevation (pressure head).</i>
Code:	FAH
Name:	Grad Fahrenheit
Beschreibung:	<i>Refer ISO 80000-5 (Quantities and units — Part 5: Thermodynamics)</i>
Code:	FBM
Name:	fibre metre
Beschreibung:	<i>A unit of length defining the number of metres of individual fibre.</i>
Code:	FC
Name:	thousand cubic foot
Beschreibung:	<i>A unit of volume equal to one thousand cubic foot.</i>
Code:	FF
Name:	hundred cubic metre
Beschreibung:	<i>A unit of volume equal to one hundred cubic metres.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	FIT
Name:	failures in time
Beschreibung:	<i>A unit of count defining the number of failures that can be expected over a specified time interval. Failure rates of semiconductor components are often specified as FIT (failures in time unit) where 1 FIT = 10 to the power of -9 /h.</i>
Code:	FL
Name:	flake ton
Beschreibung:	<i>A unit of mass defining the number of tons of a flaked substance (flake: a small flattish fragment).</i>
Code:	GDW
Name:	gram, dry weight
Beschreibung:	<i>A unit of mass defining the number of grams of a product, disregarding the water content of the product.</i>
Code:	GFI
Name:	gram of fissile isotope
Beschreibung:	<i>A unit of mass defining the number of grams of a fissile isotope (fissile isotope: an isotope whose nucleus is able to be split when irradiated with low energy neutrons).</i>
Code:	GGR
Name:	great gross
Beschreibung:	<i>A unit of count defining the number of units in multiples of 1728 (12 x 12 x 12).</i>
Code:	GIC
Name:	gram, including container
Beschreibung:	<i>A unit of mass defining the number of grams of a product, including its container.</i>
Code:	GIP
Name:	gram, including inner packaging
Beschreibung:	<i>A unit of mass defining the number of grams of a product, including its inner packaging materials.</i>
Code:	GRO
Name:	Gross
Beschreibung:	<i>A unit of count defining the number of units in multiples of 144 (12 x 12).</i>
Code:	GRT
Name:	gross register ton
Beschreibung:	<i>A unit of mass equal to the total cubic footage before deductions, where 1 register ton is equal to 100 cubic feet. Refer International Convention on tonnage measurement of</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

	<i>ships.</i>
Code:	GT
Name:	gross ton
Beschreibung:	<i>A unit of mass equal to 2240 pounds. Refer International Convention on Tonnage measurement of Ships. Synonym: ton (UK) or long ton (US) (common code LTN)</i>
Code:	H16
Name:	square decametre
Beschreibung:	<i>Synonym: are</i>
Code:	H18
Name:	square hectometre
Beschreibung:	<i>Synonym: hectare</i>
Code:	H21
Name:	blank
Beschreibung:	<i>A unit of count defining the number of blanks.</i>
Code:	H25
Name:	percent per kelvin
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to the SI base unit Kelvin.</i>
Code:	H71
Name:	percent per month
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to a month.</i>
Code:	H72
Name:	percent per hectobar
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to 100-fold of the unit bar.</i>
Code:	H73
Name:	percent per decakelvin
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to 10-fold of the SI base unit Kelvin.</i>
Code:	H77
Name:	module width
Beschreibung:	<i>A unit of measure used to describe the breadth of electronic assemblies as an installation standard or mounting dimension.</i>
Code:	H79
Name:	Charrière
Beschreibung:	<i>A unit of distance used for measuring the diameter of small tubes such as urological</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

	<i>instruments and catheters. Synonym: French, French gauge, Charrière gauge</i>
Code:	H80
Name:	rack unit
Beschreibung:	<i>A unit of measure used to describe the height in rack units of equipment intended for mounting in a 19-inch rack or a 23-inch rack. One rack unit is 1.75 inches (44.45 mm) high.</i>
Code:	H82
Name:	big point
Beschreibung:	<i>A unit of length defining the number of big points (big point: Adobe software(US) defines the big point to be exactly 1/72 inch (0.013 888 9 inch or 0.352 777 8 millimeters))</i>
Code:	H87
Name:	piece
Beschreibung:	<i>A unit of count defining the number of pieces (piece: a single item, article or exemplar).</i>
Code:	H89
Name:	percent per ohm
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to the SI derived unit ohm.</i>
Code:	H90
Name:	percent per degree
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to an angle of one degree.</i>
Code:	H91
Name:	percent per ten thousand
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to multiples of ten thousand.</i>
Code:	H92
Name:	percent per one hundred thousand
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to multiples of one hundred thousand.</i>
Code:	H93
Name:	percent per hundred
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to multiples of one hundred.</i>
Code:	H94
Name:	percent per thousand
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to multiples of one thousand.</i>
Code:	H95
Name:	percent per volt

Guideline**Used Codes**

Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to the SI derived unit volt.</i>
Code:	H96
Name:	percent per bar
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to an atmospheric pressure of one bar.</i>
Code:	H98
Name:	percent per inch
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to an inch.</i>
Code:	H99
Name:	percent per metre
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to a metre.</i>
Code:	HA
Name:	hank
Beschreibung:	<i>A unit of length, typically for yarn.</i>
Code:	HAR
Name:	hectare
Beschreibung:	<i>Synonym: square hectometre</i>
Code:	HBX
Name:	hundred boxes
Beschreibung:	<i>A unit of count defining the number of boxes in multiples of one hundred box units.</i>
Code:	HC
Name:	hundred count
Beschreibung:	<i>A unit of count defining the number of units counted in multiples of 100.</i>
Code:	HDW
Name:	hundred kilogram, dry weight
Beschreibung:	<i>A unit of mass defining the number of hundred kilograms of a product, disregarding the water content of the product.</i>
Code:	HEA
Name:	head
Beschreibung:	<i>A unit of count defining the number of heads (head: a person or animal considered as one of a number).</i>
Code:	HH
Name:	hundred cubic foot
Beschreibung:	<i>A unit of volume equal to one hundred cubic foot.</i>
Code:	HIU

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	hundred international unit
Beschreibung:	<i>A unit of count defining the number of international units in multiples of 100.</i>
Code:	HKM
Name:	hundred kilogram, net mass
Beschreibung:	<i>A unit of mass defining the number of hundred kilograms of a product, after deductions.</i>
Code:	HMQ
Name:	million cubic metre
Beschreibung:	<i>A unit of volume equal to one million cubic metres.</i>
Code:	HPA
Name:	hectolitre of pure alcohol
Beschreibung:	<i>A unit of volume equal to one hundred litres of pure alcohol.</i>
Code:	IE
Name:	person
Beschreibung:	<i>A unit of count defining the number of persons.</i>
Code:	INQ
Name:	Square inch
Beschreibung:	<i>Synonym: inch cubed</i>
Code:	ISD
Name:	international sugar degree
Beschreibung:	<i>A unit of measure defining the sugar content of a solution, expressed in degrees.</i>
Code:	J10
Name:	percent per millimetre
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to a millimetre.</i>
Code:	J12
Name:	per mille per psi
Beschreibung:	<i>A unit of pressure equal to one thousandth of a psi (pound-force per square inch).</i>
Code:	J13
Name:	degree API
Beschreibung:	<i>A unit of relative density as a measure of how heavy or light a petroleum liquid is compared to water (API: American Petroleum Institute).</i>
Code:	J14
Name:	degree Baume (origin scale)
Beschreibung:	<i>A traditional unit of relative density for liquids. Named after Antoine Baumé.</i>
Code:	J15

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Used Codes

Name:	degree Baume (US heavy)
Beschreibung:	<i>A unit of relative density for liquids heavier than water.</i>
Code:	J16
Name:	degree Baume (US light)
Beschreibung:	<i>A unit of relative density for liquids lighter than water.</i>
Code:	J17
Name:	degree Balling
Beschreibung:	<i>A unit of density as a measure of sugar content, especially of beer wort. Named after Karl Balling.</i>
Code:	J18
Name:	degree Brix
Beschreibung:	<i>A unit of proportion used in measuring the dissolved sugar-to-water mass ratio of a liquid. Named after Adolf Brix.</i>
Code:	J27
Name:	degree Oechsle
Beschreibung:	<i>A unit of density as a measure of sugar content of must, the unfermented liqueur from which wine is made. Named after Ferdinand Oechsle.</i>
Code:	J31
Name:	degree Twaddell
Beschreibung:	<i>A unit of density for liquids that are heavier than water. 1 degree Twaddle represents a difference in specific gravity of 0.005.</i>
Code:	J38
Name:	baud
Beschreibung:	<i>A unit of signal transmission speed equal to one signalling event per second.</i>
Code:	J54
Name:	megabaud
Beschreibung:	<i>A unit of signal transmission speed equal to 10 to the power of 6 (1000000) signaling events per second.</i>
Code:	JNT
Name:	pipeline joint
Beschreibung:	<i>A count of the number of pipeline joints.</i>
Code:	JPS
Name:	hundred metre
Beschreibung:	<i>A unit of count defining the number of 100 metre lengths.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	JWL
Name:	number of jewels
Beschreibung:	<i>A unit of count defining the number of jewels (jewel: precious stone).</i>
Code:	K1
Name:	kilowatt demand
Beschreibung:	<i>A unit of measure defining the power load measured at predetermined intervals.</i>
Code:	K2
Name:	kilovolt ampere reactive demand
Beschreibung:	<i>A unit of measure defining the reactive power demand equal to one kilovolt ampere of reactive power.</i>
Code:	K3
Name:	kilovolt ampere reactive hour
Beschreibung:	<i>A unit of measure defining the accumulated reactive energy equal to one kilovolt ampere of reactive power per hour.</i>
Code:	K5
Name:	kilovolt ampere (reactive)
Beschreibung:	<i>Use kilovar (common code KVR)</i>
Code:	K50
Name:	kilobaud
Beschreibung:	<i>A unit of signal transmission speed equal to 10 to the power of 3 (1000) signaling events per second.</i>
Code:	KA
Name:	cake
Beschreibung:	<i>A unit of count defining the number of cakes (cake: object shaped into a flat, compact mass).</i>
Code:	KAT
Name:	katal
Beschreibung:	<i>A unit of catalytic activity defining the catalytic activity of enzymes and other catalysts.</i>
Code:	KB
Name:	Kilobyte
Beschreibung:	<i>A unit of information equal to 10 to the power of 3 (1000) characters.</i>
Code:	KCC
Name:	kilogram of choline chloride
Beschreibung:	<i>A unit of mass equal to one thousand grams of choline chloride.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	KDW
Name:	kilogram drained net weight
Beschreibung:	<i>A unit of mass defining the net number of kilograms of a product, disregarding the liquid content of the product.</i>
Code:	KEL
Name:	Kelvin
Beschreibung:	<i>Refer ISO 80000-5 (Quantities and units — Part 5: Thermodynamics)</i>
Code:	KGM
Name:	Kilogramm
Beschreibung:	<i>A unit of mass equal to one thousand grams.</i>
Code:	KHY
Name:	kilogram of hydrogen peroxide
Beschreibung:	<i>A unit of mass equal to one thousand grams of hydrogen peroxide.</i>
Code:	KIC
Name:	kilogram, including container
Beschreibung:	<i>A unit of mass defining the number of kilograms of a product, including its container.</i>
Code:	KIP
Name:	kilogram, including inner packaging
Beschreibung:	<i>A unit of mass defining the number of kilograms of a product, including its inner packaging materials.</i>
Code:	KJ
Name:	kilosegment
Beschreibung:	<i>A unit of information equal to 10 to the power of 3 (1000) segments.</i>
Code:	KLK
Name:	lactic dry material percentage
Beschreibung:	<i>A unit of proportion defining the percentage of dry lactic material in a product.</i>
Code:	KLX
Name:	kilolux
Beschreibung:	<i>A unit of illuminance equal to one thousand lux.</i>
Code:	KMA
Name:	kilogram of methylamine
Beschreibung:	<i>A unit of mass equal to one thousand grams of methylamine.</i>
Code:	KMQ
Name:	Kilogramm pro Kubikmeter

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of weight expressed in kilograms of a substance that fills a volume of one cubic metre.</i>
Code:	KNI
Name:	kilogram of nitrogen
Beschreibung:	<i>A unit of mass equal to one thousand grams of nitrogen.</i>
Code:	KNM
Name:	kilonewton per square metre
Beschreibung:	<i>Pressure expressed in kN/m².</i>
Code:	KNS
Name:	kilogram named substance
Beschreibung:	<i>A unit of mass equal to one kilogram of a named substance.</i>
Code:	KO
Name:	milliequivalence caustic potash per gram of product
Beschreibung:	<i>A unit of count defining the number of milligrams of potassium hydroxide per gram of product as a measure of the concentration of potassium hydroxide in the product.</i>
Code:	KPH
Name:	kilogram of potassium hydroxide (caustic potash)
Beschreibung:	<i>A unit of mass equal to one thousand grams of potassium hydroxide (caustic potash).</i>
Code:	KPO
Name:	kilogram of potassium oxide
Beschreibung:	<i>A unit of mass equal to one thousand grams of potassium oxide.</i>
Code:	KPP
Name:	kilogram of phosphorus pentoxide (phosphoric anhydride)
Beschreibung:	<i>A unit of mass equal to one thousand grams of phosphorus pentoxide phosphoric anhydride.</i>
Code:	KSD
Name:	kilogram of substance 90 % dry
Beschreibung:	<i>A unit of mass equal to one thousand grams of a named substance that is 90% dry.</i>
Code:	KSH
Name:	kilogram of sodium hydroxide (caustic soda)
Beschreibung:	<i>A unit of mass equal to one thousand grams of sodium hydroxide (caustic soda).</i>
Code:	KT
Name:	kit
Beschreibung:	<i>A unit of count defining the number of kits (kit: tub, barrel or pail).</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	KUR
Name:	kilogram of uranium
Beschreibung:	<i>A unit of mass equal to one thousand grams of uranium.</i>
Code:	KWN
Name:	Kilowatt hour per normalized cubic metre
Beschreibung:	<i>Kilowatt hour per normalized cubic metre (temperature 0°C and pressure 101325 millibars).</i>
Code:	KWO
Name:	kilogram of tungsten trioxide
Beschreibung:	<i>A unit of mass equal to one thousand grams of tungsten trioxide.</i>
Code:	KWS
Name:	Kilowatt hour per standard cubic metre
Beschreibung:	<i>Kilowatt hour per standard cubic metre (temperature 15°C and pressure 101325 millibars).</i>
Code:	LAC
Name:	lactose excess percentage
Beschreibung:	<i>A unit of proportion defining the percentage of lactose in a product that exceeds a defined percentage level.</i>
Code:	LEF
Name:	leaf
Beschreibung:	<i>A unit of count defining the number of leaves.</i>
Code:	LF
Name:	linear foot
Beschreibung:	<i>A unit of count defining the number of feet (12-inch) in length of a uniform width object.</i>
Code:	LH
Name:	labour hour
Beschreibung:	<i>A unit of time defining the number of labour hours.</i>
Code:	LK
Name:	link
Beschreibung:	<i>A unit of distance equal to 0.01 chain.</i>
Code:	LM
Name:	linear metre
Beschreibung:	<i>A unit of count defining the number of metres in length of a uniform width object.</i>
Code:	LN

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	length
Beschreibung:	<i>A unit of distance defining the linear extent of an item measured from end to end.</i>
Code:	LO
Name:	lot [unit of procurement]
Beschreibung:	<i>A unit of count defining the number of lots (lot: a collection of associated items).</i>
Code:	LP
Name:	liquid pound
Beschreibung:	<i>A unit of mass defining the number of pounds of a liquid substance.</i>
Code:	LPA
Name:	litre of pure alcohol
Beschreibung:	<i>A unit of volume equal to one litre of pure alcohol.</i>
Code:	LR
Name:	layer
Beschreibung:	<i>A unit of count defining the number of layers.</i>
Code:	LS
Name:	lump sum
Beschreibung:	<i>A unit of count defining the number of whole or a complete monetary amounts.</i>
Code:	LTN
Name:	ton (UK) or long ton (US)
Beschreibung:	<i>Synonym: gross ton (2240 lb)</i>
Code:	LUB
Name:	metric ton, lubricating oil
Beschreibung:	<i>A unit of mass defining the number of metric tons of lubricating oil.</i>
Code:	LY
Name:	linear yard
Beschreibung:	<i>A unit of count defining the number of 36-inch units in length of a uniform width object.</i>
Code:	M19
Name:	Beaufort
Beschreibung:	<i>An empirical measure for describing wind speed based mainly on observed sea conditions. The Beaufort scale indicates the wind speed by numbers that typically range from 0 for calm, to 12 for hurricane.</i>
Code:	M25
Name:	percent per degree Celsius
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to a temperature of one degree.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	M36
Name:	30-day month
Beschreibung:	<i>A unit of count defining the number of months expressed in multiples of 30 days, one day equals 24 hours.</i>
Code:	M37
Name:	actual/360
Beschreibung:	<i>A unit of count defining the number of years expressed in multiples of 360 days, one day equals 24 hours.</i>
Code:	M38
Name:	kilometre per second squared
Beschreibung:	<i>1000-fold of the SI base unit metre divided by the power of the SI base unit second by exponent 2.</i>
Code:	M39
Name:	centimetre per second squared
Beschreibung:	<i>0,01-fold of the SI base unit metre divided by the power of the SI base unit second by exponent 2.</i>
Code:	M4
Name:	monetary value
Beschreibung:	<i>A unit of measure expressed as a monetary amount.</i>
Code:	M40
Name:	yard per second squared
Beschreibung:	<i>Unit of the length according to the Anglo-American and Imperial system of units divided by the power of the SI base unit second by exponent 2.</i>
Code:	M41
Name:	millimetre per second squared
Beschreibung:	<i>0,001-fold of the SI base unit metre divided by the power of the SI base unit second by exponent 2.</i>
Code:	M42
Name:	mile (statute mile) per second squared
Beschreibung:	<i>Unit of the length according to the Imperial system of units divided by the power of the SI base unit second by exponent 2.</i>
Code:	M43
Name:	mil
Beschreibung:	<i>Unit to indicate an angle at military zone, equal to the 6400th part of the full circle of the</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

	<i>360° or 2·p·rad.</i>
Code:	M44
Name:	revolution
Beschreibung:	<i>Unit to identify an angle of the full circle of 360° or 2·p·rad (Refer ISO/TC12 SI Guide).</i>
Code:	M45
Name:	degree [unit of angle] per second squared
Beschreibung:	<i>360 part of a full circle divided by the power of the SI base unit second and the exponent 2.</i>
Code:	M46
Name:	revolution per minute
Beschreibung:	<i>Unit of the angular velocity.</i>
Code:	M47
Name:	circular mil
Beschreibung:	<i>Unit of an area, of which the size is given by a diameter of length of 1 mm (0,001 in) based on the formula: $area = p \cdot (diameter/2)^2$.</i>
Code:	M48
Name:	square mile (based on U.S. survey foot)
Beschreibung:	<i>Unit of the area, which is mainly common in the agriculture and forestry.</i>
Code:	M49
Name:	chain (based on U.S. survey foot)
Beschreibung:	<i>Unit of the length according the Anglo-American system of units.</i>
Code:	M50
Name:	furlong
Beschreibung:	<i>Unit commonly used in Great Britain at rural distances: 1 furlong = 40 rods = 10 chains (UK) = 1/8 mile = 1/10 furlong = 220 yards = 660 foot.</i>
Code:	M51
Name:	foot (U.S. survey)
Beschreibung:	<i>Unit commonly used in the United States for ordnance survey.</i>
Code:	M52
Name:	mile (based on U.S. survey foot)
Beschreibung:	<i>Unit commonly used in the United States for ordnance survey.</i>
Code:	M53
Name:	metre per pascal
Beschreibung:	<i>SI base unit metre divided by the derived SI unit pascal.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	M55
Name:	metre per radian
Beschreibung:	<i>Unit of the translation factor for implementation from rotation to linear movement.</i>
Code:	M56
Name:	shake
Beschreibung:	<i>Unit for a very short period.</i>
Code:	M57
Name:	mile per minute
Beschreibung:	<i>Unit of velocity from the Imperial system of units.</i>
Code:	M58
Name:	mile per second
Beschreibung:	<i>Unit of the velocity from the Imperial system of units.</i>
Code:	M59
Name:	metre per second pascal
Beschreibung:	<i>SI base unit meter divided by the product of SI base unit second and the derived SI unit pascal.</i>
Code:	M60
Name:	metre per hour
Beschreibung:	<i>SI base unit metre divided by the unit hour.</i>
Code:	M61
Name:	inch per year
Beschreibung:	<i>Unit of the length according to the Anglo-American and Imperial system of units divided by the unit common year with 365 days.</i>
Code:	M62
Name:	kilometre per second
Beschreibung:	<i>1000-fold of the SI base unit metre divided by the SI base unit second.</i>
Code:	M63
Name:	inch per minute
Beschreibung:	<i>Unit inch according to the Anglo-American and Imperial system of units divided by the unit minute.</i>
Code:	M64
Name:	yard per second
Beschreibung:	<i>Unit yard according to the Anglo-American and Imperial system of units divided by the SI base unit second.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	M65
Name:	yard per minute
Beschreibung:	<i>Unit yard according to the Anglo-American and Imperial system of units divided by the unit minute.</i>
Code:	M66
Name:	yard per hour
Beschreibung:	<i>Unit yard according to the Anglo-American and Imperial system of units divided by the unit hour.</i>
Code:	M67
Name:	acre-foot (based on U.S. survey foot)
Beschreibung:	<i>Unit of the volume, which is used in the United States to measure/gauge the capacity of reservoirs.</i>
Code:	M68
Name:	cord (128 ft ³)
Beschreibung:	<i>Traditional unit of the volume of stacked firewood which has been measured with a cord.</i>
Code:	M69
Name:	cubic mile (UK statute)
Beschreibung:	<i>Unit of volume according to the Imperial system of units.</i>
Code:	M70
Name:	ton, register
Beschreibung:	<i>Traditional unit of the cargo capacity.</i>
Code:	M71
Name:	cubic metre per pascal
Beschreibung:	<i>Power of the SI base unit meter by exponent 3 divided by the derived SI base unit pascal.</i>
Code:	M72
Name:	bel
Beschreibung:	<i>Logarithmic relationship to base 10.</i>
Code:	M73
Name:	kilogram per cubic metre pascal
Beschreibung:	<i>SI base unit kilogram divided by the product of the power of the SI base unit metre with exponent 3 and the derived SI unit pascal.</i>
Code:	M74
Name:	kilogram per pascal

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>SI base unit kilogram divided by the derived SI unit pascal.</i>
Code:	M75
Name:	kilopound-force
Beschreibung:	<i>1000-fold of the unit of the force pound-force (lbf) according to the Anglo-American system of units with the relationship.</i>
Code:	M76
Name:	poundal
Beschreibung:	<i>Non SI-conforming unit of the power, which corresponds to a mass of a pound multiplied with the acceleration of a foot per square second.</i>
Code:	M77
Name:	kilogram metre per second squared
Beschreibung:	<i>Product of the SI base unit kilogram and the SI base unit metre divided by the power of the SI base unit second by exponent 2.</i>
Code:	M78
Name:	pond
Beschreibung:	<i>0,001-fold of the unit of the weight, defined as a mass of 1 kg which finds out about a weight strength from 1 kp by the gravitational force at sea level which corresponds to a strength of 9,806 65 newton.</i>
Code:	M79
Name:	square foot per hour
Beschreibung:	<i>Power of the unit foot according to the Anglo-American and Imperial system of units by exponent 2 divided by the unit of time hour.</i>
Code:	M80
Name:	stokes per pascal
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit stokes divided by the derived SI unit pascal.</i>
Code:	M81
Name:	square centimetre per second
Beschreibung:	<i>0,000 1-fold of the power of the SI base unit metre by exponent 2 divided by the SI base unit second.</i>
Code:	M82
Name:	square metre per second pascal
Beschreibung:	<i>Power of the SI base unit metre with the exponent 2 divided by the SI base unit second and the derived SI unit pascal.</i>
Code:	M83

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	denier
Beschreibung:	<i>Traditional unit for the indication of the linear mass of textile fibers and yarns.</i>
Code:	M84
Name:	pound per yard
Beschreibung:	<i>Unit for linear mass according to avoirdupois system of units.</i>
Code:	M85
Name:	ton, assay
Beschreibung:	<i>Non SI-conforming unit of the mass used in the mineralogy to determine the concentration of precious metals in ore according to the mass of the precious metal in milligrams in a sample of the mass of an assay sound (number of troy ounces in a short ton (1 000 lb)).</i>
Code:	M86
Name:	pfund
Beschreibung:	<i>Outdated unit of the mass used in Germany.</i>
Code:	M87
Name:	kilogram per second pascal
Beschreibung:	<i>SI base unit kilogram divided by the product of the SI base unit second and the derived SI unit pascal.</i>
Code:	M88
Name:	tonne per month
Beschreibung:	<i>Unit tonne divided by the unit month.</i>
Code:	M89
Name:	tonne per year
Beschreibung:	<i>Unit tonne divided by the unit year with 365 days.</i>
Code:	M90
Name:	kilopound per hour
Beschreibung:	<i>1000-fold of the unit of the mass avoirdupois pound according to the avoirdupois unit system divided by the unit hour.</i>
Code:	M91
Name:	pound per pound
Beschreibung:	<i>Proportion of the mass consisting of the avoirdupois pound according to the avoirdupois unit system divided by the avoirdupois pound according to the avoirdupois unit system.</i>
Code:	M92
Name:	pound-force foot

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>Product of the unit pound-force according to the Anglo-American system of units and the unit foot according to the Anglo-American and the Imperial system of units.</i>
Code:	M93
Name:	newton metre per radian
Beschreibung:	<i>Product of the derived SI unit newton and the SI base unit metre divided by the unit radian.</i>
Code:	M94
Name:	kilogram metre
Beschreibung:	<i>Unit of imbalance as a product of the SI base unit kilogram and the SI base unit metre.</i>
Code:	M95
Name:	poundal foot
Beschreibung:	<i>Product of the non SI-conforming unit of the force poundal and the unit foot according to the Anglo-American and Imperial system of units .</i>
Code:	M96
Name:	poundal inch
Beschreibung:	<i>Product of the non SI-conforming unit of the force poundal and the unit inch according to the Anglo-American and Imperial system of units .</i>
Code:	M97
Name:	dyne metre
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of the rotational moment.</i>
Code:	M98
Name:	kilogram centimetre per second
Beschreibung:	<i>Product of the SI base unit kilogram and the 0,01-fold of the SI base unit metre divided by the SI base unit second.</i>
Code:	M99
Name:	gram centimetre per second
Beschreibung:	<i>Product of the 0,001-fold of the SI base unit kilogram and the 0,01-fold of the SI base unit metre divided by the SI base unit second.</i>
Code:	MAH
Name:	megavolt ampere reactive hour
Beschreibung:	<i>A unit of electrical reactive power defining the total amount of reactive power across a power system.</i>
Code:	MAR
Name:	megavar

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of electrical reactive power represented by a current of one thousand amperes flowing due a potential difference of one thousand volts where the sine of the phase angle between them is 1.</i>
Code:	MAW
Name:	Megawatt
Beschreibung:	<i>A unit of power defining the rate of energy transferred or consumed when a current of 1000 amperes flows due to a potential of 1000 volts at unity power factor.</i>
Code:	MBE
Name:	thousand standard brick equivalent
Beschreibung:	<i>A unit of count defining the number of one thousand brick equivalent units.</i>
Code:	MBF
Name:	thousand board foot
Beschreibung:	<i>A unit of volume equal to one thousand board foot.</i>
Code:	MD
Name:	air dry metric ton
Beschreibung:	<i>A unit of count defining the number of metric tons of a product, disregarding the water content of the product.</i>
Code:	MIU
Name:	million international unit
Beschreibung:	<i>A unit of count defining the number of international units in multiples of 10 to the power of 6.</i>
Code:	MLD
Name:	milliard
Beschreibung:	<i>Synonym: billion (US)</i>
Code:	MND
Name:	kilogram, dry weight
Beschreibung:	<i>A unit of mass defining the number of kilograms of a product, disregarding the water content of the product.</i>
Code:	MON
Name:	Monat
Beschreibung:	<i>Unit of time equal to 1/12 of a year of 365,25 days.</i>
Code:	MTQ
Name:	Kubikmeter
Beschreibung:	<i>Synonym: metre cubed</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	MWH
Name:	Megawatt Stunde (1000 kWh)
Beschreibung:	<i>A unit of power defining the total amount of bulk energy transferred or consumed.</i>
Code:	N1
Name:	pen calorie
Beschreibung:	<i>A unit of count defining the number of calories prescribed daily for parenteral/enteral therapy.</i>
Code:	N10
Name:	pound foot per second
Beschreibung:	<i>Product of the avoirdupois pound according to the avoirdupois unit system and the unit foot according to the Anglo-American and Imperial system of units divided by the SI base unit second.</i>
Code:	N11
Name:	pound inch per second
Beschreibung:	<i>Product of the avoirdupois pound according to the avoirdupois unit system and the unit inch according to the Anglo-American and Imperial system of units divided by the SI base unit second.</i>
Code:	N12
Name:	Pferdestaerke
Beschreibung:	<i>Obsolete unit of the power relating to DIN 1301-3:1979: 1 PS = 735,498 75 W.</i>
Code:	N13
Name:	centimetre of mercury (0 °C)
Beschreibung:	<i>Non SI-conforming unit of pressure, at which a value of 1 cmHg meets the static pressure, which is generated by a mercury at a temperature of 0 °C with a height of 1 centimetre .</i>
Code:	N14
Name:	centimetre of water (4 °C)
Beschreibung:	<i>Non SI-conforming unit of pressure, at which a value of 1 cmH2O meets the static pressure, which is generated by a head of water at a temperature of 4 °C with a height of 1 centimetre .</i>
Code:	N15
Name:	foot of water (39.2 °F)
Beschreibung:	<i>Non SI-conforming unit of pressure according to the Anglo-American and Imperial system for units, whereas the value of 1 ftH2O is equivalent to the static pressure, which is</i>

Guideline

Used Codes

	<i>generated by a head of water at a temperature 39,2°F with a height of 1 foot .</i>
Code:	N16
Name:	inch of mercury (32 °F)
Beschreibung:	<i>Non SI-conforming unit of pressure according to the Anglo-American and Imperial system for units, whereas the value of 1 inHg meets the static pressure, which is generated by a mercury at a temperature of 32°F with a height of 1 inch.</i>
Code:	N17
Name:	inch of mercury (60 °F)
Beschreibung:	<i>Non SI-conforming unit of pressure according to the Anglo-American and Imperial system for units, whereas the value of 1 inHg meets the static pressure, which is generated by a mercury at a temperature of 60°F with a height of 1 inch.</i>
Code:	N18
Name:	inch of water (39.2 °F)
Beschreibung:	<i>Non SI-conforming unit of pressure according to the Anglo-American and Imperial system for units, whereas the value of 1 inH2O meets the static pressure, which is generated by a head of water at a temperature of 39,2°F with a height of 1 inch .</i>
Code:	N19
Name:	inch of water (60 °F)
Beschreibung:	<i>Non SI-conforming unit of pressure according to the Anglo-American and Imperial system for units, whereas the value of 1 inH2O meets the static pressure, which is generated by a head of water at a temperature of 60°F with a height of 1 inch .</i>
Code:	N20
Name:	kip per square inch
Beschreibung:	<i>Non SI-conforming unit of the pressure according to the Anglo-American system of units as the 1000-fold of the unit of the force pound-force divided by the power of the unit inch by exponent 2.</i>
Code:	N21
Name:	poundal per square foot
Beschreibung:	<i>Non SI-conforming unit of pressure by the Imperial system of units according to NIST: 1 pdl/ft² = 1,488 164 Pa.</i>
Code:	N22
Name:	ounce (avoirdupois) per square inch
Beschreibung:	<i>Unit of the surface specific mass (avoirdupois ounce according to the avoirdupois system of units according to the surface square inch according to the Anglo-American and</i>

Guideline**Used Codes**

	<i>Imperial system of units).</i>
Code:	N23
Name:	conventional metre of water
Beschreibung:	<i>Not SI-conforming unit of pressure, whereas a value of 1 mH2O is equivalent to the static pressure, which is produced by one metre high water column .</i>
Code:	N24
Name:	gram per square millimetre
Beschreibung:	<i>0,001-fold of the SI base unit kilogram divided by the 0.000 001-fold of the power of the SI base unit meter by exponent 2.</i>
Code:	N25
Name:	pound per square yard
Beschreibung:	<i>Unit for areal-related mass as a unit pound according to the avoirdupois unit system divided by the power of the unit yard according to the Anglo-American and Imperial system of units with exponent 2.</i>
Code:	N26
Name:	poundal per square inch
Beschreibung:	<i>Non SI-conforming unit of the pressure according to the Imperial system of units (poundal by square inch).</i>
Code:	N27
Name:	foot to the fourth power
Beschreibung:	<i>Power of the unit foot according to the Anglo-American and Imperial system of units by exponent 4 according to NIST: 1 ft⁴ = 8,630 975 m⁴.</i>
Code:	N28
Name:	cubic decimetre per kilogram
Beschreibung:	<i>0,001 fold of the power of the SI base unit meter by exponent 3 divided by the SI based unit kilogram.</i>
Code:	N29
Name:	cubic foot per pound
Beschreibung:	<i>Power of the unit foot according to the Anglo-American and Imperial system of units by exponent 3 divided by the unit avoirdupois pound according to the avoirdupois unit system.</i>
Code:	N30
Name:	cubic inch per pound
Beschreibung:	<i>Power of the unit inch according to the Anglo-American and Imperial system of units by</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	N31
Name:	kilonewton per metre
Beschreibung:	<i>1000-fold of the derived SI unit newton divided by the SI base unit metre.</i>
Code:	N32
Name:	poundal per inch
Beschreibung:	<i>Non SI-conforming unit of the surface tension according to the Imperial unit system as quotient poundal by inch.</i>
Code:	N33
Name:	pound-force per yard
Beschreibung:	<i>Unit of force per unit length based on the Anglo-American system of units.</i>
Code:	N34
Name:	poundal second per square foot
Beschreibung:	<i>Non SI-conforming unit of viscosity.</i>
Code:	N35
Name:	poise per pascal
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit poise divided by the derived SI unit pascal.</i>
Code:	N36
Name:	newton second per square metre
Beschreibung:	<i>Unit of the dynamic viscosity as a product of unit of the pressure (newton by square metre) multiplied with the SI base unit second.</i>
Code:	N37
Name:	kilogram per metre second
Beschreibung:	<i>Unit of the dynamic viscosity as a quotient SI base unit kilogram divided by the SI base unit metre and by the SI base unit second.</i>
Code:	N38
Name:	kilogram per metre minute
Beschreibung:	<i>Unit of the dynamic viscosity as a quotient SI base unit kilogram divided by the SI base unit metre and by the unit minute.</i>
Code:	N39
Name:	kilogram per metre day
Beschreibung:	<i>Unit of the dynamic viscosity as a quotient SI base unit kilogram divided by the SI base unit metre and by the unit day.</i>
Code:	N40

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	kilogram per metre hour
Beschreibung:	<i>Unit of the dynamic viscosity as a quotient SI base unit kilogram divided by the SI base unit metre and by the unit hour.</i>
Code:	N41
Name:	gram per centimetre second
Beschreibung:	<i>Unit of the dynamic viscosity as a quotient of the 0,001-fold of the SI base unit kilogram divided by the 0,01-fold of the SI base unit metre and SI base unit second.</i>
Code:	N42
Name:	poundal second per square inch
Beschreibung:	<i>Non SI-conforming unit of dynamic viscosity according to the Imperial system of units as product unit of the pressure (poundal by square inch) multiplied by the SI base unit second.</i>
Code:	N43
Name:	pound per foot minute
Beschreibung:	<i>Unit of the dynamic viscosity according to the Anglo-American unit system.</i>
Code:	N44
Name:	pound per foot day
Beschreibung:	<i>Unit of the dynamic viscosity according to the Anglo-American unit system.</i>
Code:	N45
Name:	cubic metre per second pascal
Beschreibung:	<i>Power of the SI base unit meter by exponent 3 divided by the product of the SI base unit second and the derived SI base unit pascal.</i>
Code:	N46
Name:	foot poundal
Beschreibung:	<i>Unit of the work (force-path).</i>
Code:	N47
Name:	inch poundal
Beschreibung:	<i>Unit of work (force multiplied by path) according to the Imperial system of units as a product unit inch multiplied by poundal.</i>
Code:	N48
Name:	watt per square centimetre
Beschreibung:	<i>Derived SI unit watt divided by the power of the 0,01-fold the SI base unit metre by exponent 2.</i>
Code:	N49

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	watt per square inch
Beschreibung:	<i>Derived SI unit watt divided by the power of the unit inch according to the Anglo-American and Imperial system of units by exponent 2.</i>
Code:	N50
Name:	British thermal unit (international table) per square foot hour
Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>
Code:	N51
Name:	British thermal unit (thermochemical) per square foot hour
Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>
Code:	N52
Name:	British thermal unit (thermochemical) per square foot minute
Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>
Code:	N53
Name:	British thermal unit (international table) per square foot second
Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>
Code:	N54
Name:	British thermal unit (thermochemical) per square foot second
Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>
Code:	N55
Name:	British thermal unit (international table) per square inch second
Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>
Code:	N56
Name:	calorie (thermochemical) per square centimetre minute
Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>
Code:	N57
Name:	calorie (thermochemical) per square centimetre second
Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>
Code:	N58
Name:	British thermal unit (international table) per cubic foot
Beschreibung:	<i>Unit of the energy density according to the Imperial system of units.</i>
Code:	N59
Name:	British thermal unit (thermochemical) per cubic foot
Beschreibung:	<i>Unit of the energy density according to the Imperial system of units.</i>
Code:	N60

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	British thermal unit (international table) per degree Fahrenheit
Beschreibung:	<i>Unit of the heat capacity according to the Imperial system of units.</i>
Code:	N61
Name:	British thermal unit (thermochemical) per degree Fahrenheit
Beschreibung:	<i>Unit of the heat capacity according to the Imperial system of units.</i>
Code:	N62
Name:	British thermal unit (international table) per degree Rankine
Beschreibung:	<i>Unit of the heat capacity according to the Imperial system of units.</i>
Code:	N63
Name:	British thermal unit (thermochemical) per degree Rankine
Beschreibung:	<i>Unit of the heat capacity according to the Imperial system of units.</i>
Code:	N64
Name:	British thermal unit (thermochemical) per pound degree Rankine
Beschreibung:	<i>Unit of the heat capacity (British thermal unit according to the international table according to the Rankine degree) according to the Imperial system of units divided by the unit avoirdupois pound according to the avoirdupois system of units.</i>
Code:	N65
Name:	kilocalorie (international table) per gram kelvin
Beschreibung:	<i>Unit of the mass-related heat capacity as quotient 1000-fold of the calorie (international table) divided by the product of the 0,001-fold of the SI base units kilogram and kelvin.</i>
Code:	N66
Name:	British thermal unit (39 °F)
Beschreibung:	<i>Unit of heat energy according to the Imperial system of units in a reference temperature of 39 °F.</i>
Code:	N67
Name:	British thermal unit (59 °F)
Beschreibung:	<i>Unit of heat energy according to the Imperial system of units in a reference temperature of 59 °F.</i>
Code:	N68
Name:	British thermal unit (60 °F)
Beschreibung:	<i>Unit of head energy according to the Imperial system of units at a reference temperature of 60 °F.</i>
Code:	N69
Name:	calorie (20 °C)

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>Unit for quantity of heat, which is to be required for 1 g air free water at a constant pressure from 101,325 kPa, to warm up the pressure of standard atmosphere at sea level, from 19,5 °C on 20,5 °C.</i>
Code:	N70
Name:	quad (1015 BtuIT)
Beschreibung:	<i>Unit of heat energy according to the imperial system of units.</i>
Code:	N71
Name:	therm (EC)
Beschreibung:	<i>Unit of heat energy in commercial use, within the EU defined: 1 thm (EC) = 100 000 BtuIT.</i>
Code:	N72
Name:	therm (U.S.)
Beschreibung:	<i>Unit of heat energy in commercial use.</i>
Code:	N73
Name:	British thermal unit (thermochemical) per pound
Beschreibung:	<i>Unit of the heat energy according to the Imperial system of units divided the unit avoirdupois pound according to the avoirdupois system of units.</i>
Code:	N74
Name:	British thermal unit (international table) per hour square foot degree Fahrenheit
Beschreibung:	<i>Unit of the heat transition coefficient according to the Imperial system of units.</i>
Code:	N75
Name:	British thermal unit (thermochemical) per hour square foot degree Fahrenheit
Beschreibung:	<i>Unit of the heat transition coefficient according to the imperial system of units.</i>
Code:	N76
Name:	British thermal unit (international table) per second square foot degree Fahrenheit
Beschreibung:	<i>Unit of the heat transition coefficient according to the imperial system of units.</i>
Code:	N77
Name:	British thermal unit (thermochemical) per second square foot degree Fahrenheit
Beschreibung:	<i>Unit of the heat transition coefficient according to the imperial system of units.</i>
Code:	N78
Name:	kilowatt per square metre kelvin
Beschreibung:	<i>1000-fold of the derived SI unit watt divided by the product of the power of the SI base unit metre by exponent 2 and the SI base unit kelvin.</i>
Code:	N79

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	kelvin per pascal
Beschreibung:	<i>SI base unit kelvin divided by the derived SI unit pascal.</i>
Code:	N80
Name:	watt per metre degree Celsius
Beschreibung:	<i>Derived SI unit watt divided by the product of the SI base unit metre and the unit for temperature degree Celsius.</i>
Code:	N81
Name:	kilowatt per metre kelvin
Beschreibung:	<i>1000-fold of the derived SI unit watt divided by the product of the SI base unit metre and the SI base unit kelvin.</i>
Code:	N82
Name:	kilowatt per metre degree Celsius
Beschreibung:	<i>1000-fold of the derived SI unit watt divided by the product of the SI base unit metre and the unit for temperature degree Celsius.</i>
Code:	N83
Name:	metre per degree Celcius metre
Beschreibung:	<i>SI base unit metre divided by the product of the unit degree Celsius and the SI base unit metre.</i>
Code:	N84
Name:	degree Fahrenheit hour per British thermal unit (international table)
Beschreibung:	<i>Non SI-conforming unit of the thermal resistance according to the Imperial system of units.</i>
Code:	N85
Name:	degree Fahrenheit hour per British thermal unit (thermochemical)
Beschreibung:	<i>Non SI-conforming unit of the thermal resistance according to the Imperial system of units.</i>
Code:	N86
Name:	degree Fahrenheit second per British thermal unit (international table)
Beschreibung:	<i>Non SI-conforming unit of the thermal resistance according to the Imperial system of units.</i>
Code:	N87
Name:	degree Fahrenheit second per British thermal unit (thermochemical)
Beschreibung:	<i>Non SI-conforming unit of the thermal resistance according to the Imperial system of units.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	N88
Name:	degree Fahrenheit hour square foot per British thermal unit (international table) inch
Beschreibung:	<i>Unit of specific thermal resistance according to the Imperial system of units.</i>
Code:	N89
Name:	degree Fahrenheit hour square foot per British thermal unit (thermochemical) inch
Beschreibung:	<i>Unit of specific thermal resistance according to the Imperial system of units.</i>
Code:	N90
Name:	kilofarad
Beschreibung:	<i>1000-fold of the derived SI unit farad.</i>
Code:	N91
Name:	reciprocal joule
Beschreibung:	<i>Reciprocal of the derived SI unit joule.</i>
Code:	N92
Name:	picosiemens
Beschreibung:	<i>0,000 000 000 001-fold of the derived SI unit siemens.</i>
Code:	N93
Name:	ampere per pascal
Beschreibung:	<i>SI base unit ampere divided by the derived SI unit pascal.</i>
Code:	N94
Name:	franklin
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of the electrical charge, where the charge amounts to exactly 1 Fr where the force of 1 dyn on an equal load is performed at a distance of 1 cm.</i>
Code:	N95
Name:	ampere minute
Beschreibung:	<i>A unit of electric charge defining the amount of charge accumulated by a steady flow of one ampere for one minute..</i>
Code:	N96
Name:	biot
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of the electric power which is defined by a force of 2 dyn per cm between two parallel conductors of infinite length with negligible cross-section in the distance of 1 cm.</i>
Code:	N97
Name:	gilbert

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of the magnetomotive force, which is defined by the work to increase the magnetic potential of a positive common pol with 1 erg.</i>
Code:	N98
Name:	volt per pascal
Beschreibung:	<i>Derived SI unit volt divided by the derived SI unit pascal.</i>
Code:	N99
Name:	picovolt
Beschreibung:	<i>0,000 000 000 001-fold of the derived SI unit volt.</i>
Code:	NAR
Name:	Anzahl der Artikel
Beschreibung:	<i>A unit of count defining the number of articles (article: item).</i>
Code:	NCL
Name:	number of cells
Beschreibung:	<i>A unit of count defining the number of cells (cell: an enclosed or circumscribed space, cavity, or volume).</i>
Code:	NF
Name:	message
Beschreibung:	<i>A unit of count defining the number of messages.</i>
Code:	NIL
Name:	nil
Beschreibung:	<i>A unit of count defining the number of instances of nothing.</i>
Code:	NIU
Name:	Anzahl internationaler Einheiten
Beschreibung:	<i>A unit of count defining the number of international units.</i>
Code:	NL
Name:	load
Beschreibung:	<i>A unit of volume defining the number of loads (load: a quantity of items carried or processed at one time).</i>
Code:	NM3
Name:	Normalised cubic metre
Beschreibung:	<i>Normalised cubic metre (temperature 0°C and pressure 101325 millibars)</i>
Code:	NMP
Name:	number of packs

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of count defining the number of packs (pack: a collection of objects packaged together).</i>
Code:	NPR
Name:	number of pairs
Beschreibung:	<i>A unit of count defining the number of pairs (pair: item described by two's).</i>
Code:	NPT
Name:	number of parts
Beschreibung:	<i>A unit of count defining the number of parts (part: component of a larger entity).</i>
Code:	NT
Name:	net ton
Beschreibung:	<i>A unit of mass equal to 2000 pounds, see ton (US). Refer International Convention on tonnage measurement of Ships.</i>
Code:	NTT
Name:	net register ton
Beschreibung:	<i>A unit of mass equal to the total cubic footage after deductions, where 1 register ton is equal to 100 cubic feet. Refer International Convention on tonnage measurement of Ships.</i>
Code:	NX
Name:	part per thousand
Beschreibung:	<i>A unit of proportion equal to 10 to the power of -3. Synonym: per mille</i>
Code:	OA
Name:	panel
Beschreibung:	<i>A unit of count defining the number of panels (panel: a distinct, usually rectangular, section of a surface).</i>
Code:	ODE
Name:	ozone depletion equivalent
Beschreibung:	<i>A unit of mass defining the ozone depletion potential in kilograms of a product relative to the calculated depletion for the reference substance, Trichlorofluoromethane (CFC-11).</i>
Code:	ODG
Name:	ODS Grams
Beschreibung:	<i>A unit of measure calculated by multiplying the mass of the substance in grams and the ozone-depleting potential for the substance.</i>
Code:	ODK

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	ODS Kilograms
Beschreibung:	<i>A unit of measure calculated by multiplying the mass of the substance in kilograms and the ozone-depleting potential for the substance.</i>
Code:	ODM
Name:	ODS Milligrams
Beschreibung:	<i>A unit of measure calculated by multiplying the mass of the substance in milligrams and the ozone-depleting potential for the substance.</i>
Code:	OPM
Name:	oscillations per minute
Beschreibung:	<i>The number of oscillations per minute.</i>
Code:	OT
Name:	overtime hour
Beschreibung:	<i>A unit of time defining the number of overtime hours.</i>
Code:	OZ
Name:	ounce av
Beschreibung:	<i>A unit of measure equal to 1/16 of a pound or about 28.3495 grams (av = avoirdupois). Use ounce (common code ONZ).</i>
Code:	P1
Name:	Prozent
Beschreibung:	<i>A unit of proportion equal to 0.01.</i>
Code:	P10
Name:	coulomb per metre
Beschreibung:	<i>Derived SI unit coulomb divided by the SI base unit metre.</i>
Code:	P11
Name:	kiloweber
Beschreibung:	<i>1000 fold of the derived SI unit weber.</i>
Code:	P12
Name:	gamma
Beschreibung:	<i>Unit of magnetic flow density.</i>
Code:	P13
Name:	kilotesla
Beschreibung:	<i>1000-fold of the derived SI unit tesla.</i>
Code:	P14
Name:	joule per second

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Used Codes

Beschreibung:	<i>Quotient of the derived SI unit joule divided by the SI base unit second.</i>
Code:	P15
Name:	joule per minute
Beschreibung:	<i>Quotient from the derived SI unit joule divided by the unit minute.</i>
Code:	P16
Name:	joule per hour
Beschreibung:	<i>Quotient from the derived SI unit joule divided by the unit hour.</i>
Code:	P17
Name:	joule per day
Beschreibung:	<i>Quotient from the derived SI unit joule divided by the unit day.</i>
Code:	P18
Name:	kilojoule per second
Beschreibung:	<i>Quotient from the 1000-fold of the derived SI unit joule divided by the SI base unit second.</i>
Code:	P19
Name:	kilojoule per minute
Beschreibung:	<i>Quotient from the 1000-fold of the derived SI unit joule divided by the unit minute.</i>
Code:	P20
Name:	kilojoule per hour
Beschreibung:	<i>Quotient from the 1000-fold of the derived SI unit joule divided by the unit hour.</i>
Code:	P21
Name:	kilojoule per day
Beschreibung:	<i>Quotient from the 1000-fold of the derived SI unit joule divided by the unit day.</i>
Code:	P22
Name:	nanoohm
Beschreibung:	<i>0,000 000 001-fold of the derived SI unit ohm.</i>
Code:	P23
Name:	ohm circular-mil per foot
Beschreibung:	<i>Unit of resistivity.</i>
Code:	P24
Name:	kiloHenry
Beschreibung:	<i>1000-fold of the derived SI unit Henry.</i>
Code:	P25
Name:	lumen per square foot

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>Derived SI unit lumen divided by the power of the unit foot according to the Anglo-American and Imperial system of units by exponent 2.</i>
Code:	P26
Name:	phot
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of luminance, defined as lumen by square centimetre.</i>
Code:	P27
Name:	footcandle
Beschreibung:	<i>Non SI conform traditional unit, defined as density of light which impinges on a surface which has a distance of one foot from a light source, which shines with an intensity of an international candle.</i>
Code:	P28
Name:	candela per square inch
Beschreibung:	<i>SI base unit candela divided by the power of unit inch according to the Anglo-American and Imperial system of units by exponent 2.</i>
Code:	P29
Name:	footlambert
Beschreibung:	<i>Unit of the luminance according to the Anglo-American system of units, defined as emitted or reflected luminance of a lm/ft².</i>
Code:	P30
Name:	lambert
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of luminance, defined as the emitted or reflected luminance by one lumen per square centimetre.</i>
Code:	P31
Name:	stilb
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of luminance, defined as emitted or reflected luminance by one lumen per square centimetre.</i>
Code:	P32
Name:	candela per square foot
Beschreibung:	<i>Base unit SI candela divided by the power of the unit foot according to the Anglo-American and Imperial system of units by exponent 2.</i>
Code:	P33
Name:	kilocandela
Beschreibung:	<i>1000-fold of the SI base unit candela.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	P34
Name:	millicandela
Beschreibung:	<i>0,001-fold of the SI base unit candela.</i>
Code:	P35
Name:	Hefner-Kerze
Beschreibung:	<i>Obsolete, non-legal unit of the power in Germany relating to DIN 1301-3:1979: 1 HK = 0,903 cd.</i>
Code:	P36
Name:	international candle
Beschreibung:	<i>Obsolete, non-legal unit of the power in Germany relating to DIN 1301-3:1979: 1 HK = 1,019 cd.</i>
Code:	P37
Name:	British thermal unit (international table) per square foot
Beschreibung:	<i>Unit of the areal-related energy transmission according to the Imperial system of units.</i>
Code:	P38
Name:	British thermal unit (thermochemical) per square foot
Beschreibung:	<i>Unit of the areal-related energy transmission according to the Imperial system of units.</i>
Code:	P39
Name:	calorie (thermochemical) per square centimetre
Beschreibung:	<i>Unit of the areal-related energy transmission according to the Imperial system of units.</i>
Code:	P40
Name:	langley
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of the areal-related energy transmission (as a measure of the incident quantity of heat of solar radiation on the earth's surface).</i>
Code:	P41
Name:	decade (logarithmic)
Beschreibung:	<i>1 Dec := $\log_2 10 \sim 3,32$ according to the logarithm for frequency range between f_1 and f_2, when $f_2/f_1 = 10$.</i>
Code:	P42
Name:	pascal squared second
Beschreibung:	<i>Unit of the set as a product of the power of derived SI unit pascal with exponent 2 and the SI base unit second.</i>
Code:	P43
Name:	bel per metre

Guideline**Used Codes**

Beschreibung:	<i>Unit bel divided by the SI base unit metre.</i>
Code:	P44
Name:	pound mole
Beschreibung:	<i>Non SI-conforming unit of quantity of a substance relating that one pound mole of a chemical composition corresponds to the same number of pounds as the molecular weight of one molecule of this composition in atomic mass units.</i>
Code:	P45
Name:	pound mole per second
Beschreibung:	<i>Non SI-conforming unit of the power of the amount of substance non-SI compliant unit of the molar flux relating that a pound mole of a chemical composition the same number of pound corresponds like the molecular weight of a molecule of this composition in atomic mass units.</i>
Code:	P46
Name:	pound mole per minute
Beschreibung:	<i>Non SI-conforming unit of the power of the amount of substance non-SI compliant unit of the molar flux relating that a pound mole of a chemical composition the same number of pound corresponds like the molecular weight of a molecule of this composition in atomic mass units.</i>
Code:	P47
Name:	kilomole per kilogram
Beschreibung:	<i>1000-fold of the SI base unit mol divided by the SI base unit kilogram.</i>
Code:	P48
Name:	pound mole per pound
Beschreibung:	<i>Non SI-conforming unit of the material molar flux divided by the avoirdupois pound for mass according to the avoirdupois unit system.</i>
Code:	P49
Name:	newton square metre per ampere
Beschreibung:	<i>Product of the derived SI unit newton and the power of SI base unit metre with exponent 2 divided by the SI base unit ampere.</i>
Code:	P5
Name:	five pack
Beschreibung:	<i>A unit of count defining the number of five-packs (five-pack: set of five items packaged together).</i>
Code:	P50

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	weber metre
Beschreibung:	<i>Product of the derived SI unit weber and SI base unit metre.</i>
Code:	P51
Name:	mol per kilogram pascal
Beschreibung:	<i>SI base unit mol divided by the product of the SI base unit kilogram and the derived SI unit pascal.</i>
Code:	P52
Name:	mol per cubic metre pascal
Beschreibung:	<i>SI base unit mol divided by the product of the power from the SI base unit metre with exponent 3 and the derived SI unit pascal.</i>
Code:	P53
Name:	unit pole
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit for magnetic flux of a magnetic pole (according to the interaction of identical poles of 1 dyn at a distance of a cm).</i>
Code:	P54
Name:	milligray per second
Beschreibung:	<i>0,001-fold of the derived SI unit gray divided by the SI base unit second.</i>
Code:	P55
Name:	microgray per second
Beschreibung:	<i>0,000 001-fold of the derived SI unit gray divided by the SI base unit second.</i>
Code:	P56
Name:	nanogray per second
Beschreibung:	<i>0,000 000 001-fold of the derived SI unit gray divided by the SI base unit second.</i>
Code:	P57
Name:	gray per minute
Beschreibung:	<i>SI derived unit gray divided by the unit minute.</i>
Code:	P58
Name:	milligray per minute
Beschreibung:	<i>0,001-fold of the derived SI unit gray divided by the unit minute.</i>
Code:	P59
Name:	microgray per minute
Beschreibung:	<i>0,000 001-fold of the derived SI unit gray divided by the unit minute.</i>
Code:	P60
Name:	nanogray per minute

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>0,000 000 001-fold of the derived SI unit gray divided by the unit minute.</i>
Code:	P61
Name:	gray per hour
Beschreibung:	<i>SI derived unit gray divided by the unit hour.</i>
Code:	P62
Name:	milligray per hour
Beschreibung:	<i>0,001-fold of the derived SI unit gray divided by the unit hour.</i>
Code:	P63
Name:	microgray per hour
Beschreibung:	<i>0,000 001-fold of the derived SI unit gray divided by the unit hour.</i>
Code:	P64
Name:	nanogray per hour
Beschreibung:	<i>0,000 000 001-fold of the derived SI unit gray divided by the unit hour.</i>
Code:	P65
Name:	sievert per second
Beschreibung:	<i>Derived SI unit sievert divided by the SI base unit second.</i>
Code:	P66
Name:	millisievert per second
Beschreibung:	<i>0,001-fold of the derived SI unit sievert divided by the SI base unit second.</i>
Code:	P67
Name:	microsievert per second
Beschreibung:	<i>0,000 001-fold of the derived SI unit sievert divided by the SI base unit second.</i>
Code:	P68
Name:	nanosievert per second
Beschreibung:	<i>0,000 000 001-fold of the derived SI unit sievert divided by the SI base unit second.</i>
Code:	P69
Name:	rem per second
Beschreibung:	<i>Unit for the equivalent tin rate relating to DIN 1301-3:1979: 1 rem/s = 0,01 J/(kg·s) = 1 Sv/s.</i>
Code:	P70
Name:	sievert per hour
Beschreibung:	<i>Derived SI unit sievert divided by the unit hour.</i>
Code:	P71
Name:	millisievert per hour

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>0,001-fold of the derived SI unit sievert divided by the unit hour.</i>
Code:	P72
Name:	microsievert per hour
Beschreibung:	<i>0,000 001-fold of the derived SI unit sievert divided by the unit hour.</i>
Code:	P73
Name:	nanosievert per hour
Beschreibung:	<i>0,000 000 001-fold of the derived SI unit sievert divided by the unit hour.</i>
Code:	P74
Name:	sievert per minute
Beschreibung:	<i>Derived SI unit sievert divided by the unit minute.</i>
Code:	P75
Name:	millisievert per minute
Beschreibung:	<i>0,001-fold of the derived SI unit sievert divided by the unit minute.</i>
Code:	P76
Name:	microsievert per minute
Beschreibung:	<i>0,000 001-fold of the derived SI unit sievert divided by the unit minute.</i>
Code:	P77
Name:	nanosievert per minute
Beschreibung:	<i>0,000 000 001-fold of the derived SI unit sievert divided by the unit minute.</i>
Code:	P78
Name:	reciprocal square inch
Beschreibung:	<i>Complement of the power of the unit inch according to the Anglo-American and Imperial system of units by exponent 2.</i>
Code:	P79
Name:	pascal square metre per kilogram
Beschreibung:	<i>Unit of the burst index as derived unit for pressure pascal related to the substance, represented as a quotient from the SI base unit kilogram divided by the power of the SI base unit metre by exponent 2.</i>
Code:	P80
Name:	millipascal per metre
Beschreibung:	<i>0,001-fold of the derived SI unit pascal divided by the SI base unit metre.</i>
Code:	P81
Name:	kilopascal per metre
Beschreibung:	<i>1000-fold of the derived SI unit pascal divided by the SI base unit metre.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	P82
Name:	hectopascal per metre
Beschreibung:	<i>100-fold of the derived SI unit pascal divided by the SI base unit metre.</i>
Code:	P83
Name:	standard atmosphere per metre
Beschreibung:	<i>Outdated unit of the pressure divided by the SI base unit metre.</i>
Code:	P84
Name:	technical atmosphere per metre
Beschreibung:	<i>Obsolete and non-legal unit of the pressure which is generated by a 10 metre water column divided by the SI base unit metre.</i>
Code:	P85
Name:	torr per metre
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of the pressure divided by the SI base unit metre.</i>
Code:	P86
Name:	psi per inch
Beschreibung:	<i>Compound unit for pressure (pound-force according to the Anglo-American unit system divided by the power of the unit inch according to the Anglo-American and Imperial system of units with the exponent 2) divided by the unit inch according to the Anglo-American and Imperial system of units .</i>
Code:	P87
Name:	cubic metre per second square metre
Beschreibung:	<i>Unit of volume flow cubic meters by second related to the transmission surface in square metres.</i>
Code:	P88
Name:	rhe
Beschreibung:	<i>Non SI-conforming unit of fluidity of dynamic viscosity.</i>
Code:	P89
Name:	pound-force foot per inch
Beschreibung:	<i>Unit for length-related rotational moment according to the Anglo-American and Imperial system of units.</i>
Code:	P90
Name:	pound-force inch per inch
Beschreibung:	<i>Unit for length-related rotational moment according to the Anglo-American and Imperial</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

	<i>system of units.</i>
Code:	P91
Name:	perm (0 °C)
Beschreibung:	<i>Traditional unit for the ability of a material to allow the transition of the steam, defined at a temperature of 0 °C as steam transmittance, where the mass of one grain steam penetrates an area of one foot squared at a pressure from one inch mercury per hour.</i>
Code:	P92
Name:	perm (23 °C)
Beschreibung:	<i>Traditional unit for the ability of a material to allow the transition of the steam, defined at a temperature of 23 °C as steam transmittance at which the mass of one grain of steam penetrates an area of one square foot at a pressure of one inch mercury per hour.</i>
Code:	P93
Name:	byte per second
Beschreibung:	<i>Unit byte divided by the SI base unit second.</i>
Code:	P94
Name:	kilobyte per second
Beschreibung:	<i>1000-fold of the unit byte divided by the SI base unit second.</i>
Code:	P95
Name:	megabyte per second
Beschreibung:	<i>1 000 000-fold of the unit byte divided by the SI base unit second.</i>
Code:	P96
Name:	reciprocal volt
Beschreibung:	<i>Reciprocal of the derived SI unit volt.</i>
Code:	P97
Name:	reciprocal radian
Beschreibung:	<i>Reciprocal of the unit radian.</i>
Code:	P98
Name:	pascal to the power sum of stoichiometric numbers
Beschreibung:	<i>Unit of the equilibrium constant on the basis of the pressure(ISO 80000-9:2009, 9-35.a).</i>
Code:	P99
Name:	mole per cubiv metre to the power sum of stoichiometric numbers
Beschreibung:	<i>Unit of the equilibrium constant on the basis of the concentration (ISO 80000-9:2009, 9-36.a).</i>
Code:	PD

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	pad
Beschreibung:	<i>A unit of count defining the number of pads (pad: block of paper sheets fastened together at one end).</i>
Code:	PFL
Name:	proof litre
Beschreibung:	<i>A unit of volume equal to one litre of proof spirits, or the alcohol equivalent thereof. Used for measuring the strength of distilled alcoholic liquors, expressed as a percentage of the alcohol content of a standard mixture at a specific temperature.</i>
Code:	PGL
Name:	proof gallon
Beschreibung:	<i>A unit of volume equal to one gallon of proof spirits, or the alcohol equivalent thereof. Used for measuring the strength of distilled alcoholic liquors, expressed as a percentage of the alcohol content of a standard mixture at a specific temperature.</i>
Code:	PI
Name:	pitch
Beschreibung:	<i>A unit of count defining the number of characters that fit in a horizontal inch.</i>
Code:	PLA
Name:	degree Plato
Beschreibung:	<i>A unit of proportion defining the sugar content of a product, especially in relation to beer.</i>
Code:	PQ
Name:	page per inch
Beschreibung:	<i>A unit of quantity defining the degree of thickness of a bound publication, expressed as the number of pages per inch of thickness.</i>
Code:	PR
Name:	Paar
Beschreibung:	<i>A unit of count defining the number of pairs (pair: item described by two's).</i>
Code:	PT
Name:	pint (US)
Beschreibung:	<i>Use liquid pint (common code PTL)</i>
Code:	PTN
Name:	Portion
Beschreibung:	<i>A quantity of allowance of food allotted to, or enough for, one person.</i>
Code:	Q10
Name:	joule per tesla

Guideline**Used Codes**

Beschreibung:	<i>Unit of the magnetic dipole moment of the molecule as derived SI unit joule divided by the derived SI unit tesla.</i>
Code:	Q11
Name:	erlang
Beschreibung:	<i>Unit of the market value according to the feature of a single feature as a statistical measurement of the existing utilization.</i>
Code:	Q12
Name:	octet
Beschreibung:	<i>Synonym for byte: 1 octet = 8 bit = 1 byte.</i>
Code:	Q13
Name:	octet per second
Beschreibung:	<i>Unit octet divided by the SI base unit second.</i>
Code:	Q14
Name:	shannon
Beschreibung:	<i>Logarithmic unit for information equal to the content of decision of a sentence of two mutually exclusive events, expressed as a logarithm to base 2.</i>
Code:	Q15
Name:	hartley
Beschreibung:	<i>Logarithmic unit for information equal to the content of decision of a sentence of ten mutually exclusive events, expressed as a logarithm to base 10.</i>
Code:	Q16
Name:	natural unit of information
Beschreibung:	<i>Logarithmic unit for information equal to the content of decision of a sentence of ,718 281 828 459 mutually exclusive events, expressed as a logarithm to base Euler value e.</i>
Code:	Q17
Name:	shannon per second
Beschreibung:	<i>Time related logarithmic unit for information equal to the content of decision of a sentence of two mutually exclusive events, expressed as a logarithm to base 2.</i>
Code:	Q18
Name:	hartley per second
Beschreibung:	<i>Time related logarithmic unit for information equal to the content of decision of a sentence of ten mutually exclusive events, expressed as a logarithm to base 10.</i>
Code:	Q19
Name:	natural unit of information per second

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Used Codes

Beschreibung:	<i>Time related logarithmic unit for information equal to the content of decision of a sentence of 2,718 281 828 459 mutually exclusive events, expressed as a logarithm to base of the Euler value e.</i>
Code:	Q20
Name:	second per kilogramm
Beschreibung:	<i>Unit of the Einstein transition probability for spontaneous or inducing emissions and absorption according to ISO 80000-7:2008, expressed as SI base unit second divided by the SI base unit kilogram.</i>
Code:	Q21
Name:	watt square metre
Beschreibung:	<i>Unit of the first radiation constants $c_1 = 2 \cdot p \cdot h \cdot c_0$ to the power of 2, the value of which is 3,741 771 18 · 10¹⁶-fold that of the comparative value of the product of the derived SI unit watt multiplied with the power of the SI base unit metre with the exponent 2.</i>
Code:	Q22
Name:	second per radian cubic metre
Beschreibung:	<i>Unit of the density of states as an expression of angular frequency as complement of the product of hertz and radiant and the power of SI base unit metre by exponent 3 .</i>
Code:	Q23
Name:	weber to the power minus one
Beschreibung:	<i>Complement of the derived SI unit weber as unit of the Josephson constant, which value is equal to the 384 597,891-fold of the reference value gigahertz divided by volt.</i>
Code:	Q24
Name:	reciprocal inch
Beschreibung:	<i>Complement of the unit inch according to the Anglo-American and Imperial system of units.</i>
Code:	Q25
Name:	dioptre
Beschreibung:	<i>Unit used at the statement of relative refractive indexes of optical systems as complement of the focal length with correspondence to: 1 dpt = 1/m.</i>
Code:	Q26
Name:	one per one
Beschreibung:	<i>Value of the quotient from two physical units of the same kind as a numerator and denominator whereas the units are shortened mutually.</i>
Code:	Q27

Guideline**Used Codes**

Name:	newton metre per metre
Beschreibung:	<i>Unit for length-related rotational moment as product of the derived SI unit newton and the SI base unit metre divided by the SI base unit metre.</i>
Code:	Q28
Name:	kilogram per square metre pascal second
Beschreibung:	<i>Unit for the ability of a material to allow the transition of steam.</i>
Code:	Q29
Name:	microgram per hectogram
Beschreibung:	<i>Microgram per hectogram.</i>
Code:	Q3
Name:	meal
Beschreibung:	<i>A unit of count defining the number of meals (meal: an amount of food to be eaten on a single occasion).</i>
Code:	Q30
Name:	pH (potential of Hydrogen)
Beschreibung:	<i>The activity of the (solvated) hydrogen ion (a logarithmic measure used to state the acidity or alkalinity of a chemical solution).</i>
Code:	Q35
Name:	megawatts per minute
Beschreibung:	<i>A unit of power defining the total amount of bulk energy transferred or consumer per minute.</i>
Code:	Q36
Name:	square metre per cubic metre
Beschreibung:	<i>A unit of the amount of surface area per unit volume of an object or collection of objects.</i>
Code:	Q37
Name:	Standard cubic metre per day
Beschreibung:	<i>Standard cubic metre (temperature 15°C and pressure 101325 millibars) per day</i>
Code:	Q38
Name:	Standard cubic metre per hour
Beschreibung:	<i>Standard cubic metre (temperature 15°C and pressure 101325 millibars) per hour</i>
Code:	Q39
Name:	Normalized cubic metre per day
Beschreibung:	<i>Normalized cubic metre (temperature 0°C and pressure 101325 millibars) per day</i>
Code:	Q40

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	Normalized cubic metre per hour
Beschreibung:	<i>Normalized cubic metre (temperature 0°C and pressure 101325 millibars) per hour</i>
Code:	Q41
Name:	Joule per normalised cubic metre
Beschreibung:	<i>Joule per normalised cubic metre (temperature 0°C and pressure 101325 millibars).</i>
Code:	Q42
Name:	Joule per standard cubic metre
Beschreibung:	<i>Joule per standard cubic metre (temperature 15°C and pressure 101325 millibars).</i>
Code:	QA
Name:	page - facsimile
Beschreibung:	<i>A unit of count defining the number of facsimile pages.</i>
Code:	QAN
Name:	Viertel (jahr)
Beschreibung:	<i>A unit of time defining the number of quarters (3 months).</i>
Code:	QB
Name:	page - hardcopy
Beschreibung:	<i>A unit of count defining the number of hardcopy pages (hardcopy page: a page rendered as printed or written output on paper, film, or other permanent medium).</i>
Code:	QR
Name:	quire
Beschreibung:	<i>A unit of count for paper, expressed as the number of quires (quire: a number of paper sheets, typically 25).</i>
Code:	QT
Name:	quart (US)
Beschreibung:	<i>Use liquid quart (common code QTL)</i>
Code:	QTR
Name:	quarter (UK)
Beschreibung:	<i>A traditional unit of weight equal to 1/4 hundredweight. In the United Kingdom, one quarter equals 28 pounds.</i>
Code:	R1
Name:	pica
Beschreibung:	<i>A unit of count defining the number of picas. (pica: typographical length equal to 12 points or 4.22 mm (approx.)).</i>
Code:	R9

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	thousand cubic metre
Beschreibung:	<i>A unit of volume equal to one thousand cubic metres.</i>
Code:	RH
Name:	running or operating hour
Beschreibung:	<i>A unit of time defining the number of hours of operation.</i>
Code:	RM
Name:	ream
Beschreibung:	<i>A unit of count for paper, expressed as the number of reams (ream: a large quantity of paper sheets, typically 500).</i>
Code:	ROM
Name:	room
Beschreibung:	<i>A unit of count defining the number of rooms.</i>
Code:	RP
Name:	pound per ream
Beschreibung:	<i>A unit of mass for paper, expressed as pounds per ream. (ream: a large quantity of paper, typically 500 sheets).</i>
Code:	RPM
Name:	Umdrehung pro Minute
Beschreibung:	<i>Refer ISO/TC12 SI Guide</i>
Code:	RPS
Name:	revolutions per second
Beschreibung:	<i>Refer ISO/TC12 SI Guide</i>
Code:	RT
Name:	revenue ton mile
Beschreibung:	<i>A unit of information typically used for billing purposes, expressed as the number of revenue tons (revenue ton: either a metric ton or a cubic metres, whichever is the larger), moved over a distance of one mile.</i>
Code:	S3
Name:	square foot per second
Beschreibung:	<i>Synonym: foot squared per second</i>
Code:	S4
Name:	square metre per second
Beschreibung:	<i>Synonym: metre squared per second (square metres/second US)</i>
Code:	SAN

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	half year (6 months)
Beschreibung:	<i>'A unit of time defining the number of half years (6 months).</i>
Code:	SCO
Name:	score
Beschreibung:	<i>A unit of count defining the number of units in multiples of 20.</i>
Code:	SET
Name:	set
Beschreibung:	<i>A unit of count defining the number of sets (set: a number of objects grouped together).</i>
Code:	SG
Name:	segment
Beschreibung:	<i>A unit of information equal to 64000 bytes.</i>
Code:	SHT
Name:	shipping ton
Beschreibung:	<i>A unit of mass defining the number of tons for shipping.</i>
Code:	SM3
Name:	Standard cubic metre
Beschreibung:	<i>Standard cubic metre (temperature 15°C and pressure 101325 millibars)</i>
Code:	SQ
Name:	square
Beschreibung:	<i>A unit of count defining the number of squares (square: rectangular shape).</i>
Code:	SQR
Name:	square, roofing
Beschreibung:	<i>A unit of count defining the number of squares of roofing materials, measured in multiples of 100 square feet.</i>
Code:	SR
Name:	strip
Beschreibung:	<i>A unit of count defining the number of strips (strip: long narrow piece of an object).</i>
Code:	STC
Name:	stick
Beschreibung:	<i>A unit of count defining the number of sticks (stick: slender and often cylindrical piece of a substance).</i>
Code:	STK
Name:	stick, cigarette
Beschreibung:	<i>A unit of count defining the number of cigarettes in the smallest unit for stock-taking</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

	<i>and/or duty computation.</i>
Code:	STL
Name:	standard litre
Beschreibung:	<i>A unit of volume defining the number of litres of a product at a temperature of 15 degrees Celsius, especially in relation to hydrocarbon oils.</i>
Code:	STN
Name:	ton (US) or short ton (UK/US)
Beschreibung:	<i>Synonym: net ton (2000 lb)</i>
Code:	STW
Name:	straw
Beschreibung:	<i>A unit of count defining the number of straws (straw: a slender tube used for sucking up liquids).</i>
Code:	SW
Name:	skein
Beschreibung:	<i>A unit of count defining the number of skeins (skein: a loosely-coiled bundle of yarn or thread).</i>
Code:	SX
Name:	shipment
Beschreibung:	<i>A unit of count defining the number of shipments (shipment: an amount of goods shipped or transported).</i>
Code:	SYR
Name:	syringe
Beschreibung:	<i>A unit of count defining the number of syringes (syringe: a small device for pumping, spraying and/or injecting liquids through a small aperture).</i>
Code:	T0
Name:	telecommunication line in service
Beschreibung:	<i>A unit of count defining the number of lines in service.</i>
Code:	T3
Name:	thousand piece
Beschreibung:	<i>A unit of count defining the number of pieces in multiples of 1000 (piece: a single item, article or exemplar).</i>
Code:	TAN
Name:	total acid number
Beschreibung:	<i>A unit of chemistry defining the amount of potassium hydroxide (KOH) in milligrams that</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

	<i>is needed to neutralize the acids in one gram of oil. It is an important quality measurement of crude oil.</i>
Code:	TIC
Name:	metric ton, including container
Beschreibung:	<i>A unit of mass defining the number of metric tons of a product, including its container.</i>
Code:	TIP
Name:	metric ton, including inner packaging
Beschreibung:	<i>A unit of mass defining the number of metric tons of a product, including its inner packaging materials.</i>
Code:	TKM
Name:	tonne kilometre
Beschreibung:	<i>A unit of information typically used for billing purposes, expressed as the number of tonnes (metric tons) moved over a distance of one kilometre.</i>
Code:	TMS
Name:	kilogram of imported meat, less offal
Beschreibung:	<i>A unit of mass equal to one thousand grams of imported meat, disregarding less valuable by-products such as the entrails.</i>
Code:	TNE
Name:	Tonne (metrische Tonne)
Beschreibung:	<i>Synonym: metric ton</i>
Code:	TP
Name:	ten pack
Beschreibung:	<i>A unit of count defining the number of items in multiples of 10.</i>
Code:	TPI
Name:	teeth per inch
Beschreibung:	<i>The number of teeth per inch.</i>
Code:	TPR
Name:	ten pair
Beschreibung:	<i>A unit of count defining the number of pairs in multiples of 10 (pair: item described by two's).</i>
Code:	TQD
Name:	thousand cubic metre per day
Beschreibung:	<i>A unit of volume equal to one thousand cubic metres per day.</i>
Code:	TST

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	ten set
Beschreibung:	<i>A unit of count defining the number of sets in multiples of 10 (set: a number of objects grouped together).</i>
Code:	TTS
Name:	ten thousand sticks
Beschreibung:	<i>A unit of count defining the number of sticks in multiples of 10000 (stick: slender and often cylindrical piece of a substance).</i>
Code:	U1
Name:	treatment
Beschreibung:	<i>A unit of count defining the number of treatments (treatment: subjection to the action of a chemical, physical or biological agent).</i>
Code:	U2
Name:	Tablette
Beschreibung:	<i>A unit of count defining the number of tablets (tablet: a small flat or compressed solid object).</i>
Code:	UB
Name:	telecommunication line in service average
Beschreibung:	<i>A unit of count defining the average number of lines in service.</i>
Code:	UC
Name:	telecommunication port
Beschreibung:	<i>A unit of count defining the number of network access ports.</i>
Code:	UIG
Name:	international unit per gram
Beschreibung:	<i>A unit of count defining the number of international units per gram.</i>
Code:	VP
Name:	percent volume
Beschreibung:	<i>A measure of concentration, typically expressed as the percentage volume of a solute in a solution.</i>
Code:	W2
Name:	wet kilo
Beschreibung:	<i>A unit of mass defining the number of kilograms of a product, including the water content of the product.</i>
Code:	WB
Name:	wet pound

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of mass defining the number of pounds of a material, including the water content of the material.</i>
Code:	WCD
Name:	cord
Beschreibung:	<i>A unit of volume used for measuring lumber. One board foot equals 1/12 of a cubic foot.</i>
Code:	WE
Name:	wet ton
Beschreibung:	<i>A unit of mass defining the number of tons of a material, including the water content of the material.</i>
Code:	WG
Name:	wine gallon
Beschreibung:	<i>A unit of volume equal to 231 cubic inches.</i>
Code:	WM
Name:	working month
Beschreibung:	<i>A unit of time defining the number of working months.</i>
Code:	WSD
Name:	standard
Beschreibung:	<i>A unit of volume of finished lumber equal to 165 cubic feet. Synonym: standard cubic foot</i>
Code:	WW
Name:	millilitre of water
Beschreibung:	<i>A unit of volume equal to the number of millilitres of water.</i>
Code:	X1
Name:	Gunter's chain
Beschreibung:	<i>A unit of distance used or formerly used by British surveyors.</i>
Code:	Z11
Name:	hanging container
Beschreibung:	<i>A unit of count defining the number of hanging containers.</i>
Code:	ZP
Name:	Seite
Beschreibung:	<i>A unit of count defining the number of pages.</i>
Code:	ZZ
Name:	mutually defined
Beschreibung:	<i>A unit of measure as agreed in common between two or more parties.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

amountExclusiveAllowancesCharges	<p>Wiederholung: 0 .. 1 Schema-Status: O Typ: shared_common:AmountType Fachbegriff: Nettobetrag ohne Zu- oder Abschläge Status: D Beispiel: 4000 Bemerkung: Angabe wieviel von einem quantifizierbaren Objekt vorhanden ist oder wieviele quantifizierbare Objekte vorhanden sind.</p> <p>Wichtiger Hinweis:</p> <p>JE NACHRICHT DARF NUR EINES DER BEIDEN VEFAHREN VERWENDET WERDEN Regel: Status: Muss, außer: Werden Inhaltsartikel aus einem Display/Sortiment fakturiert, wird dieses Element weggelassen. Definition: Angabe des Nettobetrags der Belegposition ohne Berücksichtigung der positionsbezogenen Zu- oder Abschläge. Nettobetrag = Menge * Preis.</p> <p>EANCOM®: INVOIC.SG26.SG27[D_5025="203"].C516.5004</p>
currencyCode	<p>Schema-Status: M Type: restriction (xs:string) Fachbegriff: Währungscode Status: R Beispiel: EUR Definition: Code, der die Währung einer Wertangabe spezifiziert.</p> <p>Used Codes</p> <p>Code: RON Name: Romanian Leu Beschreibung: <i>This currency code is effective from 1 July 2005</i></p> <p>Code: ZWL Name: Zimbabwe Dollar Beschreibung: <i>(effective 1 February 2009)</i></p>
amountInclusiveAllowancesCharges	<p>Wiederholung: 0 .. 1 Schema-Status: O Typ: shared_common:AmountType Fachbegriff: Nettobetrag mit Zu- oder Abschlägen Status: D</p>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	<p>Beispiel: 6000</p> <p>Bemerkung: Angabe wieviel von einem quantifizierbaren Objekt vorhanden ist oder wieviele quantifizierbare Objekte vorhanden sind.</p> <p>Wichtiger Hinweis:</p> <p>Regel: JE NACHRICHT DARF NUR EINES DER BEIDEN VEFAHREN VERWENDET WERDEN Status: Muss, außer: Werden Inhaltsartikel aus einem Display/Sortiment fakturiert, wird dieses Element weggelassen.</p> <p>Definition: Angabe des Nettobetrags der Belegposition unter Beachtung von Zu- oder Abschlägen. Nettobetrag = Menge * Preis + Zuschläge - Abschläge.</p>
currencyCode	<p>EANCOM®: INVOIC.SG26.SG27[D_5025="203"].C516.5004</p> <p>Schema-Status: M</p> <p>Type: restriction (xs:string)</p> <p>Fachbegriff: Währungscode</p> <p>Status: R</p> <p>Beispiel: EUR</p> <p>Definition: Code, der die Währung einer Wertangabe spezifiziert.</p> <p>Used Codes</p> <p>Code: RON</p> <p>Name: Romanian Leu</p> <p>Beschreibung: <i>This currency code is effective from 1 July 2005</i></p> <p>Code: ZWL</p> <p>Name: Zimbabwe Dollar</p> <p>Beschreibung: <i>(effective 1 February 2009)</i></p>
deliveredQuantity	<p>Wiederholung: 0 .. 1</p> <p>Schema-Status: O</p> <p>Typ: shared_common:QuantityType</p> <p>Definition: Angabe der tatsächlich gelieferten Menge.</p> <p>Fachbegriff: Menge, geliefert</p> <p>Status: D</p> <p>Beispiel: 500</p> <p>Regel: Hinweise: - Der Wert muss verwendet werden, wenn Sortimente/Displays geliefert wurden, deren enthaltene Einzelartikel auf Unterpositionsebene fakturiert werden.</p>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

measurementUnitCode

- Wird mengenvariable Ware fakturiert , kann mit diesem Element die gelieferte Menge kalibrierter Ware angegeben werden.

EANCOM®: INVOIC.SG26[D_6063 = "46"].QTY.C186.6060

Schema-Status: O

Type: restriction (xs:string)

Definition: Angabe einer standardisierten, reproduzierbaren Einheit, die zur physikalischen Messung einer Menge verwendet werden kann.

Fachbegriff: **Einheit**

Status: **D**

Beispiel: KGM

EANCOM®: INVOIC.SG26[D_6063 = "46"].C186.6411

Used Codes

Code: 10

Name: group

Beschreibung: *A unit of count defining the number of groups (group: set of items classified together).*

Code: 11

Name: outfit

Beschreibung: *A unit of count defining the number of outfits (outfit: a complete set of equipment / materials / objects used for a specific purpose).*

Code: 13

Name: ration

Beschreibung: *A unit of count defining the number of rations (ration: a single portion of provisions).*

Code: 14

Name: shot

Beschreibung: *A unit of liquid measure, especially related to spirits.*

Code: 15

Name: stick, military

Beschreibung: *A unit of count defining the number of military sticks (military stick: bombs or paratroops released in rapid succession from an aircraft).*

Code: 20

Name: twenty foot container

Beschreibung: *A unit of count defining the number of shipping containers that measure 20 foot in length.*

Code: 21

Name: forty foot container

Guideline**Used Codes**

Beschreibung:	<i>A unit of count defining the number of shipping containers that measure 40 foot in length.</i>
Code:	24
Name:	theoretical pound
Beschreibung:	<i>A unit of mass defining the expected mass of material expressed as the number of pounds.</i>
Code:	27
Name:	theoretical ton
Beschreibung:	<i>A unit of mass defining the expected mass of material, expressed as the number of tons.</i>
Code:	56
Name:	sitas
Beschreibung:	<i>A unit of area for tin plate equal to a surface area of 100 square metres.</i>
Code:	57
Name:	mesh
Beschreibung:	<i>A unit of count defining the number of strands per inch as a measure of the fineness of a woven product.</i>
Code:	58
Name:	net kilogram
Beschreibung:	<i>A unit of mass defining the total number of kilograms after deductions.</i>
Code:	59
Name:	Teile pro Million (ppm)
Beschreibung:	<i>A unit of proportion equal to 10 to the power of -6.</i>
Code:	60
Name:	percent weight
Beschreibung:	<i>A unit of proportion equal to 10 to the power of -2.</i>
Code:	61
Name:	part per billion (US)
Beschreibung:	<i>A unit of proportion equal to 10 to the power of -9.</i>
Code:	84
Name:	kilopound-force per square inch
Beschreibung:	<i>A unit of pressure defining the number of kilopounds force per square inch. Use kip per square inch (common code N20).</i>
Code:	11
Name:	fixed rate
Beschreibung:	<i>A unit of quantity expressed as a predetermined or set rate for usage of a facility or</i>

Guideline**Used Codes**

	<i>service.</i>
Code:	2A
Name:	radian per second
Beschreibung:	<i>Refer ISO/TC12 SI Guide</i>
Code:	2B
Name:	radian per second squared
Beschreibung:	<i>Refer ISO/TC12 SI Guide</i>
Code:	2G
Name:	volt AC
Beschreibung:	<i>A unit of electric potential in relation to alternating current (AC).</i>
Code:	2H
Name:	volt DC
Beschreibung:	<i>A unit of electric potential in relation to direct current (DC).</i>
Code:	2P
Name:	kilobyte
Beschreibung:	<i>A unit of information equal to 10 to the power of 3 (1000) bytes.</i>
Code:	3C
Name:	manmonth
Beschreibung:	<i>A unit of count defining the number of months for a person or persons to perform an undertaking.</i>
Code:	4L
Name:	Megabyte
Beschreibung:	<i>A unit of information equal to 10 to the power of 6 (1000000) bytes.</i>
Code:	5B
Name:	batch
Beschreibung:	<i>A unit of count defining the number of batches (batch: quantity of material produced in one operation or number of animals or persons coming at once).</i>
Code:	5E
Name:	MMSCF/day
Beschreibung:	<i>A unit of volume equal to one million (1000000) cubic feet of gas per day.</i>
Code:	5J
Name:	hydraulic horse power
Beschreibung:	<i>A unit of power defining the hydraulic horse power delivered by a fluid pump depending on the viscosity of the fluid.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	A25
Name:	Pferdestärken (PS)
Beschreibung:	<i>Synonym: metric horse power</i>
Code:	A43
Name:	deadweight tonnage
Beschreibung:	<i>A unit of mass defining the difference between the weight of a ship when completely empty and its weight when completely loaded, expressed as the number of tons.</i>
Code:	A47
Name:	decitex
Beschreibung:	<i>A unit of yarn density. One decitex equals a mass of 1 gram per 10 kilometres of length.</i>
Code:	A48
Name:	degree Rankine
Beschreibung:	<i>Refer ISO 80000-5 (Quantities and units — Part 5: Thermodynamics)</i>
Code:	A49
Name:	denier
Beschreibung:	<i>A unit of yarn density. One denier equals a mass of 1 gram per 9 kilometres of length.</i>
Code:	A59
Name:	8-part cloud cover
Beschreibung:	<i>A unit of count defining the number of eighth-parts as a measure of the celestial dome cloud coverage. Synonym: OKTA , OCTA</i>
Code:	A75
Name:	freight ton
Beschreibung:	<i>A unit of information typically used for billing purposes, defined as either the number of metric tons or the number of cubic metres, whichever is the larger.</i>
Code:	A9
Name:	rate
Beschreibung:	<i>A unit of quantity expressed as a rate for usage of a facility or service.</i>
Code:	A91
Name:	gon
Beschreibung:	<i>Synonym: grade</i>
Code:	A99
Name:	Bit
Beschreibung:	<i>A unit of information equal to one binary digit.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	AA
Name:	ball
Beschreibung:	<i>A unit of count defining the number of balls (ball: object formed in the shape of sphere).</i>
Code:	AB
Name:	bulk pack
Beschreibung:	<i>A unit of count defining the number of items per bulk pack.</i>
Code:	ACT
Name:	activity
Beschreibung:	<i>A unit of count defining the number of activities (activity: a unit of work or action).</i>
Code:	AD
Name:	Byte
Beschreibung:	<i>A unit of information equal to 8 bits.</i>
Code:	AH
Name:	additional minute
Beschreibung:	<i>A unit of time defining the number of minutes in addition to the referenced minutes.</i>
Code:	AI
Name:	average minute per call
Beschreibung:	<i>A unit of count defining the number of minutes for the average interval of a call.</i>
Code:	AL
Name:	access line
Beschreibung:	<i>A unit of count defining the number of telephone access lines.</i>
Code:	AMH
Name:	Amperestunde
Beschreibung:	<i>A unit of electric charge defining the amount of charge accumulated by a steady flow of one ampere for one hour.</i>
Code:	ANN
Name:	Jahr
Beschreibung:	<i>Unit of time equal to 365,25 days. Synonym: Julian year</i>
Code:	AQ
Name:	anti-hemophilic factor (AHF) unit
Beschreibung:	<i>A unit of measure for blood potency (US).</i>
Code:	ARE
Name:	are

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>Synonym: square decametre</i>
Code:	AS
Name:	assortment
Beschreibung:	<i>A unit of count defining the number of assortments (assortment: set of items grouped in a mixed collection).</i>
Code:	ASM
Name:	Alkoholgehalt pro Masse
Beschreibung:	<i>A unit of mass defining the alcoholic strength of a liquid.</i>
Code:	ASU
Name:	Alkoholgehalt pro Volumen
Beschreibung:	<i>A unit of volume defining the alcoholic strength of a liquid (e.g. spirit, wine, beer, etc), often at a specific temperature.</i>
Code:	AWG
Name:	american wire gauge
Beschreibung:	<i>A unit of distance used for measuring the diameter of small tubes or wires such as the outer diameter of hypotermic or suture needles.</i>
Code:	AY
Name:	assembly
Beschreibung:	<i>A unit of count defining the number of assemblies (assembly: items that consist of component parts).</i>
Code:	B10
Name:	bit per second
Beschreibung:	<i>A unit of information equal to one binary digit per second.</i>
Code:	B13
Name:	Joule pro Quadratmeter
Beschreibung:	<i>Synonym: joule per metre squared</i>
Code:	B17
Name:	Soll-Buchungen
Beschreibung:	<i>A unit of count defining the number of entries made to the credit side of an account.</i>
Code:	B19
Name:	digit
Beschreibung:	<i>A unit of information defining the quantity of numerals used to form a number.</i>
Code:	B3
Name:	batting pound

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of mass defining the number of pounds of wadded fibre.</i>
Code:	B30
Name:	gibibit
Beschreibung:	<i>A unit of information equal to 2³⁰ bits (binary digits).</i>
Code:	B4
Name:	barrel, imperial
Beschreibung:	<i>A unit of volume used to measure beer. One beer barrel equals 36 imperial gallons.</i>
Code:	B51
Name:	kilopond
Beschreibung:	<i>Synonym: kilogram-force</i>
Code:	B57
Name:	light year
Beschreibung:	<i>A unit of length defining the distance that light travels in a vacuum in one year.</i>
Code:	B68
Name:	gigabit
Beschreibung:	<i>A unit of information equal to 10 to the power of 9 bits (binary digits).</i>
Code:	B7
Name:	cycle
Beschreibung:	<i>A unit of count defining the number of cycles (cycle: a recurrent period of definite duration).</i>
Code:	B80
Name:	gigabit per second
Beschreibung:	<i>A unit of information equal to 10 to the power of 9 bits (binary digits) per second.</i>
Code:	B82
Name:	inch per linear foot
Beschreibung:	<i>A unit of length defining the number of inches per linear foot.</i>
Code:	BB
Name:	base box
Beschreibung:	<i>A unit of area of 112 sheets of tin mil products (tin plate, tin free steel or black plate) 14 by 20 inches, or 31,360 square inches.</i>
Code:	BFT
Name:	board foot
Beschreibung:	<i>A unit of volume defining the number of cords (cord: a stack of firewood of 128 cubic feet).</i>

Guideline**Used Codes**

Code:	BIL
Name:	billion (EUR)
Beschreibung:	<i>Synonym: trillion (US)</i>
Code:	BP
Name:	hundred board foot
Beschreibung:	<i>A unit of volume equal to one hundred board foot.</i>
Code:	BPM
Name:	beats per minute
Beschreibung:	<i>The number of beats per minute.</i>
Code:	C0
Name:	Telefoneinheit
Beschreibung:	<i>A unit of count defining the number of calls (call: communication session or visitation).</i>
Code:	C21
Name:	kibibit
Beschreibung:	<i>A unit of information equal to 2 to the power of 10 (1024) bits (binary digits).</i>
Code:	C37
Name:	kilobit
Beschreibung:	<i>A unit of information equal to 10 to the power of 3 (1000) bits (binary digits).</i>
Code:	C59
Name:	octave
Beschreibung:	<i>A unit used in music to describe the ratio in frequency between notes.</i>
Code:	C62
Name:	one
Beschreibung:	<i>Synonym: unit</i>
Code:	C69
Name:	phon
Beschreibung:	<i>A unit of subjective sound loudness. A sound has loudness p phons if it seems to the listener to be equal in loudness to the sound of a pure tone of frequency 1 kilohertz and strength p decibels.</i>
Code:	C74
Name:	kilobit per second
Beschreibung:	<i>A unit of information equal to 10 to the power of 3 (1000) bits (binary digits) per second.</i>
Code:	C79
Name:	kilovolt ampere hour

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of accumulated energy of 1000 volt amperes over a period of one hour.</i>
Code:	C87
Name:	reciprocal cubic metre per second
Beschreibung:	<i>Synonym: reciprocal second per cubic metre</i>
Code:	C9
Name:	coil group
Beschreibung:	<i>A unit of count defining the number of coil groups (coil group: groups of items arranged by lengths of those items placed in a joined sequence of concentric circles).</i>
Code:	C93
Name:	reciprocal square metre
Beschreibung:	<i>Synonym: reciprocal metre squared</i>
Code:	CCT
Name:	carrying capacity in metric ton
Beschreibung:	<i>A unit of mass defining the carrying capacity, expressed as the number of metric tons.</i>
Code:	CEL
Name:	Grad Celsius
Beschreibung:	<i>Refer ISO 80000-5 (Quantities and units — Part 5: Thermodynamics)</i>
Code:	CEN
Name:	hundred
Beschreibung:	<i>A unit of count defining the number of units in multiples of 100.</i>
Code:	CG
Name:	card
Beschreibung:	<i>A unit of count defining the number of units of card (card: thick stiff paper or cardboard).</i>
Code:	CLF
Name:	hundred leave
Beschreibung:	<i>A unit of count defining the number of leaves, expressed in units of one hundred leaves.</i>
Code:	CNP
Name:	hundred pack
Beschreibung:	<i>A unit of count defining the number of hundred-packs (hundred-pack: set of one hundred items packaged together).</i>
Code:	CNT
Name:	cental (UK)
Beschreibung:	<i>A unit of mass equal to one hundred weight (US).</i>
Code:	CTG

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	content gram
Beschreibung:	<i>A unit of mass defining the number of grams of a named item in a product.</i>
Code:	CTN
Name:	content ton (metric)
Beschreibung:	<i>A unit of mass defining the number of metric tons of a named item in a product.</i>
Code:	D03
Name:	kilowatt hour per hour
Beschreibung:	<i>A unit of accumulated energy of a thousand watts over a period of one hour.</i>
Code:	D04
Name:	lot [unit of weight]
Beschreibung:	<i>A unit of weight equal to about 1/2 ounce or 15 grams.</i>
Code:	D11
Name:	mebibit
Beschreibung:	<i>A unit of information equal to 2 to the power of 20 (1048576) bits (binary digits).</i>
Code:	D15
Name:	sones
Beschreibung:	<i>A unit of subjective sound loudness. One sone is the loudness of a pure tone of frequency one kilohertz and strength 40 decibels.</i>
Code:	D23
Name:	pen gram (protein)
Beschreibung:	<i>A unit of count defining the number of grams of amino acid prescribed for parenteral/ enteral therapy.</i>
Code:	D34
Name:	tex
Beschreibung:	<i>A unit of yarn density. One decitex equals a mass of 1 gram per 1 kilometre of length.</i>
Code:	D36
Name:	megabit
Beschreibung:	<i>A unit of information equal to 10 to the power of 6 (1000000) bits (binary digits).</i>
Code:	D44
Name:	var
Beschreibung:	<i>The name of the unit is an acronym for volt-ampere-reactive.</i>
Code:	D63
Name:	book
Beschreibung:	<i>A unit of count defining the number of books (book: set of items bound together or</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

	<i>written document of a material whole).</i>
Code:	D65
Name:	round
Beschreibung:	<i>A unit of count defining the number of rounds (round: A circular or cylindrical object).</i>
Code:	D68
Name:	number of words
Beschreibung:	<i>A unit of count defining the number of words.</i>
Code:	D78
Name:	megajoule per second
Beschreibung:	<i>A unit of accumulated energy equal to one million joules per second.</i>
Code:	DAD
Name:	ten day
Beschreibung:	<i>A unit of time defining the number of days in multiples of 10.</i>
Code:	DB
Name:	dry pound
Beschreibung:	<i>A unit of mass defining the number of pounds of a product, disregarding the water content of the product.</i>
Code:	DEC
Name:	decade
Beschreibung:	<i>A unit of count defining the number of decades (decade: quantity equal to 10 or time equal to 10 years).</i>
Code:	DMO
Name:	standard kilolitre
Beschreibung:	<i>A unit of volume defining the number of kilolitres of a product at a temperature of 15 degrees Celsius, especially in relation to hydrocarbon oils.</i>
Code:	DPC
Name:	dozen piece
Beschreibung:	<i>A unit of count defining the number of pieces in multiples of 12 (piece: a single item, article or exemplar).</i>
Code:	DPR
Name:	dozen pair
Beschreibung:	<i>A unit of count defining the number of pairs in multiples of 12 (pair: item described by two's).</i>
Code:	DPT

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	displacement tonnage
Beschreibung:	<i>A unit of mass defining the volume of sea water a ship displaces, expressed as the number of tons.</i>
Code:	DRA
Name:	dram (US)
Beschreibung:	<i>Synonym: drachm (UK), troy dram</i>
Code:	DRI
Name:	dram (UK)
Beschreibung:	<i>Synonym: avoirdupois dram</i>
Code:	DRL
Name:	dozen roll
Beschreibung:	<i>A unit of count defining the number of rolls, expressed in twelve roll units.</i>
Code:	DT
Name:	dry ton
Beschreibung:	<i>A unit of mass defining the number of tons of a product, disregarding the water content of the product.</i>
Code:	DTN
Name:	decitonne
Beschreibung:	<i>Synonym: centner, metric 100 kg, quintal, metric 100 kg</i>
Code:	DZN
Name:	Dutzend
Beschreibung:	<i>A unit of count defining the number of units in multiples of 12.</i>
Code:	DZP
Name:	dozen pack
Beschreibung:	<i>A unit of count defining the number of packs in multiples of 12 (pack: standard packaging unit).</i>
Code:	E01
Name:	newton per square centimetre
Beschreibung:	<i>A measure of pressure expressed in newtons per square centimetre.</i>
Code:	E07
Name:	megawatt hour per hour
Beschreibung:	<i>A unit of accumulated energy of a million watts over a period of one hour.</i>
Code:	E08
Name:	megawatt per hertz

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of energy expressed as the load change in million watts that will cause a frequency shift of one hertz.</i>
Code:	E09
Name:	milliampere hour
Beschreibung:	<i>A unit of power load delivered at the rate of one thousandth of an ampere over a period of one hour.</i>
Code:	E10
Name:	degree day
Beschreibung:	<i>A unit of measure used in meteorology and engineering to measure the demand for heating or cooling over a given period of days.</i>
Code:	E11
Name:	gigacalorie
Beschreibung:	<i>A unit of heat energy equal to one thousand million calories.</i>
Code:	E12
Name:	mille
Beschreibung:	<i>A unit of count defining the number of cigarettes in units of 1000.</i>
Code:	E14
Name:	kilocalorie (international table)
Beschreibung:	<i>A unit of heat energy equal to one thousand calories.</i>
Code:	E15
Name:	kilocalorie (thermochemical) per hour
Beschreibung:	<i>A unit of energy equal to one thousand calories per hour.</i>
Code:	E16
Name:	million Btu(IT) per hour
Beschreibung:	<i>A unit of power equal to one million British thermal units per hour.</i>
Code:	E17
Name:	cubic foot per second
Beschreibung:	<i>A unit of volume equal to one cubic foot passing a given point in a period of one second.</i>
Code:	E18
Name:	tonne per hour
Beschreibung:	<i>A unit of weight or mass equal to one tonne per hour.</i>
Code:	E19
Name:	ping
Beschreibung:	<i>A unit of area equal to 3.3 square metres.</i>

Guideline**Used Codes**

Code:	E20
Name:	megabit per second
Beschreibung:	<i>A unit of information equal to 10 to the power of 6 (1000000) bits (binary digits) per second.</i>
Code:	E21
Name:	shares
Beschreibung:	<i>A unit of count defining the number of shares (share: a total or portion of the parts into which a business entity's capital is divided).</i>
Code:	E22
Name:	TEU
Beschreibung:	<i>A unit of count defining the number of twenty-foot equivalent units (TEUs) as a measure of containerized cargo capacity.</i>
Code:	E23
Name:	tyre
Beschreibung:	<i>A unit of count defining the number of tyres (a solid or air-filled covering placed around a wheel rim to form a soft contact with the road, absorb shock and provide traction).</i>
Code:	E25
Name:	active unit
Beschreibung:	<i>A unit of count defining the number of active units within a substance.</i>
Code:	E27
Name:	dose
Beschreibung:	<i>A unit of count defining the number of doses (dose: a definite quantity of a medicine or drug).</i>
Code:	E28
Name:	air dry ton
Beschreibung:	<i>A unit of mass defining the number of tons of a product, disregarding the water content of the product.</i>
Code:	E30
Name:	strand
Beschreibung:	<i>A unit of count defining the number of strands (strand: long, thin, flexible, single thread, strip of fibre, constituent filament or multiples of the same, twisted together).</i>
Code:	E31
Name:	square metre per litre
Beschreibung:	<i>A unit of count defining the number of square metres per litre.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	E32
Name:	litre per hour
Beschreibung:	<i>A unit of count defining the number of litres per hour.</i>
Code:	E33
Name:	foot per thousand
Beschreibung:	<i>A unit of count defining the number of feet per thousand units.</i>
Code:	E34
Name:	Gigabyte
Beschreibung:	<i>A unit of information equal to 10 to the power of 9 bytes.</i>
Code:	E35
Name:	terabyte
Beschreibung:	<i>A unit of information equal to 10 to the power of 12 bytes.</i>
Code:	E36
Name:	petabyte
Beschreibung:	<i>A unit of information equal to 10 to the power of 15 bytes.</i>
Code:	E37
Name:	Pixel
Beschreibung:	<i>A unit of count defining the number of pixels (pixel: picture element).</i>
Code:	E38
Name:	Megapixel
Beschreibung:	<i>A unit of count equal to 10 to the power of 6 (1000000) pixels (picture elements).</i>
Code:	E39
Name:	DPI, Dots per inch
Beschreibung:	<i>A unit of information defining the number of dots per linear inch as a measure of the resolution or sharpness of a graphic image.</i>
Code:	E4
Name:	gross kilogram
Beschreibung:	<i>A unit of mass defining the total number of kilograms before deductions.</i>
Code:	E40
Name:	part per hundred thousand
Beschreibung:	<i>A unit of proportion equal to 10 to the power of -5.</i>
Code:	E41
Name:	kilogram-force per square millimetre
Beschreibung:	<i>A unit of pressure defining the number of kilograms force per square millimetre.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	E42
Name:	kilogram-force per square centimetre
Beschreibung:	<i>A unit of pressure defining the number of kilograms force per square centimetre.</i>
Code:	E43
Name:	joule per square centimetre
Beschreibung:	<i>A unit of energy defining the number of joules per square centimetre.</i>
Code:	E44
Name:	kilogram-force metre per square centimetre
Beschreibung:	<i>A unit of torsion defining the torque kilogram-force metre per square centimetre.</i>
Code:	E46
Name:	kilowatt hour per cubic metre
Beschreibung:	<i>A unit of energy consumption expressed as kilowatt hour per cubic metre.</i>
Code:	E47
Name:	kilowatt hour per kelvin
Beschreibung:	<i>A unit of energy consumption expressed as kilowatt hour per kelvin.</i>
Code:	E48
Name:	service unit
Beschreibung:	<i>A unit of count defining the number of service units (service unit: defined period / property / facility / utility of supply).</i>
Code:	E49
Name:	working day
Beschreibung:	<i>A unit of count defining the number of working days (working day: a day on which work is ordinarily performed).</i>
Code:	E50
Name:	accounting unit
Beschreibung:	<i>A unit of count defining the number of accounting units.</i>
Code:	E51
Name:	job
Beschreibung:	<i>A unit of count defining the number of jobs.</i>
Code:	E52
Name:	run foot
Beschreibung:	<i>A unit of count defining the number feet per run.</i>
Code:	E53
Name:	test

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of count defining the number of tests.</i>
Code:	E54
Name:	trip
Beschreibung:	<i>A unit of count defining the number of trips.</i>
Code:	E55
Name:	use
Beschreibung:	<i>A unit of count defining the number of times an object is used.</i>
Code:	E56
Name:	well
Beschreibung:	<i>A unit of count defining the number of wells.</i>
Code:	E57
Name:	zone
Beschreibung:	<i>A unit of count defining the number of zones.</i>
Code:	E58
Name:	exabit per second
Beschreibung:	<i>A unit of information equal to 10 to the power of 18 bits (binary digits) per second.</i>
Code:	E59
Name:	exbibyte
Beschreibung:	<i>A unit of information equal to 2 to the power of 60 bytes.</i>
Code:	E60
Name:	pebibyte
Beschreibung:	<i>A unit of information equal to 2 to the power of 50 bytes.</i>
Code:	E61
Name:	tebibyte
Beschreibung:	<i>A unit of information equal to 2 to the power of 40 bytes.</i>
Code:	E62
Name:	gibibyte
Beschreibung:	<i>A unit of information equal to 2 to the power of 30 bytes.</i>
Code:	E63
Name:	mebibyte
Beschreibung:	<i>A unit of information equal to 2 to the power of 20 bytes.</i>
Code:	E64
Name:	kibibyte
Beschreibung:	<i>A unit of information equal to 2 to the power of 10 bytes.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	E65
Name:	exbibit per metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 60 bits (binary digits) per metre.</i>
Code:	E66
Name:	exbibit per square metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 60 bits (binary digits) per square metre.</i>
Code:	E67
Name:	exbibit per cubic metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 60 bits (binary digits) per cubic metre.</i>
Code:	E68
Name:	gigabyte per second
Beschreibung:	<i>A unit of information equal to 10 to the power of 9 bytes per second.</i>
Code:	E69
Name:	gibibit per metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 30 bits (binary digits) per metre.</i>
Code:	E70
Name:	gibibit per square metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 30 bits (binary digits) per square metre.</i>
Code:	E71
Name:	gibibit per cubic metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 30 bits (binary digits) per cubic metre.</i>
Code:	E72
Name:	kibibit per metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 10 bits (binary digits) per metre.</i>
Code:	E73
Name:	kibibit per square metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 10 bits (binary digits) per square metre.</i>
Code:	E74
Name:	kibibit per cubic metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 10 bits (binary digits) per cubic metre.</i>
Code:	E75
Name:	mebibit per metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 20 bits (binary digits) per metre.</i>
Code:	E76

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	mebibit per square metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 20 bits (binary digits) per square metre.</i>
Code:	E77
Name:	mebibit per cubic metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 20 bits (binary digits) per cubic metre.</i>
Code:	E78
Name:	petabit
Beschreibung:	<i>A unit of information equal to 10 to the power of 15 bits (binary digits).</i>
Code:	E79
Name:	petabit per second
Beschreibung:	<i>A unit of information equal to 10 to the power of 15 bits (binary digits) per second.</i>
Code:	E80
Name:	pebibit per metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 50 bits (binary digits) per metre.</i>
Code:	E81
Name:	pebibit per square metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 50 bits (binary digits) per square metre.</i>
Code:	E82
Name:	pebibit per cubic metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 50 bits (binary digits) per cubic metre.</i>
Code:	E83
Name:	terabit
Beschreibung:	<i>A unit of information equal to 10 to the power of 12 bits (binary digits).</i>
Code:	E84
Name:	terabit per second
Beschreibung:	<i>A unit of information equal to 10 to the power of 12 bits (binary digits) per second.</i>
Code:	E85
Name:	tebibit per metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 40 bits (binary digits) per metre.</i>
Code:	E86
Name:	tebibit per cubic metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 40 bits (binary digits) per cubic metre.</i>
Code:	E87
Name:	tebibit per square metre

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of information equal to 2 to the power of 40 bits (binary digits) per square metre.</i>
Code:	E88
Name:	bit per metre
Beschreibung:	<i>A unit of information equal to 1 bit (binary digit) per metre.</i>
Code:	E89
Name:	bit per square metre
Beschreibung:	<i>A unit of information equal to 1 bit (binary digit) per square metre.</i>
Code:	EA
Name:	Jedes einzelne (Eines)
Beschreibung:	<i>A unit of count defining the number of items regarded as separate units.</i>
Code:	EB
Name:	electronic mail box
Beschreibung:	<i>A unit of count defining the number of electronic mail boxes.</i>
Code:	EQ
Name:	equivalent gallon
Beschreibung:	<i>A unit of volume defining the number of gallons of product produced from concentrate.</i>
Code:	F01
Name:	bit per cubic metre
Beschreibung:	<i>A unit of information equal to 1 bit (binary digit) per cubic metre.</i>
Code:	F13
Name:	slug
Beschreibung:	<i>A unit of mass. One slug is the mass accelerated at 1 foot per second per second by a force of 1 pound.</i>
Code:	F49
Name:	rod [unit of distance]
Beschreibung:	<i>A unit of distance equal to 5.5 yards (16 feet 6 inches).</i>
Code:	F80
Name:	water horse power
Beschreibung:	<i>A unit of power defining the amount of power required to move a given volume of water against acceleration of gravity to a specified elevation (pressure head).</i>
Code:	FAH
Name:	Grad Fahrenheit
Beschreibung:	<i>Refer ISO 80000-5 (Quantities and units – Part 5: Thermodynamics)</i>
Code:	FBM

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	fibre metre
Beschreibung:	<i>A unit of length defining the number of metres of individual fibre.</i>
Code:	FC
Name:	thousand cubic foot
Beschreibung:	<i>A unit of volume equal to one thousand cubic foot.</i>
Code:	FF
Name:	hundred cubic metre
Beschreibung:	<i>A unit of volume equal to one hundred cubic metres.</i>
Code:	FIT
Name:	failures in time
Beschreibung:	<i>A unit of count defining the number of failures that can be expected over a specified time interval. Failure rates of semiconductor components are often specified as FIT (failures in time unit) where 1 FIT = 10 to the power of -9 /h.</i>
Code:	FL
Name:	flake ton
Beschreibung:	<i>A unit of mass defining the number of tons of a flaked substance (flake: a small flattish fragment).</i>
Code:	GDW
Name:	gram, dry weight
Beschreibung:	<i>A unit of mass defining the number of grams of a product, disregarding the water content of the product.</i>
Code:	GFI
Name:	gram of fissile isotope
Beschreibung:	<i>A unit of mass defining the number of grams of a fissile isotope (fissile isotope: an isotope whose nucleus is able to be split when irradiated with low energy neutrons).</i>
Code:	GGR
Name:	great gross
Beschreibung:	<i>A unit of count defining the number of units in multiples of 1728 (12 x 12 x 12).</i>
Code:	GIC
Name:	gram, including container
Beschreibung:	<i>A unit of mass defining the number of grams of a product, including its container.</i>
Code:	GIP
Name:	gram, including inner packaging
Beschreibung:	<i>A unit of mass defining the number of grams of a product, including its inner packaging</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

	<i>materials.</i>
Code:	GRO
Name:	Gross
Beschreibung:	<i>A unit of count defining the number of units in multiples of 144 (12 x 12).</i>
Code:	GRT
Name:	gross register ton
Beschreibung:	<i>A unit of mass equal to the total cubic footage before deductions, where 1 register ton is equal to 100 cubic feet. Refer International Convention on tonnage measurement of ships.</i>
Code:	GT
Name:	gross ton
Beschreibung:	<i>A unit of mass equal to 2240 pounds. Refer International Convention on Tonnage measurement of Ships. Synonym: ton (UK) or long ton (US) (common code LTN)</i>
Code:	H16
Name:	square decametre
Beschreibung:	<i>Synonym: are</i>
Code:	H18
Name:	square hectometre
Beschreibung:	<i>Synonym: hectare</i>
Code:	H21
Name:	blank
Beschreibung:	<i>A unit of count defining the number of blanks.</i>
Code:	H25
Name:	percent per kelvin
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to the SI base unit Kelvin.</i>
Code:	H71
Name:	percent per month
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to a month.</i>
Code:	H72
Name:	percent per hectobar
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to 100-fold of the unit bar.</i>
Code:	H73
Name:	percent per decakelvin

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to 10-fold of the SI base unit Kelvin.</i>
Code:	H77
Name:	module width
Beschreibung:	<i>A unit of measure used to describe the breadth of electronic assemblies as an installation standard or mounting dimension.</i>
Code:	H79
Name:	Charrière
Beschreibung:	<i>A unit of distance used for measuring the diameter of small tubes such as urological instruments and catheters. Synonym: French, French gauge, Charrière gauge</i>
Code:	H80
Name:	rack unit
Beschreibung:	<i>A unit of measure used to describe the height in rack units of equipment intended for mounting in a 19-inch rack or a 23-inch rack. One rack unit is 1.75 inches (44.45 mm) high.</i>
Code:	H82
Name:	big point
Beschreibung:	<i>A unit of length defining the number of big points (big point: Adobe software(US) defines the big point to be exactly 1/72 inch (0.013 888 9 inch or 0.352 777 8 millimeters))</i>
Code:	H87
Name:	piece
Beschreibung:	<i>A unit of count defining the number of pieces (piece: a single item, article or exemplar).</i>
Code:	H89
Name:	percent per ohm
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to the SI derived unit ohm.</i>
Code:	H90
Name:	percent per degree
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to an angle of one degree.</i>
Code:	H91
Name:	percent per ten thousand
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to multiples of ten thousand.</i>
Code:	H92
Name:	percent per one hundred thousand
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to multiples of one hundred thousand.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	H93
Name:	percent per hundred
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to multiples of one hundred.</i>
Code:	H94
Name:	percent per thousand
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to multiples of one thousand.</i>
Code:	H95
Name:	percent per volt
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to the SI derived unit volt.</i>
Code:	H96
Name:	percent per bar
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to an atmospheric pressure of one bar.</i>
Code:	H98
Name:	percent per inch
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to an inch.</i>
Code:	H99
Name:	percent per metre
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to a metre.</i>
Code:	HA
Name:	hank
Beschreibung:	<i>A unit of length, typically for yarn.</i>
Code:	HAR
Name:	hectare
Beschreibung:	<i>Synonym: square hectometre</i>
Code:	HBX
Name:	hundred boxes
Beschreibung:	<i>A unit of count defining the number of boxes in multiples of one hundred box units.</i>
Code:	HC
Name:	hundred count
Beschreibung:	<i>A unit of count defining the number of units counted in multiples of 100.</i>
Code:	HDW
Name:	hundred kilogram, dry weight
Beschreibung:	<i>A unit of mass defining the number of hundred kilograms of a product, disregarding the water content of the product.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	HEA
Name:	head
Beschreibung:	<i>A unit of count defining the number of heads (head: a person or animal considered as one of a number).</i>
Code:	HH
Name:	hundred cubic foot
Beschreibung:	<i>A unit of volume equal to one hundred cubic foot.</i>
Code:	HIU
Name:	hundred international unit
Beschreibung:	<i>A unit of count defining the number of international units in multiples of 100.</i>
Code:	HKM
Name:	hundred kilogram, net mass
Beschreibung:	<i>A unit of mass defining the number of hundred kilograms of a product, after deductions.</i>
Code:	HMQ
Name:	million cubic metre
Beschreibung:	<i>A unit of volume equal to one million cubic metres.</i>
Code:	HPA
Name:	hectolitre of pure alcohol
Beschreibung:	<i>A unit of volume equal to one hundred litres of pure alcohol.</i>
Code:	IE
Name:	person
Beschreibung:	<i>A unit of count defining the number of persons.</i>
Code:	INQ
Name:	Square inch
Beschreibung:	<i>Synonym: inch cubed</i>
Code:	ISD
Name:	international sugar degree
Beschreibung:	<i>A unit of measure defining the sugar content of a solution, expressed in degrees.</i>
Code:	J10
Name:	percent per millimetre
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to a millimetre.</i>
Code:	J12
Name:	per mille per psi
Beschreibung:	<i>A unit of pressure equal to one thousandth of a psi (pound-force per square inch).</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	J13
Name:	degree API
Beschreibung:	<i>A unit of relative density as a measure of how heavy or light a petroleum liquid is compared to water (API: American Petroleum Institute).</i>
Code:	J14
Name:	degree Baume (origin scale)
Beschreibung:	<i>A traditional unit of relative density for liquids. Named after Antoine Baumé.</i>
Code:	J15
Name:	degree Baume (US heavy)
Beschreibung:	<i>A unit of relative density for liquids heavier than water.</i>
Code:	J16
Name:	degree Baume (US light)
Beschreibung:	<i>A unit of relative density for liquids lighter than water.</i>
Code:	J17
Name:	degree Balling
Beschreibung:	<i>A unit of density as a measure of sugar content, especially of beer wort. Named after Karl Balling.</i>
Code:	J18
Name:	degree Brix
Beschreibung:	<i>A unit of proportion used in measuring the dissolved sugar-to-water mass ratio of a liquid. Named after Adolf Brix.</i>
Code:	J27
Name:	degree Oechsle
Beschreibung:	<i>A unit of density as a measure of sugar content of must, the unfermented liqueur from which wine is made. Named after Ferdinand Oechsle.</i>
Code:	J31
Name:	degree Twaddell
Beschreibung:	<i>A unit of density for liquids that are heavier than water. 1 degree Twaddle represents a difference in specific gravity of 0.005.</i>
Code:	J38
Name:	baud
Beschreibung:	<i>A unit of signal transmission speed equal to one signalling event per second.</i>
Code:	J54
Name:	megabaud

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of signal transmission speed equal to 10 to the power of 6 (1000000) signaling events per second.</i>
Code:	JNT
Name:	pipeline joint
Beschreibung:	<i>A count of the number of pipeline joints.</i>
Code:	JPS
Name:	hundred metre
Beschreibung:	<i>A unit of count defining the number of 100 metre lengths.</i>
Code:	JWL
Name:	number of jewels
Beschreibung:	<i>A unit of count defining the number of jewels (jewel: precious stone).</i>
Code:	K1
Name:	kilowatt demand
Beschreibung:	<i>A unit of measure defining the power load measured at predetermined intervals.</i>
Code:	K2
Name:	kilovolt ampere reactive demand
Beschreibung:	<i>A unit of measure defining the reactive power demand equal to one kilovolt ampere of reactive power.</i>
Code:	K3
Name:	kilovolt ampere reactive hour
Beschreibung:	<i>A unit of measure defining the accumulated reactive energy equal to one kilovolt ampere of reactive power per hour.</i>
Code:	K5
Name:	kilovolt ampere (reactive)
Beschreibung:	<i>Use kilovar (common code KVR)</i>
Code:	K50
Name:	kilobaud
Beschreibung:	<i>A unit of signal transmission speed equal to 10 to the power of 3 (1000) signaling events per second.</i>
Code:	KA
Name:	cake
Beschreibung:	<i>A unit of count defining the number of cakes (cake: object shaped into a flat, compact mass).</i>
Code:	KAT

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	katal
Beschreibung:	<i>A unit of catalytic activity defining the catalytic activity of enzymes and other catalysts.</i>
Code:	KB
Name:	Kilobyte
Beschreibung:	<i>A unit of information equal to 10 to the power of 3 (1000) characters.</i>
Code:	KCC
Name:	kilogram of choline chloride
Beschreibung:	<i>A unit of mass equal to one thousand grams of choline chloride.</i>
Code:	KDW
Name:	kilogram drained net weight
Beschreibung:	<i>A unit of mass defining the net number of kilograms of a product, disregarding the liquid content of the product.</i>
Code:	KEL
Name:	Kelvin
Beschreibung:	<i>Refer ISO 80000-5 (Quantities and units — Part 5: Thermodynamics)</i>
Code:	KGM
Name:	Kilogramm
Beschreibung:	<i>A unit of mass equal to one thousand grams.</i>
Code:	KHY
Name:	kilogram of hydrogen peroxide
Beschreibung:	<i>A unit of mass equal to one thousand grams of hydrogen peroxide.</i>
Code:	KIC
Name:	kilogram, including container
Beschreibung:	<i>A unit of mass defining the number of kilograms of a product, including its container.</i>
Code:	KIP
Name:	kilogram, including inner packaging
Beschreibung:	<i>A unit of mass defining the number of kilograms of a product, including its inner packaging materials.</i>
Code:	KJ
Name:	kilosegment
Beschreibung:	<i>A unit of information equal to 10 to the power of 3 (1000) segments.</i>
Code:	KLK
Name:	lactic dry material percentage
Beschreibung:	<i>A unit of proportion defining the percentage of dry lactic material in a product.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	KLX
Name:	kilolux
Beschreibung:	<i>A unit of illuminance equal to one thousand lux.</i>
Code:	KMA
Name:	kilogram of methylamine
Beschreibung:	<i>A unit of mass equal to one thousand grams of methylamine.</i>
Code:	KMQ
Name:	Kilogramm pro Kubikmeter
Beschreibung:	<i>A unit of weight expressed in kilograms of a substance that fills a volume of one cubic metre.</i>
Code:	KNI
Name:	kilogram of nitrogen
Beschreibung:	<i>A unit of mass equal to one thousand grams of nitrogen.</i>
Code:	KNM
Name:	kilonewton per square metre
Beschreibung:	<i>Pressure expressed in kN/m².</i>
Code:	KNS
Name:	kilogram named substance
Beschreibung:	<i>A unit of mass equal to one kilogram of a named substance.</i>
Code:	KO
Name:	milliequivalence caustic potash per gram of product
Beschreibung:	<i>A unit of count defining the number of milligrams of potassium hydroxide per gram of product as a measure of the concentration of potassium hydroxide in the product.</i>
Code:	KPH
Name:	kilogram of potassium hydroxide (caustic potash)
Beschreibung:	<i>A unit of mass equal to one thousand grams of potassium hydroxide (caustic potash).</i>
Code:	KPO
Name:	kilogram of potassium oxide
Beschreibung:	<i>A unit of mass equal to one thousand grams of potassium oxide.</i>
Code:	KPP
Name:	kilogram of phosphorus pentoxide (phosphoric anhydride)
Beschreibung:	<i>A unit of mass equal to one thousand grams of phosphorus pentoxide phosphoric anhydride.</i>
Code:	KSD

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	kilogram of substance 90 % dry
Beschreibung:	<i>A unit of mass equal to one thousand grams of a named substance that is 90% dry.</i>
Code:	KSH
Name:	kilogram of sodium hydroxide (caustic soda)
Beschreibung:	<i>A unit of mass equal to one thousand grams of sodium hydroxide (caustic soda).</i>
Code:	KT
Name:	kit
Beschreibung:	<i>A unit of count defining the number of kits (kit: tub, barrel or pail).</i>
Code:	KUR
Name:	kilogram of uranium
Beschreibung:	<i>A unit of mass equal to one thousand grams of uranium.</i>
Code:	KWN
Name:	Kilowatt hour per normalized cubic metre
Beschreibung:	<i>Kilowatt hour per normalized cubic metre (temperature 0°C and pressure 101325 millibars).</i>
Code:	KWO
Name:	kilogram of tungsten trioxide
Beschreibung:	<i>A unit of mass equal to one thousand grams of tungsten trioxide.</i>
Code:	KWS
Name:	Kilowatt hour per standard cubic metre
Beschreibung:	<i>Kilowatt hour per standard cubic metre (temperature 15°C and pressure 101325 millibars).</i>
Code:	LAC
Name:	lactose excess percentage
Beschreibung:	<i>A unit of proportion defining the percentage of lactose in a product that exceeds a defined percentage level.</i>
Code:	LEF
Name:	leaf
Beschreibung:	<i>A unit of count defining the number of leaves.</i>
Code:	LF
Name:	linear foot
Beschreibung:	<i>A unit of count defining the number of feet (12-inch) in length of a uniform width object.</i>
Code:	LH
Name:	labour hour

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of time defining the number of labour hours.</i>
Code:	LK
Name:	link
Beschreibung:	<i>A unit of distance equal to 0.01 chain.</i>
Code:	LM
Name:	linear metre
Beschreibung:	<i>A unit of count defining the number of metres in length of a uniform width object.</i>
Code:	LN
Name:	length
Beschreibung:	<i>A unit of distance defining the linear extent of an item measured from end to end.</i>
Code:	LO
Name:	lot [unit of procurement]
Beschreibung:	<i>A unit of count defining the number of lots (lot: a collection of associated items).</i>
Code:	LP
Name:	liquid pound
Beschreibung:	<i>A unit of mass defining the number of pounds of a liquid substance.</i>
Code:	LPA
Name:	litre of pure alcohol
Beschreibung:	<i>A unit of volume equal to one litre of pure alcohol.</i>
Code:	LR
Name:	layer
Beschreibung:	<i>A unit of count defining the number of layers.</i>
Code:	LS
Name:	lump sum
Beschreibung:	<i>A unit of count defining the number of whole or a complete monetary amounts.</i>
Code:	LTN
Name:	ton (UK) or long ton (US)
Beschreibung:	<i>Synonym: gross ton (2240 lb)</i>
Code:	LUB
Name:	metric ton, lubricating oil
Beschreibung:	<i>A unit of mass defining the number of metric tons of lubricating oil.</i>
Code:	LY
Name:	linear yard
Beschreibung:	<i>A unit of count defining the number of 36-inch units in length of a uniform width object.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	M19
Name:	Beaufort
Beschreibung:	<i>An empirical measure for describing wind speed based mainly on observed sea conditions. The Beaufort scale indicates the wind speed by numbers that typically range from 0 for calm, to 12 for hurricane.</i>
Code:	M25
Name:	percent per degree Celsius
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to a temperature of one degree.</i>
Code:	M36
Name:	30-day month
Beschreibung:	<i>A unit of count defining the number of months expressed in multiples of 30 days, one day equals 24 hours.</i>
Code:	M37
Name:	actual/360
Beschreibung:	<i>A unit of count defining the number of years expressed in multiples of 360 days, one day equals 24 hours.</i>
Code:	M38
Name:	kilometre per second squared
Beschreibung:	<i>1000-fold of the SI base unit metre divided by the power of the SI base unit second by exponent 2.</i>
Code:	M39
Name:	centimetre per second squared
Beschreibung:	<i>0,01-fold of the SI base unit metre divided by the power of the SI base unit second by exponent 2.</i>
Code:	M4
Name:	monetary value
Beschreibung:	<i>A unit of measure expressed as a monetary amount.</i>
Code:	M40
Name:	yard per second squared
Beschreibung:	<i>Unit of the length according to the Anglo-American and Imperial system of units divided by the power of the SI base unit second by exponent 2.</i>
Code:	M41
Name:	millimetre per second squared
Beschreibung:	<i>0,001-fold of the SI base unit metre divided by the power of the SI base unit second by</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

	<i>exponent 2.</i>
Code:	M42
Name:	mile (statute mile) per second squared
Beschreibung:	<i>Unit of the length according to the Imperial system of units divided by the power of the SI base unit second by exponent 2.</i>
Code:	M43
Name:	mil
Beschreibung:	<i>Unit to indicate an angle at military zone, equal to the 6400th part of the full circle of the 360° or 2·p·rad.</i>
Code:	M44
Name:	revolution
Beschreibung:	<i>Unit to identify an angle of the full circle of 360° or 2·p·rad (Refer ISO/TC12 SI Guide).</i>
Code:	M45
Name:	degree [unit of angle] per second squared
Beschreibung:	<i>360 part of a full circle divided by the power of the SI base unit second and the exponent 2.</i>
Code:	M46
Name:	revolution per minute
Beschreibung:	<i>Unit of the angular velocity.</i>
Code:	M47
Name:	circular mil
Beschreibung:	<i>Unit of an area, of which the size is given by a diameter of length of 1 mm (0,001 in) based on the formula: $area = p \cdot (diameter/2)^2$.</i>
Code:	M48
Name:	square mile (based on U.S. survey foot)
Beschreibung:	<i>Unit of the area, which is mainly common in the agriculture and forestry.</i>
Code:	M49
Name:	chain (based on U.S. survey foot)
Beschreibung:	<i>Unit of the length according the Anglo-American system of units.</i>
Code:	M50
Name:	furlong
Beschreibung:	<i>Unit commonly used in Great Britain at rural distances: 1 furlong = 40 rods = 10 chains (UK) = 1/8 mile = 1/10 furlong = 220 yards = 660 foot.</i>
Code:	M51

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	foot (U.S. survey)
Beschreibung:	<i>Unit commonly used in the United States for ordnance survey.</i>
Code:	M52
Name:	mile (based on U.S. survey foot)
Beschreibung:	<i>Unit commonly used in the United States for ordnance survey.</i>
Code:	M53
Name:	metre per pascal
Beschreibung:	<i>SI base unit metre divided by the derived SI unit pascal.</i>
Code:	M55
Name:	metre per radian
Beschreibung:	<i>Unit of the translation factor for implementation from rotation to linear movement.</i>
Code:	M56
Name:	shake
Beschreibung:	<i>Unit for a very short period.</i>
Code:	M57
Name:	mile per minute
Beschreibung:	<i>Unit of velocity from the Imperial system of units.</i>
Code:	M58
Name:	mile per second
Beschreibung:	<i>Unit of the velocity from the Imperial system of units.</i>
Code:	M59
Name:	metre per second pascal
Beschreibung:	<i>SI base unit meter divided by the product of SI base unit second and the derived SI unit pascal.</i>
Code:	M60
Name:	metre per hour
Beschreibung:	<i>SI base unit metre divided by the unit hour.</i>
Code:	M61
Name:	inch per year
Beschreibung:	<i>Unit of the length according to the Anglo-American and Imperial system of units divided by the unit common year with 365 days.</i>
Code:	M62
Name:	kilometre per second
Beschreibung:	<i>1000-fold of the SI base unit metre divided by the SI base unit second.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	M63
Name:	inch per minute
Beschreibung:	<i>Unit inch according to the Anglo-American and Imperial system of units divided by the unit minute.</i>
Code:	M64
Name:	yard per second
Beschreibung:	<i>Unit yard according to the Anglo-American and Imperial system of units divided by the SI base unit second.</i>
Code:	M65
Name:	yard per minute
Beschreibung:	<i>Unit yard according to the Anglo-American and Imperial system of units divided by the unit minute.</i>
Code:	M66
Name:	yard per hour
Beschreibung:	<i>Unit yard according to the Anglo-American and Imperial system of units divided by the unit hour.</i>
Code:	M67
Name:	acre-foot (based on U.S. survey foot)
Beschreibung:	<i>Unit of the volume, which is used in the United States to measure/gauge the capacity of reservoirs.</i>
Code:	M68
Name:	cord (128 ft ³)
Beschreibung:	<i>Traditional unit of the volume of stacked firewood which has been measured with a cord.</i>
Code:	M69
Name:	cubic mile (UK statute)
Beschreibung:	<i>Unit of volume according to the Imperial system of units.</i>
Code:	M70
Name:	ton, register
Beschreibung:	<i>Traditional unit of the cargo capacity.</i>
Code:	M71
Name:	cubic metre per pascal
Beschreibung:	<i>Power of the SI base unit meter by exponent 3 divided by the derived SI base unit pascal.</i>
Code:	M72

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	bel
Beschreibung:	<i>Logarithmic relationship to base 10.</i>
Code:	M73
Name:	kilogram per cubic metre pascal
Beschreibung:	<i>SI base unit kilogram divided by the product of the power of the SI base unit metre with exponent 3 and the derived SI unit pascal.</i>
Code:	M74
Name:	kilogram per pascal
Beschreibung:	<i>SI base unit kilogram divided by the derived SI unit pascal.</i>
Code:	M75
Name:	kilopound-force
Beschreibung:	<i>1000-fold of the unit of the force pound-force (lbf) according to the Anglo-American system of units with the relationship.</i>
Code:	M76
Name:	poundal
Beschreibung:	<i>Non SI-conforming unit of the power, which corresponds to a mass of a pound multiplied with the acceleration of a foot per square second.</i>
Code:	M77
Name:	kilogram metre per second squared
Beschreibung:	<i>Product of the SI base unit kilogram and the SI base unit metre divided by the power of the SI base unit second by exponent 2.</i>
Code:	M78
Name:	pond
Beschreibung:	<i>0,001-fold of the unit of the weight, defined as a mass of 1 kg which finds out about a weight strength from 1 kp by the gravitational force at sea level which corresponds to a strength of 9,806 65 newton.</i>
Code:	M79
Name:	square foot per hour
Beschreibung:	<i>Power of the unit foot according to the Anglo-American and Imperial system of units by exponent 2 divided by the unit of time hour.</i>
Code:	M80
Name:	stokes per pascal
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit stokes divided by the derived SI unit pascal.</i>
Code:	M81

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	square centimetre per second
Beschreibung:	<i>0,000 1-fold of the power of the SI base unit metre by exponent 2 divided by the SI base unit second.</i>
Code:	M82
Name:	square metre per second pascal
Beschreibung:	<i>Power of the SI base unit metre with the exponent 2 divided by the SI base unit second and the derived SI unit pascal.</i>
Code:	M83
Name:	denier
Beschreibung:	<i>Traditional unit for the indication of the linear mass of textile fibers and yarns.</i>
Code:	M84
Name:	pound per yard
Beschreibung:	<i>Unit for linear mass according to avoirdupois system of units.</i>
Code:	M85
Name:	ton, assay
Beschreibung:	<i>Non SI-conforming unit of the mass used in the mineralogy to determine the concentration of precious metals in ore according to the mass of the precious metal in milligrams in a sample of the mass of an assay sound (number of troy ounces in a short ton (1 000 lb)).</i>
Code:	M86
Name:	pfund
Beschreibung:	<i>Outdated unit of the mass used in Germany.</i>
Code:	M87
Name:	kilogram per second pascal
Beschreibung:	<i>SI base unit kilogram divided by the product of the SI base unit second and the derived SI unit pascal.</i>
Code:	M88
Name:	tonne per month
Beschreibung:	<i>Unit tonne divided by the unit month.</i>
Code:	M89
Name:	tonne per year
Beschreibung:	<i>Unit tonne divided by the unit year with 365 days.</i>
Code:	M90
Name:	kilopound per hour

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>1000-fold of the unit of the mass avoirdupois pound according to the avoirdupois unit system divided by the unit hour.</i>
Code:	M91
Name:	pound per pound
Beschreibung:	<i>Proportion of the mass consisting of the avoirdupois pound according to the avoirdupois unit system divided by the avoirdupois pound according to the avoirdupois unit system.</i>
Code:	M92
Name:	pound-force foot
Beschreibung:	<i>Product of the unit pound-force according to the Anglo-American system of units and the unit foot according to the Anglo-American and the Imperial system of units.</i>
Code:	M93
Name:	newton metre per radian
Beschreibung:	<i>Product of the derived SI unit newton and the SI base unit metre divided by the unit radian.</i>
Code:	M94
Name:	kilogram metre
Beschreibung:	<i>Unit of imbalance as a product of the SI base unit kilogram and the SI base unit metre.</i>
Code:	M95
Name:	poundal foot
Beschreibung:	<i>Product of the non SI-conforming unit of the force poundal and the unit foot according to the Anglo-American and Imperial system of units .</i>
Code:	M96
Name:	poundal inch
Beschreibung:	<i>Product of the non SI-conforming unit of the force poundal and the unit inch according to the Anglo-American and Imperial system of units .</i>
Code:	M97
Name:	dyne metre
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of the rotational moment.</i>
Code:	M98
Name:	kilogram centimetre per second
Beschreibung:	<i>Product of the SI base unit kilogram and the 0,01-fold of the SI base unit metre divided by the SI base unit second.</i>
Code:	M99
Name:	gram centimetre per second

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Used Codes

Beschreibung:	<i>Product of the 0,001-fold of the SI base unit kilogram and the 0,01-fold of the SI base unit metre divided by the SI base unit second.</i>
Code:	MAH
Name:	megavolt ampere reactive hour
Beschreibung:	<i>A unit of electrical reactive power defining the total amount of reactive power across a power system.</i>
Code:	MAR
Name:	megavar
Beschreibung:	<i>A unit of electrical reactive power represented by a current of one thousand amperes flowing due a potential difference of one thousand volts where the sine of the phase angle between them is 1.</i>
Code:	MAW
Name:	Megawatt
Beschreibung:	<i>A unit of power defining the rate of energy transferred or consumed when a current of 1000 amperes flows due to a potential of 1000 volts at unity power factor.</i>
Code:	MBE
Name:	thousand standard brick equivalent
Beschreibung:	<i>A unit of count defining the number of one thousand brick equivalent units.</i>
Code:	MBF
Name:	thousand board foot
Beschreibung:	<i>A unit of volume equal to one thousand board foot.</i>
Code:	MD
Name:	air dry metric ton
Beschreibung:	<i>A unit of count defining the number of metric tons of a product, disregarding the water content of the product.</i>
Code:	MIU
Name:	million international unit
Beschreibung:	<i>A unit of count defining the number of international units in multiples of 10 to the power of 6.</i>
Code:	MLD
Name:	milliard
Beschreibung:	<i>Synonym: billion (US)</i>
Code:	MND
Name:	kilogram, dry weight

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of mass defining the number of kilograms of a product, disregarding the water content of the product.</i>
Code:	MON
Name:	Monat
Beschreibung:	<i>Unit of time equal to 1/12 of a year of 365,25 days.</i>
Code:	MTQ
Name:	Kubikmeter
Beschreibung:	<i>Synonym: metre cubed</i>
Code:	MWH
Name:	Megawatt Stunde (1000 kWh)
Beschreibung:	<i>A unit of power defining the total amount of bulk energy transferred or consumed.</i>
Code:	N1
Name:	pen calorie
Beschreibung:	<i>A unit of count defining the number of calories prescribed daily for parenteral/enteral therapy.</i>
Code:	N10
Name:	pound foot per second
Beschreibung:	<i>Product of the avoirdupois pound according to the avoirdupois unit system and the unit foot according to the Anglo-American and Imperial system of units divided by the SI base unit second.</i>
Code:	N11
Name:	pound inch per second
Beschreibung:	<i>Product of the avoirdupois pound according to the avoirdupois unit system and the unit inch according to the Anglo-American and Imperial system of units divided by the SI base unit second.</i>
Code:	N12
Name:	Pferdestaerke
Beschreibung:	<i>Obsolete unit of the power relating to DIN 1301-3:1979: 1 PS = 735,498 75 W.</i>
Code:	N13
Name:	centimetre of mercury (0 °C)
Beschreibung:	<i>Non SI-conforming unit of pressure, at which a value of 1 cmHg meets the static pressure, which is generated by a mercury at a temperature of 0 °C with a height of 1 centimetre .</i>
Code:	N14

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Used Codes

Name:	centimetre of water (4 °C)
Beschreibung:	<i>Non SI-conforming unit of pressure, at which a value of 1 cmH₂O meets the static pressure, which is generated by a head of water at a temperature of 4 °C with a height of 1 centimetre .</i>
Code:	N15
Name:	foot of water (39.2 °F)
Beschreibung:	<i>Non SI-conforming unit of pressure according to the Anglo-American and Imperial system for units, whereas the value of 1 ftH₂O is equivalent to the static pressure, which is generated by a head of water at a temperature 39,2°F with a height of 1 foot .</i>
Code:	N16
Name:	inch of mercury (32 °F)
Beschreibung:	<i>Non SI-conforming unit of pressure according to the Anglo-American and Imperial system for units, whereas the value of 1 inHg meets the static pressure, which is generated by a mercury at a temperature of 32°F with a height of 1 inch.</i>
Code:	N17
Name:	inch of mercury (60 °F)
Beschreibung:	<i>Non SI-conforming unit of pressure according to the Anglo-American and Imperial system for units, whereas the value of 1 inHg meets the static pressure, which is generated by a mercury at a temperature of 60°F with a height of 1 inch.</i>
Code:	N18
Name:	inch of water (39.2 °F)
Beschreibung:	<i>Non SI-conforming unit of pressure according to the Anglo-American and Imperial system for units, whereas the value of 1 inH₂O meets the static pressure, which is generated by a head of water at a temperature of 39,2°F with a height of 1 inch .</i>
Code:	N19
Name:	inch of water (60 °F)
Beschreibung:	<i>Non SI-conforming unit of pressure according to the Anglo-American and Imperial system for units, whereas the value of 1 inH₂O meets the static pressure, which is generated by a head of water at a temperature of 60°F with a height of 1 inch .</i>
Code:	N20
Name:	kip per square inch
Beschreibung:	<i>Non SI-conforming unit of the pressure according to the Anglo-American system of units as the 1000-fold of the unit of the force pound-force divided by the power of the unit inch by exponent 2.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	N21
Name:	poundal per square foot
Beschreibung:	<i>Non SI-conforming unit of pressure by the Imperial system of units according to NIST: 1 pdl/ft² = 1,488 164 Pa.</i>
Code:	N22
Name:	ounce (avoirdupois) per square inch
Beschreibung:	<i>Unit of the surface specific mass (avoirdupois ounce according to the avoirdupois system of units according to the surface square inch according to the Anglo-American and Imperial system of units).</i>
Code:	N23
Name:	conventional metre of water
Beschreibung:	<i>Not SI-conforming unit of pressure, whereas a value of 1 mH₂O is equivalent to the static pressure, which is produced by one metre high water column .</i>
Code:	N24
Name:	gram per square millimetre
Beschreibung:	<i>0,001-fold of the SI base unit kilogram divided by the 0.000 001-fold of the power of the SI base unit meter by exponent 2.</i>
Code:	N25
Name:	pound per square yard
Beschreibung:	<i>Unit for areal-related mass as a unit pound according to the avoirdupois unit system divided by the power of the unit yard according to the Anglo-American and Imperial system of units with exponent 2.</i>
Code:	N26
Name:	poundal per square inch
Beschreibung:	<i>Non SI-conforming unit of the pressure according to the Imperial system of units (poundal by square inch).</i>
Code:	N27
Name:	foot to the fourth power
Beschreibung:	<i>Power of the unit foot according to the Anglo-American and Imperial system of units by exponent 4 according to NIST: 1 ft⁴ = 8,630 975 m⁴.</i>
Code:	N28
Name:	cubic decimetre per kilogram
Beschreibung:	<i>0,001 fold of the power of the SI base unit meter by exponent 3 divided by the SI based unit kilogram.</i>

Guideline**Used Codes**

Code:	N29
Name:	cubic foot per pound
Beschreibung:	<i>Power of the unit foot according to the Anglo-American and Imperial system of units by exponent 3 divided by the unit avoirdupois pound according to the avoirdupois unit system.</i>
Code:	N30
Name:	cubic inch per pound
Beschreibung:	<i>Power of the unit inch according to the Anglo-American and Imperial system of units by exponent 3 divided by the avoirdupois pound according to the avoirdupois unit system .</i>
Code:	N31
Name:	kilonewton per metre
Beschreibung:	<i>1000-fold of the derived SI unit newton divided by the SI base unit metre.</i>
Code:	N32
Name:	poundal per inch
Beschreibung:	<i>Non SI-conforming unit of the surface tension according to the Imperial unit system as quotient poundal by inch.</i>
Code:	N33
Name:	pound-force per yard
Beschreibung:	<i>Unit of force per unit length based on the Anglo-American system of units.</i>
Code:	N34
Name:	poundal second per square foot
Beschreibung:	<i>Non SI-conforming unit of viscosity.</i>
Code:	N35
Name:	poise per pascal
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit poise divided by the derived SI unit pascal.</i>
Code:	N36
Name:	newton second per square metre
Beschreibung:	<i>Unit of the dynamic viscosity as a product of unit of the pressure (newton by square metre) multiplied with the SI base unit second.</i>
Code:	N37
Name:	kilogram per metre second
Beschreibung:	<i>Unit of the dynamic viscosity as a quotient SI base unit kilogram divided by the SI base unit metre and by the SI base unit second.</i>
Code:	N38

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	kilogram per metre minute
Beschreibung:	<i>Unit of the dynamic viscosity as a quotient SI base unit kilogram divided by the SI base unit metre and by the unit minute.</i>
Code:	N39
Name:	kilogram per metre day
Beschreibung:	<i>Unit of the dynamic viscosity as a quotient SI base unit kilogram divided by the SI base unit metre and by the unit day.</i>
Code:	N40
Name:	kilogram per metre hour
Beschreibung:	<i>Unit of the dynamic viscosity as a quotient SI base unit kilogram divided by the SI base unit metre and by the unit hour.</i>
Code:	N41
Name:	gram per centimetre second
Beschreibung:	<i>Unit of the dynamic viscosity as a quotient of the 0,001-fold of the SI base unit kilogram divided by the 0,01-fold of the SI base unit metre and SI base unit second.</i>
Code:	N42
Name:	poundal second per square inch
Beschreibung:	<i>Non SI-conforming unit of dynamic viscosity according to the Imperial system of units as product unit of the pressure (poundal by square inch) multiplied by the SI base unit second.</i>
Code:	N43
Name:	pound per foot minute
Beschreibung:	<i>Unit of the dynamic viscosity according to the Anglo-American unit system.</i>
Code:	N44
Name:	pound per foot day
Beschreibung:	<i>Unit of the dynamic viscosity according to the Anglo-American unit system.</i>
Code:	N45
Name:	cubic metre per second pascal
Beschreibung:	<i>Power of the SI base unit meter by exponent 3 divided by the product of the SI base unit second and the derived SI base unit pascal.</i>
Code:	N46
Name:	foot poundal
Beschreibung:	<i>Unit of the work (force-path).</i>
Code:	N47

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	inch poundal
Beschreibung:	<i>Unit of work (force multiplied by path) according to the Imperial system of units as a product unit inch multiplied by poundal.</i>
Code:	N48
Name:	watt per square centimetre
Beschreibung:	<i>Derived SI unit watt divided by the power of the 0,01-fold the SI base unit metre by exponent 2.</i>
Code:	N49
Name:	watt per square inch
Beschreibung:	<i>Derived SI unit watt divided by the power of the unit inch according to the Anglo-American and Imperial system of units by exponent 2.</i>
Code:	N50
Name:	British thermal unit (international table) per square foot hour
Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>
Code:	N51
Name:	British thermal unit (thermochemical) per square foot hour
Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>
Code:	N52
Name:	British thermal unit (thermochemical) per square foot minute
Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>
Code:	N53
Name:	British thermal unit (international table) per square foot second
Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>
Code:	N54
Name:	British thermal unit (thermochemical) per square foot second
Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>
Code:	N55
Name:	British thermal unit (international table) per square inch second
Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>
Code:	N56
Name:	calorie (thermochemical) per square centimetre minute
Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>
Code:	N57
Name:	calorie (thermochemical) per square centimetre second

Guideline**Used Codes**

Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>
Code:	N58
Name:	British thermal unit (international table) per cubic foot
Beschreibung:	<i>Unit of the energy density according to the Imperial system of units.</i>
Code:	N59
Name:	British thermal unit (thermochemical) per cubic foot
Beschreibung:	<i>Unit of the energy density according to the Imperial system of units.</i>
Code:	N60
Name:	British thermal unit (international table) per degree Fahrenheit
Beschreibung:	<i>Unit of the heat capacity according to the Imperial system of units.</i>
Code:	N61
Name:	British thermal unit (thermochemical) per degree Fahrenheit
Beschreibung:	<i>Unit of the heat capacity according to the Imperial system of units.</i>
Code:	N62
Name:	British thermal unit (international table) per degree Rankine
Beschreibung:	<i>Unit of the heat capacity according to the Imperial system of units.</i>
Code:	N63
Name:	British thermal unit (thermochemical) per degree Rankine
Beschreibung:	<i>Unit of the heat capacity according to the Imperial system of units.</i>
Code:	N64
Name:	British thermal unit (thermochemical) per pound degree Rankine
Beschreibung:	<i>Unit of the heat capacity (British thermal unit according to the international table according to the Rankine degree) according to the Imperial system of units divided by the unit avoirdupois pound according to the avoirdupois system of units.</i>
Code:	N65
Name:	kilocalorie (international table) per gram kelvin
Beschreibung:	<i>Unit of the mass-related heat capacity as quotient 1000-fold of the calorie (international table) divided by the product of the 0,001-fold of the SI base units kilogram and kelvin.</i>
Code:	N66
Name:	British thermal unit (39 °F)
Beschreibung:	<i>Unit of heat energy according to the Imperial system of units in a reference temperature of 39 °F.</i>
Code:	N67
Name:	British thermal unit (59 °F)

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>Unit of heat energy according to the Imperial system of units in a reference temperature of 59 °F.</i>
Code:	N68
Name:	British thermal unit (60 °F)
Beschreibung:	<i>Unit of head energy according to the Imperial system of units at a reference temperature of 60 °F.</i>
Code:	N69
Name:	calorie (20 °C)
Beschreibung:	<i>Unit for quantity of heat, which is to be required for 1 g air free water at a constant pressure from 101,325 kPa, to warm up the pressure of standard atmosphere at sea level, from 19,5 °C on 20,5 °C.</i>
Code:	N70
Name:	quad (1015 BtuIT)
Beschreibung:	<i>Unit of heat energy according to the imperial system of units.</i>
Code:	N71
Name:	therm (EC)
Beschreibung:	<i>Unit of heat energy in commercial use, within the EU defined: 1 thm (EC) = 100 000 BtuIT.</i>
Code:	N72
Name:	therm (U.S.)
Beschreibung:	<i>Unit of heat energy in commercial use.</i>
Code:	N73
Name:	British thermal unit (thermochemical) per pound
Beschreibung:	<i>Unit of the heat energy according to the Imperial system of units divided the unit avoirdupois pound according to the avoirdupois system of units.</i>
Code:	N74
Name:	British thermal unit (international table) per hour square foot degree Fahrenheit
Beschreibung:	<i>Unit of the heat transition coefficient according to the Imperial system of units.</i>
Code:	N75
Name:	British thermal unit (thermochemical) per hour square foot degree Fahrenheit
Beschreibung:	<i>Unit of the heat transition coefficient according to the imperial system of units.</i>
Code:	N76
Name:	British thermal unit (international table) per second square foot degree Fahrenheit
Beschreibung:	<i>Unit of the heat transition coefficient according to the imperial system of units.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	N77
Name:	British thermal unit (thermochemical) per second square foot degree Fahrenheit
Beschreibung:	<i>Unit of the heat transition coefficient according to the imperial system of units.</i>
Code:	N78
Name:	kilowatt per square metre kelvin
Beschreibung:	<i>1000-fold of the derived SI unit watt divided by the product of the power of the SI base unit metre by exponent 2 and the SI base unit kelvin.</i>
Code:	N79
Name:	kelvin per pascal
Beschreibung:	<i>SI base unit kelvin divided by the derived SI unit pascal.</i>
Code:	N80
Name:	watt per metre degree Celsius
Beschreibung:	<i>Derived SI unit watt divided by the product of the SI base unit metre and the unit for temperature degree Celsius.</i>
Code:	N81
Name:	kilowatt per metre kelvin
Beschreibung:	<i>1000-fold of the derived SI unit watt divided by the product of the SI base unit metre and the SI base unit kelvin.</i>
Code:	N82
Name:	kilowatt per metre degree Celsius
Beschreibung:	<i>1000-fold of the derived SI unit watt divided by the product of the SI base unit metre and the unit for temperature degree Celsius.</i>
Code:	N83
Name:	metre per degree Celsius metre
Beschreibung:	<i>SI base unit metre divided by the product of the unit degree Celsius and the SI base unit metre.</i>
Code:	N84
Name:	degree Fahrenheit hour per British thermal unit (international table)
Beschreibung:	<i>Non SI-conforming unit of the thermal resistance according to the Imperial system of units.</i>
Code:	N85
Name:	degree Fahrenheit hour per British thermal unit (thermochemical)
Beschreibung:	<i>Non SI-conforming unit of the thermal resistance according to the Imperial system of units.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	N86
Name:	degree Fahrenheit second per British thermal unit (international table)
Beschreibung:	<i>Non SI-conforming unit of the thermal resistance according to the Imperial system of units.</i>
Code:	N87
Name:	degree Fahrenheit second per British thermal unit (thermochemical)
Beschreibung:	<i>Non SI-conforming unit of the thermal resistance according to the Imperial system of units.</i>
Code:	N88
Name:	degree Fahrenheit hour square foot per British thermal unit (international table) inch
Beschreibung:	<i>Unit of specific thermal resistance according to the Imperial system of units.</i>
Code:	N89
Name:	degree Fahrenheit hour square foot per British thermal unit (thermochemical) inch
Beschreibung:	<i>Unit of specific thermal resistance according to the Imperial system of units.</i>
Code:	N90
Name:	kilofarad
Beschreibung:	<i>1000-fold of the derived SI unit farad.</i>
Code:	N91
Name:	reciprocal joule
Beschreibung:	<i>Reciprocal of the derived SI unit joule.</i>
Code:	N92
Name:	picosiemens
Beschreibung:	<i>0,000 000 000 001-fold of the derived SI unit siemens.</i>
Code:	N93
Name:	ampere per pascal
Beschreibung:	<i>SI base unit ampere divided by the derived SI unit pascal.</i>
Code:	N94
Name:	franklin
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of the electrical charge, where the charge amounts to exactly 1 Fr where the force of 1 dyn on an equal load is performed at a distance of 1 cm.</i>
Code:	N95
Name:	ampere minute
Beschreibung:	<i>A unit of electric charge defining the amount of charge accumulated by a steady flow of</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

	<i>one ampere for one minute..</i>
Code:	N96
Name:	biot
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of the electric power which is defined by a force of 2 dyn per cm between two parallel conductors of infinite length with negligible cross-section in the distance of 1 cm.</i>
Code:	N97
Name:	gilbert
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of the magnetomotive force, which is defined by the work to increase the magnetic potential of a positive common pol with 1 erg.</i>
Code:	N98
Name:	volt per pascal
Beschreibung:	<i>Derived SI unit volt divided by the derived SI unit pascal.</i>
Code:	N99
Name:	picovolt
Beschreibung:	<i>0,000 000 000 001-fold of the derived SI unit volt.</i>
Code:	NAR
Name:	Anzahl der Artikel
Beschreibung:	<i>A unit of count defining the number of articles (article: item).</i>
Code:	NCL
Name:	number of cells
Beschreibung:	<i>A unit of count defining the number of cells (cell: an enclosed or circumscribed space, cavity, or volume).</i>
Code:	NF
Name:	message
Beschreibung:	<i>A unit of count defining the number of messages.</i>
Code:	NIL
Name:	nil
Beschreibung:	<i>A unit of count defining the number of instances of nothing.</i>
Code:	NIU
Name:	Anzahl internationaler Einheiten
Beschreibung:	<i>A unit of count defining the number of international units.</i>
Code:	NL

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	load
Beschreibung:	<i>A unit of volume defining the number of loads (load: a quantity of items carried or processed at one time).</i>
Code:	NM3
Name:	Normalised cubic metre
Beschreibung:	<i>Normalised cubic metre (temperature 0°C and pressure 101325 millibars)</i>
Code:	NMP
Name:	number of packs
Beschreibung:	<i>A unit of count defining the number of packs (pack: a collection of objects packaged together).</i>
Code:	NPR
Name:	number of pairs
Beschreibung:	<i>A unit of count defining the number of pairs (pair: item described by two's).</i>
Code:	NPT
Name:	number of parts
Beschreibung:	<i>A unit of count defining the number of parts (part: component of a larger entity).</i>
Code:	NT
Name:	net ton
Beschreibung:	<i>A unit of mass equal to 2000 pounds, see ton (US). Refer International Convention on tonnage measurement of Ships.</i>
Code:	NTT
Name:	net register ton
Beschreibung:	<i>A unit of mass equal to the total cubic footage after deductions, where 1 register ton is equal to 100 cubic feet. Refer International Convention on tonnage measurement of Ships.</i>
Code:	NX
Name:	part per thousand
Beschreibung:	<i>A unit of proportion equal to 10 to the power of -3. Synonym: per mille</i>
Code:	OA
Name:	panel
Beschreibung:	<i>A unit of count defining the number of panels (panel: a distinct, usually rectangular, section of a surface).</i>
Code:	ODE

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	ozone depletion equivalent
Beschreibung:	<i>A unit of mass defining the ozone depletion potential in kilograms of a product relative to the calculated depletion for the reference substance, Trichlorofluoromethane (CFC-11).</i>
Code:	ODG
Name:	ODS Grams
Beschreibung:	<i>A unit of measure calculated by multiplying the mass of the substance in grams and the ozone-depleting potential for the substance.</i>
Code:	ODK
Name:	ODS Kilograms
Beschreibung:	<i>A unit of measure calculated by multiplying the mass of the substance in kilograms and the ozone-depleting potential for the substance.</i>
Code:	ODM
Name:	ODS Milligrams
Beschreibung:	<i>A unit of measure calculated by multiplying the mass of the substance in milligrams and the ozone-depleting potential for the substance.</i>
Code:	OPM
Name:	oscillations per minute
Beschreibung:	<i>The number of oscillations per minute.</i>
Code:	OT
Name:	overtime hour
Beschreibung:	<i>A unit of time defining the number of overtime hours.</i>
Code:	OZ
Name:	ounce av
Beschreibung:	<i>A unit of measure equal to 1/16 of a pound or about 28.3495 grams (av = avoirdupois). Use ounce (common code ONZ).</i>
Code:	P1
Name:	Prozent
Beschreibung:	<i>A unit of proportion equal to 0.01.</i>
Code:	P10
Name:	coulomb per metre
Beschreibung:	<i>Derived SI unit coulomb divided by the SI base unit metre.</i>
Code:	P11
Name:	kiloweber
Beschreibung:	<i>1000 fold of the derived SI unit weber.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	P12
Name:	gamma
Beschreibung:	<i>Unit of magnetic flow density.</i>
Code:	P13
Name:	kilotesla
Beschreibung:	<i>1000-fold of the derived SI unit tesla.</i>
Code:	P14
Name:	joule per second
Beschreibung:	<i>Quotient of the derived SI unit joule divided by the SI base unit second.</i>
Code:	P15
Name:	joule per minute
Beschreibung:	<i>Quotient from the derived SI unit joule divided by the unit minute.</i>
Code:	P16
Name:	joule per hour
Beschreibung:	<i>Quotient from the derived SI unit joule divided by the unit hour.</i>
Code:	P17
Name:	joule per day
Beschreibung:	<i>Quotient from the derived SI unit joule divided by the unit day.</i>
Code:	P18
Name:	kilojoule per second
Beschreibung:	<i>Quotient from the 1000-fold of the derived SI unit joule divided by the SI base unit second.</i>
Code:	P19
Name:	kilojoule per minute
Beschreibung:	<i>Quotient from the 1000-fold of the derived SI unit joule divided by the unit minute.</i>
Code:	P20
Name:	kilojoule per hour
Beschreibung:	<i>Quotient from the 1000-fold of the derived SI unit joule divided by the unit hour.</i>
Code:	P21
Name:	kilojoule per day
Beschreibung:	<i>Quotient from the 1000-fold of the derived SI unit joule divided by the unit day.</i>
Code:	P22
Name:	nanoohm
Beschreibung:	<i>0,000 000 001-fold of the derived SI unit ohm.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	P23
Name:	ohm circular-mil per foot
Beschreibung:	<i>Unit of resistivity.</i>
Code:	P24
Name:	kiloHenry
Beschreibung:	<i>1000-fold of the derived SI unit Henry.</i>
Code:	P25
Name:	lumen per square foot
Beschreibung:	<i>Derived SI unit lumen divided by the power of the unit foot according to the Anglo-American and Imperial system of units by exponent 2.</i>
Code:	P26
Name:	phot
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of luminance, defined as lumen by square centimetre.</i>
Code:	P27
Name:	footcandle
Beschreibung:	<i>Non SI conform traditional unit, defined as density of light which impinges on a surface which has a distance of one foot from a light source, which shines with an intensity of an international candle.</i>
Code:	P28
Name:	candela per square inch
Beschreibung:	<i>SI base unit candela divided by the power of unit inch according to the Anglo-American and Imperial system of units by exponent 2.</i>
Code:	P29
Name:	footlambert
Beschreibung:	<i>Unit of the luminance according to the Anglo-American system of units, defined as emitted or reflected luminance of a lm/ft².</i>
Code:	P30
Name:	lambert
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of luminance, defined as the emitted or reflected luminance by one lumen per square centimetre.</i>
Code:	P31
Name:	stilb
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of luminance, defined as emitted or</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

	<i>reflected luminance by one lumen per square centimetre.</i>
Code:	P32
Name:	candela per square foot
Beschreibung:	<i>Base unit SI candela divided by the power of the unit foot according to the Anglo-American and Imperial system of units by exponent 2.</i>
Code:	P33
Name:	kilocandela
Beschreibung:	<i>1000-fold of the SI base unit candela.</i>
Code:	P34
Name:	millicandela
Beschreibung:	<i>0,001-fold of the SI base unit candela.</i>
Code:	P35
Name:	Hefner-Kerze
Beschreibung:	<i>Obsolete, non-legal unit of the power in Germany relating to DIN 1301-3:1979: 1 HK = 0,903 cd.</i>
Code:	P36
Name:	international candle
Beschreibung:	<i>Obsolete, non-legal unit of the power in Germany relating to DIN 1301-3:1979: 1 HK = 1,019 cd.</i>
Code:	P37
Name:	British thermal unit (international table) per square foot
Beschreibung:	<i>Unit of the areal-related energy transmission according to the Imperial system of units.</i>
Code:	P38
Name:	British thermal unit (thermochemical) per square foot
Beschreibung:	<i>Unit of the areal-related energy transmission according to the Imperial system of units.</i>
Code:	P39
Name:	calorie (thermochemical) per square centimetre
Beschreibung:	<i>Unit of the areal-related energy transmission according to the Imperial system of units.</i>
Code:	P40
Name:	langley
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of the areal-related energy transmission (as a measure of the incident quantity of heat of solar radiation on the earth's surface).</i>
Code:	P41
Name:	decade (logarithmic)

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Used Codes

Beschreibung:	<i>1 Dec := log₂ 10 ~ 3,32 according to the logarithm for frequency range between f1 and f2, when f2/f1 = 10.</i>
Code:	P42
Name:	pascal squared second
Beschreibung:	<i>Unit of the set as a product of the power of derived SI unit pascal with exponent 2 and the SI base unit second.</i>
Code:	P43
Name:	bel per metre
Beschreibung:	<i>Unit bel divided by the SI base unit metre.</i>
Code:	P44
Name:	pound mole
Beschreibung:	<i>Non SI-conforming unit of quantity of a substance relating that one pound mole of a chemical composition corresponds to the same number of pounds as the molecular weight of one molecule of this composition in atomic mass units.</i>
Code:	P45
Name:	pound mole per second
Beschreibung:	<i>Non SI-conforming unit of the power of the amount of substance non-SI compliant unit of the molar flux relating that a pound mole of a chemical composition the same number of pound corresponds like the molecular weight of a molecule of this composition in atomic mass units.</i>
Code:	P46
Name:	pound mole per minute
Beschreibung:	<i>Non SI-conforming unit of the power of the amount of substance non-SI compliant unit of the molar flux relating that a pound mole of a chemical composition the same number of pound corresponds like the molecular weight of a molecule of this composition in atomic mass units.</i>
Code:	P47
Name:	kilomole per kilogram
Beschreibung:	<i>1000-fold of the SI base unit mol divided by the SI base unit kilogram.</i>
Code:	P48
Name:	pound mole per pound
Beschreibung:	<i>Non SI-conforming unit of the material molar flux divided by the avoirdupois pound for mass according to the avoirdupois unit system.</i>
Code:	P49

Guideline**Used Codes**

Name:	newton square metre per ampere
Beschreibung:	<i>Product of the derived SI unit newton and the power of SI base unit metre with exponent 2 divided by the SI base unit ampere.</i>
Code:	P5
Name:	five pack
Beschreibung:	<i>A unit of count defining the number of five-packs (five-pack: set of five items packaged together).</i>
Code:	P50
Name:	weber metre
Beschreibung:	<i>Product of the derived SI unit weber and SI base unit metre.</i>
Code:	P51
Name:	mol per kilogram pascal
Beschreibung:	<i>SI base unit mol divided by the product of the SI base unit kilogram and the derived SI unit pascal.</i>
Code:	P52
Name:	mol per cubic metre pascal
Beschreibung:	<i>SI base unit mol divided by the product of the power from the SI base unit metre with exponent 3 and the derived SI unit pascal.</i>
Code:	P53
Name:	unit pole
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit for magnetic flux of a magnetic pole (according to the interaction of identical poles of 1 dyn at a distance of a cm).</i>
Code:	P54
Name:	milligray per second
Beschreibung:	<i>0,001-fold of the derived SI unit gray divided by the SI base unit second.</i>
Code:	P55
Name:	microgray per second
Beschreibung:	<i>0,000 001-fold of the derived SI unit gray divided by the SI base unit second.</i>
Code:	P56
Name:	nanogray per second
Beschreibung:	<i>0,000 000 001-fold of the derived SI unit gray divided by the SI base unit second.</i>
Code:	P57
Name:	gray per minute
Beschreibung:	<i>SI derived unit gray divided by the unit minute.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	P58
Name:	milligray per minute
Beschreibung:	<i>0,001-fold of the derived SI unit gray divided by the unit minute.</i>
Code:	P59
Name:	microgray per minute
Beschreibung:	<i>0,000 001-fold of the derived SI unit gray divided by the unit minute.</i>
Code:	P60
Name:	nanogray per minute
Beschreibung:	<i>0,000 000 001-fold of the derived SI unit gray divided by the unit minute.</i>
Code:	P61
Name:	gray per hour
Beschreibung:	<i>SI derived unit gray divided by the unit hour.</i>
Code:	P62
Name:	milligray per hour
Beschreibung:	<i>0,001-fold of the derived SI unit gray divided by the unit hour.</i>
Code:	P63
Name:	microgray per hour
Beschreibung:	<i>0,000 001-fold of the derived SI unit gray divided by the unit hour.</i>
Code:	P64
Name:	nanogray per hour
Beschreibung:	<i>0,000 000 001-fold of the derived SI unit gray divided by the unit hour.</i>
Code:	P65
Name:	sievert per second
Beschreibung:	<i>Derived SI unit sievert divided by the SI base unit second.</i>
Code:	P66
Name:	millisievert per second
Beschreibung:	<i>0,001-fold of the derived SI unit sievert divided by the SI base unit second.</i>
Code:	P67
Name:	microsievert per second
Beschreibung:	<i>0,000 001-fold of the derived SI unit sievert divided by the SI base unit second.</i>
Code:	P68
Name:	nanosievert per second
Beschreibung:	<i>0,000 000 001-fold of the derived SI unit sievert divided by the SI base unit second.</i>
Code:	P69

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	rem per second
Beschreibung:	<i>Unit for the equivalent tin rate relating to DIN 1301-3:1979: 1 rem/s = 0,01 J/(kg·s) = 1 Sv/s.</i>
Code:	P70
Name:	sievert per hour
Beschreibung:	<i>Derived SI unit sievert divided by the unit hour.</i>
Code:	P71
Name:	millisievert per hour
Beschreibung:	<i>0,001-fold of the derived SI unit sievert divided by the unit hour.</i>
Code:	P72
Name:	microsievert per hour
Beschreibung:	<i>0,000 001-fold of the derived SI unit sievert divided by the unit hour.</i>
Code:	P73
Name:	nanosievert per hour
Beschreibung:	<i>0,000 000 001-fold of the derived SI unit sievert divided by the unit hour.</i>
Code:	P74
Name:	sievert per minute
Beschreibung:	<i>Derived SI unit sievert divided by the unit minute.</i>
Code:	P75
Name:	millisievert per minute
Beschreibung:	<i>0,001-fold of the derived SI unit sievert divided by the unit minute.</i>
Code:	P76
Name:	microsievert per minute
Beschreibung:	<i>0,000 001-fold of the derived SI unit sievert divided by the unit minute.</i>
Code:	P77
Name:	nanosievert per minute
Beschreibung:	<i>0,000 000 001-fold of the derived SI unit sievert divided by the unit minute.</i>
Code:	P78
Name:	reciprocal square inch
Beschreibung:	<i>Complement of the power of the unit inch according to the Anglo-American and Imperial system of units by exponent 2.</i>
Code:	P79
Name:	pascal square metre per kilogram
Beschreibung:	<i>Unit of the burst index as derived unit for pressure pascal related to the substance,</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

	<i>represented as a quotient from the SI base unit kilogram divided by the power of the SI base unit metre by exponent 2.</i>
Code:	P80
Name:	millipascal per metre
Beschreibung:	<i>0,001-fold of the derived SI unit pascal divided by the SI base unit metre.</i>
Code:	P81
Name:	kilopascal per metre
Beschreibung:	<i>1000-fold of the derived SI unit pascal divided by the SI base unit metre.</i>
Code:	P82
Name:	hectopascal per metre
Beschreibung:	<i>100-fold of the derived SI unit pascal divided by the SI base unit metre.</i>
Code:	P83
Name:	standard atmosphere per metre
Beschreibung:	<i>Outdated unit of the pressure divided by the SI base unit metre.</i>
Code:	P84
Name:	technical atmosphere per metre
Beschreibung:	<i>Obsolete and non-legal unit of the pressure which is generated by a 10 metre water column divided by the SI base unit metre.</i>
Code:	P85
Name:	torr per metre
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of the pressure divided by the SI base unit metre.</i>
Code:	P86
Name:	psi per inch
Beschreibung:	<i>Compound unit for pressure (pound-force according to the Anglo-American unit system divided by the power of the unit inch according to the Anglo-American and Imperial system of units with the exponent 2) divided by the unit inch according to the Anglo-American and Imperial system of units .</i>
Code:	P87
Name:	cubic metre per second square metre
Beschreibung:	<i>Unit of volume flow cubic meters by second related to the transmission surface in square metres.</i>
Code:	P88
Name:	rhe

Guideline**Used Codes**

Beschreibung:	<i>Non SI-conforming unit of fluidity of dynamic viscosity.</i>
Code:	P89
Name:	pound-force foot per inch
Beschreibung:	<i>Unit for length-related rotational moment according to the Anglo-American and Imperial system of units.</i>
Code:	P90
Name:	pound-force inch per inch
Beschreibung:	<i>Unit for length-related rotational moment according to the Anglo-American and Imperial system of units.</i>
Code:	P91
Name:	perm (0 °C)
Beschreibung:	<i>Traditional unit for the ability of a material to allow the transition of the steam, defined at a temperature of 0 °C as steam transmittance, where the mass of one grain steam penetrates an area of one foot squared at a pressure from one inch mercury per hour.</i>
Code:	P92
Name:	perm (23 °C)
Beschreibung:	<i>Traditional unit for the ability of a material to allow the transition of the steam, defined at a temperature of 23 °C as steam transmittance at which the mass of one grain of steam penetrates an area of one square foot at a pressure of one inch mercury per hour.</i>
Code:	P93
Name:	byte per second
Beschreibung:	<i>Unit byte divided by the SI base unit second.</i>
Code:	P94
Name:	kilobyte per second
Beschreibung:	<i>1000-fold of the unit byte divided by the SI base unit second.</i>
Code:	P95
Name:	megabyte per second
Beschreibung:	<i>1 000 000-fold of the unit byte divided by the SI base unit second.</i>
Code:	P96
Name:	reciprocal volt
Beschreibung:	<i>Reciprocal of the derived SI unit volt.</i>
Code:	P97
Name:	reciprocal radian
Beschreibung:	<i>Reciprocal of the unit radian.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	P98
Name:	pascal to the power sum of stoichiometric numbers
Beschreibung:	<i>Unit of the equilibrium constant on the basis of the pressure(ISO 80000-9:2009, 9-35.a).</i>
Code:	P99
Name:	mole per cubiv metre to the power sum of stoichiometric numbers
Beschreibung:	<i>Unit of the equilibrium constant on the basis of the concentration (ISO 80000-9:2009, 9-36.a).</i>
Code:	PD
Name:	pad
Beschreibung:	<i>A unit of count defining the number of pads (pad: block of paper sheets fastened together at one end).</i>
Code:	PFL
Name:	proof litre
Beschreibung:	<i>A unit of volume equal to one litre of proof spirits, or the alcohol equivalent thereof. Used for measuring the strength of distilled alcoholic liquors, expressed as a percentage of the alcohol content of a standard mixture at a specific temperature.</i>
Code:	PGL
Name:	proof gallon
Beschreibung:	<i>A unit of volume equal to one gallon of proof spirits, or the alcohol equivalent thereof. Used for measuring the strength of distilled alcoholic liquors, expressed as a percentage of the alcohol content of a standard mixture at a specific temperature.</i>
Code:	PI
Name:	pitch
Beschreibung:	<i>A unit of count defining the number of characters that fit in a horizontal inch.</i>
Code:	PLA
Name:	degree Plato
Beschreibung:	<i>A unit of proportion defining the sugar content of a product, especially in relation to beer.</i>
Code:	PQ
Name:	page per inch
Beschreibung:	<i>A unit of quantity defining the degree of thickness of a bound publication, expressed as the number of pages per inch of thickness.</i>
Code:	PR
Name:	Paar
Beschreibung:	<i>A unit of count defining the number of pairs (pair: item described by two's).</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Used Codes

Code:	PT
Name:	pint (US)
Beschreibung:	<i>Use liquid pint (common code PTL)</i>
Code:	PTN
Name:	Portion
Beschreibung:	<i>A quantity of allowance of food allotted to, or enough for, one person.</i>
Code:	Q10
Name:	joule per tesla
Beschreibung:	<i>Unit of the magnetic dipole moment of the molecule as derived SI unit joule divided by the derived SI unit tesla.</i>
Code:	Q11
Name:	erlang
Beschreibung:	<i>Unit of the market value according to the feature of a single feature as a statistical measurement of the existing utilization.</i>
Code:	Q12
Name:	octet
Beschreibung:	<i>Synonym for byte: 1 octet = 8 bit = 1 byte.</i>
Code:	Q13
Name:	octet per second
Beschreibung:	<i>Unit octet divided by the SI base unit second.</i>
Code:	Q14
Name:	shannon
Beschreibung:	<i>Logarithmic unit for information equal to the content of decision of a sentence of two mutually exclusive events, expressed as a logarithm to base 2.</i>
Code:	Q15
Name:	hartley
Beschreibung:	<i>Logarithmic unit for information equal to the content of decision of a sentence of ten mutually exclusive events, expressed as a logarithm to base 10.</i>
Code:	Q16
Name:	natural unit of information
Beschreibung:	<i>Logarithmic unit for information equal to the content of decision of a sentence of ,718 281 828 459 mutually exclusive events, expressed as a logarithm to base Euler value e.</i>
Code:	Q17
Name:	shannon per second

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>Time related logarithmic unit for information equal to the content of decision of a sentence of two mutually exclusive events, expressed as a logarithm to base 2.</i>
Code:	Q18
Name:	hartley per second
Beschreibung:	<i>Time related logarithmic unit for information equal to the content of decision of a sentence of ten mutually exclusive events, expressed as a logarithm to base 10.</i>
Code:	Q19
Name:	natural unit of information per second
Beschreibung:	<i>Time related logarithmic unit for information equal to the content of decision of a sentence of 2,718 281 828 459 mutually exclusive events, expressed as a logarithm to base of the Euler value e.</i>
Code:	Q20
Name:	second per kilogramm
Beschreibung:	<i>Unit of the Einstein transition probability for spontaneous or inducing emissions and absorption according to ISO 80000-7:2008, expressed as SI base unit second divided by the SI base unit kilogram.</i>
Code:	Q21
Name:	watt square metre
Beschreibung:	<i>Unit of the first radiation constants $c_1 = 2 \cdot p \cdot h \cdot c_0$ to the power of 2, the value of which is 3,741 771 18 · 10¹⁶-fold that of the comparative value of the product of the derived SI unit watt multiplied with the power of the SI base unit metre with the exponent 2.</i>
Code:	Q22
Name:	second per radian cubic metre
Beschreibung:	<i>Unit of the density of states as an expression of angular frequency as complement of the product of hertz and radiant and the power of SI base unit metre by exponent 3 .</i>
Code:	Q23
Name:	weber to the power minus one
Beschreibung:	<i>Complement of the derived SI unit weber as unit of the Josephson constant, which value is equal to the 384 597,891-fold of the reference value gigahertz divided by volt.</i>
Code:	Q24
Name:	reciprocal inch
Beschreibung:	<i>Complement of the unit inch according to the Anglo-American and Imperial system of units.</i>
Code:	Q25

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	dioptre
Beschreibung:	<i>Unit used at the statement of relative refractive indexes of optical systems as complement of the focal length with correspondence to: 1 dpt = 1/m.</i>
Code:	Q26
Name:	one per one
Beschreibung:	<i>Value of the quotient from two physical units of the same kind as a numerator and denominator whereas the units are shortened mutually.</i>
Code:	Q27
Name:	newton metre per metre
Beschreibung:	<i>Unit for length-related rotational moment as product of the derived SI unit newton and the SI base unit metre divided by the SI base unit metre.</i>
Code:	Q28
Name:	kilogram per square metre pascal second
Beschreibung:	<i>Unit for the ability of a material to allow the transition of steam.</i>
Code:	Q29
Name:	microgram per hectogram
Beschreibung:	<i>Microgram per hectogram.</i>
Code:	Q3
Name:	meal
Beschreibung:	<i>A unit of count defining the number of meals (meal: an amount of food to be eaten on a single occasion).</i>
Code:	Q30
Name:	pH (potential of Hydrogen)
Beschreibung:	<i>The activity of the (solvated) hydrogen ion (a logarithmic measure used to state the acidity or alkalinity of a chemical solution).</i>
Code:	Q35
Name:	megawatts per minute
Beschreibung:	<i>A unit of power defining the total amount of bulk energy transferred or consumer per minute.</i>
Code:	Q36
Name:	square metre per cubic metre
Beschreibung:	<i>A unit of the amount of surface area per unit volume of an object or collection of objects.</i>
Code:	Q37
Name:	Standard cubic metre per day

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>Standard cubic metre (temperature 15°C and pressure 101325 millibars) per day</i>
Code:	Q38
Name:	Standard cubic metre per hour
Beschreibung:	<i>Standard cubic metre (temperature 15°C and pressure 101325 millibars) per hour</i>
Code:	Q39
Name:	Normalized cubic metre per day
Beschreibung:	<i>Normalized cubic metre (temperature 0°C and pressure 101325 millibars) per day</i>
Code:	Q40
Name:	Normalized cubic metre per hour
Beschreibung:	<i>Normalized cubic metre (temperature 0°C and pressure 101325 millibars) per hour</i>
Code:	Q41
Name:	Joule per normalised cubic metre
Beschreibung:	<i>Joule per normalised cubic metre (temperature 0°C and pressure 101325 millibars).</i>
Code:	Q42
Name:	Joule per standard cubic metre
Beschreibung:	<i>Joule per standard cubic metre (temperature 15°C and pressure 101325 millibars).</i>
Code:	QA
Name:	page - facsimile
Beschreibung:	<i>A unit of count defining the number of facsimile pages.</i>
Code:	QAN
Name:	Viertel (jahr)
Beschreibung:	<i>A unit of time defining the number of quarters (3 months).</i>
Code:	QB
Name:	page - hardcopy
Beschreibung:	<i>A unit of count defining the number of hardcopy pages (hardcopy page: a page rendered as printed or written output on paper, film, or other permanent medium).</i>
Code:	QR
Name:	quire
Beschreibung:	<i>A unit of count for paper, expressed as the number of quires (quire: a number of paper sheets, typically 25).</i>
Code:	QT
Name:	quart (US)
Beschreibung:	<i>Use liquid quart (common code QTL)</i>
Code:	QTR

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	quarter (UK)
Beschreibung:	<i>A traditional unit of weight equal to 1/4 hundredweight. In the United Kingdom, one quarter equals 28 pounds.</i>
Code:	R1
Name:	pica
Beschreibung:	<i>A unit of count defining the number of picas. (pica: typographical length equal to 12 points or 4.22 mm (approx.)).</i>
Code:	R9
Name:	thousand cubic metre
Beschreibung:	<i>A unit of volume equal to one thousand cubic metres.</i>
Code:	RH
Name:	running or operating hour
Beschreibung:	<i>A unit of time defining the number of hours of operation.</i>
Code:	RM
Name:	ream
Beschreibung:	<i>A unit of count for paper, expressed as the number of reams (ream: a large quantity of paper sheets, typically 500).</i>
Code:	ROM
Name:	room
Beschreibung:	<i>A unit of count defining the number of rooms.</i>
Code:	RP
Name:	pound per ream
Beschreibung:	<i>A unit of mass for paper, expressed as pounds per ream. (ream: a large quantity of paper, typically 500 sheets).</i>
Code:	RPM
Name:	Umdrehung pro Minute
Beschreibung:	<i>Refer ISO/TC12 SI Guide</i>
Code:	RPS
Name:	revolutions per second
Beschreibung:	<i>Refer ISO/TC12 SI Guide</i>
Code:	RT
Name:	revenue ton mile
Beschreibung:	<i>A unit of information typically used for billing purposes, expressed as the number of revenue tons (revenue ton: either a metric ton or a cubic metres, whichever is the</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

	<i>larger), moved over a distance of one mile.</i>
Code:	S3
Name:	square foot per second
Beschreibung:	<i>Synonym: foot squared per second</i>
Code:	S4
Name:	square metre per second
Beschreibung:	<i>Synonym: metre squared per second (square metres/second US)</i>
Code:	SAN
Name:	half year (6 months)
Beschreibung:	<i>'A unit of time defining the number of half years (6 months).</i>
Code:	SCO
Name:	score
Beschreibung:	<i>A unit of count defining the number of units in multiples of 20.</i>
Code:	SET
Name:	set
Beschreibung:	<i>A unit of count defining the number of sets (set: a number of objects grouped together).</i>
Code:	SG
Name:	segment
Beschreibung:	<i>A unit of information equal to 64000 bytes.</i>
Code:	SHT
Name:	shipping ton
Beschreibung:	<i>A unit of mass defining the number of tons for shipping.</i>
Code:	SM3
Name:	Standard cubic metre
Beschreibung:	<i>Standard cubic metre (temperature 15°C and pressure 101325 millibars)</i>
Code:	SQ
Name:	square
Beschreibung:	<i>A unit of count defining the number of squares (square: rectangular shape).</i>
Code:	SQR
Name:	square, roofing
Beschreibung:	<i>A unit of count defining the number of squares of roofing materials, measured in multiples of 100 square feet.</i>
Code:	SR
Name:	strip

Guideline**Used Codes**

Beschreibung:	<i>A unit of count defining the number of strips (strip: long narrow piece of an object).</i>
Code:	STC
Name:	stick
Beschreibung:	<i>A unit of count defining the number of sticks (stick: slender and often cylindrical piece of a substance).</i>
Code:	STK
Name:	stick, cigarette
Beschreibung:	<i>A unit of count defining the number of cigarettes in the smallest unit for stock-taking and/or duty computation.</i>
Code:	STL
Name:	standard litre
Beschreibung:	<i>A unit of volume defining the number of litres of a product at a temperature of 15 degrees Celsius, especially in relation to hydrocarbon oils.</i>
Code:	STN
Name:	ton (US) or short ton (UK/US)
Beschreibung:	<i>Synonym: net ton (2000 lb)</i>
Code:	STW
Name:	straw
Beschreibung:	<i>A unit of count defining the number of straws (straw: a slender tube used for sucking up liquids).</i>
Code:	SW
Name:	skein
Beschreibung:	<i>A unit of count defining the number of skeins (skein: a loosely-coiled bundle of yarn or thread).</i>
Code:	SX
Name:	shipment
Beschreibung:	<i>A unit of count defining the number of shipments (shipment: an amount of goods shipped or transported).</i>
Code:	SYR
Name:	syringe
Beschreibung:	<i>A unit of count defining the number of syringes (syringe: a small device for pumping, spraying and/or injecting liquids through a small aperture).</i>
Code:	T0
Name:	telecommunication line in service

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of count defining the number of lines in service.</i>
Code:	T3
Name:	thousand piece
Beschreibung:	<i>A unit of count defining the number of pieces in multiples of 1000 (piece: a single item, article or exemplar).</i>
Code:	TAN
Name:	total acid number
Beschreibung:	<i>A unit of chemistry defining the amount of potassium hydroxide (KOH) in milligrams that is needed to neutralize the acids in one gram of oil. It is an important quality measurement of crude oil.</i>
Code:	TIC
Name:	metric ton, including container
Beschreibung:	<i>A unit of mass defining the number of metric tons of a product, including its container.</i>
Code:	TIP
Name:	metric ton, including inner packaging
Beschreibung:	<i>A unit of mass defining the number of metric tons of a product, including its inner packaging materials.</i>
Code:	TKM
Name:	tonne kilometre
Beschreibung:	<i>A unit of information typically used for billing purposes, expressed as the number of tonnes (metric tons) moved over a distance of one kilometre.</i>
Code:	TMS
Name:	kilogram of imported meat, less offal
Beschreibung:	<i>A unit of mass equal to one thousand grams of imported meat, disregarding less valuable by-products such as the entrails.</i>
Code:	TNE
Name:	Tonne (metrische Tonne)
Beschreibung:	<i>Synonym: metric ton</i>
Code:	TP
Name:	ten pack
Beschreibung:	<i>A unit of count defining the number of items in multiples of 10.</i>
Code:	TPI
Name:	teeth per inch
Beschreibung:	<i>The number of teeth per inch.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	TPR
Name:	ten pair
Beschreibung:	<i>A unit of count defining the number of pairs in multiples of 10 (pair: item described by two's).</i>
Code:	TQD
Name:	thousand cubic metre per day
Beschreibung:	<i>A unit of volume equal to one thousand cubic metres per day.</i>
Code:	TST
Name:	ten set
Beschreibung:	<i>A unit of count defining the number of sets in multiples of 10 (set: a number of objects grouped together).</i>
Code:	TTS
Name:	ten thousand sticks
Beschreibung:	<i>A unit of count defining the number of sticks in multiples of 10000 (stick: slender and often cylindrical piece of a substance).</i>
Code:	U1
Name:	treatment
Beschreibung:	<i>A unit of count defining the number of treatments (treatment: subjection to the action of a chemical, physical or biological agent).</i>
Code:	U2
Name:	Tablette
Beschreibung:	<i>A unit of count defining the number of tablets (tablet: a small flat or compressed solid object).</i>
Code:	UB
Name:	telecommunication line in service average
Beschreibung:	<i>A unit of count defining the average number of lines in service.</i>
Code:	UC
Name:	telecommunication port
Beschreibung:	<i>A unit of count defining the number of network access ports.</i>
Code:	UIG
Name:	international unit per gram
Beschreibung:	<i>A unit of count defining the number of international units per gram.</i>
Code:	VP
Name:	percent volume

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A measure of concentration, typically expressed as the percentage volume of a solute in a solution.</i>
Code:	W2
Name:	wet kilo
Beschreibung:	<i>A unit of mass defining the number of kilograms of a product, including the water content of the product.</i>
Code:	WB
Name:	wet pound
Beschreibung:	<i>A unit of mass defining the number of pounds of a material, including the water content of the material.</i>
Code:	WCD
Name:	cord
Beschreibung:	<i>A unit of volume used for measuring lumber. One board foot equals 1/12 of a cubic foot.</i>
Code:	WE
Name:	wet ton
Beschreibung:	<i>A unit of mass defining the number of tons of a material, including the water content of the material.</i>
Code:	WG
Name:	wine gallon
Beschreibung:	<i>A unit of volume equal to 231 cubic inches.</i>
Code:	WM
Name:	working month
Beschreibung:	<i>A unit of time defining the number of working months.</i>
Code:	WSD
Name:	standard
Beschreibung:	<i>A unit of volume of finished lumber equal to 165 cubic feet. Synonym: standard cubic foot</i>
Code:	WW
Name:	millilitre of water
Beschreibung:	<i>A unit of volume equal to the number of millilitres of water.</i>
Code:	X1
Name:	Gunter's chain
Beschreibung:	<i>A unit of distance used or formerly used by British surveyors.</i>
Code:	Z11

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	Used Codes
	<p>Name: hanging container</p> <p>Beschreibung: <i>A unit of count defining the number of hanging containers.</i></p> <p>Code: ZP</p> <p>Name: Seite</p> <p>Beschreibung: <i>A unit of count defining the number of pages.</i></p> <p>Code: ZZ</p> <p>Name: mutually defined</p> <p>Beschreibung: <i>A unit of measure as agreed in common between two or more parties.</i></p>
excludedFromPaymentDiscountIndicator	<p>Wiederholung: 0 .. 1</p> <p>Schema-Status: O</p> <p>Typ: xs:boolean</p> <p>Fachbegriff: Nicht rabattierfähig</p> <p>Status: O</p> <p>Beispiel: false</p> <p>Definition: Kennzeichen das angibt, ob die Belegposition bei der Berechnung von Rabatten berücksichtigt werden darf.</p> <p>EANCOM®: INVOIC.SG26.ALI[D_4183 = "15"]</p>
ItemPriceBaseQuantity	<p>Wiederholung: 0 .. 1</p> <p>Schema-Status: O</p> <p>Typ: shared_common:QuantityType</p> <p>Definition: Angabe der Einheitenmenge, auf den sich der Preis bezieht. Beispiel: Preis pro 100 Einheiten.</p> <p>Fachbegriff: Preiseinheit</p> <p>Status: D</p> <p>Beispiel: 100</p> <p>EANCOM®: INVOIC.SG26.SG29.PRI.C509.5284</p>
measurementUnitCode	<p>Schema-Status: O</p> <p>Type: restriction (xs:string)</p> <p>Definition: Angabe einer standardisierten, reproduzierbaren Einheit, die zur physikalischen Messung einer Menge verwendet werden kann.</p> <p>Fachbegriff: Einheit</p> <p>Status: D</p> <p>Beispiel: KGM</p> <p>EANCOM®: INVOIC.SG26.SG29.PRI.C509.6411</p>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	10
Name:	group
Beschreibung:	<i>A unit of count defining the number of groups (group: set of items classified together).</i>
Code:	11
Name:	outfit
Beschreibung:	<i>A unit of count defining the number of outfits (outfit: a complete set of equipment / materials / objects used for a specific purpose).</i>
Code:	13
Name:	ration
Beschreibung:	<i>A unit of count defining the number of rations (ration: a single portion of provisions).</i>
Code:	14
Name:	shot
Beschreibung:	<i>A unit of liquid measure, especially related to spirits.</i>
Code:	15
Name:	stick, military
Beschreibung:	<i>A unit of count defining the number of military sticks (military stick: bombs or paratroops released in rapid succession from an aircraft).</i>
Code:	20
Name:	twenty foot container
Beschreibung:	<i>A unit of count defining the number of shipping containers that measure 20 foot in length.</i>
Code:	21
Name:	forty foot container
Beschreibung:	<i>A unit of count defining the number of shipping containers that measure 40 foot in length.</i>
Code:	24
Name:	theoretical pound
Beschreibung:	<i>A unit of mass defining the expected mass of material expressed as the number of pounds.</i>
Code:	27
Name:	theoretical ton
Beschreibung:	<i>A unit of mass defining the expected mass of material, expressed as the number of tons.</i>
Code:	56
Name:	sitas
Beschreibung:	<i>A unit of area for tin plate equal to a surface area of 100 square metres.</i>
Code:	57

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	mesh
Beschreibung:	<i>A unit of count defining the number of strands per inch as a measure of the fineness of a woven product.</i>
Code:	58
Name:	net kilogram
Beschreibung:	<i>A unit of mass defining the total number of kilograms after deductions.</i>
Code:	59
Name:	Teile pro Million (ppm)
Beschreibung:	<i>A unit of proportion equal to 10 to the power of -6.</i>
Code:	60
Name:	percent weight
Beschreibung:	<i>A unit of proportion equal to 10 to the power of -2.</i>
Code:	61
Name:	part per billion (US)
Beschreibung:	<i>A unit of proportion equal to 10 to the power of -9.</i>
Code:	84
Name:	kilopound-force per square inch
Beschreibung:	<i>A unit of pressure defining the number of kilopounds force per square inch. Use kip per square inch (common code N20).</i>
Code:	1I
Name:	fixed rate
Beschreibung:	<i>A unit of quantity expressed as a predetermined or set rate for usage of a facility or service.</i>
Code:	2A
Name:	radian per second
Beschreibung:	<i>Refer ISO/TC12 SI Guide</i>
Code:	2B
Name:	radian per second squared
Beschreibung:	<i>Refer ISO/TC12 SI Guide</i>
Code:	2G
Name:	volt AC
Beschreibung:	<i>A unit of electric potential in relation to alternating current (AC).</i>
Code:	2H
Name:	volt DC

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of electric potential in relation to direct current (DC).</i>
Code:	2P
Name:	kilobyte
Beschreibung:	<i>A unit of information equal to 10 to the power of 3 (1000) bytes.</i>
Code:	3C
Name:	manmonth
Beschreibung:	<i>A unit of count defining the number of months for a person or persons to perform an undertaking.</i>
Code:	4L
Name:	Megabyte
Beschreibung:	<i>A unit of information equal to 10 to the power of 6 (1000000) bytes.</i>
Code:	5B
Name:	batch
Beschreibung:	<i>A unit of count defining the number of batches (batch: quantity of material produced in one operation or number of animals or persons coming at once).</i>
Code:	5E
Name:	MMSCF/day
Beschreibung:	<i>A unit of volume equal to one million (1000000) cubic feet of gas per day.</i>
Code:	5J
Name:	hydraulic horse power
Beschreibung:	<i>A unit of power defining the hydraulic horse power delivered by a fluid pump depending on the viscosity of the fluid.</i>
Code:	A25
Name:	Pferdestärken (PS)
Beschreibung:	<i>Synonym: metric horse power</i>
Code:	A43
Name:	deadweight tonnage
Beschreibung:	<i>A unit of mass defining the difference between the weight of a ship when completely empty and its weight when completely loaded, expressed as the number of tons.</i>
Code:	A47
Name:	decitex
Beschreibung:	<i>A unit of yarn density. One decitex equals a mass of 1 gram per 10 kilometres of length.</i>
Code:	A48
Name:	degree Rankine

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>Refer ISO 80000-5 (Quantities and units — Part 5: Thermodynamics)</i>
Code:	A49
Name:	denier
Beschreibung:	<i>A unit of yarn density. One denier equals a mass of 1 gram per 9 kilometres of length.</i>
Code:	A59
Name:	8-part cloud cover
Beschreibung:	<i>A unit of count defining the number of eighth-parts as a measure of the celestial dome cloud coverage. Synonym: OKTA , OCTA</i>
Code:	A75
Name:	freight ton
Beschreibung:	<i>A unit of information typically used for billing purposes, defined as either the number of metric tons or the number of cubic metres, whichever is the larger.</i>
Code:	A9
Name:	rate
Beschreibung:	<i>A unit of quantity expressed as a rate for usage of a facility or service.</i>
Code:	A91
Name:	gon
Beschreibung:	<i>Synonym: grade</i>
Code:	A99
Name:	Bit
Beschreibung:	<i>A unit of information equal to one binary digit.</i>
Code:	AA
Name:	ball
Beschreibung:	<i>A unit of count defining the number of balls (ball: object formed in the shape of sphere).</i>
Code:	AB
Name:	bulk pack
Beschreibung:	<i>A unit of count defining the number of items per bulk pack.</i>
Code:	ACT
Name:	activity
Beschreibung:	<i>A unit of count defining the number of activities (activity: a unit of work or action).</i>
Code:	AD
Name:	Byte
Beschreibung:	<i>A unit of information equal to 8 bits.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	AH
Name:	additional minute
Beschreibung:	<i>A unit of time defining the number of minutes in addition to the referenced minutes.</i>
Code:	AI
Name:	average minute per call
Beschreibung:	<i>A unit of count defining the number of minutes for the average interval of a call.</i>
Code:	AL
Name:	access line
Beschreibung:	<i>A unit of count defining the number of telephone access lines.</i>
Code:	AMH
Name:	Amperestunde
Beschreibung:	<i>A unit of electric charge defining the amount of charge accumulated by a steady flow of one ampere for one hour.</i>
Code:	ANN
Name:	Jahr
Beschreibung:	<i>Unit of time equal to 365,25 days. Synonym: Julian year</i>
Code:	AQ
Name:	anti-hemophilic factor (AHF) unit
Beschreibung:	<i>A unit of measure for blood potency (US).</i>
Code:	ARE
Name:	are
Beschreibung:	<i>Synonym: square decametre</i>
Code:	AS
Name:	assortment
Beschreibung:	<i>A unit of count defining the number of assortments (assortment: set of items grouped in a mixed collection).</i>
Code:	ASM
Name:	Alkoholgehalt pro Masse
Beschreibung:	<i>A unit of mass defining the alcoholic strength of a liquid.</i>
Code:	ASU
Name:	Alkoholgehalt pro Volumen
Beschreibung:	<i>A unit of volume defining the alcoholic strength of a liquid (e.g. spirit, wine, beer, etc), often at a specific temperature.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	AWG
Name:	american wire gauge
Beschreibung:	<i>A unit of distance used for measuring the diameter of small tubes or wires such as the outer diameter of hypotermic or suture needles.</i>
Code:	AY
Name:	assembly
Beschreibung:	<i>A unit of count defining the number of assemblies (assembly: items that consist of component parts).</i>
Code:	B10
Name:	bit per second
Beschreibung:	<i>A unit of information equal to one binary digit per second.</i>
Code:	B13
Name:	Joule pro Quadratmeter
Beschreibung:	<i>Synonym: joule per metre squared</i>
Code:	B17
Name:	Soll-Buchungen
Beschreibung:	<i>A unit of count defining the number of entries made to the credit side of an account.</i>
Code:	B19
Name:	digit
Beschreibung:	<i>A unit of information defining the quantity of numerals used to form a number.</i>
Code:	B3
Name:	batting pound
Beschreibung:	<i>A unit of mass defining the number of pounds of wadded fibre.</i>
Code:	B30
Name:	gibibit
Beschreibung:	<i>A unit of information equal to 2³⁰ bits (binary digits).</i>
Code:	B4
Name:	barrel, imperial
Beschreibung:	<i>A unit of volume used to measure beer. One beer barrel equals 36 imperial gallons.</i>
Code:	B51
Name:	kilopond
Beschreibung:	<i>Synonym: kilogram-force</i>
Code:	B57
Name:	light year

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of length defining the distance that light travels in a vacuum in one year.</i>
Code:	B68
Name:	gigabit
Beschreibung:	<i>A unit of information equal to 10 to the power of 9 bits (binary digits).</i>
Code:	B7
Name:	cycle
Beschreibung:	<i>A unit of count defining the number of cycles (cycle: a recurrent period of definite duration).</i>
Code:	B80
Name:	gigabit per second
Beschreibung:	<i>A unit of information equal to 10 to the power of 9 bits (binary digits) per second.</i>
Code:	B82
Name:	inch per linear foot
Beschreibung:	<i>A unit of length defining the number of inches per linear foot.</i>
Code:	BB
Name:	base box
Beschreibung:	<i>A unit of area of 112 sheets of tin mil products (tin plate, tin free steel or black plate) 14 by 20 inches, or 31,360 square inches.</i>
Code:	BFT
Name:	board foot
Beschreibung:	<i>A unit of volume defining the number of cords (cord: a stack of firewood of 128 cubic feet).</i>
Code:	BIL
Name:	billion (EUR)
Beschreibung:	<i>Synonym: trillion (US)</i>
Code:	BP
Name:	hundred board foot
Beschreibung:	<i>A unit of volume equal to one hundred board foot.</i>
Code:	BPM
Name:	beats per minute
Beschreibung:	<i>The number of beats per minute.</i>
Code:	C0
Name:	Telefoneinheit
Beschreibung:	<i>A unit of count defining the number of calls (call: communication session or visitation).</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	C21
Name:	kibibit
Beschreibung:	<i>A unit of information equal to 2 to the power of 10 (1024) bits (binary digits).</i>
Code:	C37
Name:	kilobit
Beschreibung:	<i>A unit of information equal to 10 to the power of 3 (1000) bits (binary digits).</i>
Code:	C59
Name:	octave
Beschreibung:	<i>A unit used in music to describe the ratio in frequency between notes.</i>
Code:	C62
Name:	one
Beschreibung:	<i>Synonym: unit</i>
Code:	C69
Name:	phon
Beschreibung:	<i>A unit of subjective sound loudness. A sound has loudness p phons if it seems to the listener to be equal in loudness to the sound of a pure tone of frequency 1 kilohertz and strength p decibels.</i>
Code:	C74
Name:	kilobit per second
Beschreibung:	<i>A unit of information equal to 10 to the power of 3 (1000) bits (binary digits) per second.</i>
Code:	C79
Name:	kilovolt ampere hour
Beschreibung:	<i>A unit of accumulated energy of 1000 volt amperes over a period of one hour.</i>
Code:	C87
Name:	reciprocal cubic metre per second
Beschreibung:	<i>Synonym: reciprocal second per cubic metre</i>
Code:	C9
Name:	coil group
Beschreibung:	<i>A unit of count defining the number of coil groups (coil group: groups of items arranged by lengths of those items placed in a joined sequence of concentric circles).</i>
Code:	C93
Name:	reciprocal square metre
Beschreibung:	<i>Synonym: reciprocal metre squared</i>
Code:	CCT

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	carrying capacity in metric ton
Beschreibung:	<i>A unit of mass defining the carrying capacity, expressed as the number of metric tons.</i>
Code:	CEL
Name:	Grad Celsius
Beschreibung:	<i>Refer ISO 80000-5 (Quantities and units — Part 5: Thermodynamics)</i>
Code:	CEN
Name:	hundred
Beschreibung:	<i>A unit of count defining the number of units in multiples of 100.</i>
Code:	CG
Name:	card
Beschreibung:	<i>A unit of count defining the number of units of card (card: thick stiff paper or cardboard).</i>
Code:	CLF
Name:	hundred leave
Beschreibung:	<i>A unit of count defining the number of leaves, expressed in units of one hundred leaves.</i>
Code:	CNP
Name:	hundred pack
Beschreibung:	<i>A unit of count defining the number of hundred-packs (hundred-pack: set of one hundred items packaged together).</i>
Code:	CNT
Name:	cental (UK)
Beschreibung:	<i>A unit of mass equal to one hundred weight (US).</i>
Code:	CTG
Name:	content gram
Beschreibung:	<i>A unit of mass defining the number of grams of a named item in a product.</i>
Code:	CTN
Name:	content ton (metric)
Beschreibung:	<i>A unit of mass defining the number of metric tons of a named item in a product.</i>
Code:	D03
Name:	kilowatt hour per hour
Beschreibung:	<i>A unit of accumulated energy of a thousand watts over a period of one hour.</i>
Code:	D04
Name:	lot [unit of weight]
Beschreibung:	<i>A unit of weight equal to about 1/2 ounce or 15 grams.</i>
Code:	D11

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	mebibit
Beschreibung:	<i>A unit of information equal to 2 to the power of 20 (1048576) bits (binary digits).</i>
Code:	D15
Name:	sonne
Beschreibung:	<i>A unit of subjective sound loudness. One sone is the loudness of a pure tone of frequency one kilohertz and strength 40 decibels.</i>
Code:	D23
Name:	pen gram (protein)
Beschreibung:	<i>A unit of count defining the number of grams of amino acid prescribed for parenteral/ enteral therapy.</i>
Code:	D34
Name:	tex
Beschreibung:	<i>A unit of yarn density. One decitex equals a mass of 1 gram per 1 kilometre of length.</i>
Code:	D36
Name:	megabit
Beschreibung:	<i>A unit of information equal to 10 to the power of 6 (1000000) bits (binary digits).</i>
Code:	D44
Name:	var
Beschreibung:	<i>The name of the unit is an acronym for volt-ampere-reactive.</i>
Code:	D63
Name:	book
Beschreibung:	<i>A unit of count defining the number of books (book: set of items bound together or written document of a material whole).</i>
Code:	D65
Name:	round
Beschreibung:	<i>A unit of count defining the number of rounds (round: A circular or cylindrical object).</i>
Code:	D68
Name:	number of words
Beschreibung:	<i>A unit of count defining the number of words.</i>
Code:	D78
Name:	megajoule per second
Beschreibung:	<i>A unit of accumulated energy equal to one million joules per second.</i>
Code:	DAD
Name:	ten day

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of time defining the number of days in multiples of 10.</i>
Code:	DB
Name:	dry pound
Beschreibung:	<i>A unit of mass defining the number of pounds of a product, disregarding the water content of the product.</i>
Code:	DEC
Name:	decade
Beschreibung:	<i>A unit of count defining the number of decades (decade: quantity equal to 10 or time equal to 10 years).</i>
Code:	DMO
Name:	standard kilolitre
Beschreibung:	<i>A unit of volume defining the number of kilolitres of a product at a temperature of 15 degrees Celsius, especially in relation to hydrocarbon oils.</i>
Code:	DPC
Name:	dozen piece
Beschreibung:	<i>A unit of count defining the number of pieces in multiples of 12 (piece: a single item, article or exemplar).</i>
Code:	DPR
Name:	dozen pair
Beschreibung:	<i>A unit of count defining the number of pairs in multiples of 12 (pair: item described by two's).</i>
Code:	DPT
Name:	displacement tonnage
Beschreibung:	<i>A unit of mass defining the volume of sea water a ship displaces, expressed as the number of tons.</i>
Code:	DRA
Name:	dram (US)
Beschreibung:	<i>Synonym: drachm (UK), troy dram</i>
Code:	DRI
Name:	dram (UK)
Beschreibung:	<i>Synonym: avoirdupois dram</i>
Code:	DRL
Name:	dozen roll
Beschreibung:	<i>A unit of count defining the number of rolls, expressed in twelve roll units.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	DT
Name:	dry ton
Beschreibung:	<i>A unit of mass defining the number of tons of a product, disregarding the water content of the product.</i>
Code:	DTN
Name:	decitonne
Beschreibung:	<i>Synonym: centner, metric 100 kg, quintal, metric 100 kg</i>
Code:	DZN
Name:	Dutzend
Beschreibung:	<i>A unit of count defining the number of units in multiples of 12.</i>
Code:	DZP
Name:	dozen pack
Beschreibung:	<i>A unit of count defining the number of packs in multiples of 12 (pack: standard packaging unit).</i>
Code:	E01
Name:	newton per square centimetre
Beschreibung:	<i>A measure of pressure expressed in newtons per square centimetre.</i>
Code:	E07
Name:	megawatt hour per hour
Beschreibung:	<i>A unit of accumulated energy of a million watts over a period of one hour.</i>
Code:	E08
Name:	megawatt per hertz
Beschreibung:	<i>A unit of energy expressed as the load change in million watts that will cause a frequency shift of one hertz.</i>
Code:	E09
Name:	milliampere hour
Beschreibung:	<i>A unit of power load delivered at the rate of one thousandth of an ampere over a period of one hour.</i>
Code:	E10
Name:	degree day
Beschreibung:	<i>A unit of measure used in meteorology and engineering to measure the demand for heating or cooling over a given period of days.</i>
Code:	E11
Name:	gigacalorie

Guideline**Used Codes**

Beschreibung:	<i>A unit of heat energy equal to one thousand million calories.</i>
Code:	E12
Name:	mille
Beschreibung:	<i>A unit of count defining the number of cigarettes in units of 1000.</i>
Code:	E14
Name:	kilocalorie (international table)
Beschreibung:	<i>A unit of heat energy equal to one thousand calories.</i>
Code:	E15
Name:	kilocalorie (thermochemical) per hour
Beschreibung:	<i>A unit of energy equal to one thousand calories per hour.</i>
Code:	E16
Name:	million Btu(IT) per hour
Beschreibung:	<i>A unit of power equal to one million British thermal units per hour.</i>
Code:	E17
Name:	cubic foot per second
Beschreibung:	<i>A unit of volume equal to one cubic foot passing a given point in a period of one second.</i>
Code:	E18
Name:	tonne per hour
Beschreibung:	<i>A unit of weight or mass equal to one tonne per hour.</i>
Code:	E19
Name:	ping
Beschreibung:	<i>A unit of area equal to 3.3 square metres.</i>
Code:	E20
Name:	megabit per second
Beschreibung:	<i>A unit of information equal to 10 to the power of 6 (1000000) bits (binary digits) per second.</i>
Code:	E21
Name:	shares
Beschreibung:	<i>A unit of count defining the number of shares (share: a total or portion of the parts into which a business entity's capital is divided).</i>
Code:	E22
Name:	TEU
Beschreibung:	<i>A unit of count defining the number of twenty-foot equivalent units (TEUs) as a measure of containerized cargo capacity.</i>

Guideline**Used Codes**

Code:	E23
Name:	tyre
Beschreibung:	<i>A unit of count defining the number of tyres (a solid or air-filled covering placed around a wheel rim to form a soft contact with the road, absorb shock and provide traction).</i>
Code:	E25
Name:	active unit
Beschreibung:	<i>A unit of count defining the number of active units within a substance.</i>
Code:	E27
Name:	dose
Beschreibung:	<i>A unit of count defining the number of doses (dose: a definite quantity of a medicine or drug).</i>
Code:	E28
Name:	air dry ton
Beschreibung:	<i>A unit of mass defining the number of tons of a product, disregarding the water content of the product.</i>
Code:	E30
Name:	strand
Beschreibung:	<i>A unit of count defining the number of strands (strand: long, thin, flexible, single thread, strip of fibre, constituent filament or multiples of the same, twisted together).</i>
Code:	E31
Name:	square metre per litre
Beschreibung:	<i>A unit of count defining the number of square metres per litre.</i>
Code:	E32
Name:	litre per hour
Beschreibung:	<i>A unit of count defining the number of litres per hour.</i>
Code:	E33
Name:	foot per thousand
Beschreibung:	<i>A unit of count defining the number of feet per thousand units.</i>
Code:	E34
Name:	Gigabyte
Beschreibung:	<i>A unit of information equal to 10 to the power of 9 bytes.</i>
Code:	E35
Name:	terabyte
Beschreibung:	<i>A unit of information equal to 10 to the power of 12 bytes.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	E36
Name:	petabyte
Beschreibung:	<i>A unit of information equal to 10 to the power of 15 bytes.</i>
Code:	E37
Name:	Pixel
Beschreibung:	<i>A unit of count defining the number of pixels (pixel: picture element).</i>
Code:	E38
Name:	Megapixel
Beschreibung:	<i>A unit of count equal to 10 to the power of 6 (1000000) pixels (picture elements).</i>
Code:	E39
Name:	DPI, Dots per inch
Beschreibung:	<i>A unit of information defining the number of dots per linear inch as a measure of the resolution or sharpness of a graphic image.</i>
Code:	E4
Name:	gross kilogram
Beschreibung:	<i>A unit of mass defining the total number of kilograms before deductions.</i>
Code:	E40
Name:	part per hundred thousand
Beschreibung:	<i>A unit of proportion equal to 10 to the power of -5.</i>
Code:	E41
Name:	kilogram-force per square millimetre
Beschreibung:	<i>A unit of pressure defining the number of kilograms force per square millimetre.</i>
Code:	E42
Name:	kilogram-force per square centimetre
Beschreibung:	<i>A unit of pressure defining the number of kilograms force per square centimetre.</i>
Code:	E43
Name:	joule per square centimetre
Beschreibung:	<i>A unit of energy defining the number of joules per square centimetre.</i>
Code:	E44
Name:	kilogram-force metre per square centimetre
Beschreibung:	<i>A unit of torsion defining the torque kilogram-force metre per square centimetre.</i>
Code:	E46
Name:	kilowatt hour per cubic metre
Beschreibung:	<i>A unit of energy consumption expressed as kilowatt hour per cubic metre.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	E47
Name:	kilowatt hour per kelvin
Beschreibung:	<i>A unit of energy consumption expressed as kilowatt hour per kelvin.</i>
Code:	E48
Name:	service unit
Beschreibung:	<i>A unit of count defining the number of service units (service unit: defined period / property / facility / utility of supply).</i>
Code:	E49
Name:	working day
Beschreibung:	<i>A unit of count defining the number of working days (working day: a day on which work is ordinarily performed).</i>
Code:	E50
Name:	accounting unit
Beschreibung:	<i>A unit of count defining the number of accounting units.</i>
Code:	E51
Name:	job
Beschreibung:	<i>A unit of count defining the number of jobs.</i>
Code:	E52
Name:	run foot
Beschreibung:	<i>A unit of count defining the number feet per run.</i>
Code:	E53
Name:	test
Beschreibung:	<i>A unit of count defining the number of tests.</i>
Code:	E54
Name:	trip
Beschreibung:	<i>A unit of count defining the number of trips.</i>
Code:	E55
Name:	use
Beschreibung:	<i>A unit of count defining the number of times an object is used.</i>
Code:	E56
Name:	well
Beschreibung:	<i>A unit of count defining the number of wells.</i>
Code:	E57
Name:	zone

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of count defining the number of zones.</i>
Code:	E58
Name:	exabit per second
Beschreibung:	<i>A unit of information equal to 10 to the power of 18 bits (binary digits) per second.</i>
Code:	E59
Name:	exbibyte
Beschreibung:	<i>A unit of information equal to 2 to the power of 60 bytes.</i>
Code:	E60
Name:	pebibyte
Beschreibung:	<i>A unit of information equal to 2 to the power of 50 bytes.</i>
Code:	E61
Name:	tebibyte
Beschreibung:	<i>A unit of information equal to 2 to the power of 40 bytes.</i>
Code:	E62
Name:	gibibyte
Beschreibung:	<i>A unit of information equal to 2 to the power of 30 bytes.</i>
Code:	E63
Name:	mebibyte
Beschreibung:	<i>A unit of information equal to 2 to the power of 20 bytes.</i>
Code:	E64
Name:	kibibyte
Beschreibung:	<i>A unit of information equal to 2 to the power of 10 bytes.</i>
Code:	E65
Name:	exbibit per metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 60 bits (binary digits) per metre.</i>
Code:	E66
Name:	exbibit per square metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 60 bits (binary digits) per square metre.</i>
Code:	E67
Name:	exbibit per cubic metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 60 bits (binary digits) per cubic metre.</i>
Code:	E68
Name:	gigabyte per second
Beschreibung:	<i>A unit of information equal to 10 to the power of 9 bytes per second.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	E69
Name:	gibibit per metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 30 bits (binary digits) per metre.</i>
Code:	E70
Name:	gibibit per square metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 30 bits (binary digits) per square metre.</i>
Code:	E71
Name:	gibibit per cubic metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 30 bits (binary digits) per cubic metre.</i>
Code:	E72
Name:	kibibit per metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 10 bits (binary digits) per metre.</i>
Code:	E73
Name:	kibibit per square metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 10 bits (binary digits) per square metre.</i>
Code:	E74
Name:	kibibit per cubic metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 10 bits (binary digits) per cubic metre.</i>
Code:	E75
Name:	mebibit per metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 20 bits (binary digits) per metre.</i>
Code:	E76
Name:	mebibit per square metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 20 bits (binary digits) per square metre.</i>
Code:	E77
Name:	mebibit per cubic metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 20 bits (binary digits) per cubic metre.</i>
Code:	E78
Name:	petabit
Beschreibung:	<i>A unit of information equal to 10 to the power of 15 bits (binary digits).</i>
Code:	E79
Name:	petabit per second
Beschreibung:	<i>A unit of information equal to 10 to the power of 15 bits (binary digits) per second.</i>
Code:	E80

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	pebibit per metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 50 bits (binary digits) per metre.</i>
Code:	E81
Name:	pebibit per square metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 50 bits (binary digits) per square metre.</i>
Code:	E82
Name:	pebibit per cubic metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 50 bits (binary digits) per cubic metre.</i>
Code:	E83
Name:	terabit
Beschreibung:	<i>A unit of information equal to 10 to the power of 12 bits (binary digits).</i>
Code:	E84
Name:	terabit per second
Beschreibung:	<i>A unit of information equal to 10 to the power of 12 bits (binary digits) per second.</i>
Code:	E85
Name:	tebibit per metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 40 bits (binary digits) per metre.</i>
Code:	E86
Name:	tebibit per cubic metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 40 bits (binary digits) per cubic metre.</i>
Code:	E87
Name:	tebibit per square metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 40 bits (binary digits) per square metre.</i>
Code:	E88
Name:	bit per metre
Beschreibung:	<i>A unit of information equal to 1 bit (binary digit) per metre.</i>
Code:	E89
Name:	bit per square metre
Beschreibung:	<i>A unit of information equal to 1 bit (binary digit) per square metre.</i>
Code:	EA
Name:	Jedes einzelne (Eines)
Beschreibung:	<i>A unit of count defining the number of items regarded as separate units.</i>
Code:	EB
Name:	electronic mail box

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of count defining the number of electronic mail boxes.</i>
Code:	EQ
Name:	equivalent gallon
Beschreibung:	<i>A unit of volume defining the number of gallons of product produced from concentrate.</i>
Code:	F01
Name:	bit per cubic metre
Beschreibung:	<i>A unit of information equal to 1 bit (binary digit) per cubic metre.</i>
Code:	F13
Name:	slug
Beschreibung:	<i>A unit of mass. One slug is the mass accelerated at 1 foot per second per second by a force of 1 pound.</i>
Code:	F49
Name:	rod [unit of distance]
Beschreibung:	<i>A unit of distance equal to 5.5 yards (16 feet 6 inches).</i>
Code:	F80
Name:	water horse power
Beschreibung:	<i>A unit of power defining the amount of power required to move a given volume of water against acceleration of gravity to a specified elevation (pressure head).</i>
Code:	FAH
Name:	Grad Fahrenheit
Beschreibung:	<i>Refer ISO 80000-5 (Quantities and units — Part 5: Thermodynamics)</i>
Code:	FBM
Name:	fibre metre
Beschreibung:	<i>A unit of length defining the number of metres of individual fibre.</i>
Code:	FC
Name:	thousand cubic foot
Beschreibung:	<i>A unit of volume equal to one thousand cubic foot.</i>
Code:	FF
Name:	hundred cubic metre
Beschreibung:	<i>A unit of volume equal to one hundred cubic metres.</i>
Code:	FIT
Name:	failures in time
Beschreibung:	<i>A unit of count defining the number of failures that can be expected over a specified time interval. Failure rates of semiconductor components are often specified as FIT (failures in</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

	<i>time unit) where 1 FIT = 10 to the power of -9 /h.</i>
Code:	FL
Name:	flake ton
Beschreibung:	<i>A unit of mass defining the number of tons of a flaked substance (flake: a small flattish fragment).</i>
Code:	GDW
Name:	gram, dry weight
Beschreibung:	<i>A unit of mass defining the number of grams of a product, disregarding the water content of the product.</i>
Code:	GFI
Name:	gram of fissile isotope
Beschreibung:	<i>A unit of mass defining the number of grams of a fissile isotope (fissile isotope: an isotope whose nucleus is able to be split when irradiated with low energy neutrons).</i>
Code:	GGR
Name:	great gross
Beschreibung:	<i>A unit of count defining the number of units in multiples of 1728 (12 x 12 x 12).</i>
Code:	GIC
Name:	gram, including container
Beschreibung:	<i>A unit of mass defining the number of grams of a product, including its container.</i>
Code:	GIP
Name:	gram, including inner packaging
Beschreibung:	<i>A unit of mass defining the number of grams of a product, including its inner packaging materials.</i>
Code:	GRO
Name:	Gross
Beschreibung:	<i>A unit of count defining the number of units in multiples of 144 (12 x 12).</i>
Code:	GRT
Name:	gross register ton
Beschreibung:	<i>A unit of mass equal to the total cubic footage before deductions, where 1 register ton is equal to 100 cubic feet. Refer International Convention on tonnage measurement of ships.</i>
Code:	GT
Name:	gross ton
Beschreibung:	<i>A unit of mass equal to 2240 pounds. Refer International Convention on Tonnage</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

	<i>measurement of Ships. Synonym: ton (UK) or long ton (US) (common code LTN)</i>
Code:	H16
Name:	square decametre
Beschreibung:	<i>Synonym: are</i>
Code:	H18
Name:	square hectometre
Beschreibung:	<i>Synonym: hectare</i>
Code:	H21
Name:	blank
Beschreibung:	<i>A unit of count defining the number of blanks.</i>
Code:	H25
Name:	percent per kelvin
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to the SI base unit Kelvin.</i>
Code:	H71
Name:	percent per month
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to a month.</i>
Code:	H72
Name:	percent per hectobar
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to 100-fold of the unit bar.</i>
Code:	H73
Name:	percent per decakelvin
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to 10-fold of the SI base unit Kelvin.</i>
Code:	H77
Name:	module width
Beschreibung:	<i>A unit of measure used to describe the breadth of electronic assemblies as an installation standard or mounting dimension.</i>
Code:	H79
Name:	Charrière
Beschreibung:	<i>A unit of distance used for measuring the diameter of small tubes such as urological instruments and catheters. Synonym: French, French gauge, Charrière gauge</i>
Code:	H80
Name:	rack unit

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of measure used to describe the height in rack units of equipment intended for mounting in a 19-inch rack or a 23-inch rack. One rack unit is 1.75 inches (44.45 mm) high.</i>
Code:	H82
Name:	big point
Beschreibung:	<i>A unit of length defining the number of big points (big point: Adobe software(US) defines the big point to be exactly 1/72 inch (0.013 888 9 inch or 0.352 777 8 millimeters))</i>
Code:	H87
Name:	piece
Beschreibung:	<i>A unit of count defining the number of pieces (piece: a single item, article or exemplar).</i>
Code:	H89
Name:	percent per ohm
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to the SI derived unit ohm.</i>
Code:	H90
Name:	percent per degree
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to an angle of one degree.</i>
Code:	H91
Name:	percent per ten thousand
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to multiples of ten thousand.</i>
Code:	H92
Name:	percent per one hundred thousand
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to multiples of one hundred thousand.</i>
Code:	H93
Name:	percent per hundred
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to multiples of one hundred.</i>
Code:	H94
Name:	percent per thousand
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to multiples of one thousand.</i>
Code:	H95
Name:	percent per volt
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to the SI derived unit volt.</i>
Code:	H96
Name:	percent per bar
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to an atmospheric pressure of one bar.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	H98
Name:	percent per inch
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to an inch.</i>
Code:	H99
Name:	percent per metre
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to a metre.</i>
Code:	HA
Name:	hank
Beschreibung:	<i>A unit of length, typically for yarn.</i>
Code:	HAR
Name:	hectare
Beschreibung:	<i>Synonym: square hectometre</i>
Code:	HBX
Name:	hundred boxes
Beschreibung:	<i>A unit of count defining the number of boxes in multiples of one hundred box units.</i>
Code:	HC
Name:	hundred count
Beschreibung:	<i>A unit of count defining the number of units counted in multiples of 100.</i>
Code:	HDW
Name:	hundred kilogram, dry weight
Beschreibung:	<i>A unit of mass defining the number of hundred kilograms of a product, disregarding the water content of the product.</i>
Code:	HEA
Name:	head
Beschreibung:	<i>A unit of count defining the number of heads (head: a person or animal considered as one of a number).</i>
Code:	HH
Name:	hundred cubic foot
Beschreibung:	<i>A unit of volume equal to one hundred cubic foot.</i>
Code:	HIU
Name:	hundred international unit
Beschreibung:	<i>A unit of count defining the number of international units in multiples of 100.</i>
Code:	HKM
Name:	hundred kilogram, net mass

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of mass defining the number of hundred kilograms of a product, after deductions.</i>
Code:	HMQ
Name:	million cubic metre
Beschreibung:	<i>A unit of volume equal to one million cubic metres.</i>
Code:	HPA
Name:	hectolitre of pure alcohol
Beschreibung:	<i>A unit of volume equal to one hundred litres of pure alcohol.</i>
Code:	IE
Name:	person
Beschreibung:	<i>A unit of count defining the number of persons.</i>
Code:	INQ
Name:	Square inch
Beschreibung:	<i>Synonym: inch cubed</i>
Code:	ISD
Name:	international sugar degree
Beschreibung:	<i>A unit of measure defining the sugar content of a solution, expressed in degrees.</i>
Code:	J10
Name:	percent per millimetre
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to a millimetre.</i>
Code:	J12
Name:	per mille per psi
Beschreibung:	<i>A unit of pressure equal to one thousandth of a psi (pound-force per square inch).</i>
Code:	J13
Name:	degree API
Beschreibung:	<i>A unit of relative density as a measure of how heavy or light a petroleum liquid is compared to water (API: American Petroleum Institute).</i>
Code:	J14
Name:	degree Baume (origin scale)
Beschreibung:	<i>A traditional unit of relative density for liquids. Named after Antoine Baumé.</i>
Code:	J15
Name:	degree Baume (US heavy)
Beschreibung:	<i>A unit of relative density for liquids heavier than water.</i>
Code:	J16
Name:	degree Baume (US light)

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of relative density for liquids lighter than water.</i>
Code:	J17
Name:	degree Balling
Beschreibung:	<i>A unit of density as a measure of sugar content, especially of beer wort. Named after Karl Balling.</i>
Code:	J18
Name:	degree Brix
Beschreibung:	<i>A unit of proportion used in measuring the dissolved sugar-to-water mass ratio of a liquid. Named after Adolf Brix.</i>
Code:	J27
Name:	degree Oechsle
Beschreibung:	<i>A unit of density as a measure of sugar content of must, the unfermented liqueur from which wine is made. Named after Ferdinand Oechsle.</i>
Code:	J31
Name:	degree Twaddell
Beschreibung:	<i>A unit of density for liquids that are heavier than water. 1 degree Twaddle represents a difference in specific gravity of 0.005.</i>
Code:	J38
Name:	baud
Beschreibung:	<i>A unit of signal transmission speed equal to one signalling event per second.</i>
Code:	J54
Name:	megabaud
Beschreibung:	<i>A unit of signal transmission speed equal to 10 to the power of 6 (1000000) signaling events per second.</i>
Code:	JNT
Name:	pipeline joint
Beschreibung:	<i>A count of the number of pipeline joints.</i>
Code:	JPS
Name:	hundred metre
Beschreibung:	<i>A unit of count defining the number of 100 metre lengths.</i>
Code:	JWL
Name:	number of jewels
Beschreibung:	<i>A unit of count defining the number of jewels (jewel: precious stone).</i>
Code:	K1

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	kilowatt demand
Beschreibung:	<i>A unit of measure defining the power load measured at predetermined intervals.</i>
Code:	K2
Name:	kilovolt ampere reactive demand
Beschreibung:	<i>A unit of measure defining the reactive power demand equal to one kilovolt ampere of reactive power.</i>
Code:	K3
Name:	kilovolt ampere reactive hour
Beschreibung:	<i>A unit of measure defining the accumulated reactive energy equal to one kilovolt ampere of reactive power per hour.</i>
Code:	K5
Name:	kilovolt ampere (reactive)
Beschreibung:	<i>Use kilovar (common code KVR)</i>
Code:	K50
Name:	kilobaud
Beschreibung:	<i>A unit of signal transmission speed equal to 10 to the power of 3 (1000) signaling events per second.</i>
Code:	KA
Name:	cake
Beschreibung:	<i>A unit of count defining the number of cakes (cake: object shaped into a flat, compact mass).</i>
Code:	KAT
Name:	katal
Beschreibung:	<i>A unit of catalytic activity defining the catalytic activity of enzymes and other catalysts.</i>
Code:	KB
Name:	Kilobyte
Beschreibung:	<i>A unit of information equal to 10 to the power of 3 (1000) characters.</i>
Code:	KCC
Name:	kilogram of choline chloride
Beschreibung:	<i>A unit of mass equal to one thousand grams of choline chloride.</i>
Code:	KDW
Name:	kilogram drained net weight
Beschreibung:	<i>A unit of mass defining the net number of kilograms of a product, disregarding the liquid content of the product.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	KEL
Name:	Kelvin
Beschreibung:	<i>Refer ISO 80000-5 (Quantities and units – Part 5: Thermodynamics)</i>
Code:	KGM
Name:	Kilogramm
Beschreibung:	<i>A unit of mass equal to one thousand grams.</i>
Code:	KHY
Name:	kilogram of hydrogen peroxide
Beschreibung:	<i>A unit of mass equal to one thousand grams of hydrogen peroxide.</i>
Code:	KIC
Name:	kilogram, including container
Beschreibung:	<i>A unit of mass defining the number of kilograms of a product, including its container.</i>
Code:	KIP
Name:	kilogram, including inner packaging
Beschreibung:	<i>A unit of mass defining the number of kilograms of a product, including its inner packaging materials.</i>
Code:	KJ
Name:	kilosegment
Beschreibung:	<i>A unit of information equal to 10 to the power of 3 (1000) segments.</i>
Code:	KLK
Name:	lactic dry material percentage
Beschreibung:	<i>A unit of proportion defining the percentage of dry lactic material in a product.</i>
Code:	KLX
Name:	kilolux
Beschreibung:	<i>A unit of illuminance equal to one thousand lux.</i>
Code:	KMA
Name:	kilogram of methylamine
Beschreibung:	<i>A unit of mass equal to one thousand grams of methylamine.</i>
Code:	KMQ
Name:	Kilogramm pro Kubikmeter
Beschreibung:	<i>A unit of weight expressed in kilograms of a substance that fills a volume of one cubic metre.</i>
Code:	KNI
Name:	kilogram of nitrogen

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of mass equal to one thousand grams of nitrogen.</i>
Code:	KNM
Name:	kilonewton per square metre
Beschreibung:	<i>Pressure expressed in kN/m².</i>
Code:	KNS
Name:	kilogram named substance
Beschreibung:	<i>A unit of mass equal to one kilogram of a named substance.</i>
Code:	KO
Name:	milliequivalence caustic potash per gram of product
Beschreibung:	<i>A unit of count defining the number of milligrams of potassium hydroxide per gram of product as a measure of the concentration of potassium hydroxide in the product.</i>
Code:	KPH
Name:	kilogram of potassium hydroxide (caustic potash)
Beschreibung:	<i>A unit of mass equal to one thousand grams of potassium hydroxide (caustic potash).</i>
Code:	KPO
Name:	kilogram of potassium oxide
Beschreibung:	<i>A unit of mass equal to one thousand grams of potassium oxide.</i>
Code:	KPP
Name:	kilogram of phosphorus pentoxide (phosphoric anhydride)
Beschreibung:	<i>A unit of mass equal to one thousand grams of phosphorus pentoxide phosphoric anhydride.</i>
Code:	KSD
Name:	kilogram of substance 90 % dry
Beschreibung:	<i>A unit of mass equal to one thousand grams of a named substance that is 90% dry.</i>
Code:	KSH
Name:	kilogram of sodium hydroxide (caustic soda)
Beschreibung:	<i>A unit of mass equal to one thousand grams of sodium hydroxide (caustic soda).</i>
Code:	KT
Name:	kit
Beschreibung:	<i>A unit of count defining the number of kits (kit: tub, barrel or pail).</i>
Code:	KUR
Name:	kilogram of uranium
Beschreibung:	<i>A unit of mass equal to one thousand grams of uranium.</i>
Code:	KWN

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	Kilowatt hour per normalized cubic metre
Beschreibung:	<i>Kilowatt hour per normalized cubic metre (temperature 0°C and pressure 101325 millibars).</i>
Code:	KWO
Name:	kilogram of tungsten trioxide
Beschreibung:	<i>A unit of mass equal to one thousand grams of tungsten trioxide.</i>
Code:	KWS
Name:	Kilowatt hour per standard cubic metre
Beschreibung:	<i>Kilowatt hour per standard cubic metre (temperature 15°C and pressure 101325 millibars).</i>
Code:	LAC
Name:	lactose excess percentage
Beschreibung:	<i>A unit of proportion defining the percentage of lactose in a product that exceeds a defined percentage level.</i>
Code:	LEF
Name:	leaf
Beschreibung:	<i>A unit of count defining the number of leaves.</i>
Code:	LF
Name:	linear foot
Beschreibung:	<i>A unit of count defining the number of feet (12-inch) in length of a uniform width object.</i>
Code:	LH
Name:	labour hour
Beschreibung:	<i>A unit of time defining the number of labour hours.</i>
Code:	LK
Name:	link
Beschreibung:	<i>A unit of distance equal to 0.01 chain.</i>
Code:	LM
Name:	linear metre
Beschreibung:	<i>A unit of count defining the number of metres in length of a uniform width object.</i>
Code:	LN
Name:	length
Beschreibung:	<i>A unit of distance defining the linear extent of an item measured from end to end.</i>
Code:	LO
Name:	lot [unit of procurement]

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of count defining the number of lots (lot: a collection of associated items).</i>
Code:	LP
Name:	liquid pound
Beschreibung:	<i>A unit of mass defining the number of pounds of a liquid substance.</i>
Code:	LPA
Name:	litre of pure alcohol
Beschreibung:	<i>A unit of volume equal to one litre of pure alcohol.</i>
Code:	LR
Name:	layer
Beschreibung:	<i>A unit of count defining the number of layers.</i>
Code:	LS
Name:	lump sum
Beschreibung:	<i>A unit of count defining the number of whole or a complete monetary amounts.</i>
Code:	LTN
Name:	ton (UK) or long ton (US)
Beschreibung:	<i>Synonym: gross ton (2240 lb)</i>
Code:	LUB
Name:	metric ton, lubricating oil
Beschreibung:	<i>A unit of mass defining the number of metric tons of lubricating oil.</i>
Code:	LY
Name:	linear yard
Beschreibung:	<i>A unit of count defining the number of 36-inch units in length of a uniform width object.</i>
Code:	M19
Name:	Beaufort
Beschreibung:	<i>An empirical measure for describing wind speed based mainly on observed sea conditions. The Beaufort scale indicates the wind speed by numbers that typically range from 0 for calm, to 12 for hurricane.</i>
Code:	M25
Name:	percent per degree Celsius
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to a temperature of one degree.</i>
Code:	M36
Name:	30-day month
Beschreibung:	<i>A unit of count defining the number of months expressed in multiples of 30 days, one day equals 24 hours.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	M37
Name:	actual/360
Beschreibung:	<i>A unit of count defining the number of years expressed in multiples of 360 days, one day equals 24 hours.</i>
Code:	M38
Name:	kilometre per second squared
Beschreibung:	<i>1000-fold of the SI base unit metre divided by the power of the SI base unit second by exponent 2.</i>
Code:	M39
Name:	centimetre per second squared
Beschreibung:	<i>0,01-fold of the SI base unit metre divided by the power of the SI base unit second by exponent 2.</i>
Code:	M4
Name:	monetary value
Beschreibung:	<i>A unit of measure expressed as a monetary amount.</i>
Code:	M40
Name:	yard per second squared
Beschreibung:	<i>Unit of the length according to the Anglo-American and Imperial system of units divided by the power of the SI base unit second by exponent 2.</i>
Code:	M41
Name:	millimetre per second squared
Beschreibung:	<i>0,001-fold of the SI base unit metre divided by the power of the SI base unit second by exponent 2.</i>
Code:	M42
Name:	mile (statute mile) per second squared
Beschreibung:	<i>Unit of the length according to the Imperial system of units divided by the power of the SI base unit second by exponent 2.</i>
Code:	M43
Name:	mil
Beschreibung:	<i>Unit to indicate an angle at military zone, equal to the 6400th part of the full circle of the 360° or 2·p·rad.</i>
Code:	M44
Name:	revolution
Beschreibung:	<i>Unit to identify an angle of the full circle of 360° or 2·p·rad (Refer ISO/TC12 SI Guide).</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	M45
Name:	degree [unit of angle] per second squared
Beschreibung:	<i>360 part of a full circle divided by the power of the SI base unit second and the exponent 2.</i>
Code:	M46
Name:	revolution per minute
Beschreibung:	<i>Unit of the angular velocity.</i>
Code:	M47
Name:	circular mil
Beschreibung:	<i>Unit of an area, of which the size is given by a diameter of length of 1 mm (0,001 in) based on the formula: $area = p \cdot (diameter/2)^2$.</i>
Code:	M48
Name:	square mile (based on U.S. survey foot)
Beschreibung:	<i>Unit of the area, which is mainly common in the agriculture and forestry.</i>
Code:	M49
Name:	chain (based on U.S. survey foot)
Beschreibung:	<i>Unit of the length according the Anglo-American system of units.</i>
Code:	M50
Name:	furlong
Beschreibung:	<i>Unit commonly used in Great Britain at rural distances: 1 furlong = 40 rods = 10 chains (UK) = 1/8 mile = 1/10 furlong = 220 yards = 660 foot.</i>
Code:	M51
Name:	foot (U.S. survey)
Beschreibung:	<i>Unit commonly used in the United States for ordnance survey.</i>
Code:	M52
Name:	mile (based on U.S. survey foot)
Beschreibung:	<i>Unit commonly used in the United States for ordnance survey.</i>
Code:	M53
Name:	metre per pascal
Beschreibung:	<i>SI base unit metre divided by the derived SI unit pascal.</i>
Code:	M55
Name:	metre per radiant
Beschreibung:	<i>Unit of the translation factor for implementation from rotation to linear movement.</i>
Code:	M56

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	shake
Beschreibung:	<i>Unit for a very short period.</i>
Code:	M57
Name:	mile per minute
Beschreibung:	<i>Unit of velocity from the Imperial system of units.</i>
Code:	M58
Name:	mile per second
Beschreibung:	<i>Unit of the velocity from the Imperial system of units.</i>
Code:	M59
Name:	metre per second pascal
Beschreibung:	<i>SI base unit meter divided by the product of SI base unit second and the derived SI unit pascal.</i>
Code:	M60
Name:	metre per hour
Beschreibung:	<i>SI base unit metre divided by the unit hour.</i>
Code:	M61
Name:	inch per year
Beschreibung:	<i>Unit of the length according to the Anglo-American and Imperial system of units divided by the unit common year with 365 days.</i>
Code:	M62
Name:	kilometre per second
Beschreibung:	<i>1000-fold of the SI base unit metre divided by the SI base unit second.</i>
Code:	M63
Name:	inch per minute
Beschreibung:	<i>Unit inch according to the Anglo-American and Imperial system of units divided by the unit minute.</i>
Code:	M64
Name:	yard per second
Beschreibung:	<i>Unit yard according to the Anglo-American and Imperial system of units divided by the SI base unit second.</i>
Code:	M65
Name:	yard per minute
Beschreibung:	<i>Unit yard according to the Anglo-American and Imperial system of units divided by the unit minute.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	M66
Name:	yard per hour
Beschreibung:	<i>Unit yard according to the Anglo-American and Imperial system of units divided by the unit hour.</i>
Code:	M67
Name:	acre-foot (based on U.S. survey foot)
Beschreibung:	<i>Unit of the volume, which is used in the United States to measure/gauge the capacity of reservoirs.</i>
Code:	M68
Name:	cord (128 ft ³)
Beschreibung:	<i>Traditional unit of the volume of stacked firewood which has been measured with a cord.</i>
Code:	M69
Name:	cubic mile (UK statute)
Beschreibung:	<i>Unit of volume according to the Imperial system of units.</i>
Code:	M70
Name:	ton, register
Beschreibung:	<i>Traditional unit of the cargo capacity.</i>
Code:	M71
Name:	cubic metre per pascal
Beschreibung:	<i>Power of the SI base unit meter by exponent 3 divided by the derived SI base unit pascal.</i>
Code:	M72
Name:	bel
Beschreibung:	<i>Logarithmic relationship to base 10.</i>
Code:	M73
Name:	kilogram per cubic metre pascal
Beschreibung:	<i>SI base unit kilogram divided by the product of the power of the SI base unit metre with exponent 3 and the derived SI unit pascal.</i>
Code:	M74
Name:	kilogram per pascal
Beschreibung:	<i>SI base unit kilogram divided by the derived SI unit pascal.</i>
Code:	M75
Name:	kilopound-force
Beschreibung:	<i>1000-fold of the unit of the force pound-force (lbf) according to the Anglo-American</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

	<i>system of units with the relationship.</i>
Code:	M76
Name:	poundal
Beschreibung:	<i>Non SI-conforming unit of the power, which corresponds to a mass of a pound multiplied with the acceleration of a foot per square second.</i>
Code:	M77
Name:	kilogram metre per second squared
Beschreibung:	<i>Product of the SI base unit kilogram and the SI base unit metre divided by the power of the SI base unit second by exponent 2.</i>
Code:	M78
Name:	pond
Beschreibung:	<i>0,001-fold of the unit of the weight, defined as a mass of 1 kg which finds out about a weight strength from 1 kp by the gravitational force at sea level which corresponds to a strength of 9,806 65 newton.</i>
Code:	M79
Name:	square foot per hour
Beschreibung:	<i>Power of the unit foot according to the Anglo-American and Imperial system of units by exponent 2 divided by the unit of time hour.</i>
Code:	M80
Name:	stokes per pascal
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit stokes divided by the derived SI unit pascal.</i>
Code:	M81
Name:	square centimetre per second
Beschreibung:	<i>0,000 1-fold of the power of the SI base unit metre by exponent 2 divided by the SI base unit second.</i>
Code:	M82
Name:	square metre per second pascal
Beschreibung:	<i>Power of the SI base unit metre with the exponent 2 divided by the SI base unit second and the derived SI unit pascal.</i>
Code:	M83
Name:	denier
Beschreibung:	<i>Traditional unit for the indication of the linear mass of textile fibers and yarns.</i>
Code:	M84
Name:	pound per yard

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Used Codes

Beschreibung:	<i>Unit for linear mass according to avoirdupois system of units.</i>
Code:	M85
Name:	ton, assay
Beschreibung:	<i>Non SI-conforming unit of the mass used in the mineralogy to determine the concentration of precious metals in ore according to the mass of the precious metal in milligrams in a sample of the mass of an assay sound (number of troy ounces in a short ton (1 000 lb)).</i>
Code:	M86
Name:	pfund
Beschreibung:	<i>Outdated unit of the mass used in Germany.</i>
Code:	M87
Name:	kilogram per second pascal
Beschreibung:	<i>SI base unit kilogram divided by the product of the SI base unit second and the derived SI unit pascal.</i>
Code:	M88
Name:	tonne per month
Beschreibung:	<i>Unit tonne divided by the unit month.</i>
Code:	M89
Name:	tonne per year
Beschreibung:	<i>Unit tonne divided by the unit year with 365 days.</i>
Code:	M90
Name:	kilopound per hour
Beschreibung:	<i>1000-fold of the unit of the mass avoirdupois pound according to the avoirdupois unit system divided by the unit hour.</i>
Code:	M91
Name:	pound per pound
Beschreibung:	<i>Proportion of the mass consisting of the avoirdupois pound according to the avoirdupois unit system divided by the avoirdupois pound according to the avoirdupois unit system.</i>
Code:	M92
Name:	pound-force foot
Beschreibung:	<i>Product of the unit pound-force according to the Anglo-American system of units and the unit foot according to the Anglo-American and the Imperial system of units.</i>
Code:	M93
Name:	newton metre per radian

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>Product of the derived SI unit newton and the SI base unit metre divided by the unit radian.</i>
Code:	M94
Name:	kilogram metre
Beschreibung:	<i>Unit of imbalance as a product of the SI base unit kilogram and the SI base unit metre.</i>
Code:	M95
Name:	poundal foot
Beschreibung:	<i>Product of the non SI-conforming unit of the force poundal and the unit foot according to the Anglo-American and Imperial system of units .</i>
Code:	M96
Name:	poundal inch
Beschreibung:	<i>Product of the non SI-conforming unit of the force poundal and the unit inch according to the Anglo-American and Imperial system of units .</i>
Code:	M97
Name:	dyne metre
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of the rotational moment.</i>
Code:	M98
Name:	kilogram centimetre per second
Beschreibung:	<i>Product of the SI base unit kilogram and the 0,01-fold of the SI base unit metre divided by the SI base unit second.</i>
Code:	M99
Name:	gram centimetre per second
Beschreibung:	<i>Product of the 0,001-fold of the SI base unit kilogram and the 0,01-fold of the SI base unit metre divided by the SI base unit second.</i>
Code:	MAH
Name:	megavolt ampere reactive hour
Beschreibung:	<i>A unit of electrical reactive power defining the total amount of reactive power across a power system.</i>
Code:	MAR
Name:	megavar
Beschreibung:	<i>A unit of electrical reactive power represented by a current of one thousand amperes flowing due a potential difference of one thousand volts where the sine of the phase angle between them is 1.</i>
Code:	MAW

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	MBE
Name:	Megawatt
Beschreibung:	<i>A unit of power defining the rate of energy transferred or consumed when a current of 1000 amperes flows due to a potential of 1000 volts at unity power factor.</i>
Code:	MBF
Name:	thousand board foot
Beschreibung:	<i>A unit of count defining the number of one thousand board foot.</i>
Code:	MD
Name:	air dry metric ton
Beschreibung:	<i>A unit of count defining the number of metric tons of a product, disregarding the water content of the product.</i>
Code:	MIU
Name:	million international unit
Beschreibung:	<i>A unit of count defining the number of international units in multiples of 10 to the power of 6.</i>
Code:	MLD
Name:	milliard
Beschreibung:	<i>Synonym: billion (US)</i>
Code:	MND
Name:	kilogram, dry weight
Beschreibung:	<i>A unit of mass defining the number of kilograms of a product, disregarding the water content of the product.</i>
Code:	MON
Name:	Monat
Beschreibung:	<i>Unit of time equal to 1/12 of a year of 365,25 days.</i>
Code:	MTQ
Name:	Kubikmeter
Beschreibung:	<i>Synonym: metre cubed</i>
Code:	MWH
Name:	Megawatt Stunde (1000 kWh)
Beschreibung:	<i>A unit of power defining the total amount of bulk energy transferred or consumed.</i>
Code:	N1

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	pen calorie
Beschreibung:	<i>A unit of count defining the number of calories prescribed daily for parenteral/enteral therapy.</i>
Code:	N10
Name:	pound foot per second
Beschreibung:	<i>Product of the avoirdupois pound according to the avoirdupois unit system and the unit foot according to the Anglo-American and Imperial system of units divided by the SI base unit second.</i>
Code:	N11
Name:	pound inch per second
Beschreibung:	<i>Product of the avoirdupois pound according to the avoirdupois unit system and the unit inch according to the Anglo-American and Imperial system of units divided by the SI base unit second.</i>
Code:	N12
Name:	Pferdestaerke
Beschreibung:	<i>Obsolete unit of the power relating to DIN 1301-3:1979: 1 PS = 735,498 75 W.</i>
Code:	N13
Name:	centimetre of mercury (0 °C)
Beschreibung:	<i>Non SI-conforming unit of pressure, at which a value of 1 cmHg meets the static pressure, which is generated by a mercury at a temperature of 0 °C with a height of 1 centimetre .</i>
Code:	N14
Name:	centimetre of water (4 °C)
Beschreibung:	<i>Non SI-conforming unit of pressure, at which a value of 1 cmH2O meets the static pressure, which is generated by a head of water at a temperature of 4 °C with a height of 1 centimetre .</i>
Code:	N15
Name:	foot of water (39.2 °F)
Beschreibung:	<i>Non SI-conforming unit of pressure according to the Anglo-American and Imperial system for units, whereas the value of 1 ftH2O is equivalent to the static pressure, which is generated by a head of water at a temperature 39,2°F with a height of 1 foot .</i>
Code:	N16
Name:	inch of mercury (32 °F)
Beschreibung:	<i>Non SI-conforming unit of pressure according to the Anglo-American and Imperial system</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

	<i>for units, whereas the value of 1 inHg meets the static pressure, which is generated by a mercury at a temperature of 32°F with a height of 1 inch.</i>
Code:	N17
Name:	inch of mercury (60 °F)
Beschreibung:	<i>Non SI-conforming unit of pressure according to the Anglo-American and Imperial system for units, whereas the value of 1 inHg meets the static pressure, which is generated by a mercury at a temperature of 60°F with a height of 1 inch.</i>
Code:	N18
Name:	inch of water (39.2 °F)
Beschreibung:	<i>Non SI-conforming unit of pressure according to the Anglo-American and Imperial system for units, whereas the value of 1 inH2O meets the static pressure, which is generated by a head of water at a temperature of 39,2°F with a height of 1 inch .</i>
Code:	N19
Name:	inch of water (60 °F)
Beschreibung:	<i>Non SI-conforming unit of pressure according to the Anglo-American and Imperial system for units, whereas the value of 1 inH2O meets the static pressure, which is generated by a head of water at a temperature of 60°F with a height of 1 inch .</i>
Code:	N20
Name:	kip per square inch
Beschreibung:	<i>Non SI-conforming unit of the pressure according to the Anglo-American system of units as the 1000-fold of the unit of the force pound-force divided by the power of the unit inch by exponent 2.</i>
Code:	N21
Name:	poundal per square foot
Beschreibung:	<i>Non SI-conforming unit of pressure by the Imperial system of units according to NIST: 1 pdl/ft² = 1,488 164 Pa.</i>
Code:	N22
Name:	ounce (avoirdupois) per square inch
Beschreibung:	<i>Unit of the surface specific mass (avoirdupois ounce according to the avoirdupois system of units according to the surface square inch according to the Anglo-American and Imperial system of units).</i>
Code:	N23
Name:	conventional metre of water
Beschreibung:	<i>Not SI-conforming unit of pressure, whereas a value of 1 mH2O is equivalent to the static</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

	<i>pressure, which is produced by one metre high water column .</i>
Code:	N24
Name:	gram per square millimetre
Beschreibung:	<i>0,001-fold of the SI base unit kilogram divided by the 0.000 001-fold of the power of the SI base unit meter by exponent 2.</i>
Code:	N25
Name:	pound per square yard
Beschreibung:	<i>Unit for areal-related mass as a unit pound according to the avoirdupois unit system divided by the power of the unit yard according to the Anglo-American and Imperial system of units with exponent 2.</i>
Code:	N26
Name:	poundal per square inch
Beschreibung:	<i>Non SI-conforming unit of the pressure according to the Imperial system of units (poundal by square inch).</i>
Code:	N27
Name:	foot to the fourth power
Beschreibung:	<i>Power of the unit foot according to the Anglo-American and Imperial system of units by exponent 4 according to NIST: 1 ft⁴ = 8,630 975 m⁴.</i>
Code:	N28
Name:	cubic decimetre per kilogram
Beschreibung:	<i>0,001 fold of the power of the SI base unit meter by exponent 3 divided by the SI based unit kilogram.</i>
Code:	N29
Name:	cubic foot per pound
Beschreibung:	<i>Power of the unit foot according to the Anglo-American and Imperial system of units by exponent 3 divided by the unit avoirdupois pound according to the avoirdupois unit system.</i>
Code:	N30
Name:	cubic inch per pound
Beschreibung:	<i>Power of the unit inch according to the Anglo-American and Imperial system of units by exponent 3 divided by the avoirdupois pound according to the avoirdupois unit system .</i>
Code:	N31
Name:	kilonewton per metre
Beschreibung:	<i>1000-fold of the derived SI unit newton divided by the SI base unit metre.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	N32
Name:	poundal per inch
Beschreibung:	<i>Non SI-conforming unit of the surface tension according to the Imperial unit system as quotient poundal by inch.</i>
Code:	N33
Name:	pound-force per yard
Beschreibung:	<i>Unit of force per unit length based on the Anglo-American system of units.</i>
Code:	N34
Name:	poundal second per square foot
Beschreibung:	<i>Non SI-conforming unit of viscosity.</i>
Code:	N35
Name:	poise per pascal
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit poise divided by the derived SI unit pascal.</i>
Code:	N36
Name:	newton second per square metre
Beschreibung:	<i>Unit of the dynamic viscosity as a product of unit of the pressure (newton by square metre) multiplied with the SI base unit second.</i>
Code:	N37
Name:	kilogram per metre second
Beschreibung:	<i>Unit of the dynamic viscosity as a quotient SI base unit kilogram divided by the SI base unit metre and by the SI base unit second.</i>
Code:	N38
Name:	kilogram per metre minute
Beschreibung:	<i>Unit of the dynamic viscosity as a quotient SI base unit kilogram divided by the SI base unit metre and by the unit minute.</i>
Code:	N39
Name:	kilogram per metre day
Beschreibung:	<i>Unit of the dynamic viscosity as a quotient SI base unit kilogram divided by the SI base unit metre and by the unit day.</i>
Code:	N40
Name:	kilogram per metre hour
Beschreibung:	<i>Unit of the dynamic viscosity as a quotient SI base unit kilogram divided by the SI base unit metre and by the unit hour.</i>
Code:	N41

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	gram per centimetre second
Beschreibung:	<i>Unit of the dynamic viscosity as a quotient of the 0,001-fold of the SI base unit kilogram divided by the 0,01-fold of the SI base unit metre and SI base unit second.</i>
Code:	N42
Name:	poundal second per square inch
Beschreibung:	<i>Non SI-conforming unit of dynamic viscosity according to the Imperial system of units as product unit of the pressure (poundal by square inch) multiplied by the SI base unit second.</i>
Code:	N43
Name:	pound per foot minute
Beschreibung:	<i>Unit of the dynamic viscosity according to the Anglo-American unit system.</i>
Code:	N44
Name:	pound per foot day
Beschreibung:	<i>Unit of the dynamic viscosity according to the Anglo-American unit system.</i>
Code:	N45
Name:	cubic metre per second pascal
Beschreibung:	<i>Power of the SI base unit meter by exponent 3 divided by the product of the SI base unit second and the derived SI base unit pascal.</i>
Code:	N46
Name:	foot poundal
Beschreibung:	<i>Unit of the work (force-path).</i>
Code:	N47
Name:	inch poundal
Beschreibung:	<i>Unit of work (force multiplied by path) according to the Imperial system of units as a product unit inch multiplied by poundal.</i>
Code:	N48
Name:	watt per square centimetre
Beschreibung:	<i>Derived SI unit watt divided by the power of the 0,01-fold the SI base unit metre by exponent 2.</i>
Code:	N49
Name:	watt per square inch
Beschreibung:	<i>Derived SI unit watt divided by the power of the unit inch according to the Anglo-American and Imperial system of units by exponent 2.</i>
Code:	N50

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	British thermal unit (international table) per square foot hour
Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>
Code:	N51
Name:	British thermal unit (thermochemical) per square foot hour
Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>
Code:	N52
Name:	British thermal unit (thermochemical) per square foot minute
Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>
Code:	N53
Name:	British thermal unit (international table) per square foot second
Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>
Code:	N54
Name:	British thermal unit (thermochemical) per square foot second
Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>
Code:	N55
Name:	British thermal unit (international table) per square inch second
Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>
Code:	N56
Name:	calorie (thermochemical) per square centimetre minute
Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>
Code:	N57
Name:	calorie (thermochemical) per square centimetre second
Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>
Code:	N58
Name:	British thermal unit (international table) per cubic foot
Beschreibung:	<i>Unit of the energy density according to the Imperial system of units.</i>
Code:	N59
Name:	British thermal unit (thermochemical) per cubic foot
Beschreibung:	<i>Unit of the energy density according to the Imperial system of units.</i>
Code:	N60
Name:	British thermal unit (international table) per degree Fahrenheit
Beschreibung:	<i>Unit of the heat capacity according to the Imperial system of units.</i>
Code:	N61
Name:	British thermal unit (thermochemical) per degree Fahrenheit

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>Unit of the heat capacity according to the Imperial system of units.</i>
Code:	N62
Name:	British thermal unit (international table) per degree Rankine
Beschreibung:	<i>Unit of the heat capacity according to the Imperial system of units.</i>
Code:	N63
Name:	British thermal unit (thermochemical) per degree Rankine
Beschreibung:	<i>Unit of the heat capacity according to the Imperial system of units.</i>
Code:	N64
Name:	British thermal unit (thermochemical) per pound degree Rankine
Beschreibung:	<i>Unit of the heat capacity (British thermal unit according to the international table according to the Rankine degree) according to the Imperial system of units divided by the unit avoirdupois pound according to the avoirdupois system of units.</i>
Code:	N65
Name:	kilocalorie (international table) per gram kelvin
Beschreibung:	<i>Unit of the mass-related heat capacity as quotient 1000-fold of the calorie (international table) divided by the product of the 0,001-fold of the SI base units kilogram and kelvin.</i>
Code:	N66
Name:	British thermal unit (39 °F)
Beschreibung:	<i>Unit of heat energy according to the Imperial system of units in a reference temperature of 39 °F.</i>
Code:	N67
Name:	British thermal unit (59 °F)
Beschreibung:	<i>Unit of heat energy according to the Imperial system of units in a reference temperature of 59 °F.</i>
Code:	N68
Name:	British thermal unit (60 °F)
Beschreibung:	<i>Unit of head energy according to the Imperial system of units at a reference temperature of 60 °F.</i>
Code:	N69
Name:	calorie (20 °C)
Beschreibung:	<i>Unit for quantity of heat, which is to be required for 1 g air free water at a constant pressure from 101,325 kPa, to warm up the pressure of standard atmosphere at sea level, from 19,5 °C on 20,5 °C.</i>
Code:	N70

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	quad (1015 BtuIT)
Beschreibung:	<i>Unit of heat energy according to the imperial system of units.</i>
Code:	N71
Name:	therm (EC)
Beschreibung:	<i>Unit of heat energy in commercial use, within the EU defined: 1 thm (EC) = 100 000 BtuIT.</i>
Code:	N72
Name:	therm (U.S.)
Beschreibung:	<i>Unit of heat energy in commercial use.</i>
Code:	N73
Name:	British thermal unit (thermochemical) per pound
Beschreibung:	<i>Unit of the heat energy according to the Imperial system of units divided the unit avoirdupois pound according to the avoirdupois system of units.</i>
Code:	N74
Name:	British thermal unit (international table) per hour square foot degree Fahrenheit
Beschreibung:	<i>Unit of the heat transition coefficient according to the Imperial system of units.</i>
Code:	N75
Name:	British thermal unit (thermochemical) per hour square foot degree Fahrenheit
Beschreibung:	<i>Unit of the heat transition coefficient according to the imperial system of units.</i>
Code:	N76
Name:	British thermal unit (international table) per second square foot degree Fahrenheit
Beschreibung:	<i>Unit of the heat transition coefficient according to the imperial system of units.</i>
Code:	N77
Name:	British thermal unit (thermochemical) per second square foot degree Fahrenheit
Beschreibung:	<i>Unit of the heat transition coefficient according to the imperial system of units.</i>
Code:	N78
Name:	kilowatt per square metre kelvin
Beschreibung:	<i>1000-fold of the derived SI unit watt divided by the product of the power of the SI base unit metre by exponent 2 and the SI base unit kelvin.</i>
Code:	N79
Name:	kelvin per pascal
Beschreibung:	<i>SI base unit kelvin divided by the derived SI unit pascal.</i>
Code:	N80
Name:	watt per metre degree Celsius

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>Derived SI unit watt divided by the product of the SI base unit metre and the unit for temperature degree Celsius.</i>
Code:	N81
Name:	kilowatt per metre kelvin
Beschreibung:	<i>1000-fold of the derived SI unit watt divided by the product of the SI base unit metre and the SI base unit kelvin.</i>
Code:	N82
Name:	kilowatt per metre degree Celsius
Beschreibung:	<i>1000-fold of the derived SI unit watt divided by the product of the SI base unit metre and the unit for temperature degree Celsius.</i>
Code:	N83
Name:	metre per degree Celcius metre
Beschreibung:	<i>SI base unit metre divided by the product of the unit degree Celsius and the SI base unit metre.</i>
Code:	N84
Name:	degree Fahrenheit hour per British thermal unit (international table)
Beschreibung:	<i>Non SI-conforming unit of the thermal resistance according to the Imperial system of units.</i>
Code:	N85
Name:	degree Fahrenheit hour per British thermal unit (thermochemical)
Beschreibung:	<i>Non SI-conforming unit of the thermal resistance according to the Imperial system of units.</i>
Code:	N86
Name:	degree Fahrenheit second per British thermal unit (international table)
Beschreibung:	<i>Non SI-conforming unit of the thermal resistance according to the Imperial system of units.</i>
Code:	N87
Name:	degree Fahrenheit second per British thermal unit (thermochemical)
Beschreibung:	<i>Non SI-conforming unit of the thermal resistance according to the Imperial system of units.</i>
Code:	N88
Name:	degree Fahrenheit hour square foot per British thermal unit (international table) inch
Beschreibung:	<i>Unit of specific thermal resistance according to the Imperial system of units.</i>
Code:	N89

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	degree Fahrenheit hour square foot per British thermal unit (thermochemical) inch
Beschreibung:	<i>Unit of specific thermal resistance according to the Imperial system of units.</i>
Code:	N90
Name:	kilofarad
Beschreibung:	<i>1000-fold of the derived SI unit farad.</i>
Code:	N91
Name:	reciprocal joule
Beschreibung:	<i>Reciprocal of the derived SI unit joule.</i>
Code:	N92
Name:	picosiemens
Beschreibung:	<i>0,000 000 000 001-fold of the derived SI unit siemens.</i>
Code:	N93
Name:	ampere per pascal
Beschreibung:	<i>SI base unit ampere divided by the derived SI unit pascal.</i>
Code:	N94
Name:	franklin
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of the electrical charge, where the charge amounts to exactly 1 Fr where the force of 1 dyn on an equal load is performed at a distance of 1 cm.</i>
Code:	N95
Name:	ampere minute
Beschreibung:	<i>A unit of electric charge defining the amount of charge accumulated by a steady flow of one ampere for one minute..</i>
Code:	N96
Name:	biot
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of the electric power which is defined by a force of 2 dyn per cm between two parallel conductors of infinite length with negligible cross-section in the distance of 1 cm.</i>
Code:	N97
Name:	gilbert
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of the magnetomotive force, which is defined by the work to increase the magnetic potential of a positive common pol with 1 erg.</i>
Code:	N98

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	volt per pascal
Beschreibung:	<i>Derived SI unit volt divided by the derived SI unit pascal.</i>
Code:	N99
Name:	picovolt
Beschreibung:	<i>0,000 000 000 001-fold of the derived SI unit volt.</i>
Code:	NAR
Name:	Anzahl der Artikel
Beschreibung:	<i>A unit of count defining the number of articles (article: item).</i>
Code:	NCL
Name:	number of cells
Beschreibung:	<i>A unit of count defining the number of cells (cell: an enclosed or circumscribed space, cavity, or volume).</i>
Code:	NF
Name:	message
Beschreibung:	<i>A unit of count defining the number of messages.</i>
Code:	NIL
Name:	nil
Beschreibung:	<i>A unit of count defining the number of instances of nothing.</i>
Code:	NIU
Name:	Anzahl internationaler Einheiten
Beschreibung:	<i>A unit of count defining the number of international units.</i>
Code:	NL
Name:	load
Beschreibung:	<i>A unit of volume defining the number of loads (load: a quantity of items carried or processed at one time).</i>
Code:	NM3
Name:	Normalised cubic metre
Beschreibung:	<i>Normalised cubic metre (temperature 0°C and pressure 101325 millibars)</i>
Code:	NMP
Name:	number of packs
Beschreibung:	<i>A unit of count defining the number of packs (pack: a collection of objects packaged together).</i>
Code:	NPR
Name:	number of pairs

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Used Codes

Beschreibung:	<i>A unit of count defining the number of pairs (pair: item described by two's).</i>
Code:	NPT
Name:	number of parts
Beschreibung:	<i>A unit of count defining the number of parts (part: component of a larger entity).</i>
Code:	NT
Name:	net ton
Beschreibung:	<i>A unit of mass equal to 2000 pounds, see ton (US). Refer International Convention on tonnage measurement of Ships.</i>
Code:	NTT
Name:	net register ton
Beschreibung:	<i>A unit of mass equal to the total cubic footage after deductions, where 1 register ton is equal to 100 cubic feet. Refer International Convention on tonnage measurement of Ships.</i>
Code:	NX
Name:	part per thousand
Beschreibung:	<i>A unit of proportion equal to 10 to the power of -3. Synonym: per mille</i>
Code:	OA
Name:	panel
Beschreibung:	<i>A unit of count defining the number of panels (panel: a distinct, usually rectangular, section of a surface).</i>
Code:	ODE
Name:	ozone depletion equivalent
Beschreibung:	<i>A unit of mass defining the ozone depletion potential in kilograms of a product relative to the calculated depletion for the reference substance, Trichlorofluoromethane (CFC-11).</i>
Code:	ODG
Name:	ODS Grams
Beschreibung:	<i>A unit of measure calculated by multiplying the mass of the substance in grams and the ozone-depleting potential for the substance.</i>
Code:	ODK
Name:	ODS Kilograms
Beschreibung:	<i>A unit of measure calculated by multiplying the mass of the substance in kilograms and the ozone-depleting potential for the substance.</i>
Code:	ODM

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	ODS Milligrams
Beschreibung:	<i>A unit of measure calculated by multiplying the mass of the substance in milligrams and the ozone-depleting potential for the substance.</i>
Code:	OPM
Name:	oscillations per minute
Beschreibung:	<i>The number of oscillations per minute.</i>
Code:	OT
Name:	overtime hour
Beschreibung:	<i>A unit of time defining the number of overtime hours.</i>
Code:	OZ
Name:	ounce av
Beschreibung:	<i>A unit of measure equal to 1/16 of a pound or about 28.3495 grams (av = avoirdupois). Use ounce (common code ONZ).</i>
Code:	P1
Name:	Prozent
Beschreibung:	<i>A unit of proportion equal to 0.01.</i>
Code:	P10
Name:	coulomb per metre
Beschreibung:	<i>Derived SI unit coulomb divided by the SI base unit metre.</i>
Code:	P11
Name:	kiloweber
Beschreibung:	<i>1000 fold of the derived SI unit weber.</i>
Code:	P12
Name:	gamma
Beschreibung:	<i>Unit of magnetic flow density.</i>
Code:	P13
Name:	kilotesla
Beschreibung:	<i>1000-fold of the derived SI unit tesla.</i>
Code:	P14
Name:	joule per second
Beschreibung:	<i>Quotient of the derived SI unit joule divided by the SI base unit second.</i>
Code:	P15
Name:	joule per minute
Beschreibung:	<i>Quotient from the derived SI unit joule divided by the unit minute.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	P16
Name:	joule per hour
Beschreibung:	<i>Quotient from the derived SI unit joule divided by the unit hour.</i>
Code:	P17
Name:	joule per day
Beschreibung:	<i>Quotient from the derived SI unit joule divided by the unit day.</i>
Code:	P18
Name:	kilojoule per second
Beschreibung:	<i>Quotient from the 1000-fold of the derived SI unit joule divided by the SI base unit second.</i>
Code:	P19
Name:	kilojoule per minute
Beschreibung:	<i>Quotient from the 1000-fold of the derived SI unit joule divided by the unit minute.</i>
Code:	P20
Name:	kilojoule per hour
Beschreibung:	<i>Quotient from the 1000-fold of the derived SI unit joule divided by the unit hour.</i>
Code:	P21
Name:	kilojoule per day
Beschreibung:	<i>Quotient from the 1000-fold of the derived SI unit joule divided by the unit day.</i>
Code:	P22
Name:	nanoohm
Beschreibung:	<i>0,000 000 001-fold of the derived SI unit ohm.</i>
Code:	P23
Name:	ohm circular-mil per foot
Beschreibung:	<i>Unit of resistivity.</i>
Code:	P24
Name:	kiloHenry
Beschreibung:	<i>1000-fold of the derived SI unit henry.</i>
Code:	P25
Name:	lumen per square foot
Beschreibung:	<i>Derived SI unit lumen divided by the power of the unit foot according to the Anglo-American and Imperial system of units by exponent 2.</i>
Code:	P26
Name:	phot

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of luminance, defined as lumen by square centimetre.</i>
Code:	P27
Name:	footcandle
Beschreibung:	<i>Non SI conform traditional unit, defined as density of light which impinges on a surface which has a distance of one foot from a light source, which shines with an intensity of an international candle.</i>
Code:	P28
Name:	candela per square inch
Beschreibung:	<i>SI base unit candela divided by the power of unit inch according to the Anglo-American and Imperial system of units by exponent 2.</i>
Code:	P29
Name:	footlambert
Beschreibung:	<i>Unit of the luminance according to the Anglo-American system of units, defined as emitted or reflected luminance of a lm/ft².</i>
Code:	P30
Name:	lambert
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of luminance, defined as the emitted or reflected luminance by one lumen per square centimetre.</i>
Code:	P31
Name:	stilb
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of luminance, defined as emitted or reflected luminance by one lumen per square centimetre.</i>
Code:	P32
Name:	candela per square foot
Beschreibung:	<i>Base unit SI candela divided by the power of the unit foot according to the Anglo-American and Imperial system of units by exponent 2.</i>
Code:	P33
Name:	kilocandela
Beschreibung:	<i>1000-fold of the SI base unit candela.</i>
Code:	P34
Name:	millicandela
Beschreibung:	<i>0,001-fold of the SI base unit candela.</i>
Code:	P35

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Used Codes

Name:	Hefner-Kerze
Beschreibung:	<i>Obsolete, non-legal unit of the power in Germany relating to DIN 1301-3:1979: 1 HK = 0,903 cd.</i>
Code:	P36
Name:	international candle
Beschreibung:	<i>Obsolete, non-legal unit of the power in Germany relating to DIN 1301-3:1979: 1 HK = 1,019 cd.</i>
Code:	P37
Name:	British thermal unit (international table) per square foot
Beschreibung:	<i>Unit of the areal-related energy transmission according to the Imperial system of units.</i>
Code:	P38
Name:	British thermal unit (thermochemical) per square foot
Beschreibung:	<i>Unit of the areal-related energy transmission according to the Imperial system of units.</i>
Code:	P39
Name:	calorie (thermochemical) per square centimetre
Beschreibung:	<i>Unit of the areal-related energy transmission according to the Imperial system of units.</i>
Code:	P40
Name:	langley
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of the areal-related energy transmission (as a measure of the incident quantity of heat of solar radiation on the earth's surface).</i>
Code:	P41
Name:	decade (logarithmic)
Beschreibung:	<i>1 Dec := $\log_2 10 \sim 3,32$ according to the logarithm for frequency range between f_1 and f_2, when $f_2/f_1 = 10$.</i>
Code:	P42
Name:	pascal squared second
Beschreibung:	<i>Unit of the set as a product of the power of derived SI unit pascal with exponent 2 and the SI base unit second.</i>
Code:	P43
Name:	bel per metre
Beschreibung:	<i>Unit bel divided by the SI base unit metre.</i>
Code:	P44
Name:	pound mole
Beschreibung:	<i>Non SI-conforming unit of quantity of a substance relating that one pound mole of a</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

	<i>chemical composition corresponds to the same number of pounds as the molecular weight of one molecule of this composition in atomic mass units.</i>
Code:	P45
Name:	pound mole per second
Beschreibung:	<i>Non SI-conforming unit of the power of the amount of substance non-SI compliant unit of the molar flux relating that a pound mole of a chemical composition the same number of pound corresponds like the molecular weight of a molecule of this composition in atomic mass units.</i>
Code:	P46
Name:	pound mole per minute
Beschreibung:	<i>Non SI-conforming unit of the power of the amount of substance non-SI compliant unit of the molar flux relating that a pound mole of a chemical composition the same number of pound corresponds like the molecular weight of a molecule of this composition in atomic mass units.</i>
Code:	P47
Name:	kilomole per kilogram
Beschreibung:	<i>1000-fold of the SI base unit mol divided by the SI base unit kilogram.</i>
Code:	P48
Name:	pound mole per pound
Beschreibung:	<i>Non SI-conforming unit of the material molar flux divided by the avoirdupois pound for mass according to the avoirdupois unit system.</i>
Code:	P49
Name:	newton square metre per ampere
Beschreibung:	<i>Product of the derived SI unit newton and the power of SI base unit metre with exponent 2 divided by the SI base unit ampere.</i>
Code:	P5
Name:	five pack
Beschreibung:	<i>A unit of count defining the number of five-packs (five-pack: set of five items packaged together).</i>
Code:	P50
Name:	weber metre
Beschreibung:	<i>Product of the derived SI unit weber and SI base unit metre.</i>
Code:	P51
Name:	mol per kilogram pascal

Guideline**Used Codes**

Beschreibung:	<i>SI base unit mol divided by the product of the SI base unit kilogram and the derived SI unit pascal.</i>
Code:	P52
Name:	mol per cubic metre pascal
Beschreibung:	<i>SI base unit mol divided by the product of the power from the SI base unit metre with exponent 3 and the derived SI unit pascal.</i>
Code:	P53
Name:	unit pole
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit for magnetic flux of a magnetic pole (according to the interaction of identical poles of 1 dyn at a distance of a cm).</i>
Code:	P54
Name:	milligray per second
Beschreibung:	<i>0,001-fold of the derived SI unit gray divided by the SI base unit second.</i>
Code:	P55
Name:	microgray per second
Beschreibung:	<i>0,000 001-fold of the derived SI unit gray divided by the SI base unit second.</i>
Code:	P56
Name:	nanogray per second
Beschreibung:	<i>0,000 000 001-fold of the derived SI unit gray divided by the SI base unit second.</i>
Code:	P57
Name:	gray per minute
Beschreibung:	<i>SI derived unit gray divided by the unit minute.</i>
Code:	P58
Name:	milligray per minute
Beschreibung:	<i>0,001-fold of the derived SI unit gray divided by the unit minute.</i>
Code:	P59
Name:	microgray per minute
Beschreibung:	<i>0,000 001-fold of the derived SI unit gray divided by the unit minute.</i>
Code:	P60
Name:	nanogray per minute
Beschreibung:	<i>0,000 000 001-fold of the derived SI unit gray divided by the unit minute.</i>
Code:	P61
Name:	gray per hour
Beschreibung:	<i>SI derived unit gray divided by the unit hour.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	P62
Name:	milligray per hour
Beschreibung:	<i>0,001-fold of the derived SI unit gray divided by the unit hour.</i>
Code:	P63
Name:	microgray per hour
Beschreibung:	<i>0,000 001-fold of the derived SI unit gray divided by the unit hour.</i>
Code:	P64
Name:	nanogray per hour
Beschreibung:	<i>0,000 000 001-fold of the derived SI unit gray divided by the unit hour.</i>
Code:	P65
Name:	sievert per second
Beschreibung:	<i>Derived SI unit sievert divided by the SI base unit second.</i>
Code:	P66
Name:	millisievert per second
Beschreibung:	<i>0,001-fold of the derived SI unit sievert divided by the SI base unit second.</i>
Code:	P67
Name:	microsievert per second
Beschreibung:	<i>0,000 001-fold of the derived SI unit sievert divided by the SI base unit second.</i>
Code:	P68
Name:	nanosievert per second
Beschreibung:	<i>0,000 000 001-fold of the derived SI unit sievert divided by the SI base unit second.</i>
Code:	P69
Name:	rem per second
Beschreibung:	<i>Unit for the equivalent tin rate relating to DIN 1301-3:1979: 1 rem/s = 0,01 J/(kg·s) = 1 Sv/s.</i>
Code:	P70
Name:	sievert per hour
Beschreibung:	<i>Derived SI unit sievert divided by the unit hour.</i>
Code:	P71
Name:	millisievert per hour
Beschreibung:	<i>0,001-fold of the derived SI unit sievert divided by the unit hour.</i>
Code:	P72
Name:	microsievert per hour
Beschreibung:	<i>0,000 001-fold of the derived SI unit sievert divided by the unit hour.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	P73
Name:	nanosievert per hour
Beschreibung:	<i>0,000 000 001-fold of the derived SI unit sievert divided by the unit hour.</i>
Code:	P74
Name:	sievert per minute
Beschreibung:	<i>Derived SI unit sievert divided by the unit minute.</i>
Code:	P75
Name:	millisievert per minute
Beschreibung:	<i>0,001-fold of the derived SI unit sievert divided by the unit minute.</i>
Code:	P76
Name:	microsievert per minute
Beschreibung:	<i>0,000 001-fold of the derived SI unit sievert divided by the unit minute.</i>
Code:	P77
Name:	nanosievert per minute
Beschreibung:	<i>0,000 000 001-fold of the derived SI unit sievert divided by the unit minute.</i>
Code:	P78
Name:	reciprocal square inch
Beschreibung:	<i>Complement of the power of the unit inch according to the Anglo-American and Imperial system of units by exponent 2.</i>
Code:	P79
Name:	pascal square metre per kilogram
Beschreibung:	<i>Unit of the burst index as derived unit for pressure pascal related to the substance, represented as a quotient from the SI base unit kilogram divided by the power of the SI base unit metre by exponent 2.</i>
Code:	P80
Name:	millipascal per metre
Beschreibung:	<i>0,001-fold of the derived SI unit pascal divided by the SI base unit metre.</i>
Code:	P81
Name:	kilopascal per metre
Beschreibung:	<i>1000-fold of the derived SI unit pascal divided by the SI base unit metre.</i>
Code:	P82
Name:	hectopascal per metre
Beschreibung:	<i>100-fold of the derived SI unit pascal divided by the SI base unit metre.</i>
Code:	P83

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	standard atmosphere per metre
Beschreibung:	<i>Outdated unit of the pressure divided by the SI base unit metre.</i>
Code:	P84
Name:	technical atmosphere per metre
Beschreibung:	<i>Obsolete and non-legal unit of the pressure which is generated by a 10 metre water column divided by the SI base unit metre.</i>
Code:	P85
Name:	torr per metre
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of the pressure divided by the SI base unit metre.</i>
Code:	P86
Name:	psi per inch
Beschreibung:	<i>Compound unit for pressure (pound-force according to the Anglo-American unit system divided by the power of the unit inch according to the Anglo-American and Imperial system of units with the exponent 2) divided by the unit inch according to the Anglo-American and Imperial system of units .</i>
Code:	P87
Name:	cubic metre per second square metre
Beschreibung:	<i>Unit of volume flow cubic meters by second related to the transmission surface in square metres.</i>
Code:	P88
Name:	rhe
Beschreibung:	<i>Non SI-conforming unit of fluidity of dynamic viscosity.</i>
Code:	P89
Name:	pound-force foot per inch
Beschreibung:	<i>Unit for length-related rotational moment according to the Anglo-American and Imperial system of units.</i>
Code:	P90
Name:	pound-force inch per inch
Beschreibung:	<i>Unit for length-related rotational moment according to the Anglo-American and Imperial system of units.</i>
Code:	P91
Name:	perm (0 °C)
Beschreibung:	<i>Traditional unit for the ability of a material to allow the transition of the steam, defined at</i>

Guideline

Used Codes

	<i>a temperature of 0 °C as steam transmittance, where the mass of one grain steam penetrates an area of one foot squared at a pressure from one inch mercury per hour.</i>
Code:	P92
Name:	perm (23 °C)
Beschreibung:	<i>Traditional unit for the ability of a material to allow the transition of the steam, defined at a temperature of 23 °C as steam transmittance at which the mass of one grain of steam penetrates an area of one square foot at a pressure of one inch mercury per hour.</i>
Code:	P93
Name:	byte per second
Beschreibung:	<i>Unit byte divided by the SI base unit second.</i>
Code:	P94
Name:	kilobyte per second
Beschreibung:	<i>1000-fold of the unit byte divided by the SI base unit second.</i>
Code:	P95
Name:	megabyte per second
Beschreibung:	<i>1 000 000-fold of the unit byte divided by the SI base unit second.</i>
Code:	P96
Name:	reciprocal volt
Beschreibung:	<i>Reciprocal of the derived SI unit volt.</i>
Code:	P97
Name:	reciprocal radian
Beschreibung:	<i>Reciprocal of the unit radian.</i>
Code:	P98
Name:	pascal to the power sum of stoichiometric numbers
Beschreibung:	<i>Unit of the equilibrium constant on the basis of the pressure(ISO 80000-9:2009, 9-35.a).</i>
Code:	P99
Name:	mole per cubiv metre to the power sum of stoichiometric numbers
Beschreibung:	<i>Unit of the equilibrium constant on the basis of the concentration (ISO 80000-9:2009, 9-36.a).</i>
Code:	PD
Name:	pad
Beschreibung:	<i>A unit of count defining the number of pads (pad: block of paper sheets fastened together at one end).</i>
Code:	PFL

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	proof litre
Beschreibung:	<i>A unit of volume equal to one litre of proof spirits, or the alcohol equivalent thereof. Used for measuring the strength of distilled alcoholic liquors, expressed as a percentage of the alcohol content of a standard mixture at a specific temperature.</i>
Code:	PGL
Name:	proof gallon
Beschreibung:	<i>A unit of volume equal to one gallon of proof spirits, or the alcohol equivalent thereof. Used for measuring the strength of distilled alcoholic liquors, expressed as a percentage of the alcohol content of a standard mixture at a specific temperature.</i>
Code:	PI
Name:	pitch
Beschreibung:	<i>A unit of count defining the number of characters that fit in a horizontal inch.</i>
Code:	PLA
Name:	degree Plato
Beschreibung:	<i>A unit of proportion defining the sugar content of a product, especially in relation to beer.</i>
Code:	PQ
Name:	page per inch
Beschreibung:	<i>A unit of quantity defining the degree of thickness of a bound publication, expressed as the number of pages per inch of thickness.</i>
Code:	PR
Name:	Paar
Beschreibung:	<i>A unit of count defining the number of pairs (pair: item described by two's).</i>
Code:	PT
Name:	pint (US)
Beschreibung:	<i>Use liquid pint (common code PTL)</i>
Code:	PTN
Name:	Portion
Beschreibung:	<i>A quantity of allowance of food allotted to, or enough for, one person.</i>
Code:	Q10
Name:	joule per tesla
Beschreibung:	<i>Unit of the magnetic dipole moment of the molecule as derived SI unit joule divided by the derived SI unit tesla.</i>
Code:	Q11
Name:	erlang

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Used Codes

Beschreibung:	<i>Unit of the market value according to the feature of a single feature as a statistical measurement of the existing utilization.</i>
Code:	Q12
Name:	octet
Beschreibung:	<i>Synonym for byte: 1 octet = 8 bit = 1 byte.</i>
Code:	Q13
Name:	octet per second
Beschreibung:	<i>Unit octet divided by the SI base unit second.</i>
Code:	Q14
Name:	shannon
Beschreibung:	<i>Logarithmic unit for information equal to the content of decision of a sentence of two mutually exclusive events, expressed as a logarithm to base 2.</i>
Code:	Q15
Name:	hartley
Beschreibung:	<i>Logarithmic unit for information equal to the content of decision of a sentence of ten mutually exclusive events, expressed as a logarithm to base 10.</i>
Code:	Q16
Name:	natural unit of information
Beschreibung:	<i>Logarithmic unit for information equal to the content of decision of a sentence of ,718 281 828 459 mutually exclusive events, expressed as a logarithm to base Euler value e.</i>
Code:	Q17
Name:	shannon per second
Beschreibung:	<i>Time related logarithmic unit for information equal to the content of decision of a sentence of two mutually exclusive events, expressed as a logarithm to base 2.</i>
Code:	Q18
Name:	hartley per second
Beschreibung:	<i>Time related logarithmic unit for information equal to the content of decision of a sentence of ten mutually exclusive events, expressed as a logarithm to base 10.</i>
Code:	Q19
Name:	natural unit of information per second
Beschreibung:	<i>Time related logarithmic unit for information equal to the content of decision of a sentence of 2,718 281 828 459 mutually exclusive events, expressed as a logarithm to base of the Euler value e.</i>
Code:	Q20

Guideline**Used Codes**

Name:	second per kilogramm
Beschreibung:	<i>Unit of the Einstein transition probability for spontaneous or inducing emissions and absorption according to ISO 80000-7:2008, expressed as SI base unit second divided by the SI base unit kilogram.</i>
Code:	Q21
Name:	watt square metre
Beschreibung:	<i>Unit of the first radiation constants $c_1 = 2 \cdot p \cdot h \cdot c_0$ to the power of 2, the value of which is 3,741 771 18 · 10¹⁶-fold that of the comparative value of the product of the derived SI unit watt multiplied with the power of the SI base unit metre with the exponent 2.</i>
Code:	Q22
Name:	second per radian cubic metre
Beschreibung:	<i>Unit of the density of states as an expression of angular frequency as complement of the product of hertz and radiant and the power of SI base unit metre by exponent 3 .</i>
Code:	Q23
Name:	weber to the power minus one
Beschreibung:	<i>Complement of the derived SI unit weber as unit of the Josephson constant, which value is equal to the 384 597,891-fold of the reference value gigahertz divided by volt.</i>
Code:	Q24
Name:	reciprocal inch
Beschreibung:	<i>Complement of the unit inch according to the Anglo-American and Imperial system of units.</i>
Code:	Q25
Name:	dioptre
Beschreibung:	<i>Unit used at the statement of relative refractive indexes of optical systems as complement of the focal length with correspondence to: 1 dpt = 1/m.</i>
Code:	Q26
Name:	one per one
Beschreibung:	<i>Value of the quotient from two physical units of the same kind as a numerator and denominator whereas the units are shortened mutually.</i>
Code:	Q27
Name:	newton metre per metre
Beschreibung:	<i>Unit for length-related rotational moment as product of the derived SI unit newton and the SI base unit metre divided by the SI base unit metre.</i>
Code:	Q28

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	kilogram per square metre pascal second
Beschreibung:	<i>Unit for the ability of a material to allow the transition of steam.</i>
Code:	Q29
Name:	microgram per hectogram
Beschreibung:	<i>Microgram per hectogram.</i>
Code:	Q3
Name:	meal
Beschreibung:	<i>A unit of count defining the number of meals (meal: an amount of food to be eaten on a single occasion).</i>
Code:	Q30
Name:	pH (potential of Hydrogen)
Beschreibung:	<i>The activity of the (solvated) hydrogen ion (a logarithmic measure used to state the acidity or alkalinity of a chemical solution).</i>
Code:	Q35
Name:	megawatts per minute
Beschreibung:	<i>A unit of power defining the total amount of bulk energy transferred or consumer per minute.</i>
Code:	Q36
Name:	square metre per cubic metre
Beschreibung:	<i>A unit of the amount of surface area per unit volume of an object or collection of objects.</i>
Code:	Q37
Name:	Standard cubic metre per day
Beschreibung:	<i>Standard cubic metre (temperature 15°C and pressure 101325 millibars) per day</i>
Code:	Q38
Name:	Standard cubic metre per hour
Beschreibung:	<i>Standard cubic metre (temperature 15°C and pressure 101325 millibars) per hour</i>
Code:	Q39
Name:	Normalized cubic metre per day
Beschreibung:	<i>Normalized cubic metre (temperature 0°C and pressure 101325 millibars) per day</i>
Code:	Q40
Name:	Normalized cubic metre per hour
Beschreibung:	<i>Normalized cubic metre (temperature 0°C and pressure 101325 millibars) per hour</i>
Code:	Q41
Name:	Joule per normalised cubic metre

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>Joule per normalised cubic metre (temperature 0°C and pressure 101325 millibars).</i>
Code:	Q42
Name:	Joule per standard cubic metre
Beschreibung:	<i>Joule per standard cubic metre (temperature 15°C and pressure 101325 millibars).</i>
Code:	QA
Name:	page - facsimile
Beschreibung:	<i>A unit of count defining the number of facsimile pages.</i>
Code:	QAN
Name:	Viertel (jahr)
Beschreibung:	<i>A unit of time defining the number of quarters (3 months).</i>
Code:	QB
Name:	page - hardcopy
Beschreibung:	<i>A unit of count defining the number of hardcopy pages (hardcopy page: a page rendered as printed or written output on paper, film, or other permanent medium).</i>
Code:	QR
Name:	quire
Beschreibung:	<i>A unit of count for paper, expressed as the number of quires (quire: a number of paper sheets, typically 25).</i>
Code:	QT
Name:	quart (US)
Beschreibung:	<i>Use liquid quart (common code QTL)</i>
Code:	QTR
Name:	quarter (UK)
Beschreibung:	<i>A traditional unit of weight equal to 1/4 hundredweight. In the United Kingdom, one quarter equals 28 pounds.</i>
Code:	R1
Name:	pica
Beschreibung:	<i>A unit of count defining the number of picas. (pica: typographical length equal to 12 points or 4.22 mm (approx.)).</i>
Code:	R9
Name:	thousand cubic metre
Beschreibung:	<i>A unit of volume equal to one thousand cubic metres.</i>
Code:	RH
Name:	running or operating hour

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of time defining the number of hours of operation.</i>
Code:	RM
Name:	ream
Beschreibung:	<i>A unit of count for paper, expressed as the number of reams (ream: a large quantity of paper sheets, typically 500).</i>
Code:	ROM
Name:	room
Beschreibung:	<i>A unit of count defining the number of rooms.</i>
Code:	RP
Name:	pound per ream
Beschreibung:	<i>A unit of mass for paper, expressed as pounds per ream. (ream: a large quantity of paper, typically 500 sheets).</i>
Code:	RPM
Name:	Umdrehung pro Minute
Beschreibung:	<i>Refer ISO/TC12 SI Guide</i>
Code:	RPS
Name:	revolutions per second
Beschreibung:	<i>Refer ISO/TC12 SI Guide</i>
Code:	RT
Name:	revenue ton mile
Beschreibung:	<i>A unit of information typically used for billing purposes, expressed as the number of revenue tons (revenue ton: either a metric ton or a cubic metres, whichever is the larger), moved over a distance of one mile.</i>
Code:	S3
Name:	square foot per second
Beschreibung:	<i>Synonym: foot squared per second</i>
Code:	S4
Name:	square metre per second
Beschreibung:	<i>Synonym: metre squared per second (square metres/second US)</i>
Code:	SAN
Name:	half year (6 months)
Beschreibung:	<i>'A unit of time defining the number of half years (6 months).</i>
Code:	SCO
Name:	score

Guideline**Used Codes**

Beschreibung:	<i>A unit of count defining the number of units in multiples of 20.</i>
Code:	SET
Name:	set
Beschreibung:	<i>A unit of count defining the number of sets (set: a number of objects grouped together).</i>
Code:	SG
Name:	segment
Beschreibung:	<i>A unit of information equal to 64000 bytes.</i>
Code:	SHT
Name:	shipping ton
Beschreibung:	<i>A unit of mass defining the number of tons for shipping.</i>
Code:	SM3
Name:	Standard cubic metre
Beschreibung:	<i>Standard cubic metre (temperature 15°C and pressure 101325 millibars)</i>
Code:	SQ
Name:	square
Beschreibung:	<i>A unit of count defining the number of squares (square: rectangular shape).</i>
Code:	SQR
Name:	square, roofing
Beschreibung:	<i>A unit of count defining the number of squares of roofing materials, measured in multiples of 100 square feet.</i>
Code:	SR
Name:	strip
Beschreibung:	<i>A unit of count defining the number of strips (strip: long narrow piece of an object).</i>
Code:	STC
Name:	stick
Beschreibung:	<i>A unit of count defining the number of sticks (stick: slender and often cylindrical piece of a substance).</i>
Code:	STK
Name:	stick, cigarette
Beschreibung:	<i>A unit of count defining the number of cigarettes in the smallest unit for stock-taking and/or duty computation.</i>
Code:	STL
Name:	standard litre
Beschreibung:	<i>A unit of volume defining the number of litres of a product at a temperature of 15</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

	<i>degrees Celsius, especially in relation to hydrocarbon oils.</i>
Code:	STN
Name:	ton (US) or short ton (UK/US)
Beschreibung:	<i>Synonym: net ton (2000 lb)</i>
Code:	STW
Name:	straw
Beschreibung:	<i>A unit of count defining the number of straws (straw: a slender tube used for sucking up liquids).</i>
Code:	SW
Name:	skein
Beschreibung:	<i>A unit of count defining the number of skeins (skein: a loosely-coiled bundle of yarn or thread).</i>
Code:	SX
Name:	shipment
Beschreibung:	<i>A unit of count defining the number of shipments (shipment: an amount of goods shipped or transported).</i>
Code:	SYR
Name:	syringe
Beschreibung:	<i>A unit of count defining the number of syringes (syringe: a small device for pumping, spraying and/or injecting liquids through a small aperture).</i>
Code:	T0
Name:	telecommunication line in service
Beschreibung:	<i>A unit of count defining the number of lines in service.</i>
Code:	T3
Name:	thousand piece
Beschreibung:	<i>A unit of count defining the number of pieces in multiples of 1000 (piece: a single item, article or exemplar).</i>
Code:	TAN
Name:	total acid number
Beschreibung:	<i>A unit of chemistry defining the amount of potassium hydroxide (KOH) in milligrams that is needed to neutralize the acids in one gram of oil. It is an important quality measurement of crude oil.</i>
Code:	TIC
Name:	metric ton, including container

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of mass defining the number of metric tons of a product, including its container.</i>
Code:	TIP
Name:	metric ton, including inner packaging
Beschreibung:	<i>A unit of mass defining the number of metric tons of a product, including its inner packaging materials.</i>
Code:	TKM
Name:	tonne kilometre
Beschreibung:	<i>A unit of information typically used for billing purposes, expressed as the number of tonnes (metric tons) moved over a distance of one kilometre.</i>
Code:	TMS
Name:	kilogram of imported meat, less offal
Beschreibung:	<i>A unit of mass equal to one thousand grams of imported meat, disregarding less valuable by-products such as the entrails.</i>
Code:	TNE
Name:	Tonne (metrische Tonne)
Beschreibung:	<i>Synonym: metric ton</i>
Code:	TP
Name:	ten pack
Beschreibung:	<i>A unit of count defining the number of items in multiples of 10.</i>
Code:	TPI
Name:	teeth per inch
Beschreibung:	<i>The number of teeth per inch.</i>
Code:	TPR
Name:	ten pair
Beschreibung:	<i>A unit of count defining the number of pairs in multiples of 10 (pair: item described by two's).</i>
Code:	TQD
Name:	thousand cubic metre per day
Beschreibung:	<i>A unit of volume equal to one thousand cubic metres per day.</i>
Code:	TST
Name:	ten set
Beschreibung:	<i>A unit of count defining the number of sets in multiples of 10 (set: a number of objects grouped together).</i>
Code:	TTS

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	ten thousand sticks
Beschreibung:	<i>A unit of count defining the number of sticks in multiples of 10000 (stick: slender and often cylindrical piece of a substance).</i>
Code:	U1
Name:	treatment
Beschreibung:	<i>A unit of count defining the number of treatments (treatment: subjection to the action of a chemical, physical or biological agent).</i>
Code:	U2
Name:	Tablette
Beschreibung:	<i>A unit of count defining the number of tablets (tablet: a small flat or compressed solid object).</i>
Code:	UB
Name:	telecommunication line in service average
Beschreibung:	<i>A unit of count defining the average number of lines in service.</i>
Code:	UC
Name:	telecommunication port
Beschreibung:	<i>A unit of count defining the number of network access ports.</i>
Code:	UIG
Name:	international unit per gram
Beschreibung:	<i>A unit of count defining the number of international units per gram.</i>
Code:	VP
Name:	percent volume
Beschreibung:	<i>A measure of concentration, typically expressed as the percentage volume of a solute in a solution.</i>
Code:	W2
Name:	wet kilo
Beschreibung:	<i>A unit of mass defining the number of kilograms of a product, including the water content of the product.</i>
Code:	WB
Name:	wet pound
Beschreibung:	<i>A unit of mass defining the number of pounds of a material, including the water content of the material.</i>
Code:	WCD
Name:	cord

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung: *A unit of volume used for measuring lumber. One board foot equals 1/12 of a cubic foot.*

Code: WE

Name: wet ton

Beschreibung: *A unit of mass defining the number of tons of a material, including the water content of the material.*

Code: WG

Name: wine gallon

Beschreibung: *A unit of volume equal to 231 cubic inches.*

Code: WM

Name: working month

Beschreibung: *A unit of time defining the number of working months.*

Code: WSD

Name: standard

Beschreibung: *A unit of volume of finished lumber equal to 165 cubic feet.
Synonym: standard cubic foot*

Code: WW

Name: millilitre of water

Beschreibung: *A unit of volume equal to the number of millilitres of water.*

Code: X1

Name: Gunter's chain

Beschreibung: *A unit of distance used or formerly used by British surveyors.*

Code: Z11

Name: hanging container

Beschreibung: *A unit of count defining the number of hanging containers.*

Code: ZP

Name: Seite

Beschreibung: *A unit of count defining the number of pages.*

Code: ZZ

Name: mutually defined

Beschreibung: *A unit of measure as agreed in common between two or more parties.*

ItemPriceExclusiveAllowancesCharges

Wiederholung: 0 .. 1

Schema-Status: O

Typ: shared_common:AmountType

Fachbegriff: **Einzelpreis nach Bruttokalkulation**

Guideline

	Status:	D
	Beispiel:	200
	Regel:	Abhängig/Muss, entweder der Brutto- oder der Nettopreis müssen angegeben werden. Ausnahme: bei Wertgutschriften und wenn Inhaltsartikel aus einem Display/Sortiment fakturiert werden, wird dieses Element weggelassen.
		Dieses Element muss benutzt werden, um Preisangaben für die Berechnung des Warenwertes anzugeben. Ausnahme: Werden die in Displays enthaltenen Artikel fakturiert, erfolgt die Preisangabe ausschließlich auf Unterpositionsebene.
		In der Rechnung darf nur eine Kalkulationsmethode zur Ermittlung des Warenwertes verwendet werden.
	Definition:	Der angegebene Preis ist der Bruttopreis exklusive aller Zu- und Abschläge und exklusive Steuern. Zu- und Abschläge müssen für Nettokalkulationszwecke angegeben werden.
	EANCOM®:	INVOIC.SG26.SG29[D_5125 = "AAB"].C509.5118
currencyCode	Schema-Status:	M
	Type:	restriction (xs:string)
	Fachbegriff:	Währungscode
	Status:	R
	Beispiel:	EUR
	Definition:	Code, der die Währung einer Wertangabe spezifiziert.
	Used Codes	
	Code:	RON
	Name:	Romanian Leu
	Beschreibung:	<i>This currency code is effective from 1 July 2005</i>
	Code:	ZWL
	Name:	Zimbabwe Dollar
	Beschreibung:	<i>(effective 1 February 2009)</i>
itemPriceInclusiveAllowancesCharges	Wiederholung:	0 .. 1
	Schema-Status:	O
	Typ:	shared_common:AmountType
	Fachbegriff:	Einzelpreis nach Nettokalkulation
	Status:	D
	Beispiel:	240
	Regel:	Abhängig/Muss, entweder der Brutto- oder der Nettopreis müssen angegeben werden.

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Ausnahme: bei Wertgutschriften und wenn Inhaltsartikel aus einem Display/Sortiment fakturiert werden, wird dieses Element weggelassen.

Dieses Element muss benutzt werden, um Preisangaben für die Berechnung des Warenwertes anzugeben. Ausnahme: Werden die in Displays enthaltenen Artikel fakturiert, erfolgt die Preisangabe ausschließlich auf Unterpositionsebene.

In der Rechnung darf nur eine Kalkulationsmethode zur Ermittlung des Warenwertes verwendet werden.

Definition: Der angegebene Preis ist der Nettopreis inkl. aller Zu-/Abschläge ohne Steuern. Zu-/Abschläge dürfen nur zu Informationszwecken angegeben werden.

EANCOM®: **INVOIC.SG26.SG29[D_5125 = "AAA"].C509.5118**

currencyCode

Schema-Status: M
 Type: restriction (xs:string)
 Fachbegriff: **Währungscode**
 Status: **R**
 Beispiel: EUR
 Definition: Code, der die Währung einer Wertangabe spezifiziert.

Used Codes

Code: RON
 Name: Romanian Leu
 Beschreibung: *This currency code is effective from 1 July 2005*
 Code: ZWL
 Name: Zimbabwe Dollar
 Beschreibung: *(effective 1 February 2009)*

transferOfOwnershipDate

Wiederholung: 0 .. 1
 Schema-Status: O
 Typ: xs:date
 Fachbegriff: **Leistungsdatum**
 Beispiel: 2019-06-05
 Bemerkung: Alternativ kann als Leistungsdatum auch der Abrechnungszeitraum (invoicePeriod) auf Belegebene bzw. das Abholdatum (pickUpDateTime) angegeben werden.
 Definition: Das Datum, an dem der ökonomische Transfer der Waren stattfand. Die Finanzämter verlangen die Angabe dieses Datums in Rechnungen für Waren und Dienstleistungen.
 EANCOM®: **INVOIC.DTM[D_2005="35"]**

Guideline

parentLineNumber	EANCOM®:	INVOIC.SG26.DTM[D_2005="35"]
	Wiederholung:	0 .. 1
	Schema-Status:	O
	Typ:	xs:positiveInteger
	Definition:	The number of line item containing information about the parent of the current item. It allows establishing hierarchical link between the two items.
	Fachbegriff:	Bezugsposition
	Status:	D
	Beispiel:	1
	Definition:	Angabe der Positionsnummer der übergeordneten Position. Auf diese Weise können Artikelhierarchien abgebildet werden.
	ownershipPriorToPayment	EANCOM®:
Wiederholung:		0 .. 1
Schema-Status:		O
Typ:		ecom_common:OwnershipTransferConditionCodeType
Definition:		Gibt an, wem die Ware gehört, bevor die Rechnung bezahlt wird und wann die Eigentumsübertragung stattfinden kann.
Fachbegriff:		Eigentumsübertragung
Status:		O
Beispiel:		FULL_PAYMENT
GDD URN:		http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:OwnershipTransferConditionCode
EANCOM®:		INVOIC.FTX[D_4451="ZZZ"].C107[D_4441="EEV"]
legallyFixedRetailPrice	Used Codes	
	Code:	FULL_PAYMENT
	Name:	Die Ware bleibt bis zur vollständigen Bezahlung unser Eigentum.
	Beschreibung:	<i>Gebührenermäßigung aufgrund von Rabatt- und Bonusvereinbarungen</i>
	Code:	OUTSTANDING_PAYMENT
	Name:	Die Ware bleibt bis zur vollständigen Bezahlung aller Forderungen unser Eigentum.
	Beschreibung:	<i>Die Gebührenermäßigung richtet sich nach unseren aktuellen Geschäftsbedingungen.</i>
	Code:	OUTSTANDING_PAYMENT_AND_RESALE
	Name:	Die Ware bleibt bis zur vollständigen Bezahlung unser Eigentum. Dies gilt auch im Falle der Weiterveräußerung oder -verarbeitung der Ware.
	Beschreibung:	<i>Es gelten Rabatt- oder Bonusvereinbarungen.</i>
Wiederholung:	0 .. 1	

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	<p>Schema-Status: O Typ: shared_common:AmountType Fachbegriff: Gesetzlich fester Verkaufspreis Status: O Definition: Ein gesetzlich vorgeschriebener Festpreis, z. B. für Bücher, Zigaretten. EANCOM®: INVOIC.SG26.SG29[D_5125="AAE" AND D_5375="CA" AND D_5387="RTP"].C509.5118</p>
currencyCode	<p>Schema-Status: M Type: restriction (xs:string) Fachbegriff: Währungscode Status: R Beispiel: EUR Definition: Code, der die Währung einer Wertangabe spezifiziert.</p> <p>Used Codes</p> <p>Code: RON Name: Romanian Leu Beschreibung: <i>This currency code is effective from 1 July 2005</i></p> <p>Code: ZWL Name: Zimbabwe Dollar Beschreibung: <i>(effective 1 February 2009)</i></p>
recommendedRetailPrice	<p>Wiederholung: 0 .. 1 Schema-Status: O Typ: shared_common:AmountType Fachbegriff: Empfohlener Ladenverkaufspreis Status: O Definition: Der empfohlene Verkaufspreis wird nur für Marketingzwecke angegeben. EANCOM®: INVOIC.SG26.SG29.PRI[D_5387="SRP"].5118</p>
currencyCode	<p>Schema-Status: M Type: restriction (xs:string) Fachbegriff: Währungscode Status: R Beispiel: EUR Definition: Code, der die Währung einer Wertangabe spezifiziert.</p> <p>Used Codes</p> <p>Code: RON Name: Romanian Leu</p>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	Used Codes
	Beschreibung: <i>This currency code is effective from 1 July 2005</i>
	Code: ZWL
	Name: Zimbabwe Dollar
	Beschreibung: <i>(effective 1 February 2009)</i>
retailPriceExcludingExcise	Wiederholung: 0 .. 1
	Schema-Status: O
	Typ: shared_common:AmountType
	Fachbegriff: Einzelhandelspreis ohne Verbrauchsteuern
	Status: O
	Definition: Einzelhandelspreis mit abgezogener Verbrauchssteuer, z. B. Preis der Zigaretten ohne Tabakverbrauch.
	EANCOM®: INVOIC.SG26.SG29[D_5125="CAL" AND D_5387="ABE"].C509.5118
currencyCode	Schema-Status: M
	Type: restriction (xs:string)
	Fachbegriff: Währungscode
	Status: R
	Beispiel: EUR
	Definition: Code, der die Währung einer Wertangabe spezifiziert.
	Used Codes
	Code: RON
	Name: Romanian Leu
	Beschreibung: <i>This currency code is effective from 1 July 2005</i>
	Code: ZWL
	Name: Zimbabwe Dollar
	Beschreibung: <i>(effective 1 February 2009)</i>
totalOrderedQuantity	Wiederholung: 0 .. 1
	Schema-Status: O
	Typ: shared_common:QuantityType
	Definition: Die Menge des bestellten Artikels. Bei Teilrechnungen anzugeben.
	Fachbegriff: Gesamtbestellmenge
	Status: O
	Bemerkung: Dieses Element kann bei Mengenabweichungen (bestellt/berechnet) zusätzlich verwendet werden.
	EANCOM®: INVOIC.SG26[D_6063="21"].QTY.6060

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

measurementUnitCode

Schema-Status:	O
Type:	restriction (xs:string)
Definition:	Angabe einer standardisierten, reproduzierbaren Einheit, die zur physikalischen Messung einer Menge verwendet werden kann.
Fachbegriff:	Einheit
Status:	O
Beispiel:	KGM
Used Codes	
Code:	10
Name:	group
Beschreibung:	<i>A unit of count defining the number of groups (group: set of items classified together).</i>
Code:	11
Name:	outfit
Beschreibung:	<i>A unit of count defining the number of outfits (outfit: a complete set of equipment / materials / objects used for a specific purpose).</i>
Code:	13
Name:	ration
Beschreibung:	<i>A unit of count defining the number of rations (ration: a single portion of provisions).</i>
Code:	14
Name:	shot
Beschreibung:	<i>A unit of liquid measure, especially related to spirits.</i>
Code:	15
Name:	stick, military
Beschreibung:	<i>A unit of count defining the number of military sticks (military stick: bombs or paratroops released in rapid succession from an aircraft).</i>
Code:	20
Name:	twenty foot container
Beschreibung:	<i>A unit of count defining the number of shipping containers that measure 20 foot in length.</i>
Code:	21
Name:	forty foot container
Beschreibung:	<i>A unit of count defining the number of shipping containers that measure 40 foot in length.</i>
Code:	24
Name:	theoretical pound
Beschreibung:	<i>A unit of mass defining the expected mass of material expressed as the number of pounds.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	27
Name:	theoretical ton
Beschreibung:	<i>A unit of mass defining the expected mass of material, expressed as the number of tons.</i>
Code:	56
Name:	sitas
Beschreibung:	<i>A unit of area for tin plate equal to a surface area of 100 square metres.</i>
Code:	57
Name:	mesh
Beschreibung:	<i>A unit of count defining the number of strands per inch as a measure of the fineness of a woven product.</i>
Code:	58
Name:	net kilogram
Beschreibung:	<i>A unit of mass defining the total number of kilograms after deductions.</i>
Code:	59
Name:	Teile pro Million (ppm)
Beschreibung:	<i>A unit of proportion equal to 10 to the power of -6.</i>
Code:	60
Name:	percent weight
Beschreibung:	<i>A unit of proportion equal to 10 to the power of -2.</i>
Code:	61
Name:	part per billion (US)
Beschreibung:	<i>A unit of proportion equal to 10 to the power of -9.</i>
Code:	84
Name:	kilopound-force per square inch
Beschreibung:	<i>A unit of pressure defining the number of kilopounds force per square inch. Use kip per square inch (common code N20).</i>
Code:	1I
Name:	fixed rate
Beschreibung:	<i>A unit of quantity expressed as a predetermined or set rate for usage of a facility or service.</i>
Code:	2A
Name:	radian per second
Beschreibung:	<i>Refer ISO/TC12 SI Guide</i>
Code:	2B

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	radian per second squared
Beschreibung:	<i>Refer ISO/TC12 SI Guide</i>
Code:	2G
Name:	volt AC
Beschreibung:	<i>A unit of electric potential in relation to alternating current (AC).</i>
Code:	2H
Name:	volt DC
Beschreibung:	<i>A unit of electric potential in relation to direct current (DC).</i>
Code:	2P
Name:	kilobyte
Beschreibung:	<i>A unit of information equal to 10 to the power of 3 (1000) bytes.</i>
Code:	3C
Name:	manmonth
Beschreibung:	<i>A unit of count defining the number of months for a person or persons to perform an undertaking.</i>
Code:	4L
Name:	Megabyte
Beschreibung:	<i>A unit of information equal to 10 to the power of 6 (1000000) bytes.</i>
Code:	5B
Name:	batch
Beschreibung:	<i>A unit of count defining the number of batches (batch: quantity of material produced in one operation or number of animals or persons coming at once).</i>
Code:	5E
Name:	MMSCF/day
Beschreibung:	<i>A unit of volume equal to one million (1000000) cubic feet of gas per day.</i>
Code:	5J
Name:	hydraulic horse power
Beschreibung:	<i>A unit of power defining the hydraulic horse power delivered by a fluid pump depending on the viscosity of the fluid.</i>
Code:	A25
Name:	Pferdestärken (PS)
Beschreibung:	<i>Synonym: metric horse power</i>
Code:	A43
Name:	deadweight tonnage

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of mass defining the difference between the weight of a ship when completely empty and its weight when completely loaded, expressed as the number of tons.</i>
Code:	A47
Name:	decitex
Beschreibung:	<i>A unit of yarn density. One decitex equals a mass of 1 gram per 10 kilometres of length.</i>
Code:	A48
Name:	degree Rankine
Beschreibung:	<i>Refer ISO 80000-5 (Quantities and units — Part 5: Thermodynamics)</i>
Code:	A49
Name:	denier
Beschreibung:	<i>A unit of yarn density. One denier equals a mass of 1 gram per 9 kilometres of length.</i>
Code:	A59
Name:	8-part cloud cover
Beschreibung:	<i>A unit of count defining the number of eighth-parts as a measure of the celestial dome cloud coverage. Synonym: OKTA , OCTA</i>
Code:	A75
Name:	freight ton
Beschreibung:	<i>A unit of information typically used for billing purposes, defined as either the number of metric tons or the number of cubic metres, whichever is the larger.</i>
Code:	A9
Name:	rate
Beschreibung:	<i>A unit of quantity expressed as a rate for usage of a facility or service.</i>
Code:	A91
Name:	gon
Beschreibung:	<i>Synonym: grade</i>
Code:	A99
Name:	Bit
Beschreibung:	<i>A unit of information equal to one binary digit.</i>
Code:	AA
Name:	ball
Beschreibung:	<i>A unit of count defining the number of balls (ball: object formed in the shape of sphere).</i>
Code:	AB
Name:	bulk pack

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of count defining the number of items per bulk pack.</i>
Code:	ACT
Name:	activity
Beschreibung:	<i>A unit of count defining the number of activities (activity: a unit of work or action).</i>
Code:	AD
Name:	Byte
Beschreibung:	<i>A unit of information equal to 8 bits.</i>
Code:	AH
Name:	additional minute
Beschreibung:	<i>A unit of time defining the number of minutes in addition to the referenced minutes.</i>
Code:	AI
Name:	average minute per call
Beschreibung:	<i>A unit of count defining the number of minutes for the average interval of a call.</i>
Code:	AL
Name:	access line
Beschreibung:	<i>A unit of count defining the number of telephone access lines.</i>
Code:	AMH
Name:	Amperestunde
Beschreibung:	<i>A unit of electric charge defining the amount of charge accumulated by a steady flow of one ampere for one hour.</i>
Code:	ANN
Name:	Jahr
Beschreibung:	<i>Unit of time equal to 365,25 days. Synonym: Julian year</i>
Code:	AQ
Name:	anti-hemophilic factor (AHF) unit
Beschreibung:	<i>A unit of measure for blood potency (US).</i>
Code:	ARE
Name:	are
Beschreibung:	<i>Synonym: square decametre</i>
Code:	AS
Name:	assortment
Beschreibung:	<i>A unit of count defining the number of assortments (assortment: set of items grouped in a mixed collection).</i>

Guideline**Used Codes**

Code:	ASM
Name:	Alkoholgehalt pro Masse
Beschreibung:	<i>A unit of mass defining the alcoholic strength of a liquid.</i>
Code:	ASU
Name:	Alkoholgehalt pro Volumen
Beschreibung:	<i>A unit of volume defining the alcoholic strength of a liquid (e.g. spirit, wine, beer, etc), often at a specific temperature.</i>
Code:	AWG
Name:	american wire gauge
Beschreibung:	<i>A unit of distance used for measuring the diameter of small tubes or wires such as the outer diameter of hypotermic or suture needles.</i>
Code:	AY
Name:	assembly
Beschreibung:	<i>A unit of count defining the number of assemblies (assembly: items that consist of component parts).</i>
Code:	B10
Name:	bit per second
Beschreibung:	<i>A unit of information equal to one binary digit per second.</i>
Code:	B13
Name:	Joule pro Quadratmeter
Beschreibung:	<i>Synonym: joule per metre squared</i>
Code:	B17
Name:	Soll-Buchungen
Beschreibung:	<i>A unit of count defining the number of entries made to the credit side of an account.</i>
Code:	B19
Name:	digit
Beschreibung:	<i>A unit of information defining the quantity of numerals used to form a number.</i>
Code:	B3
Name:	batting pound
Beschreibung:	<i>A unit of mass defining the number of pounds of wadded fibre.</i>
Code:	B30
Name:	gibibit
Beschreibung:	<i>A unit of information equal to 2³⁰ bits (binary digits).</i>
Code:	B4

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	barrel, imperial
Beschreibung:	<i>A unit of volume used to measure beer. One beer barrel equals 36 imperial gallons.</i>
Code:	B51
Name:	kilopond
Beschreibung:	<i>Synonym: kilogram-force</i>
Code:	B57
Name:	light year
Beschreibung:	<i>A unit of length defining the distance that light travels in a vacuum in one year.</i>
Code:	B68
Name:	gigabit
Beschreibung:	<i>A unit of information equal to 10 to the power of 9 bits (binary digits).</i>
Code:	B7
Name:	cycle
Beschreibung:	<i>A unit of count defining the number of cycles (cycle: a recurrent period of definite duration).</i>
Code:	B80
Name:	gigabit per second
Beschreibung:	<i>A unit of information equal to 10 to the power of 9 bits (binary digits) per second.</i>
Code:	B82
Name:	inch per linear foot
Beschreibung:	<i>A unit of length defining the number of inches per linear foot.</i>
Code:	BB
Name:	base box
Beschreibung:	<i>A unit of area of 112 sheets of tin mil products (tin plate, tin free steel or black plate) 14 by 20 inches, or 31,360 square inches.</i>
Code:	BFT
Name:	board foot
Beschreibung:	<i>A unit of volume defining the number of cords (cord: a stack of firewood of 128 cubic feet).</i>
Code:	BIL
Name:	billion (EUR)
Beschreibung:	<i>Synonym: trillion (US)</i>
Code:	BP
Name:	hundred board foot

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of volume equal to one hundred board foot.</i>
Code:	BPM
Name:	beats per minute
Beschreibung:	<i>The number of beats per minute.</i>
Code:	C0
Name:	Telefoneinheit
Beschreibung:	<i>A unit of count defining the number of calls (call: communication session or visitation).</i>
Code:	C21
Name:	kibibit
Beschreibung:	<i>A unit of information equal to 2 to the power of 10 (1024) bits (binary digits).</i>
Code:	C37
Name:	kilobit
Beschreibung:	<i>A unit of information equal to 10 to the power of 3 (1000) bits (binary digits).</i>
Code:	C59
Name:	octave
Beschreibung:	<i>A unit used in music to describe the ratio in frequency between notes.</i>
Code:	C62
Name:	one
Beschreibung:	<i>Synonym: unit</i>
Code:	C69
Name:	phon
Beschreibung:	<i>A unit of subjective sound loudness. A sound has loudness p phons if it seems to the listener to be equal in loudness to the sound of a pure tone of frequency 1 kilohertz and strength p decibels.</i>
Code:	C74
Name:	kilobit per second
Beschreibung:	<i>A unit of information equal to 10 to the power of 3 (1000) bits (binary digits) per second.</i>
Code:	C79
Name:	kilovolt ampere hour
Beschreibung:	<i>A unit of accumulated energy of 1000 volt amperes over a period of one hour.</i>
Code:	C87
Name:	reciprocal cubic metre per second
Beschreibung:	<i>Synonym: reciprocal second per cubic metre</i>
Code:	C9

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	coil group
Beschreibung:	<i>A unit of count defining the number of coil groups (coil group: groups of items arranged by lengths of those items placed in a joined sequence of concentric circles).</i>
Code:	C93
Name:	reciprocal square metre
Beschreibung:	<i>Synonym: reciprocal metre squared</i>
Code:	CCT
Name:	carrying capacity in metric ton
Beschreibung:	<i>A unit of mass defining the carrying capacity, expressed as the number of metric tons.</i>
Code:	CEL
Name:	Grad Celsius
Beschreibung:	<i>Refer ISO 80000-5 (Quantities and units — Part 5: Thermodynamics)</i>
Code:	CEN
Name:	hundred
Beschreibung:	<i>A unit of count defining the number of units in multiples of 100.</i>
Code:	CG
Name:	card
Beschreibung:	<i>A unit of count defining the number of units of card (card: thick stiff paper or cardboard).</i>
Code:	CLF
Name:	hundred leave
Beschreibung:	<i>A unit of count defining the number of leaves, expressed in units of one hundred leaves.</i>
Code:	CNP
Name:	hundred pack
Beschreibung:	<i>A unit of count defining the number of hundred-packs (hundred-pack: set of one hundred items packaged together).</i>
Code:	CNT
Name:	cental (UK)
Beschreibung:	<i>A unit of mass equal to one hundred weight (US).</i>
Code:	CTG
Name:	content gram
Beschreibung:	<i>A unit of mass defining the number of grams of a named item in a product.</i>
Code:	CTN
Name:	content ton (metric)
Beschreibung:	<i>A unit of mass defining the number of metric tons of a named item in a product.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	D03
Name:	kilowatt hour per hour
Beschreibung:	<i>A unit of accumulated energy of a thousand watts over a period of one hour.</i>
Code:	D04
Name:	lot [unit of weight]
Beschreibung:	<i>A unit of weight equal to about 1/2 ounce or 15 grams.</i>
Code:	D11
Name:	mebibit
Beschreibung:	<i>A unit of information equal to 2 to the power of 20 (1048576) bits (binary digits).</i>
Code:	D15
Name:	sones
Beschreibung:	<i>A unit of subjective sound loudness. One sone is the loudness of a pure tone of frequency one kilohertz and strength 40 decibels.</i>
Code:	D23
Name:	pen gram (protein)
Beschreibung:	<i>A unit of count defining the number of grams of amino acid prescribed for parenteral/enteral therapy.</i>
Code:	D34
Name:	tex
Beschreibung:	<i>A unit of yarn density. One decitex equals a mass of 1 gram per 1 kilometre of length.</i>
Code:	D36
Name:	megabit
Beschreibung:	<i>A unit of information equal to 10 to the power of 6 (1000000) bits (binary digits).</i>
Code:	D44
Name:	var
Beschreibung:	<i>The name of the unit is an acronym for volt-ampere-reactive.</i>
Code:	D63
Name:	book
Beschreibung:	<i>A unit of count defining the number of books (book: set of items bound together or written document of a material whole).</i>
Code:	D65
Name:	round
Beschreibung:	<i>A unit of count defining the number of rounds (round: A circular or cylindrical object).</i>
Code:	D68

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	number of words
Beschreibung:	<i>A unit of count defining the number of words.</i>
Code:	D78
Name:	megajoule per second
Beschreibung:	<i>A unit of accumulated energy equal to one million joules per second.</i>
Code:	DAD
Name:	ten day
Beschreibung:	<i>A unit of time defining the number of days in multiples of 10.</i>
Code:	DB
Name:	dry pound
Beschreibung:	<i>A unit of mass defining the number of pounds of a product, disregarding the water content of the product.</i>
Code:	DEC
Name:	decade
Beschreibung:	<i>A unit of count defining the number of decades (decade: quantity equal to 10 or time equal to 10 years).</i>
Code:	DMO
Name:	standard kilolitre
Beschreibung:	<i>A unit of volume defining the number of kilolitres of a product at a temperature of 15 degrees Celsius, especially in relation to hydrocarbon oils.</i>
Code:	DPC
Name:	dozen piece
Beschreibung:	<i>A unit of count defining the number of pieces in multiples of 12 (piece: a single item, article or exemplar).</i>
Code:	DPR
Name:	dozen pair
Beschreibung:	<i>A unit of count defining the number of pairs in multiples of 12 (pair: item described by two's).</i>
Code:	DPT
Name:	displacement tonnage
Beschreibung:	<i>A unit of mass defining the volume of sea water a ship displaces, expressed as the number of tons.</i>
Code:	DRA
Name:	dram (US)

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>Synonym: drachm (UK), troy dram</i>
Code:	DRI
Name:	dram (UK)
Beschreibung:	<i>Synonym: avoirdupois dram</i>
Code:	DRL
Name:	dozen roll
Beschreibung:	<i>A unit of count defining the number of rolls, expressed in twelve roll units.</i>
Code:	DT
Name:	dry ton
Beschreibung:	<i>A unit of mass defining the number of tons of a product, disregarding the water content of the product.</i>
Code:	DTN
Name:	decitonne
Beschreibung:	<i>Synonym: centner, metric 100 kg, quintal, metric 100 kg</i>
Code:	DZN
Name:	Dutzend
Beschreibung:	<i>A unit of count defining the number of units in multiples of 12.</i>
Code:	DZP
Name:	dozen pack
Beschreibung:	<i>A unit of count defining the number of packs in multiples of 12 (pack: standard packaging unit).</i>
Code:	E01
Name:	newton per square centimetre
Beschreibung:	<i>A measure of pressure expressed in newtons per square centimetre.</i>
Code:	E07
Name:	megawatt hour per hour
Beschreibung:	<i>A unit of accumulated energy of a million watts over a period of one hour.</i>
Code:	E08
Name:	megawatt per hertz
Beschreibung:	<i>A unit of energy expressed as the load change in million watts that will cause a frequency shift of one hertz.</i>
Code:	E09
Name:	milliampere hour
Beschreibung:	<i>A unit of power load delivered at the rate of one thousandth of an ampere over a period</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

	<i>of one hour.</i>
Code:	E10
Name:	degree day
Beschreibung:	<i>A unit of measure used in meteorology and engineering to measure the demand for heating or cooling over a given period of days.</i>
Code:	E11
Name:	gigacalorie
Beschreibung:	<i>A unit of heat energy equal to one thousand million calories.</i>
Code:	E12
Name:	mille
Beschreibung:	<i>A unit of count defining the number of cigarettes in units of 1000.</i>
Code:	E14
Name:	kilocalorie (international table)
Beschreibung:	<i>A unit of heat energy equal to one thousand calories.</i>
Code:	E15
Name:	kilocalorie (thermochemical) per hour
Beschreibung:	<i>A unit of energy equal to one thousand calories per hour.</i>
Code:	E16
Name:	million Btu(IT) per hour
Beschreibung:	<i>A unit of power equal to one million British thermal units per hour.</i>
Code:	E17
Name:	cubic foot per second
Beschreibung:	<i>A unit of volume equal to one cubic foot passing a given point in a period of one second.</i>
Code:	E18
Name:	tonne per hour
Beschreibung:	<i>A unit of weight or mass equal to one tonne per hour.</i>
Code:	E19
Name:	ping
Beschreibung:	<i>A unit of area equal to 3.3 square metres.</i>
Code:	E20
Name:	megabit per second
Beschreibung:	<i>A unit of information equal to 10 to the power of 6 (1000000) bits (binary digits) per second.</i>
Code:	E21

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	shares
Beschreibung:	<i>A unit of count defining the number of shares (share: a total or portion of the parts into which a business entity's capital is divided).</i>
Code:	E22
Name:	TEU
Beschreibung:	<i>A unit of count defining the number of twenty-foot equivalent units (TEUs) as a measure of containerized cargo capacity.</i>
Code:	E23
Name:	tyre
Beschreibung:	<i>A unit of count defining the number of tyres (a solid or air-filled covering placed around a wheel rim to form a soft contact with the road, absorb shock and provide traction).</i>
Code:	E25
Name:	active unit
Beschreibung:	<i>A unit of count defining the number of active units within a substance.</i>
Code:	E27
Name:	dose
Beschreibung:	<i>A unit of count defining the number of doses (dose: a definite quantity of a medicine or drug).</i>
Code:	E28
Name:	air dry ton
Beschreibung:	<i>A unit of mass defining the number of tons of a product, disregarding the water content of the product.</i>
Code:	E30
Name:	strand
Beschreibung:	<i>A unit of count defining the number of strands (strand: long, thin, flexible, single thread, strip of fibre, constituent filament or multiples of the same, twisted together).</i>
Code:	E31
Name:	square metre per litre
Beschreibung:	<i>A unit of count defining the number of square metres per litre.</i>
Code:	E32
Name:	litre per hour
Beschreibung:	<i>A unit of count defining the number of litres per hour.</i>
Code:	E33
Name:	foot per thousand

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of count defining the number of feet per thousand units.</i>
Code:	E34
Name:	Gigabyte
Beschreibung:	<i>A unit of information equal to 10 to the power of 9 bytes.</i>
Code:	E35
Name:	terabyte
Beschreibung:	<i>A unit of information equal to 10 to the power of 12 bytes.</i>
Code:	E36
Name:	petabyte
Beschreibung:	<i>A unit of information equal to 10 to the power of 15 bytes.</i>
Code:	E37
Name:	Pixel
Beschreibung:	<i>A unit of count defining the number of pixels (pixel: picture element).</i>
Code:	E38
Name:	Megapixel
Beschreibung:	<i>A unit of count equal to 10 to the power of 6 (1000000) pixels (picture elements).</i>
Code:	E39
Name:	DPI, Dots per inch
Beschreibung:	<i>A unit of information defining the number of dots per linear inch as a measure of the resolution or sharpness of a graphic image.</i>
Code:	E4
Name:	gross kilogram
Beschreibung:	<i>A unit of mass defining the total number of kilograms before deductions.</i>
Code:	E40
Name:	part per hundred thousand
Beschreibung:	<i>A unit of proportion equal to 10 to the power of -5.</i>
Code:	E41
Name:	kilogram-force per square millimetre
Beschreibung:	<i>A unit of pressure defining the number of kilograms force per square millimetre.</i>
Code:	E42
Name:	kilogram-force per square centimetre
Beschreibung:	<i>A unit of pressure defining the number of kilograms force per square centimetre.</i>
Code:	E43
Name:	joule per square centimetre

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of energy defining the number of joules per square centimetre.</i>
Code:	E44
Name:	kilogram-force metre per square centimetre
Beschreibung:	<i>A unit of torsion defining the torque kilogram-force metre per square centimetre.</i>
Code:	E46
Name:	kilowatt hour per cubic metre
Beschreibung:	<i>A unit of energy consumption expressed as kilowatt hour per cubic metre.</i>
Code:	E47
Name:	kilowatt hour per kelvin
Beschreibung:	<i>A unit of energy consumption expressed as kilowatt hour per kelvin.</i>
Code:	E48
Name:	service unit
Beschreibung:	<i>A unit of count defining the number of service units (service unit: defined period / property / facility / utility of supply).</i>
Code:	E49
Name:	working day
Beschreibung:	<i>A unit of count defining the number of working days (working day: a day on which work is ordinarily performed).</i>
Code:	E50
Name:	accounting unit
Beschreibung:	<i>A unit of count defining the number of accounting units.</i>
Code:	E51
Name:	job
Beschreibung:	<i>A unit of count defining the number of jobs.</i>
Code:	E52
Name:	run foot
Beschreibung:	<i>A unit of count defining the number feet per run.</i>
Code:	E53
Name:	test
Beschreibung:	<i>A unit of count defining the number of tests.</i>
Code:	E54
Name:	trip
Beschreibung:	<i>A unit of count defining the number of trips.</i>
Code:	E55

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	use
Beschreibung:	<i>A unit of count defining the number of times an object is used.</i>
Code:	E56
Name:	well
Beschreibung:	<i>A unit of count defining the number of wells.</i>
Code:	E57
Name:	zone
Beschreibung:	<i>A unit of count defining the number of zones.</i>
Code:	E58
Name:	exabit per second
Beschreibung:	<i>A unit of information equal to 10 to the power of 18 bits (binary digits) per second.</i>
Code:	E59
Name:	exbibyte
Beschreibung:	<i>A unit of information equal to 2 to the power of 60 bytes.</i>
Code:	E60
Name:	pebibyte
Beschreibung:	<i>A unit of information equal to 2 to the power of 50 bytes.</i>
Code:	E61
Name:	tebibyte
Beschreibung:	<i>A unit of information equal to 2 to the power of 40 bytes.</i>
Code:	E62
Name:	gibibyte
Beschreibung:	<i>A unit of information equal to 2 to the power of 30 bytes.</i>
Code:	E63
Name:	mebibyte
Beschreibung:	<i>A unit of information equal to 2 to the power of 20 bytes.</i>
Code:	E64
Name:	kibibyte
Beschreibung:	<i>A unit of information equal to 2 to the power of 10 bytes.</i>
Code:	E65
Name:	exbibit per metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 60 bits (binary digits) per metre.</i>
Code:	E66
Name:	exbibit per square metre

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of information equal to 2 to the power of 60 bits (binary digits) per square metre.</i>
Code:	E67
Name:	exbibit per cubic metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 60 bits (binary digits) per cubic metre.</i>
Code:	E68
Name:	gigabyte per second
Beschreibung:	<i>A unit of information equal to 10 to the power of 9 bytes per second.</i>
Code:	E69
Name:	gibibit per metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 30 bits (binary digits) per metre.</i>
Code:	E70
Name:	gibibit per square metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 30 bits (binary digits) per square metre.</i>
Code:	E71
Name:	gibibit per cubic metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 30 bits (binary digits) per cubic metre.</i>
Code:	E72
Name:	kibibit per metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 10 bits (binary digits) per metre.</i>
Code:	E73
Name:	kibibit per square metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 10 bits (binary digits) per square metre.</i>
Code:	E74
Name:	kibibit per cubic metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 10 bits (binary digits) per cubic metre.</i>
Code:	E75
Name:	mebibit per metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 20 bits (binary digits) per metre.</i>
Code:	E76
Name:	mebibit per square metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 20 bits (binary digits) per square metre.</i>
Code:	E77
Name:	mebibit per cubic metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 20 bits (binary digits) per cubic metre.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	E78
Name:	petabit
Beschreibung:	<i>A unit of information equal to 10 to the power of 15 bits (binary digits).</i>
Code:	E79
Name:	petabit per second
Beschreibung:	<i>A unit of information equal to 10 to the power of 15 bits (binary digits) per second.</i>
Code:	E80
Name:	pebibit per metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 50 bits (binary digits) per metre.</i>
Code:	E81
Name:	pebibit per square metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 50 bits (binary digits) per square metre.</i>
Code:	E82
Name:	pebibit per cubic metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 50 bits (binary digits) per cubic metre.</i>
Code:	E83
Name:	terabit
Beschreibung:	<i>A unit of information equal to 10 to the power of 12 bits (binary digits).</i>
Code:	E84
Name:	terabit per second
Beschreibung:	<i>A unit of information equal to 10 to the power of 12 bits (binary digits) per second.</i>
Code:	E85
Name:	tebibit per metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 40 bits (binary digits) per metre.</i>
Code:	E86
Name:	tebibit per cubic metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 40 bits (binary digits) per cubic metre.</i>
Code:	E87
Name:	tebibit per square metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 40 bits (binary digits) per square metre.</i>
Code:	E88
Name:	bit per metre
Beschreibung:	<i>A unit of information equal to 1 bit (binary digit) per metre.</i>
Code:	E89

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	bit per square metre
Beschreibung:	<i>A unit of information equal to 1 bit (binary digit) per square metre.</i>
Code:	EA
Name:	Jedes einzelne (Eines)
Beschreibung:	<i>A unit of count defining the number of items regarded as separate units.</i>
Code:	EB
Name:	electronic mail box
Beschreibung:	<i>A unit of count defining the number of electronic mail boxes.</i>
Code:	EQ
Name:	equivalent gallon
Beschreibung:	<i>A unit of volume defining the number of gallons of product produced from concentrate.</i>
Code:	F01
Name:	bit per cubic metre
Beschreibung:	<i>A unit of information equal to 1 bit (binary digit) per cubic metre.</i>
Code:	F13
Name:	slug
Beschreibung:	<i>A unit of mass. One slug is the mass accelerated at 1 foot per second per second by a force of 1 pound.</i>
Code:	F49
Name:	rod [unit of distance]
Beschreibung:	<i>A unit of distance equal to 5.5 yards (16 feet 6 inches).</i>
Code:	F80
Name:	water horse power
Beschreibung:	<i>A unit of power defining the amount of power required to move a given volume of water against acceleration of gravity to a specified elevation (pressure head).</i>
Code:	FAH
Name:	Grad Fahrenheit
Beschreibung:	<i>Refer ISO 80000-5 (Quantities and units — Part 5: Thermodynamics)</i>
Code:	FBM
Name:	fibre metre
Beschreibung:	<i>A unit of length defining the number of metres of individual fibre.</i>
Code:	FC
Name:	thousand cubic foot
Beschreibung:	<i>A unit of volume equal to one thousand cubic foot.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	FF
Name:	hundred cubic metre
Beschreibung:	<i>A unit of volume equal to one hundred cubic metres.</i>
Code:	FIT
Name:	failures in time
Beschreibung:	<i>A unit of count defining the number of failures that can be expected over a specified time interval. Failure rates of semiconductor components are often specified as FIT (failures in time unit) where 1 FIT = 10 to the power of -9 /h.</i>
Code:	FL
Name:	flake ton
Beschreibung:	<i>A unit of mass defining the number of tons of a flaked substance (flake: a small flattish fragment).</i>
Code:	GDW
Name:	gram, dry weight
Beschreibung:	<i>A unit of mass defining the number of grams of a product, disregarding the water content of the product.</i>
Code:	GFI
Name:	gram of fissile isotope
Beschreibung:	<i>A unit of mass defining the number of grams of a fissile isotope (fissile isotope: an isotope whose nucleus is able to be split when irradiated with low energy neutrons).</i>
Code:	GGR
Name:	great gross
Beschreibung:	<i>A unit of count defining the number of units in multiples of 1728 (12 x 12 x 12).</i>
Code:	GIC
Name:	gram, including container
Beschreibung:	<i>A unit of mass defining the number of grams of a product, including its container.</i>
Code:	GIP
Name:	gram, including inner packaging
Beschreibung:	<i>A unit of mass defining the number of grams of a product, including its inner packaging materials.</i>
Code:	GRO
Name:	Gross
Beschreibung:	<i>A unit of count defining the number of units in multiples of 144 (12 x 12).</i>
Code:	GRT

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	gross register ton
Beschreibung:	<i>A unit of mass equal to the total cubic footage before deductions, where 1 register ton is equal to 100 cubic feet. Refer International Convention on tonnage measurement of ships.</i>
Code:	GT
Name:	gross ton
Beschreibung:	<i>A unit of mass equal to 2240 pounds. Refer International Convention on Tonnage measurement of Ships. Synonym: ton (UK) or long ton (US) (common code LTN)</i>
Code:	H16
Name:	square decametre
Beschreibung:	<i>Synonym: are</i>
Code:	H18
Name:	square hectometre
Beschreibung:	<i>Synonym: hectare</i>
Code:	H21
Name:	blank
Beschreibung:	<i>A unit of count defining the number of blanks.</i>
Code:	H25
Name:	percent per kelvin
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to the SI base unit Kelvin.</i>
Code:	H71
Name:	percent per month
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to a month.</i>
Code:	H72
Name:	percent per hectobar
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to 100-fold of the unit bar.</i>
Code:	H73
Name:	percent per decakelvin
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to 10-fold of the SI base unit Kelvin.</i>
Code:	H77
Name:	module width
Beschreibung:	<i>A unit of measure used to describe the breadth of electronic assemblies as an installation standard or mounting dimension.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	H79
Name:	Charrière
Beschreibung:	<i>A unit of distance used for measuring the diameter of small tubes such as urological instruments and catheters. Synonym: French, French gauge, Charrière gauge</i>
Code:	H80
Name:	rack unit
Beschreibung:	<i>A unit of measure used to describe the height in rack units of equipment intended for mounting in a 19-inch rack or a 23-inch rack. One rack unit is 1.75 inches (44.45 mm) high.</i>
Code:	H82
Name:	big point
Beschreibung:	<i>A unit of length defining the number of big points (big point: Adobe software(US) defines the big point to be exactly 1/72 inch (0.013 888 9 inch or 0.352 777 8 millimeters))</i>
Code:	H87
Name:	piece
Beschreibung:	<i>A unit of count defining the number of pieces (piece: a single item, article or exemplar).</i>
Code:	H89
Name:	percent per ohm
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to the SI derived unit ohm.</i>
Code:	H90
Name:	percent per degree
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to an angle of one degree.</i>
Code:	H91
Name:	percent per ten thousand
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to multiples of ten thousand.</i>
Code:	H92
Name:	percent per one hundred thousand
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to multiples of one hundred thousand.</i>
Code:	H93
Name:	percent per hundred
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to multiples of one hundred.</i>
Code:	H94
Name:	percent per thousand

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to multiples of one thousand.</i>
Code:	H95
Name:	percent per volt
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to the SI derived unit volt.</i>
Code:	H96
Name:	percent per bar
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to an atmospheric pressure of one bar.</i>
Code:	H98
Name:	percent per inch
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to an inch.</i>
Code:	H99
Name:	percent per metre
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to a metre.</i>
Code:	HA
Name:	hank
Beschreibung:	<i>A unit of length, typically for yarn.</i>
Code:	HAR
Name:	hectare
Beschreibung:	<i>Synonym: square hectometre</i>
Code:	HBX
Name:	hundred boxes
Beschreibung:	<i>A unit of count defining the number of boxes in multiples of one hundred box units.</i>
Code:	HC
Name:	hundred count
Beschreibung:	<i>A unit of count defining the number of units counted in multiples of 100.</i>
Code:	HDW
Name:	hundred kilogram, dry weight
Beschreibung:	<i>A unit of mass defining the number of hundred kilograms of a product, disregarding the water content of the product.</i>
Code:	HEA
Name:	head
Beschreibung:	<i>A unit of count defining the number of heads (head: a person or animal considered as one of a number).</i>
Code:	HH

Guideline**Used Codes**

Name:	hundred cubic foot
Beschreibung:	<i>A unit of volume equal to one hundred cubic foot.</i>
Code:	HIU
Name:	hundred international unit
Beschreibung:	<i>A unit of count defining the number of international units in multiples of 100.</i>
Code:	HKM
Name:	hundred kilogram, net mass
Beschreibung:	<i>A unit of mass defining the number of hundred kilograms of a product, after deductions.</i>
Code:	HMQ
Name:	million cubic metre
Beschreibung:	<i>A unit of volume equal to one million cubic metres.</i>
Code:	HPA
Name:	hectolitre of pure alcohol
Beschreibung:	<i>A unit of volume equal to one hundred litres of pure alcohol.</i>
Code:	IE
Name:	person
Beschreibung:	<i>A unit of count defining the number of persons.</i>
Code:	INQ
Name:	Square inch
Beschreibung:	<i>Synonym: inch cubed</i>
Code:	ISD
Name:	international sugar degree
Beschreibung:	<i>A unit of measure defining the sugar content of a solution, expressed in degrees.</i>
Code:	J10
Name:	percent per millimetre
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to a millimetre.</i>
Code:	J12
Name:	per mille per psi
Beschreibung:	<i>A unit of pressure equal to one thousandth of a psi (pound-force per square inch).</i>
Code:	J13
Name:	degree API
Beschreibung:	<i>A unit of relative density as a measure of how heavy or light a petroleum liquid is compared to water (API: American Petroleum Institute).</i>
Code:	J14

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	degree Baume (origin scale)
Beschreibung:	<i>A traditional unit of relative density for liquids. Named after Antoine Baumé.</i>
Code:	J15
Name:	degree Baume (US heavy)
Beschreibung:	<i>A unit of relative density for liquids heavier than water.</i>
Code:	J16
Name:	degree Baume (US light)
Beschreibung:	<i>A unit of relative density for liquids lighter than water.</i>
Code:	J17
Name:	degree Balling
Beschreibung:	<i>A unit of density as a measure of sugar content, especially of beer wort. Named after Karl Balling.</i>
Code:	J18
Name:	degree Brix
Beschreibung:	<i>A unit of proportion used in measuring the dissolved sugar-to-water mass ratio of a liquid. Named after Adolf Brix.</i>
Code:	J27
Name:	degree Oechsle
Beschreibung:	<i>A unit of density as a measure of sugar content of must, the unfermented liqueur from which wine is made. Named after Ferdinand Oechsle.</i>
Code:	J31
Name:	degree Twaddell
Beschreibung:	<i>A unit of density for liquids that are heavier than water. 1 degree Twaddle represents a difference in specific gravity of 0.005.</i>
Code:	J38
Name:	baud
Beschreibung:	<i>A unit of signal transmission speed equal to one signalling event per second.</i>
Code:	J54
Name:	megabaud
Beschreibung:	<i>A unit of signal transmission speed equal to 10 to the power of 6 (1000000) signaling events per second.</i>
Code:	JNT
Name:	pipeline joint
Beschreibung:	<i>A count of the number of pipeline joints.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	JPS
Name:	hundred metre
Beschreibung:	<i>A unit of count defining the number of 100 metre lengths.</i>
Code:	JWL
Name:	number of jewels
Beschreibung:	<i>A unit of count defining the number of jewels (jewel: precious stone).</i>
Code:	K1
Name:	kilowatt demand
Beschreibung:	<i>A unit of measure defining the power load measured at predetermined intervals.</i>
Code:	K2
Name:	kilovolt ampere reactive demand
Beschreibung:	<i>A unit of measure defining the reactive power demand equal to one kilovolt ampere of reactive power.</i>
Code:	K3
Name:	kilovolt ampere reactive hour
Beschreibung:	<i>A unit of measure defining the accumulated reactive energy equal to one kilovolt ampere of reactive power per hour.</i>
Code:	K5
Name:	kilovolt ampere (reactive)
Beschreibung:	<i>Use kilovar (common code KVR)</i>
Code:	K50
Name:	kilobaud
Beschreibung:	<i>A unit of signal transmission speed equal to 10 to the power of 3 (1000) signaling events per second.</i>
Code:	KA
Name:	cake
Beschreibung:	<i>A unit of count defining the number of cakes (cake: object shaped into a flat, compact mass).</i>
Code:	KAT
Name:	katal
Beschreibung:	<i>A unit of catalytic activity defining the catalytic activity of enzymes and other catalysts.</i>
Code:	KB
Name:	Kilobyte
Beschreibung:	<i>A unit of information equal to 10 to the power of 3 (1000) characters.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	KCC
Name:	kilogram of choline chloride
Beschreibung:	<i>A unit of mass equal to one thousand grams of choline chloride.</i>
Code:	KDW
Name:	kilogram drained net weight
Beschreibung:	<i>A unit of mass defining the net number of kilograms of a product, disregarding the liquid content of the product.</i>
Code:	KEL
Name:	Kelvin
Beschreibung:	<i>Refer ISO 80000-5 (Quantities and units — Part 5: Thermodynamics)</i>
Code:	KGM
Name:	Kilogramm
Beschreibung:	<i>A unit of mass equal to one thousand grams.</i>
Code:	KHY
Name:	kilogram of hydrogen peroxide
Beschreibung:	<i>A unit of mass equal to one thousand grams of hydrogen peroxide.</i>
Code:	KIC
Name:	kilogram, including container
Beschreibung:	<i>A unit of mass defining the number of kilograms of a product, including its container.</i>
Code:	KIP
Name:	kilogram, including inner packaging
Beschreibung:	<i>A unit of mass defining the number of kilograms of a product, including its inner packaging materials.</i>
Code:	KJ
Name:	kilosegment
Beschreibung:	<i>A unit of information equal to 10 to the power of 3 (1000) segments.</i>
Code:	KLK
Name:	lactic dry material percentage
Beschreibung:	<i>A unit of proportion defining the percentage of dry lactic material in a product.</i>
Code:	KLX
Name:	kilolux
Beschreibung:	<i>A unit of illuminance equal to one thousand lux.</i>
Code:	KMA
Name:	kilogram of methylamine

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of mass equal to one thousand grams of methylamine.</i>
Code:	KMQ
Name:	Kilogramm pro Kubikmeter
Beschreibung:	<i>A unit of weight expressed in kilograms of a substance that fills a volume of one cubic metre.</i>
Code:	KNI
Name:	kilogram of nitrogen
Beschreibung:	<i>A unit of mass equal to one thousand grams of nitrogen.</i>
Code:	KNM
Name:	kilonewton per square metre
Beschreibung:	<i>Pressure expressed in kN/m².</i>
Code:	KNS
Name:	kilogram named substance
Beschreibung:	<i>A unit of mass equal to one kilogram of a named substance.</i>
Code:	KO
Name:	milliequivalence caustic potash per gram of product
Beschreibung:	<i>A unit of count defining the number of milligrams of potassium hydroxide per gram of product as a measure of the concentration of potassium hydroxide in the product.</i>
Code:	KPH
Name:	kilogram of potassium hydroxide (caustic potash)
Beschreibung:	<i>A unit of mass equal to one thousand grams of potassium hydroxide (caustic potash).</i>
Code:	KPO
Name:	kilogram of potassium oxide
Beschreibung:	<i>A unit of mass equal to one thousand grams of potassium oxide.</i>
Code:	KPP
Name:	kilogram of phosphorus pentoxide (phosphoric anhydride)
Beschreibung:	<i>A unit of mass equal to one thousand grams of phosphorus pentoxide phosphoric anhydride.</i>
Code:	KSD
Name:	kilogram of substance 90 % dry
Beschreibung:	<i>A unit of mass equal to one thousand grams of a named substance that is 90% dry.</i>
Code:	KSH
Name:	kilogram of sodium hydroxide (caustic soda)
Beschreibung:	<i>A unit of mass equal to one thousand grams of sodium hydroxide (caustic soda).</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	KT
Name:	kit
Beschreibung:	<i>A unit of count defining the number of kits (kit: tub, barrel or pail).</i>
Code:	KUR
Name:	kilogram of uranium
Beschreibung:	<i>A unit of mass equal to one thousand grams of uranium.</i>
Code:	KWN
Name:	Kilowatt hour per normalized cubic metre
Beschreibung:	<i>Kilowatt hour per normalized cubic metre (temperature 0°C and pressure 101325 millibars).</i>
Code:	KWO
Name:	kilogram of tungsten trioxide
Beschreibung:	<i>A unit of mass equal to one thousand grams of tungsten trioxide.</i>
Code:	KWS
Name:	Kilowatt hour per standard cubic metre
Beschreibung:	<i>Kilowatt hour per standard cubic metre (temperature 15°C and pressure 101325 millibars).</i>
Code:	LAC
Name:	lactose excess percentage
Beschreibung:	<i>A unit of proportion defining the percentage of lactose in a product that exceeds a defined percentage level.</i>
Code:	LEF
Name:	leaf
Beschreibung:	<i>A unit of count defining the number of leaves.</i>
Code:	LF
Name:	linear foot
Beschreibung:	<i>A unit of count defining the number of feet (12-inch) in length of a uniform width object.</i>
Code:	LH
Name:	labour hour
Beschreibung:	<i>A unit of time defining the number of labour hours.</i>
Code:	LK
Name:	link
Beschreibung:	<i>A unit of distance equal to 0.01 chain.</i>
Code:	LM

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Used Codes

Name:	linear metre
Beschreibung:	<i>A unit of count defining the number of metres in length of a uniform width object.</i>
Code:	LN
Name:	length
Beschreibung:	<i>A unit of distance defining the linear extent of an item measured from end to end.</i>
Code:	LO
Name:	lot [unit of procurement]
Beschreibung:	<i>A unit of count defining the number of lots (lot: a collection of associated items).</i>
Code:	LP
Name:	liquid pound
Beschreibung:	<i>A unit of mass defining the number of pounds of a liquid substance.</i>
Code:	LPA
Name:	litre of pure alcohol
Beschreibung:	<i>A unit of volume equal to one litre of pure alcohol.</i>
Code:	LR
Name:	layer
Beschreibung:	<i>A unit of count defining the number of layers.</i>
Code:	LS
Name:	lump sum
Beschreibung:	<i>A unit of count defining the number of whole or a complete monetary amounts.</i>
Code:	LTN
Name:	ton (UK) or long ton (US)
Beschreibung:	<i>Synonym: gross ton (2240 lb)</i>
Code:	LUB
Name:	metric ton, lubricating oil
Beschreibung:	<i>A unit of mass defining the number of metric tons of lubricating oil.</i>
Code:	LY
Name:	linear yard
Beschreibung:	<i>A unit of count defining the number of 36-inch units in length of a uniform width object.</i>
Code:	M19
Name:	Beaufort
Beschreibung:	<i>An empirical measure for describing wind speed based mainly on observed sea conditions. The Beaufort scale indicates the wind speed by numbers that typically range from 0 for calm, to 12 for hurricane.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	M25
Name:	percent per degree Celsius
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to a temperature of one degree.</i>
Code:	M36
Name:	30-day month
Beschreibung:	<i>A unit of count defining the number of months expressed in multiples of 30 days, one day equals 24 hours.</i>
Code:	M37
Name:	actual/360
Beschreibung:	<i>A unit of count defining the number of years expressed in multiples of 360 days, one day equals 24 hours.</i>
Code:	M38
Name:	kilometre per second squared
Beschreibung:	<i>1000-fold of the SI base unit metre divided by the power of the SI base unit second by exponent 2.</i>
Code:	M39
Name:	centimetre per second squared
Beschreibung:	<i>0,01-fold of the SI base unit metre divided by the power of the SI base unit second by exponent 2.</i>
Code:	M4
Name:	monetary value
Beschreibung:	<i>A unit of measure expressed as a monetary amount.</i>
Code:	M40
Name:	yard per second squared
Beschreibung:	<i>Unit of the length according to the Anglo-American and Imperial system of units divided by the power of the SI base unit second by exponent 2.</i>
Code:	M41
Name:	millimetre per second squared
Beschreibung:	<i>0,001-fold of the SI base unit metre divided by the power of the SI base unit second by exponent 2.</i>
Code:	M42
Name:	mile (statute mile) per second squared
Beschreibung:	<i>Unit of the length according to the Imperial system of units divided by the power of the SI base unit second by exponent 2.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	M43
Name:	mil
Beschreibung:	<i>Unit to indicate an angle at military zone, equal to the 6400th part of the full circle of the 360° or 2·p·rad.</i>
Code:	M44
Name:	revolution
Beschreibung:	<i>Unit to identify an angle of the full circle of 360° or 2·p·rad (Refer ISO/TC12 SI Guide).</i>
Code:	M45
Name:	degree [unit of angle] per second squared
Beschreibung:	<i>360 part of a full circle divided by the power of the SI base unit second and the exponent 2.</i>
Code:	M46
Name:	revolution per minute
Beschreibung:	<i>Unit of the angular velocity.</i>
Code:	M47
Name:	circular mil
Beschreibung:	<i>Unit of an area, of which the size is given by a diameter of length of 1 mm (0,001 in) based on the formula: $area = p \cdot (diameter/2)^2$.</i>
Code:	M48
Name:	square mile (based on U.S. survey foot)
Beschreibung:	<i>Unit of the area, which is mainly common in the agriculture and forestry.</i>
Code:	M49
Name:	chain (based on U.S. survey foot)
Beschreibung:	<i>Unit of the length according the Anglo-American system of units.</i>
Code:	M50
Name:	furlong
Beschreibung:	<i>Unit commonly used in Great Britain at rural distances: 1 furlong = 40 rods = 10 chains (UK) = 1/8 mile = 1/10 furlong = 220 yards = 660 foot.</i>
Code:	M51
Name:	foot (U.S. survey)
Beschreibung:	<i>Unit commonly used in the United States for ordnance survey.</i>
Code:	M52
Name:	mile (based on U.S. survey foot)
Beschreibung:	<i>Unit commonly used in the United States for ordnance survey.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	M53
Name:	metre per pascal
Beschreibung:	<i>SI base unit metre divided by the derived SI unit pascal.</i>
Code:	M55
Name:	metre per radiant
Beschreibung:	<i>Unit of the translation factor for implementation from rotation to linear movement.</i>
Code:	M56
Name:	shake
Beschreibung:	<i>Unit for a very short period.</i>
Code:	M57
Name:	mile per minute
Beschreibung:	<i>Unit of velocity from the Imperial system of units.</i>
Code:	M58
Name:	mile per second
Beschreibung:	<i>Unit of the velocity from the Imperial system of units.</i>
Code:	M59
Name:	metre per second pascal
Beschreibung:	<i>SI base unit meter divided by the product of SI base unit second and the derived SI unit pascal.</i>
Code:	M60
Name:	metre per hour
Beschreibung:	<i>SI base unit metre divided by the unit hour.</i>
Code:	M61
Name:	inch per year
Beschreibung:	<i>Unit of the length according to the Anglo-American and Imperial system of units divided by the unit common year with 365 days.</i>
Code:	M62
Name:	kilometre per second
Beschreibung:	<i>1000-fold of the SI base unit metre divided by the SI base unit second.</i>
Code:	M63
Name:	inch per minute
Beschreibung:	<i>Unit inch according to the Anglo-American and Imperial system of units divided by the unit minute.</i>
Code:	M64

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Used Codes

Name:	yard per second
Beschreibung:	<i>Unit yard according to the Anglo-American and Imperial system of units divided by the SI base unit second.</i>
Code:	M65
Name:	yard per minute
Beschreibung:	<i>Unit yard according to the Anglo-American and Imperial system of units divided by the unit minute.</i>
Code:	M66
Name:	yard per hour
Beschreibung:	<i>Unit yard according to the Anglo-American and Imperial system of units divided by the unit hour.</i>
Code:	M67
Name:	acre-foot (based on U.S. survey foot)
Beschreibung:	<i>Unit of the volume, which is used in the United States to measure/gauge the capacity of reservoirs.</i>
Code:	M68
Name:	cord (128 ft ³)
Beschreibung:	<i>Traditional unit of the volume of stacked firewood which has been measured with a cord.</i>
Code:	M69
Name:	cubic mile (UK statute)
Beschreibung:	<i>Unit of volume according to the Imperial system of units.</i>
Code:	M70
Name:	ton, register
Beschreibung:	<i>Traditional unit of the cargo capacity.</i>
Code:	M71
Name:	cubic metre per pascal
Beschreibung:	<i>Power of the SI base unit meter by exponent 3 divided by the derived SI base unit pascal.</i>
Code:	M72
Name:	bel
Beschreibung:	<i>Logarithmic relationship to base 10.</i>
Code:	M73
Name:	kilogram per cubic metre pascal
Beschreibung:	<i>SI base unit kilogram divided by the product of the power of the SI base unit metre with</i>

Guideline**Used Codes**

	<i>exponent 3 and the derived SI unit pascal.</i>
Code:	M74
Name:	kilogram per pascal
Beschreibung:	<i>SI base unit kilogram divided by the derived SI unit pascal.</i>
Code:	M75
Name:	kilopound-force
Beschreibung:	<i>1000-fold of the unit of the force pound-force (lbf) according to the Anglo-American system of units with the relationship.</i>
Code:	M76
Name:	poundal
Beschreibung:	<i>Non SI-conforming unit of the power, which corresponds to a mass of a pound multiplied with the acceleration of a foot per square second.</i>
Code:	M77
Name:	kilogram metre per second squared
Beschreibung:	<i>Product of the SI base unit kilogram and the SI base unit metre divided by the power of the SI base unit second by exponent 2.</i>
Code:	M78
Name:	pond
Beschreibung:	<i>0,001-fold of the unit of the weight, defined as a mass of 1 kg which finds out about a weight strength from 1 kp by the gravitational force at sea level which corresponds to a strength of 9,806 65 newton.</i>
Code:	M79
Name:	square foot per hour
Beschreibung:	<i>Power of the unit foot according to the Anglo-American and Imperial system of units by exponent 2 divided by the unit of time hour.</i>
Code:	M80
Name:	stokes per pascal
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit stokes divided by the derived SI unit pascal.</i>
Code:	M81
Name:	square centimetre per second
Beschreibung:	<i>0,000 1-fold of the power of the SI base unit metre by exponent 2 divided by the SI base unit second.</i>
Code:	M82
Name:	square metre per second pascal

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Used Codes

Beschreibung: *Power of the SI base unit metre with the exponent 2 divided by the SI base unit second and the derived SI unit pascal.*

Code: M83

Name: denier

Beschreibung: *Traditional unit for the indication of the linear mass of textile fibers and yarns.*

Code: M84

Name: pound per yard

Beschreibung: *Unit for linear mass according to avoirdupois system of units.*

Code: M85

Name: ton, assay

Beschreibung: *Non SI-conforming unit of the mass used in the mineralogy to determine the concentration of precious metals in ore according to the mass of the precious metal in milligrams in a sample of the mass of an assay sound (number of troy ounces in a short ton (1 000 lb)).*

Code: M86

Name: pfund

Beschreibung: *Outdated unit of the mass used in Germany.*

Code: M87

Name: kilogram per second pascal

Beschreibung: *SI base unit kilogram divided by the product of the SI base unit second and the derived SI unit pascal.*

Code: M88

Name: tonne per month

Beschreibung: *Unit tonne divided by the unit month.*

Code: M89

Name: tonne per year

Beschreibung: *Unit tonne divided by the unit year with 365 days.*

Code: M90

Name: kilopound per hour

Beschreibung: *1000-fold of the unit of the mass avoirdupois pound according to the avoirdupois unit system divided by the unit hour.*

Code: M91

Name: pound per pound

Beschreibung: *Proportion of the mass consisting of the avoirdupois pound according to the avoirdupois*

Guideline**Used Codes**

	<i>unit system divided by the avoirdupois pound according to the avoirdupois unit system.</i>
Code:	M92
Name:	pound-force foot
Beschreibung:	<i>Product of the unit pound-force according to the Anglo-American system of units and the unit foot according to the Anglo-American and the Imperial system of units.</i>
Code:	M93
Name:	newton metre per radian
Beschreibung:	<i>Product of the derived SI unit newton and the SI base unit metre divided by the unit radian.</i>
Code:	M94
Name:	kilogram metre
Beschreibung:	<i>Unit of imbalance as a product of the SI base unit kilogram and the SI base unit metre.</i>
Code:	M95
Name:	poundal foot
Beschreibung:	<i>Product of the non SI-conforming unit of the force poundal and the unit foot according to the Anglo-American and Imperial system of units .</i>
Code:	M96
Name:	poundal inch
Beschreibung:	<i>Product of the non SI-conforming unit of the force poundal and the unit inch according to the Anglo-American and Imperial system of units .</i>
Code:	M97
Name:	dyne metre
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of the rotational moment.</i>
Code:	M98
Name:	kilogram centimetre per second
Beschreibung:	<i>Product of the SI base unit kilogram and the 0,01-fold of the SI base unit metre divided by the SI base unit second.</i>
Code:	M99
Name:	gram centimetre per second
Beschreibung:	<i>Product of the 0,001-fold of the SI base unit kilogram and the 0,01-fold of the SI base unit metre divided by the SI base unit second.</i>
Code:	MAH
Name:	megavolt ampere reactive hour
Beschreibung:	<i>A unit of electrical reactive power defining the total amount of reactive power across a</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

	<i>power system.</i>
Code:	MAR
Name:	megavar
Beschreibung:	<i>A unit of electrical reactive power represented by a current of one thousand amperes flowing due a potential difference of one thousand volts where the sine of the phase angle between them is 1.</i>
Code:	MAW
Name:	Megawatt
Beschreibung:	<i>A unit of power defining the rate of energy transferred or consumed when a current of 1000 amperes flows due to a potential of 1000 volts at unity power factor.</i>
Code:	MBE
Name:	thousand standard brick equivalent
Beschreibung:	<i>A unit of count defining the number of one thousand brick equivalent units.</i>
Code:	MBF
Name:	thousand board foot
Beschreibung:	<i>A unit of volume equal to one thousand board foot.</i>
Code:	MD
Name:	air dry metric ton
Beschreibung:	<i>A unit of count defining the number of metric tons of a product, disregarding the water content of the product.</i>
Code:	MIU
Name:	million international unit
Beschreibung:	<i>A unit of count defining the number of international units in multiples of 10 to the power of 6.</i>
Code:	MLD
Name:	milliard
Beschreibung:	<i>Synonym: billion (US)</i>
Code:	MND
Name:	kilogram, dry weight
Beschreibung:	<i>A unit of mass defining the number of kilograms of a product, disregarding the water content of the product.</i>
Code:	MON
Name:	Monat
Beschreibung:	<i>Unit of time equal to 1/12 of a year of 365,25 days.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	MTQ
Name:	Kubikmeter
Beschreibung:	<i>Synonym: metre cubed</i>
Code:	MWH
Name:	Megawatt Stunde (1000 KWh)
Beschreibung:	<i>A unit of power defining the total amount of bulk energy transferred or consumed.</i>
Code:	N1
Name:	pen calorie
Beschreibung:	<i>A unit of count defining the number of calories prescribed daily for parenteral/enteral therapy.</i>
Code:	N10
Name:	pound foot per second
Beschreibung:	<i>Product of the avoirdupois pound according to the avoirdupois unit system and the unit foot according to the Anglo-American and Imperial system of units divided by the SI base unit second.</i>
Code:	N11
Name:	pound inch per second
Beschreibung:	<i>Product of the avoirdupois pound according to the avoirdupois unit system and the unit inch according to the Anglo-American and Imperial system of units divided by the SI base unit second.</i>
Code:	N12
Name:	Pferdestaerke
Beschreibung:	<i>Obsolete unit of the power relating to DIN 1301-3:1979: 1 PS = 735,498 75 W.</i>
Code:	N13
Name:	centimetre of mercury (0 °C)
Beschreibung:	<i>Non SI-conforming unit of pressure, at which a value of 1 cmHg meets the static pressure, which is generated by a mercury at a temperature of 0 °C with a height of 1 centimetre .</i>
Code:	N14
Name:	centimetre of water (4 °C)
Beschreibung:	<i>Non SI-conforming unit of pressure, at which a value of 1 cmH2O meets the static pressure, which is generated by a head of water at a temperature of 4 °C with a height of 1 centimetre .</i>
Code:	N15

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	foot of water (39.2 °F)
Beschreibung:	<i>Non SI-conforming unit of pressure according to the Anglo-American and Imperial system for units, whereas the value of 1 ftH₂O is equivalent to the static pressure, which is generated by a head of water at a temperature 39,2°F with a height of 1 foot .</i>
Code:	N16
Name:	inch of mercury (32 °F)
Beschreibung:	<i>Non SI-conforming unit of pressure according to the Anglo-American and Imperial system for units, whereas the value of 1 inHg meets the static pressure, which is generated by a mercury at a temperature of 32°F with a height of 1 inch.</i>
Code:	N17
Name:	inch of mercury (60 °F)
Beschreibung:	<i>Non SI-conforming unit of pressure according to the Anglo-American and Imperial system for units, whereas the value of 1 inHg meets the static pressure, which is generated by a mercury at a temperature of 60°F with a height of 1 inch.</i>
Code:	N18
Name:	inch of water (39.2 °F)
Beschreibung:	<i>Non SI-conforming unit of pressure according to the Anglo-American and Imperial system for units, whereas the value of 1 inH₂O meets the static pressure, which is generated by a head of water at a temperature of 39,2°F with a height of 1 inch .</i>
Code:	N19
Name:	inch of water (60 °F)
Beschreibung:	<i>Non SI-conforming unit of pressure according to the Anglo-American and Imperial system for units, whereas the value of 1 inH₂O meets the static pressure, which is generated by a head of water at a temperature of 60°F with a height of 1 inch .</i>
Code:	N20
Name:	kip per square inch
Beschreibung:	<i>Non SI-conforming unit of the pressure according to the Anglo-American system of units as the 1000-fold of the unit of the force pound-force divided by the power of the unit inch by exponent 2.</i>
Code:	N21
Name:	poundal per square foot
Beschreibung:	<i>Non SI-conforming unit of pressure by the Imperial system of units according to NIST: 1 pdl/ft² = 1,488 164 Pa.</i>
Code:	N22

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Used Codes

Name:	ounce (avoirdupois) per square inch
Beschreibung:	<i>Unit of the surface specific mass (avoirdupois ounce according to the avoirdupois system of units according to the surface square inch according to the Anglo-American and Imperial system of units).</i>
Code:	N23
Name:	conventional metre of water
Beschreibung:	<i>Not SI-conforming unit of pressure, whereas a value of 1 mH2O is equivalent to the static pressure, which is produced by one metre high water column .</i>
Code:	N24
Name:	gram per square millimetre
Beschreibung:	<i>0,001-fold of the SI base unit kilogram divided by the 0.000 001-fold of the power of the SI base unit meter by exponent 2.</i>
Code:	N25
Name:	pound per square yard
Beschreibung:	<i>Unit for areal-related mass as a unit pound according to the avoirdupois unit system divided by the power of the unit yard according to the Anglo-American and Imperial system of units with exponent 2.</i>
Code:	N26
Name:	poundal per square inch
Beschreibung:	<i>Non SI-conforming unit of the pressure according to the Imperial system of units (poundal by square inch).</i>
Code:	N27
Name:	foot to the fourth power
Beschreibung:	<i>Power of the unit foot according to the Anglo-American and Imperial system of units by exponent 4 according to NIST: 1 ft⁴ = 8,630 975 m⁴.</i>
Code:	N28
Name:	cubic decimetre per kilogram
Beschreibung:	<i>0,001 fold of the power of the SI base unit meter by exponent 3 divided by the SI based unit kilogram.</i>
Code:	N29
Name:	cubic foot per pound
Beschreibung:	<i>Power of the unit foot according to the Anglo-American and Imperial system of units by exponent 3 divided by the unit avoirdupois pound according to the avoirdupois unit system.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	N30
Name:	cubic inch per pound
Beschreibung:	<i>Power of the unit inch according to the Anglo-American and Imperial system of units by exponent 3 divided by the avoirdupois pound according to the avoirdupois unit system .</i>
Code:	N31
Name:	kilonewton per metre
Beschreibung:	<i>1000-fold of the derived SI unit newton divided by the SI base unit metre.</i>
Code:	N32
Name:	poundal per inch
Beschreibung:	<i>Non SI-conforming unit of the surface tension according to the Imperial unit system as quotient poundal by inch.</i>
Code:	N33
Name:	pound-force per yard
Beschreibung:	<i>Unit of force per unit length based on the Anglo-American system of units.</i>
Code:	N34
Name:	poundal second per square foot
Beschreibung:	<i>Non SI-conforming unit of viscosity.</i>
Code:	N35
Name:	poise per pascal
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit poise divided by the derived SI unit pascal.</i>
Code:	N36
Name:	newton second per square metre
Beschreibung:	<i>Unit of the dynamic viscosity as a product of unit of the pressure (newton by square metre) multiplied with the SI base unit second.</i>
Code:	N37
Name:	kilogram per metre second
Beschreibung:	<i>Unit of the dynamic viscosity as a quotient SI base unit kilogram divided by the SI base unit metre and by the SI base unit second.</i>
Code:	N38
Name:	kilogram per metre minute
Beschreibung:	<i>Unit of the dynamic viscosity as a quotient SI base unit kilogram divided by the SI base unit metre and by the unit minute.</i>
Code:	N39
Name:	kilogram per metre day

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>Unit of the dynamic viscosity as a quotient SI base unit kilogram divided by the SI base unit metre and by the unit day.</i>
Code:	N40
Name:	kilogram per metre hour
Beschreibung:	<i>Unit of the dynamic viscosity as a quotient SI base unit kilogram divided by the SI base unit metre and by the unit hour.</i>
Code:	N41
Name:	gram per centimetre second
Beschreibung:	<i>Unit of the dynamic viscosity as a quotient of the 0,001-fold of the SI base unit kilogram divided by the 0,01-fold of the SI base unit metre and SI base unit second.</i>
Code:	N42
Name:	poundal second per square inch
Beschreibung:	<i>Non SI-conforming unit of dynamic viscosity according to the Imperial system of units as product unit of the pressure (poundal by square inch) multiplied by the SI base unit second.</i>
Code:	N43
Name:	pound per foot minute
Beschreibung:	<i>Unit of the dynamic viscosity according to the Anglo-American unit system.</i>
Code:	N44
Name:	pound per foot day
Beschreibung:	<i>Unit of the dynamic viscosity according to the Anglo-American unit system.</i>
Code:	N45
Name:	cubic metre per second pascal
Beschreibung:	<i>Power of the SI base unit meter by exponent 3 divided by the product of the SI base unit second and the derived SI base unit pascal.</i>
Code:	N46
Name:	foot poundal
Beschreibung:	<i>Unit of the work (force-path).</i>
Code:	N47
Name:	inch poundal
Beschreibung:	<i>Unit of work (force multiplied by path) according to the Imperial system of units as a product unit inch multiplied by poundal.</i>
Code:	N48
Name:	watt per square centimetre

Guideline**Used Codes**

Beschreibung: *Derived SI unit watt divided by the power of the 0,01-fold the SI base unit metre by exponent 2.*

Code: N49

Name: watt per square inch

Beschreibung: *Derived SI unit watt divided by the power of the unit inch according to the Anglo-American and Imperial system of units by exponent 2.*

Code: N50

Name: British thermal unit (international table) per square foot hour

Beschreibung: *Unit of the surface heat flux according to the Imperial system of units.*

Code: N51

Name: British thermal unit (thermochemical) per square foot hour

Beschreibung: *Unit of the surface heat flux according to the Imperial system of units.*

Code: N52

Name: British thermal unit (thermochemical) per square foot minute

Beschreibung: *Unit of the surface heat flux according to the Imperial system of units.*

Code: N53

Name: British thermal unit (international table) per square foot second

Beschreibung: *Unit of the surface heat flux according to the Imperial system of units.*

Code: N54

Name: British thermal unit (thermochemical) per square foot second

Beschreibung: *Unit of the surface heat flux according to the Imperial system of units.*

Code: N55

Name: British thermal unit (international table) per square inch second

Beschreibung: *Unit of the surface heat flux according to the Imperial system of units.*

Code: N56

Name: calorie (thermochemical) per square centimetre minute

Beschreibung: *Unit of the surface heat flux according to the Imperial system of units.*

Code: N57

Name: calorie (thermochemical) per square centimetre second

Beschreibung: *Unit of the surface heat flux according to the Imperial system of units.*

Code: N58

Name: British thermal unit (international table) per cubic foot

Beschreibung: *Unit of the energy density according to the Imperial system of units.*

Code: N59

Guideline

Used Codes

Name:	British thermal unit (thermochemical) per cubic foot
Beschreibung:	<i>Unit of the energy density according to the Imperial system of units.</i>
Code:	N60
Name:	British thermal unit (international table) per degree Fahrenheit
Beschreibung:	<i>Unit of the heat capacity according to the Imperial system of units.</i>
Code:	N61
Name:	British thermal unit (thermochemical) per degree Fahrenheit
Beschreibung:	<i>Unit of the heat capacity according to the Imperial system of units.</i>
Code:	N62
Name:	British thermal unit (international table) per degree Rankine
Beschreibung:	<i>Unit of the heat capacity according to the Imperial system of units.</i>
Code:	N63
Name:	British thermal unit (thermochemical) per degree Rankine
Beschreibung:	<i>Unit of the heat capacity according to the Imperial system of units.</i>
Code:	N64
Name:	British thermal unit (thermochemical) per pound degree Rankine
Beschreibung:	<i>Unit of the heat capacity (British thermal unit according to the international table according to the Rankine degree) according to the Imperial system of units divided by the unit avoirdupois pound according to the avoirdupois system of units.</i>
Code:	N65
Name:	kilocalorie (international table) per gram kelvin
Beschreibung:	<i>Unit of the mass-related heat capacity as quotient 1000-fold of the calorie (international table) divided by the product of the 0,001-fold of the SI base units kilogram and kelvin.</i>
Code:	N66
Name:	British thermal unit (39 °F)
Beschreibung:	<i>Unit of heat energy according to the Imperial system of units in a reference temperature of 39 °F.</i>
Code:	N67
Name:	British thermal unit (59 °F)
Beschreibung:	<i>Unit of heat energy according to the Imperial system of units in a reference temperature of 59 °F.</i>
Code:	N68
Name:	British thermal unit (60 °F)
Beschreibung:	<i>Unit of head energy according to the Imperial system of units at a reference temperature</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

	<i>of 60 °F.</i>
Code:	N69
Name:	calorie (20 °C)
Beschreibung:	<i>Unit for quantity of heat, which is to be required for 1 g air free water at a constant pressure from 101,325 kPa, to warm up the pressure of standard atmosphere at sea level, from 19,5 °C on 20,5 °C.</i>
Code:	N70
Name:	quad (1015 BtuIT)
Beschreibung:	<i>Unit of heat energy according to the imperial system of units.</i>
Code:	N71
Name:	therm (EC)
Beschreibung:	<i>Unit of heat energy in commercial use, within the EU defined: 1 thm (EC) = 100 000 BtuIT.</i>
Code:	N72
Name:	therm (U.S.)
Beschreibung:	<i>Unit of heat energy in commercial use.</i>
Code:	N73
Name:	British thermal unit (thermochemical) per pound
Beschreibung:	<i>Unit of the heat energy according to the Imperial system of units divided the unit avoirdupois pound according to the avoirdupois system of units.</i>
Code:	N74
Name:	British thermal unit (international table) per hour square foot degree Fahrenheit
Beschreibung:	<i>Unit of the heat transition coefficient according to the Imperial system of units.</i>
Code:	N75
Name:	British thermal unit (thermochemical) per hour square foot degree Fahrenheit
Beschreibung:	<i>Unit of the heat transition coefficient according to the imperial system of units.</i>
Code:	N76
Name:	British thermal unit (international table) per second square foot degree Fahrenheit
Beschreibung:	<i>Unit of the heat transition coefficient according to the imperial system of units.</i>
Code:	N77
Name:	British thermal unit (thermochemical) per second square foot degree Fahrenheit
Beschreibung:	<i>Unit of the heat transition coefficient according to the imperial system of units.</i>
Code:	N78
Name:	kilowatt per square metre kelvin

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>1000-fold of the derived SI unit watt divided by the product of the power of the SI base unit metre by exponent 2 and the SI base unit kelvin.</i>
Code:	N79
Name:	kelvin per pascal
Beschreibung:	<i>SI base unit kelvin divided by the derived SI unit pascal.</i>
Code:	N80
Name:	watt per metre degree Celsius
Beschreibung:	<i>Derived SI unit watt divided by the product of the SI base unit metre and the unit for temperature degree Celsius.</i>
Code:	N81
Name:	kilowatt per metre kelvin
Beschreibung:	<i>1000-fold of the derived SI unit watt divided by the product of the SI base unit metre and the SI base unit kelvin.</i>
Code:	N82
Name:	kilowatt per metre degree Celsius
Beschreibung:	<i>1000-fold of the derived SI unit watt divided by the product of the SI base unit metre and the unit for temperature degree Celsius.</i>
Code:	N83
Name:	metre per degree Celcius metre
Beschreibung:	<i>SI base unit metre divided by the product of the unit degree Celsius and the SI base unit metre.</i>
Code:	N84
Name:	degree Fahrenheit hour per British thermal unit (international table)
Beschreibung:	<i>Non SI-conforming unit of the thermal resistance according to the Imperial system of units.</i>
Code:	N85
Name:	degree Fahrenheit hour per British thermal unit (thermochemical)
Beschreibung:	<i>Non SI-conforming unit of the thermal resistance according to the Imperial system of units.</i>
Code:	N86
Name:	degree Fahrenheit second per British thermal unit (international table)
Beschreibung:	<i>Non SI-conforming unit of the thermal resistance according to the Imperial system of units.</i>
Code:	N87

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	degree Fahrenheit second per British thermal unit (thermochemical)
Beschreibung:	<i>Non SI-conforming unit of the thermal resistance according to the Imperial system of units.</i>
Code:	N88
Name:	degree Fahrenheit hour square foot per British thermal unit (international table) inch
Beschreibung:	<i>Unit of specific thermal resistance according to the Imperial system of units.</i>
Code:	N89
Name:	degree Fahrenheit hour square foot per British thermal unit (thermochemical) inch
Beschreibung:	<i>Unit of specific thermal resistance according to the Imperial system of units.</i>
Code:	N90
Name:	kilofarad
Beschreibung:	<i>1000-fold of the derived SI unit farad.</i>
Code:	N91
Name:	reciprocal joule
Beschreibung:	<i>Reciprocal of the derived SI unit joule.</i>
Code:	N92
Name:	picosiemens
Beschreibung:	<i>0,000 000 000 001-fold of the derived SI unit siemens.</i>
Code:	N93
Name:	ampere per pascal
Beschreibung:	<i>SI base unit ampere divided by the derived SI unit pascal.</i>
Code:	N94
Name:	franklin
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of the electrical charge, where the charge amounts to exactly 1 Fr where the force of 1 dyn on an equal load is performed at a distance of 1 cm.</i>
Code:	N95
Name:	ampere minute
Beschreibung:	<i>A unit of electric charge defining the amount of charge accumulated by a steady flow of one ampere for one minute..</i>
Code:	N96
Name:	biot
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of the electric power which is defined by a force of 2 dyn per cm between two parallel conductors of infinite length with negligible</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

	<i>cross-section in the distance of 1 cm.</i>
Code:	N97
Name:	gilbert
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of the magnetomotive force, which is defined by the work to increase the magnetic potential of a positive common pol with 1 erg.</i>
Code:	N98
Name:	volt per pascal
Beschreibung:	<i>Derived SI unit volt divided by the derived SI unit pascal.</i>
Code:	N99
Name:	picovolt
Beschreibung:	<i>0,000 000 000 001-fold of the derived SI unit volt.</i>
Code:	NAR
Name:	Anzahl der Artikel
Beschreibung:	<i>A unit of count defining the number of articles (article: item).</i>
Code:	NCL
Name:	number of cells
Beschreibung:	<i>A unit of count defining the number of cells (cell: an enclosed or circumscribed space, cavity, or volume).</i>
Code:	NF
Name:	message
Beschreibung:	<i>A unit of count defining the number of messages.</i>
Code:	NIL
Name:	nil
Beschreibung:	<i>A unit of count defining the number of instances of nothing.</i>
Code:	NIU
Name:	Anzahl internationaler Einheiten
Beschreibung:	<i>A unit of count defining the number of international units.</i>
Code:	NL
Name:	load
Beschreibung:	<i>A unit of volume defining the number of loads (load: a quantity of items carried or processed at one time).</i>
Code:	NM3
Name:	Normalised cubic metre

Guideline**Used Codes**

Beschreibung:	<i>Normalised cubic metre (temperature 0°C and pressure 101325 millibars)</i>
Code:	NMP
Name:	number of packs
Beschreibung:	<i>A unit of count defining the number of packs (pack: a collection of objects packaged together).</i>
Code:	NPR
Name:	number of pairs
Beschreibung:	<i>A unit of count defining the number of pairs (pair: item described by two's).</i>
Code:	NPT
Name:	number of parts
Beschreibung:	<i>A unit of count defining the number of parts (part: component of a larger entity).</i>
Code:	NT
Name:	net ton
Beschreibung:	<i>A unit of mass equal to 2000 pounds, see ton (US). Refer International Convention on tonnage measurement of Ships.</i>
Code:	NTT
Name:	net register ton
Beschreibung:	<i>A unit of mass equal to the total cubic footage after deductions, where 1 register ton is equal to 100 cubic feet. Refer International Convention on tonnage measurement of Ships.</i>
Code:	NX
Name:	part per thousand
Beschreibung:	<i>A unit of proportion equal to 10 to the power of -3. Synonym: per mille</i>
Code:	OA
Name:	panel
Beschreibung:	<i>A unit of count defining the number of panels (panel: a distinct, usually rectangular, section of a surface).</i>
Code:	ODE
Name:	ozone depletion equivalent
Beschreibung:	<i>A unit of mass defining the ozone depletion potential in kilograms of a product relative to the calculated depletion for the reference substance, Trichlorofluoromethane (CFC-11).</i>
Code:	ODG
Name:	ODS Grams

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of measure calculated by multiplying the mass of the substance in grams and the ozone-depleting potential for the substance.</i>
Code:	ODK
Name:	ODS Kilograms
Beschreibung:	<i>A unit of measure calculated by multiplying the mass of the substance in kilograms and the ozone-depleting potential for the substance.</i>
Code:	ODM
Name:	ODS Milligrams
Beschreibung:	<i>A unit of measure calculated by multiplying the mass of the substance in milligrams and the ozone-depleting potential for the substance.</i>
Code:	OPM
Name:	oscillations per minute
Beschreibung:	<i>The number of oscillations per minute.</i>
Code:	OT
Name:	overtime hour
Beschreibung:	<i>A unit of time defining the number of overtime hours.</i>
Code:	OZ
Name:	ounce av
Beschreibung:	<i>A unit of measure equal to 1/16 of a pound or about 28.3495 grams (av = avoirdupois). Use ounce (common code ONZ).</i>
Code:	P1
Name:	Prozent
Beschreibung:	<i>A unit of proportion equal to 0.01.</i>
Code:	P10
Name:	coulomb per metre
Beschreibung:	<i>Derived SI unit coulomb divided by the SI base unit metre.</i>
Code:	P11
Name:	kiloweber
Beschreibung:	<i>1000 fold of the derived SI unit weber.</i>
Code:	P12
Name:	gamma
Beschreibung:	<i>Unit of magnetic flow density.</i>
Code:	P13
Name:	kilotesla

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>1000-fold of the derived SI unit tesla.</i>
Code:	P14
Name:	joule per second
Beschreibung:	<i>Quotient of the derived SI unit joule divided by the SI base unit second.</i>
Code:	P15
Name:	joule per minute
Beschreibung:	<i>Quotient from the derived SI unit joule divided by the unit minute.</i>
Code:	P16
Name:	joule per hour
Beschreibung:	<i>Quotient from the derived SI unit joule divided by the unit hour.</i>
Code:	P17
Name:	joule per day
Beschreibung:	<i>Quotient from the derived SI unit joule divided by the unit day.</i>
Code:	P18
Name:	kilojoule per second
Beschreibung:	<i>Quotient from the 1000-fold of the derived SI unit joule divided by the SI base unit second.</i>
Code:	P19
Name:	kilojoule per minute
Beschreibung:	<i>Quotient from the 1000-fold of the derived SI unit joule divided by the unit minute.</i>
Code:	P20
Name:	kilojoule per hour
Beschreibung:	<i>Quotient from the 1000-fold of the derived SI unit joule divided by the unit hour.</i>
Code:	P21
Name:	kilojoule per day
Beschreibung:	<i>Quotient from the 1000-fold of the derived SI unit joule divided by the unit day.</i>
Code:	P22
Name:	nanoohm
Beschreibung:	<i>0,000 000 001-fold of the derived SI unit ohm.</i>
Code:	P23
Name:	ohm circular-mil per foot
Beschreibung:	<i>Unit of resistivity.</i>
Code:	P24
Name:	kilohenry

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>1000-fold of the derived SI unit henry.</i>
Code:	P25
Name:	lumen per square foot
Beschreibung:	<i>Derived SI unit lumen divided by the power of the unit foot according to the Anglo-American and Imperial system of units by exponent 2.</i>
Code:	P26
Name:	phot
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of luminance, defined as lumen by square centimetre.</i>
Code:	P27
Name:	footcandle
Beschreibung:	<i>Non SI conform traditional unit, defined as density of light which impinges on a surface which has a distance of one foot from a light source, which shines with an intensity of an international candle.</i>
Code:	P28
Name:	candela per square inch
Beschreibung:	<i>SI base unit candela divided by the power of unit inch according to the Anglo-American and Imperial system of units by exponent 2.</i>
Code:	P29
Name:	footlambert
Beschreibung:	<i>Unit of the luminance according to the Anglo-American system of units, defined as emitted or reflected luminance of a lm/ft².</i>
Code:	P30
Name:	lambert
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of luminance, defined as the emitted or reflected luminance by one lumen per square centimetre.</i>
Code:	P31
Name:	stilb
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of luminance, defined as emitted or reflected luminance by one lumen per square centimetre.</i>
Code:	P32
Name:	candela per square foot
Beschreibung:	<i>Base unit SI candela divided by the power of the unit foot according to the Anglo-American and Imperial system of units by exponent 2.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	P33
Name:	kilocandela
Beschreibung:	<i>1000-fold of the SI base unit candela.</i>
Code:	P34
Name:	millicandela
Beschreibung:	<i>0,001-fold of the SI base unit candela.</i>
Code:	P35
Name:	Hefner-Kerze
Beschreibung:	<i>Obsolete, non-legal unit of the power in Germany relating to DIN 1301-3:1979: 1 HK = 0,903 cd.</i>
Code:	P36
Name:	international candle
Beschreibung:	<i>Obsolete, non-legal unit of the power in Germany relating to DIN 1301-3:1979: 1 HK = 1,019 cd.</i>
Code:	P37
Name:	British thermal unit (international table) per square foot
Beschreibung:	<i>Unit of the areal-related energy transmission according to the Imperial system of units.</i>
Code:	P38
Name:	British thermal unit (thermochemical) per square foot
Beschreibung:	<i>Unit of the areal-related energy transmission according to the Imperial system of units.</i>
Code:	P39
Name:	calorie (thermochemical) per square centimetre
Beschreibung:	<i>Unit of the areal-related energy transmission according to the Imperial system of units.</i>
Code:	P40
Name:	langley
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of the areal-related energy transmission (as a measure of the incident quantity of heat of solar radiation on the earth's surface).</i>
Code:	P41
Name:	decade (logarithmic)
Beschreibung:	<i>1 Dec := $\log_2 10 \sim 3,32$ according to the logarithm for frequency range between f_1 and f_2, when $f_2/f_1 = 10$.</i>
Code:	P42
Name:	pascal squared second
Beschreibung:	<i>Unit of the set as a product of the power of derived SI unit pascal with exponent 2 and</i>

Guideline**Used Codes**

	<i>the SI base unit second.</i>
Code:	P43
Name:	bel per metre
Beschreibung:	<i>Unit bel divided by the SI base unit metre.</i>
Code:	P44
Name:	pound mole
Beschreibung:	<i>Non SI-conforming unit of quantity of a substance relating that one pound mole of a chemical composition corresponds to the same number of pounds as the molecular weight of one molecule of this composition in atomic mass units.</i>
Code:	P45
Name:	pound mole per second
Beschreibung:	<i>Non SI-conforming unit of the power of the amount of substance non-SI compliant unit of the molar flux relating that a pound mole of a chemical composition the same number of pound corresponds like the molecular weight of a molecule of this composition in atomic mass units.</i>
Code:	P46
Name:	pound mole per minute
Beschreibung:	<i>Non SI-conforming unit of the power of the amount of substance non-SI compliant unit of the molar flux relating that a pound mole of a chemical composition the same number of pound corresponds like the molecular weight of a molecule of this composition in atomic mass units.</i>
Code:	P47
Name:	kilomole per kilogram
Beschreibung:	<i>1000-fold of the SI base unit mol divided by the SI base unit kilogram.</i>
Code:	P48
Name:	pound mole per pound
Beschreibung:	<i>Non SI-conforming unit of the material molar flux divided by the avoirdupois pound for mass according to the avoirdupois unit system.</i>
Code:	P49
Name:	newton square metre per ampere
Beschreibung:	<i>Product of the derived SI unit newton and the power of SI base unit metre with exponent 2 divided by the SI base unit ampere.</i>
Code:	P5
Name:	five pack

Guideline**Used Codes**

Beschreibung:	<i>A unit of count defining the number of five-packs (five-pack: set of five items packaged together).</i>
Code:	P50
Name:	weber metre
Beschreibung:	<i>Product of the derived SI unit weber and SI base unit metre.</i>
Code:	P51
Name:	mol per kilogram pascal
Beschreibung:	<i>SI base unit mol divided by the product of the SI base unit kilogram and the derived SI unit pascal.</i>
Code:	P52
Name:	mol per cubic metre pascal
Beschreibung:	<i>SI base unit mol divided by the product of the power from the SI base unit metre with exponent 3 and the derived SI unit pascal.</i>
Code:	P53
Name:	unit pole
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit for magnetic flux of a magnetic pole (according to the interaction of identical poles of 1 dyn at a distance of a cm).</i>
Code:	P54
Name:	milligray per second
Beschreibung:	<i>0,001-fold of the derived SI unit gray divided by the SI base unit second.</i>
Code:	P55
Name:	microgray per second
Beschreibung:	<i>0,000 001-fold of the derived SI unit gray divided by the SI base unit second.</i>
Code:	P56
Name:	nanogray per second
Beschreibung:	<i>0,000 000 001-fold of the derived SI unit gray divided by the SI base unit second.</i>
Code:	P57
Name:	gray per minute
Beschreibung:	<i>SI derived unit gray divided by the unit minute.</i>
Code:	P58
Name:	milligray per minute
Beschreibung:	<i>0,001-fold of the derived SI unit gray divided by the unit minute.</i>
Code:	P59
Name:	microgray per minute

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Used Codes

Beschreibung:	<i>0,000 001-fold of the derived SI unit gray divided by the unit minute.</i>
Code:	P60
Name:	nanogray per minute
Beschreibung:	<i>0,000 000 001-fold of the derived SI unit gray divided by the unit minute.</i>
Code:	P61
Name:	gray per hour
Beschreibung:	<i>SI derived unit gray divided by the unit hour.</i>
Code:	P62
Name:	milligray per hour
Beschreibung:	<i>0,001-fold of the derived SI unit gray divided by the unit hour.</i>
Code:	P63
Name:	microgray per hour
Beschreibung:	<i>0,000 001-fold of the derived SI unit gray divided by the unit hour.</i>
Code:	P64
Name:	nanogray per hour
Beschreibung:	<i>0,000 000 001-fold of the derived SI unit gray divided by the unit hour.</i>
Code:	P65
Name:	sievert per second
Beschreibung:	<i>Derived SI unit sievert divided by the SI base unit second.</i>
Code:	P66
Name:	millisievert per second
Beschreibung:	<i>0,001-fold of the derived SI unit sievert divided by the SI base unit second.</i>
Code:	P67
Name:	microsievert per second
Beschreibung:	<i>0,000 001-fold of the derived SI unit sievert divided by the SI base unit second.</i>
Code:	P68
Name:	nanosievert per second
Beschreibung:	<i>0,000 000 001-fold of the derived SI unit sievert divided by the SI base unit second.</i>
Code:	P69
Name:	rem per second
Beschreibung:	<i>Unit for the equivalent tin rate relating to DIN 1301-3:1979: $1 \text{ rem/s} = 0,01 \text{ J}/(\text{kg}\cdot\text{s}) = 1 \text{ Sv/s}$.</i>
Code:	P70
Name:	sievert per hour

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>Derived SI unit sievert divided by the unit hour.</i>
Code:	P71
Name:	millisievert per hour
Beschreibung:	<i>0,001-fold of the derived SI unit sievert divided by the unit hour.</i>
Code:	P72
Name:	microsievert per hour
Beschreibung:	<i>0,000 001-fold of the derived SI unit sievert divided by the unit hour.</i>
Code:	P73
Name:	nanosievert per hour
Beschreibung:	<i>0,000 000 001-fold of the derived SI unit sievert divided by the unit hour.</i>
Code:	P74
Name:	sievert per minute
Beschreibung:	<i>Derived SI unit sievert divided by the unit minute.</i>
Code:	P75
Name:	millisievert per minute
Beschreibung:	<i>0,001-fold of the derived SI unit sievert divided by the unit minute.</i>
Code:	P76
Name:	microsievert per minute
Beschreibung:	<i>0,000 001-fold of the derived SI unit sievert divided by the unit minute.</i>
Code:	P77
Name:	nanosievert per minute
Beschreibung:	<i>0,000 000 001-fold of the derived SI unit sievert divided by the unit minute.</i>
Code:	P78
Name:	reciprocal square inch
Beschreibung:	<i>Complement of the power of the unit inch according to the Anglo-American and Imperial system of units by exponent 2.</i>
Code:	P79
Name:	pascal square metre per kilogram
Beschreibung:	<i>Unit of the burst index as derived unit for pressure pascal related to the substance, represented as a quotient from the SI base unit kilogram divided by the power of the SI base unit metre by exponent 2.</i>
Code:	P80
Name:	millipascal per metre
Beschreibung:	<i>0,001-fold of the derived SI unit pascal divided by the SI base unit metre.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	P81
Name:	kilopascal per metre
Beschreibung:	<i>1000-fold of the derived SI unit pascal divided by the SI base unit metre.</i>
Code:	P82
Name:	hectopascal per metre
Beschreibung:	<i>100-fold of the derived SI unit pascal divided by the SI base unit metre.</i>
Code:	P83
Name:	standard atmosphere per metre
Beschreibung:	<i>Outdated unit of the pressure divided by the SI base unit metre.</i>
Code:	P84
Name:	technical atmosphere per metre
Beschreibung:	<i>Obsolete and non-legal unit of the pressure which is generated by a 10 metre water column divided by the SI base unit metre.</i>
Code:	P85
Name:	torr per metre
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of the pressure divided by the SI base unit metre.</i>
Code:	P86
Name:	psi per inch
Beschreibung:	<i>Compound unit for pressure (pound-force according to the Anglo-American unit system divided by the power of the unit inch according to the Anglo-American and Imperial system of units with the exponent 2) divided by the unit inch according to the Anglo-American and Imperial system of units .</i>
Code:	P87
Name:	cubic metre per second square metre
Beschreibung:	<i>Unit of volume flow cubic meters by second related to the transmission surface in square metres.</i>
Code:	P88
Name:	rhe
Beschreibung:	<i>Non SI-conforming unit of fluidity of dynamic viscosity.</i>
Code:	P89
Name:	pound-force foot per inch
Beschreibung:	<i>Unit for length-related rotational moment according to the Anglo-American and Imperial system of units.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	P90
Name:	pound-force inch per inch
Beschreibung:	<i>Unit for length-related rotational moment according to the Anglo-American and Imperial system of units.</i>
Code:	P91
Name:	perm (0 °C)
Beschreibung:	<i>Traditional unit for the ability of a material to allow the transition of the steam, defined at a temperature of 0 °C as steam transmittance, where the mass of one grain steam penetrates an area of one foot squared at a pressure from one inch mercury per hour.</i>
Code:	P92
Name:	perm (23 °C)
Beschreibung:	<i>Traditional unit for the ability of a material to allow the transition of the steam, defined at a temperature of 23 °C as steam transmittance at which the mass of one grain of steam penetrates an area of one square foot at a pressure of one inch mercury per hour.</i>
Code:	P93
Name:	byte per second
Beschreibung:	<i>Unit byte divided by the SI base unit second.</i>
Code:	P94
Name:	kilobyte per second
Beschreibung:	<i>1000-fold of the unit byte divided by the SI base unit second.</i>
Code:	P95
Name:	megabyte per second
Beschreibung:	<i>1 000 000-fold of the unit byte divided by the SI base unit second.</i>
Code:	P96
Name:	reciprocal volt
Beschreibung:	<i>Reciprocal of the derived SI unit volt.</i>
Code:	P97
Name:	reciprocal radian
Beschreibung:	<i>Reciprocal of the unit radian.</i>
Code:	P98
Name:	pascal to the power sum of stoichiometric numbers
Beschreibung:	<i>Unit of the equilibrium constant on the basis of the pressure(ISO 80000-9:2009, 9-35.a).</i>
Code:	P99
Name:	mole per cubiv metre to the power sum of stoichiometric numbers

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>Unit of the equilibrium constant on the basis of the concentration (ISO 80000-9:2009, 9-36.a).</i>
Code:	PD
Name:	pad
Beschreibung:	<i>A unit of count defining the number of pads (pad: block of paper sheets fastened together at one end).</i>
Code:	PFL
Name:	proof litre
Beschreibung:	<i>A unit of volume equal to one litre of proof spirits, or the alcohol equivalent thereof. Used for measuring the strength of distilled alcoholic liquors, expressed as a percentage of the alcohol content of a standard mixture at a specific temperature.</i>
Code:	PGL
Name:	proof gallon
Beschreibung:	<i>A unit of volume equal to one gallon of proof spirits, or the alcohol equivalent thereof. Used for measuring the strength of distilled alcoholic liquors, expressed as a percentage of the alcohol content of a standard mixture at a specific temperature.</i>
Code:	PI
Name:	pitch
Beschreibung:	<i>A unit of count defining the number of characters that fit in a horizontal inch.</i>
Code:	PLA
Name:	degree Plato
Beschreibung:	<i>A unit of proportion defining the sugar content of a product, especially in relation to beer.</i>
Code:	PQ
Name:	page per inch
Beschreibung:	<i>A unit of quantity defining the degree of thickness of a bound publication, expressed as the number of pages per inch of thickness.</i>
Code:	PR
Name:	Paar
Beschreibung:	<i>A unit of count defining the number of pairs (pair: item described by two's).</i>
Code:	PT
Name:	pint (US)
Beschreibung:	<i>Use liquid pint (common code PTL)</i>
Code:	PTN
Name:	Portion

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A quantity of allowance of food allotted to, or enough for, one person.</i>
Code:	Q10
Name:	joule per tesla
Beschreibung:	<i>Unit of the magnetic dipole moment of the molecule as derived SI unit joule divided by the derived SI unit tesla.</i>
Code:	Q11
Name:	erlang
Beschreibung:	<i>Unit of the market value according to the feature of a single feature as a statistical measurement of the existing utilization.</i>
Code:	Q12
Name:	octet
Beschreibung:	<i>Synonym for byte: 1 octet = 8 bit = 1 byte.</i>
Code:	Q13
Name:	octet per second
Beschreibung:	<i>Unit octet divided by the SI base unit second.</i>
Code:	Q14
Name:	shannon
Beschreibung:	<i>Logarithmic unit for information equal to the content of decision of a sentence of two mutually exclusive events, expressed as a logarithm to base 2.</i>
Code:	Q15
Name:	hartley
Beschreibung:	<i>Logarithmic unit for information equal to the content of decision of a sentence of ten mutually exclusive events, expressed as a logarithm to base 10.</i>
Code:	Q16
Name:	natural unit of information
Beschreibung:	<i>Logarithmic unit for information equal to the content of decision of a sentence of ,718 281 828 459 mutually exclusive events, expressed as a logarithm to base Euler value e.</i>
Code:	Q17
Name:	shannon per second
Beschreibung:	<i>Time related logarithmic unit for information equal to the content of decision of a sentence of two mutually exclusive events, expressed as a logarithm to base 2.</i>
Code:	Q18
Name:	hartley per second
Beschreibung:	<i>Time related logarithmic unit for information equal to the content of decision of a</i>

Guideline**Used Codes**

	<i>sentence of ten mutually exclusive events, expressed as a logarithm to base 10.</i>
Code:	Q19
Name:	natural unit of information per second
Beschreibung:	<i>Time related logarithmic unit for information equal to the content of decision of a sentence of 2,718 281 828 459 mutually exclusive events, expressed as a logarithm to base of the Euler value e.</i>
Code:	Q20
Name:	second per kilogramm
Beschreibung:	<i>Unit of the Einstein transition probability for spontaneous or inducing emissions and absorption according to ISO 80000-7:2008, expressed as SI base unit second divided by the SI base unit kilogram.</i>
Code:	Q21
Name:	watt square metre
Beschreibung:	<i>Unit of the first radiation constants $c_1 = 2 \cdot p \cdot h \cdot c_0$ to the power of 2, the value of which is 3,741 771 18 · 10¹⁶-fold that of the comparative value of the product of the derived SI unit watt multiplied with the power of the SI base unit metre with the exponent 2.</i>
Code:	Q22
Name:	second per radian cubic metre
Beschreibung:	<i>Unit of the density of states as an expression of angular frequency as complement of the product of hertz and radian and the power of SI base unit metre by exponent 3 .</i>
Code:	Q23
Name:	weber to the power minus one
Beschreibung:	<i>Complement of the derived SI unit weber as unit of the Josephson constant, which value is equal to the 384 597,891-fold of the reference value gigahertz divided by volt.</i>
Code:	Q24
Name:	reciprocal inch
Beschreibung:	<i>Complement of the unit inch according to the Anglo-American and Imperial system of units.</i>
Code:	Q25
Name:	dioptre
Beschreibung:	<i>Unit used at the statement of relative refractive indexes of optical systems as complement of the focal length with correspondence to: 1 dpt = 1/m.</i>
Code:	Q26
Name:	one per one

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>Value of the quotient from two physical units of the same kind as a numerator and denominator whereas the units are shortened mutually.</i>
Code:	Q27
Name:	newton metre per metre
Beschreibung:	<i>Unit for length-related rotational moment as product of the derived SI unit newton and the SI base unit metre divided by the SI base unit metre.</i>
Code:	Q28
Name:	kilogram per square metre pascal second
Beschreibung:	<i>Unit for the ability of a material to allow the transition of steam.</i>
Code:	Q29
Name:	microgram per hectogram
Beschreibung:	<i>Microgram per hectogram.</i>
Code:	Q3
Name:	meal
Beschreibung:	<i>A unit of count defining the number of meals (meal: an amount of food to be eaten on a single occasion).</i>
Code:	Q30
Name:	pH (potential of Hydrogen)
Beschreibung:	<i>The activity of the (solvated) hydrogen ion (a logarithmic measure used to state the acidity or alkalinity of a chemical solution).</i>
Code:	Q35
Name:	megawatts per minute
Beschreibung:	<i>A unit of power defining the total amount of bulk energy transferred or consumer per minute.</i>
Code:	Q36
Name:	square metre per cubic metre
Beschreibung:	<i>A unit of the amount of surface area per unit volume of an object or collection of objects.</i>
Code:	Q37
Name:	Standard cubic metre per day
Beschreibung:	<i>Standard cubic metre (temperature 15°C and pressure 101325 millibars) per day</i>
Code:	Q38
Name:	Standard cubic metre per hour
Beschreibung:	<i>Standard cubic metre (temperature 15°C and pressure 101325 millibars) per hour</i>
Code:	Q39

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	Normalized cubic metre per day
Beschreibung:	<i>Normalized cubic metre (temperature 0°C and pressure 101325 millibars) per day</i>
Code:	Q40
Name:	Normalized cubic metre per hour
Beschreibung:	<i>Normalized cubic metre (temperature 0°C and pressure 101325 millibars) per hour</i>
Code:	Q41
Name:	Joule per normalised cubic metre
Beschreibung:	<i>Joule per normalised cubic metre (temperature 0°C and pressure 101325 millibars).</i>
Code:	Q42
Name:	Joule per standard cubic metre
Beschreibung:	<i>Joule per standard cubic metre (temperature 15°C and pressure 101325 millibars).</i>
Code:	QA
Name:	page - facsimile
Beschreibung:	<i>A unit of count defining the number of facsimile pages.</i>
Code:	QAN
Name:	Viertel (jahr)
Beschreibung:	<i>A unit of time defining the number of quarters (3 months).</i>
Code:	QB
Name:	page - hardcopy
Beschreibung:	<i>A unit of count defining the number of hardcopy pages (hardcopy page: a page rendered as printed or written output on paper, film, or other permanent medium).</i>
Code:	QR
Name:	quire
Beschreibung:	<i>A unit of count for paper, expressed as the number of quires (quire: a number of paper sheets, typically 25).</i>
Code:	QT
Name:	quart (US)
Beschreibung:	<i>Use liquid quart (common code QTL)</i>
Code:	QTR
Name:	quarter (UK)
Beschreibung:	<i>A traditional unit of weight equal to 1/4 hundredweight. In the United Kingdom, one quarter equals 28 pounds.</i>
Code:	R1
Name:	pica

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of count defining the number of picas. (pica: typographical length equal to 12 points or 4.22 mm (approx.)).</i>
Code:	R9
Name:	thousand cubic metre
Beschreibung:	<i>A unit of volume equal to one thousand cubic metres.</i>
Code:	RH
Name:	running or operating hour
Beschreibung:	<i>A unit of time defining the number of hours of operation.</i>
Code:	RM
Name:	ream
Beschreibung:	<i>A unit of count for paper, expressed as the number of reams (ream: a large quantity of paper sheets, typically 500).</i>
Code:	ROM
Name:	room
Beschreibung:	<i>A unit of count defining the number of rooms.</i>
Code:	RP
Name:	pound per ream
Beschreibung:	<i>A unit of mass for paper, expressed as pounds per ream. (ream: a large quantity of paper, typically 500 sheets).</i>
Code:	RPM
Name:	Umdrehung pro Minute
Beschreibung:	<i>Refer ISO/TC12 SI Guide</i>
Code:	RPS
Name:	revolutions per second
Beschreibung:	<i>Refer ISO/TC12 SI Guide</i>
Code:	RT
Name:	revenue ton mile
Beschreibung:	<i>A unit of information typically used for billing purposes, expressed as the number of revenue tons (revenue ton: either a metric ton or a cubic metres, whichever is the larger), moved over a distance of one mile.</i>
Code:	S3
Name:	square foot per second
Beschreibung:	<i>Synonym: foot squared per second</i>
Code:	S4

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	square metre per second
Beschreibung:	<i>Synonym: metre squared per second (square metres/second US)</i>
Code:	SAN
Name:	half year (6 months)
Beschreibung:	<i>'A unit of time defining the number of half years (6 months).</i>
Code:	SCO
Name:	score
Beschreibung:	<i>A unit of count defining the number of units in multiples of 20.</i>
Code:	SET
Name:	set
Beschreibung:	<i>A unit of count defining the number of sets (set: a number of objects grouped together).</i>
Code:	SG
Name:	segment
Beschreibung:	<i>A unit of information equal to 64000 bytes.</i>
Code:	SHT
Name:	shipping ton
Beschreibung:	<i>A unit of mass defining the number of tons for shipping.</i>
Code:	SM3
Name:	Standard cubic metre
Beschreibung:	<i>Standard cubic metre (temperature 15°C and pressure 101325 millibars)</i>
Code:	SQ
Name:	square
Beschreibung:	<i>A unit of count defining the number of squares (square: rectangular shape).</i>
Code:	SQR
Name:	square, roofing
Beschreibung:	<i>A unit of count defining the number of squares of roofing materials, measured in multiples of 100 square feet.</i>
Code:	SR
Name:	strip
Beschreibung:	<i>A unit of count defining the number of strips (strip: long narrow piece of an object).</i>
Code:	STC
Name:	stick
Beschreibung:	<i>A unit of count defining the number of sticks (stick: slender and often cylindrical piece of a substance).</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	STK
Name:	stick, cigarette
Beschreibung:	<i>A unit of count defining the number of cigarettes in the smallest unit for stock-taking and/or duty computation.</i>
Code:	STL
Name:	standard litre
Beschreibung:	<i>A unit of volume defining the number of litres of a product at a temperature of 15 degrees Celsius, especially in relation to hydrocarbon oils.</i>
Code:	STN
Name:	ton (US) or short ton (UK/US)
Beschreibung:	<i>Synonym: net ton (2000 lb)</i>
Code:	STW
Name:	straw
Beschreibung:	<i>A unit of count defining the number of straws (straw: a slender tube used for sucking up liquids).</i>
Code:	SW
Name:	skein
Beschreibung:	<i>A unit of count defining the number of skeins (skein: a loosely-coiled bundle of yarn or thread).</i>
Code:	SX
Name:	shipment
Beschreibung:	<i>A unit of count defining the number of shipments (shipment: an amount of goods shipped or transported).</i>
Code:	SYR
Name:	syringe
Beschreibung:	<i>A unit of count defining the number of syringes (syringe: a small device for pumping, spraying and/or injecting liquids through a small aperture).</i>
Code:	T0
Name:	telecommunication line in service
Beschreibung:	<i>A unit of count defining the number of lines in service.</i>
Code:	T3
Name:	thousand piece
Beschreibung:	<i>A unit of count defining the number of pieces in multiples of 1000 (piece: a single item, article or exemplar).</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	TAN
Name:	total acid number
Beschreibung:	<i>A unit of chemistry defining the amount of potassium hydroxide (KOH) in milligrams that is needed to neutralize the acids in one gram of oil. It is an important quality measurement of crude oil.</i>
Code:	TIC
Name:	metric ton, including container
Beschreibung:	<i>A unit of mass defining the number of metric tons of a product, including its container.</i>
Code:	TIP
Name:	metric ton, including inner packaging
Beschreibung:	<i>A unit of mass defining the number of metric tons of a product, including its inner packaging materials.</i>
Code:	TKM
Name:	tonne kilometre
Beschreibung:	<i>A unit of information typically used for billing purposes, expressed as the number of tonnes (metric tons) moved over a distance of one kilometre.</i>
Code:	TMS
Name:	kilogram of imported meat, less offal
Beschreibung:	<i>A unit of mass equal to one thousand grams of imported meat, disregarding less valuable by-products such as the entrails.</i>
Code:	TNE
Name:	Tonne (metrische Tonne)
Beschreibung:	<i>Synonym: metric ton</i>
Code:	TP
Name:	ten pack
Beschreibung:	<i>A unit of count defining the number of items in multiples of 10.</i>
Code:	TPI
Name:	teeth per inch
Beschreibung:	<i>The number of teeth per inch.</i>
Code:	TPR
Name:	ten pair
Beschreibung:	<i>A unit of count defining the number of pairs in multiples of 10 (pair: item described by two's).</i>
Code:	TQD

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	thousand cubic metre per day
Beschreibung:	<i>A unit of volume equal to one thousand cubic metres per day.</i>
Code:	TST
Name:	ten set
Beschreibung:	<i>A unit of count defining the number of sets in multiples of 10 (set: a number of objects grouped together).</i>
Code:	TTS
Name:	ten thousand sticks
Beschreibung:	<i>A unit of count defining the number of sticks in multiples of 10000 (stick: slender and often cylindrical piece of a substance).</i>
Code:	U1
Name:	treatment
Beschreibung:	<i>A unit of count defining the number of treatments (treatment: subjection to the action of a chemical, physical or biological agent).</i>
Code:	U2
Name:	Tablette
Beschreibung:	<i>A unit of count defining the number of tablets (tablet: a small flat or compressed solid object).</i>
Code:	UB
Name:	telecommunication line in service average
Beschreibung:	<i>A unit of count defining the average number of lines in service.</i>
Code:	UC
Name:	telecommunication port
Beschreibung:	<i>A unit of count defining the number of network access ports.</i>
Code:	UIG
Name:	international unit per gram
Beschreibung:	<i>A unit of count defining the number of international units per gram.</i>
Code:	VP
Name:	percent volume
Beschreibung:	<i>A measure of concentration, typically expressed as the percentage volume of a solute in a solution.</i>
Code:	W2
Name:	wet kilo
Beschreibung:	<i>A unit of mass defining the number of kilograms of a product, including the water content</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

	<i>of the product.</i>
Code:	WB
Name:	wet pound
Beschreibung:	<i>A unit of mass defining the number of pounds of a material, including the water content of the material.</i>
Code:	WCD
Name:	cord
Beschreibung:	<i>A unit of volume used for measuring lumber. One board foot equals 1/12 of a cubic foot.</i>
Code:	WE
Name:	wet ton
Beschreibung:	<i>A unit of mass defining the number of tons of a material, including the water content of the material.</i>
Code:	WG
Name:	wine gallon
Beschreibung:	<i>A unit of volume equal to 231 cubic inches.</i>
Code:	WM
Name:	working month
Beschreibung:	<i>A unit of time defining the number of working months.</i>
Code:	WSD
Name:	standard
Beschreibung:	<i>A unit of volume of finished lumber equal to 165 cubic feet. Synonym: standard cubic foot</i>
Code:	WW
Name:	millilitre of water
Beschreibung:	<i>A unit of volume equal to the number of millilitres of water.</i>
Code:	X1
Name:	Gunter's chain
Beschreibung:	<i>A unit of distance used or formerly used by British surveyors.</i>
Code:	Z11
Name:	hanging container
Beschreibung:	<i>A unit of count defining the number of hanging containers.</i>
Code:	ZP
Name:	Seite
Beschreibung:	<i>A unit of count defining the number of pages.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

freeGoodsQuantity	Used Codes	Code: ZZ Name: mutually defined Beschreibung: <i>A unit of measure as agreed in common between two or more parties.</i>
		Wiederholung: 0 .. 1 Schema-Status: O Typ: shared_common:QuantityType Definition: Die im Vertrag angegebene Menge ohne Berechnung. Fachbegriff: Menge ohne Berechnung Status: O Bemerkung: z. B. Menge Musterware EANCOM®: INVOIC.SG26[D_6063="192"].QTY.6060
measurementUnitCode		Schema-Status: O Type: restriction (xs:string) Definition: Angabe einer standardisierten, reproduzierbaren Einheit, die zur physikalischen Messung einer Menge verwendet werden kann. Fachbegriff: Einheit Status: O Beispiel: KGM
	Used Codes	Code: 10 Name: group Beschreibung: <i>A unit of count defining the number of groups (group: set of items classified together).</i>
		Code: 11 Name: outfit Beschreibung: <i>A unit of count defining the number of outfits (outfit: a complete set of equipment / materials / objects used for a specific purpose).</i>
		Code: 13 Name: ration Beschreibung: <i>A unit of count defining the number of rations (ration: a single portion of provisions).</i>
		Code: 14 Name: shot Beschreibung: <i>A unit of liquid measure, especially related to spirits.</i>
		Code: 15 Name: stick, military

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of count defining the number of military sticks (military stick: bombs or paratroops released in rapid succession from an aircraft).</i>
Code:	20
Name:	twenty foot container
Beschreibung:	<i>A unit of count defining the number of shipping containers that measure 20 foot in length.</i>
Code:	21
Name:	forty foot container
Beschreibung:	<i>A unit of count defining the number of shipping containers that measure 40 foot in length.</i>
Code:	24
Name:	theoretical pound
Beschreibung:	<i>A unit of mass defining the expected mass of material expressed as the number of pounds.</i>
Code:	27
Name:	theoretical ton
Beschreibung:	<i>A unit of mass defining the expected mass of material, expressed as the number of tons.</i>
Code:	56
Name:	sitas
Beschreibung:	<i>A unit of area for tin plate equal to a surface area of 100 square metres.</i>
Code:	57
Name:	mesh
Beschreibung:	<i>A unit of count defining the number of strands per inch as a measure of the fineness of a woven product.</i>
Code:	58
Name:	net kilogram
Beschreibung:	<i>A unit of mass defining the total number of kilograms after deductions.</i>
Code:	59
Name:	Teile pro Million (ppm)
Beschreibung:	<i>A unit of proportion equal to 10 to the power of -6.</i>
Code:	60
Name:	percent weight
Beschreibung:	<i>A unit of proportion equal to 10 to the power of -2.</i>
Code:	61
Name:	part per billion (US)
Beschreibung:	<i>A unit of proportion equal to 10 to the power of -9.</i>

Guideline**Used Codes**

Code:	84
Name:	kilopound-force per square inch
Beschreibung:	<i>A unit of pressure defining the number of kilopounds force per square inch. Use kip per square inch (common code N20).</i>
Code:	1I
Name:	fixed rate
Beschreibung:	<i>A unit of quantity expressed as a predetermined or set rate for usage of a facility or service.</i>
Code:	2A
Name:	radian per second
Beschreibung:	<i>Refer ISO/TC12 SI Guide</i>
Code:	2B
Name:	radian per second squared
Beschreibung:	<i>Refer ISO/TC12 SI Guide</i>
Code:	2G
Name:	volt AC
Beschreibung:	<i>A unit of electric potential in relation to alternating current (AC).</i>
Code:	2H
Name:	volt DC
Beschreibung:	<i>A unit of electric potential in relation to direct current (DC).</i>
Code:	2P
Name:	kilobyte
Beschreibung:	<i>A unit of information equal to 10 to the power of 3 (1000) bytes.</i>
Code:	3C
Name:	manmonth
Beschreibung:	<i>A unit of count defining the number of months for a person or persons to perform an undertaking.</i>
Code:	4L
Name:	Megabyte
Beschreibung:	<i>A unit of information equal to 10 to the power of 6 (1000000) bytes.</i>
Code:	5B
Name:	batch
Beschreibung:	<i>A unit of count defining the number of batches (batch: quantity of material produced in one operation or number of animals or persons coming at once).</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	5E
Name:	MMSCF/day
Beschreibung:	<i>A unit of volume equal to one million (1000000) cubic feet of gas per day.</i>
Code:	5J
Name:	hydraulic horse power
Beschreibung:	<i>A unit of power defining the hydraulic horse power delivered by a fluid pump depending on the viscosity of the fluid.</i>
Code:	A25
Name:	Pferdestärken (PS)
Beschreibung:	<i>Synonym: metric horse power</i>
Code:	A43
Name:	deadweight tonnage
Beschreibung:	<i>A unit of mass defining the difference between the weight of a ship when completely empty and its weight when completely loaded, expressed as the number of tons.</i>
Code:	A47
Name:	decitex
Beschreibung:	<i>A unit of yarn density. One decitex equals a mass of 1 gram per 10 kilometres of length.</i>
Code:	A48
Name:	degree Rankine
Beschreibung:	<i>Refer ISO 80000-5 (Quantities and units — Part 5: Thermodynamics)</i>
Code:	A49
Name:	denier
Beschreibung:	<i>A unit of yarn density. One denier equals a mass of 1 gram per 9 kilometres of length.</i>
Code:	A59
Name:	8-part cloud cover
Beschreibung:	<i>A unit of count defining the number of eighth-parts as a measure of the celestial dome cloud coverage. Synonym: OKTA , OCTA</i>
Code:	A75
Name:	freight ton
Beschreibung:	<i>A unit of information typically used for billing purposes, defined as either the number of metric tons or the number of cubic metres, whichever is the larger.</i>
Code:	A9
Name:	rate

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of quantity expressed as a rate for usage of a facility or service.</i>
Code:	A91
Name:	gon
Beschreibung:	<i>Synonym: grade</i>
Code:	A99
Name:	Bit
Beschreibung:	<i>A unit of information equal to one binary digit.</i>
Code:	AA
Name:	ball
Beschreibung:	<i>A unit of count defining the number of balls (ball: object formed in the shape of sphere).</i>
Code:	AB
Name:	bulk pack
Beschreibung:	<i>A unit of count defining the number of items per bulk pack.</i>
Code:	ACT
Name:	activity
Beschreibung:	<i>A unit of count defining the number of activities (activity: a unit of work or action).</i>
Code:	AD
Name:	Byte
Beschreibung:	<i>A unit of information equal to 8 bits.</i>
Code:	AH
Name:	additional minute
Beschreibung:	<i>A unit of time defining the number of minutes in addition to the referenced minutes.</i>
Code:	AI
Name:	average minute per call
Beschreibung:	<i>A unit of count defining the number of minutes for the average interval of a call.</i>
Code:	AL
Name:	access line
Beschreibung:	<i>A unit of count defining the number of telephone access lines.</i>
Code:	AMH
Name:	Amperestunde
Beschreibung:	<i>A unit of electric charge defining the amount of charge accumulated by a steady flow of one ampere for one hour.</i>
Code:	ANN
Name:	Jahr

Guideline**Used Codes**

Beschreibung:	<i>Unit of time equal to 365,25 days. Synonym: Julian year</i>
Code:	AQ
Name:	anti-hemophilic factor (AHF) unit
Beschreibung:	<i>A unit of measure for blood potency (US).</i>
Code:	ARE
Name:	are
Beschreibung:	<i>Synonym: square decametre</i>
Code:	AS
Name:	assortment
Beschreibung:	<i>A unit of count defining the number of assortments (assortment: set of items grouped in a mixed collection).</i>
Code:	ASM
Name:	Alkoholgehalt pro Masse
Beschreibung:	<i>A unit of mass defining the alcoholic strength of a liquid.</i>
Code:	ASU
Name:	Alkoholgehalt pro Volumen
Beschreibung:	<i>A unit of volume defining the alcoholic strength of a liquid (e.g. spirit, wine, beer, etc), often at a specific temperature.</i>
Code:	AWG
Name:	american wire gauge
Beschreibung:	<i>A unit of distance used for measuring the diameter of small tubes or wires such as the outer diameter of hypotermic or suture needles.</i>
Code:	AY
Name:	assembly
Beschreibung:	<i>A unit of count defining the number of assemblies (assembly: items that consist of component parts).</i>
Code:	B10
Name:	bit per second
Beschreibung:	<i>A unit of information equal to one binary digit per second.</i>
Code:	B13
Name:	Joule pro Quadratmeter
Beschreibung:	<i>Synonym: joule per metre squared</i>
Code:	B17

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	Soll-Buchungen
Beschreibung:	<i>A unit of count defining the number of entries made to the credit side of an account.</i>
Code:	B19
Name:	digit
Beschreibung:	<i>A unit of information defining the quantity of numerals used to form a number.</i>
Code:	B3
Name:	batting pound
Beschreibung:	<i>A unit of mass defining the number of pounds of wadded fibre.</i>
Code:	B30
Name:	gibibit
Beschreibung:	<i>A unit of information equal to 2³⁰ bits (binary digits).</i>
Code:	B4
Name:	barrel, imperial
Beschreibung:	<i>A unit of volume used to measure beer. One beer barrel equals 36 imperial gallons.</i>
Code:	B51
Name:	kilopond
Beschreibung:	<i>Synonym: kilogram-force</i>
Code:	B57
Name:	light year
Beschreibung:	<i>A unit of length defining the distance that light travels in a vacuum in one year.</i>
Code:	B68
Name:	gigabit
Beschreibung:	<i>A unit of information equal to 10 to the power of 9 bits (binary digits).</i>
Code:	B7
Name:	cycle
Beschreibung:	<i>A unit of count defining the number of cycles (cycle: a recurrent period of definite duration).</i>
Code:	B80
Name:	gigabit per second
Beschreibung:	<i>A unit of information equal to 10 to the power of 9 bits (binary digits) per second.</i>
Code:	B82
Name:	inch per linear foot
Beschreibung:	<i>A unit of length defining the number of inches per linear foot.</i>
Code:	BB

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	base box
Beschreibung:	<i>A unit of area of 112 sheets of tin mil products (tin plate, tin free steel or black plate) 14 by 20 inches, or 31,360 square inches.</i>
Code:	BFT
Name:	board foot
Beschreibung:	<i>A unit of volume defining the number of cords (cord: a stack of firewood of 128 cubic feet).</i>
Code:	BIL
Name:	billion (EUR)
Beschreibung:	<i>Synonym: trillion (US)</i>
Code:	BP
Name:	hundred board foot
Beschreibung:	<i>A unit of volume equal to one hundred board foot.</i>
Code:	BPM
Name:	beats per minute
Beschreibung:	<i>The number of beats per minute.</i>
Code:	C0
Name:	Telefoneinheit
Beschreibung:	<i>A unit of count defining the number of calls (call: communication session or visitation).</i>
Code:	C21
Name:	kibibit
Beschreibung:	<i>A unit of information equal to 2 to the power of 10 (1024) bits (binary digits).</i>
Code:	C37
Name:	kilobit
Beschreibung:	<i>A unit of information equal to 10 to the power of 3 (1000) bits (binary digits).</i>
Code:	C59
Name:	octave
Beschreibung:	<i>A unit used in music to describe the ratio in frequency between notes.</i>
Code:	C62
Name:	one
Beschreibung:	<i>Synonym: unit</i>
Code:	C69
Name:	phon
Beschreibung:	<i>A unit of subjective sound loudness. A sound has loudness p phons if it seems to the</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

	<i>listener to be equal in loudness to the sound of a pure tone of frequency 1 kilohertz and strength p decibels.</i>
Code:	C74
Name:	kilobit per second
Beschreibung:	<i>A unit of information equal to 10 to the power of 3 (1000) bits (binary digits) per second.</i>
Code:	C79
Name:	kilovolt ampere hour
Beschreibung:	<i>A unit of accumulated energy of 1000 volt amperes over a period of one hour.</i>
Code:	C87
Name:	reciprocal cubic metre per second
Beschreibung:	<i>Synonym: reciprocal second per cubic metre</i>
Code:	C9
Name:	coil group
Beschreibung:	<i>A unit of count defining the number of coil groups (coil group: groups of items arranged by lengths of those items placed in a joined sequence of concentric circles).</i>
Code:	C93
Name:	reciprocal square metre
Beschreibung:	<i>Synonym: reciprocal metre squared</i>
Code:	CCT
Name:	carrying capacity in metric ton
Beschreibung:	<i>A unit of mass defining the carrying capacity, expressed as the number of metric tons.</i>
Code:	CEL
Name:	Grad Celsius
Beschreibung:	<i>Refer ISO 80000-5 (Quantities and units — Part 5: Thermodynamics)</i>
Code:	CEN
Name:	hundred
Beschreibung:	<i>A unit of count defining the number of units in multiples of 100.</i>
Code:	CG
Name:	card
Beschreibung:	<i>A unit of count defining the number of units of card (card: thick stiff paper or cardboard).</i>
Code:	CLF
Name:	hundred leave
Beschreibung:	<i>A unit of count defining the number of leaves, expressed in units of one hundred leaves.</i>
Code:	CNP

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	hundred pack
Beschreibung:	<i>A unit of count defining the number of hundred-packs (hundred-pack: set of one hundred items packaged together).</i>
Code:	CNT
Name:	cental (UK)
Beschreibung:	<i>A unit of mass equal to one hundred weight (US).</i>
Code:	CTG
Name:	content gram
Beschreibung:	<i>A unit of mass defining the number of grams of a named item in a product.</i>
Code:	CTN
Name:	content ton (metric)
Beschreibung:	<i>A unit of mass defining the number of metric tons of a named item in a product.</i>
Code:	D03
Name:	kilowatt hour per hour
Beschreibung:	<i>A unit of accumulated energy of a thousand watts over a period of one hour.</i>
Code:	D04
Name:	lot [unit of weight]
Beschreibung:	<i>A unit of weight equal to about 1/2 ounce or 15 grams.</i>
Code:	D11
Name:	mebibit
Beschreibung:	<i>A unit of information equal to 2 to the power of 20 (1048576) bits (binary digits).</i>
Code:	D15
Name:	sones
Beschreibung:	<i>A unit of subjective sound loudness. One sone is the loudness of a pure tone of frequency one kilohertz and strength 40 decibels.</i>
Code:	D23
Name:	pen gram (protein)
Beschreibung:	<i>A unit of count defining the number of grams of amino acid prescribed for parenteral/ enteral therapy.</i>
Code:	D34
Name:	tex
Beschreibung:	<i>A unit of yarn density. One decitex equals a mass of 1 gram per 1 kilometre of length.</i>
Code:	D36
Name:	megabit

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of information equal to 10 to the power of 6 (1000000) bits (binary digits).</i>
Code:	D44
Name:	var
Beschreibung:	<i>The name of the unit is an acronym for volt-ampere-reactive.</i>
Code:	D63
Name:	book
Beschreibung:	<i>A unit of count defining the number of books (book: set of items bound together or written document of a material whole).</i>
Code:	D65
Name:	round
Beschreibung:	<i>A unit of count defining the number of rounds (round: A circular or cylindrical object).</i>
Code:	D68
Name:	number of words
Beschreibung:	<i>A unit of count defining the number of words.</i>
Code:	D78
Name:	megajoule per second
Beschreibung:	<i>A unit of accumulated energy equal to one million joules per second.</i>
Code:	DAD
Name:	ten day
Beschreibung:	<i>A unit of time defining the number of days in multiples of 10.</i>
Code:	DB
Name:	dry pound
Beschreibung:	<i>A unit of mass defining the number of pounds of a product, disregarding the water content of the product.</i>
Code:	DEC
Name:	decade
Beschreibung:	<i>A unit of count defining the number of decades (decade: quantity equal to 10 or time equal to 10 years).</i>
Code:	DMO
Name:	standard kilolitre
Beschreibung:	<i>A unit of volume defining the number of kilolitres of a product at a temperature of 15 degrees Celsius, especially in relation to hydrocarbon oils.</i>
Code:	DPC
Name:	dozen piece

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of count defining the number of pieces in multiples of 12 (piece: a single item, article or exemplar).</i>
Code:	DPR
Name:	dozen pair
Beschreibung:	<i>A unit of count defining the number of pairs in multiples of 12 (pair: item described by two's).</i>
Code:	DPT
Name:	displacement tonnage
Beschreibung:	<i>A unit of mass defining the volume of sea water a ship displaces, expressed as the number of tons.</i>
Code:	DRA
Name:	dram (US)
Beschreibung:	<i>Synonym: drachm (UK), troy dram</i>
Code:	DRI
Name:	dram (UK)
Beschreibung:	<i>Synonym: avoirdupois dram</i>
Code:	DRL
Name:	dozen roll
Beschreibung:	<i>A unit of count defining the number of rolls, expressed in twelve roll units.</i>
Code:	DT
Name:	dry ton
Beschreibung:	<i>A unit of mass defining the number of tons of a product, disregarding the water content of the product.</i>
Code:	DTN
Name:	decitonne
Beschreibung:	<i>Synonym: centner, metric 100 kg, quintal, metric 100 kg</i>
Code:	DZN
Name:	Dutzend
Beschreibung:	<i>A unit of count defining the number of units in multiples of 12.</i>
Code:	DZP
Name:	dozen pack
Beschreibung:	<i>A unit of count defining the number of packs in multiples of 12 (pack: standard packaging unit).</i>
Code:	E01

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	newton per square centimetre
Beschreibung:	<i>A measure of pressure expressed in newtons per square centimetre.</i>
Code:	E07
Name:	megawatt hour per hour
Beschreibung:	<i>A unit of accumulated energy of a million watts over a period of one hour.</i>
Code:	E08
Name:	megawatt per hertz
Beschreibung:	<i>A unit of energy expressed as the load change in million watts that will cause a frequency shift of one hertz.</i>
Code:	E09
Name:	milliampere hour
Beschreibung:	<i>A unit of power load delivered at the rate of one thousandth of an ampere over a period of one hour.</i>
Code:	E10
Name:	degree day
Beschreibung:	<i>A unit of measure used in meteorology and engineering to measure the demand for heating or cooling over a given period of days.</i>
Code:	E11
Name:	gigacalorie
Beschreibung:	<i>A unit of heat energy equal to one thousand million calories.</i>
Code:	E12
Name:	mille
Beschreibung:	<i>A unit of count defining the number of cigarettes in units of 1000.</i>
Code:	E14
Name:	kilocalorie (international table)
Beschreibung:	<i>A unit of heat energy equal to one thousand calories.</i>
Code:	E15
Name:	kilocalorie (thermochemical) per hour
Beschreibung:	<i>A unit of energy equal to one thousand calories per hour.</i>
Code:	E16
Name:	million Btu(IT) per hour
Beschreibung:	<i>A unit of power equal to one million British thermal units per hour.</i>
Code:	E17
Name:	cubic foot per second

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of volume equal to one cubic foot passing a given point in a period of one second.</i>
Code:	E18
Name:	tonne per hour
Beschreibung:	<i>A unit of weight or mass equal to one tonne per hour.</i>
Code:	E19
Name:	ping
Beschreibung:	<i>A unit of area equal to 3.3 square metres.</i>
Code:	E20
Name:	megabit per second
Beschreibung:	<i>A unit of information equal to 10 to the power of 6 (1000000) bits (binary digits) per second.</i>
Code:	E21
Name:	shares
Beschreibung:	<i>A unit of count defining the number of shares (share: a total or portion of the parts into which a business entity's capital is divided).</i>
Code:	E22
Name:	TEU
Beschreibung:	<i>A unit of count defining the number of twenty-foot equivalent units (TEUs) as a measure of containerized cargo capacity.</i>
Code:	E23
Name:	tyre
Beschreibung:	<i>A unit of count defining the number of tyres (a solid or air-filled covering placed around a wheel rim to form a soft contact with the road, absorb shock and provide traction).</i>
Code:	E25
Name:	active unit
Beschreibung:	<i>A unit of count defining the number of active units within a substance.</i>
Code:	E27
Name:	dose
Beschreibung:	<i>A unit of count defining the number of doses (dose: a definite quantity of a medicine or drug).</i>
Code:	E28
Name:	air dry ton
Beschreibung:	<i>A unit of mass defining the number of tons of a product, disregarding the water content of the product.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	E30
Name:	strand
Beschreibung:	<i>A unit of count defining the number of strands (strand: long, thin, flexible, single thread, strip of fibre, constituent filament or multiples of the same, twisted together).</i>
Code:	E31
Name:	square metre per litre
Beschreibung:	<i>A unit of count defining the number of square metres per litre.</i>
Code:	E32
Name:	litre per hour
Beschreibung:	<i>A unit of count defining the number of litres per hour.</i>
Code:	E33
Name:	foot per thousand
Beschreibung:	<i>A unit of count defining the number of feet per thousand units.</i>
Code:	E34
Name:	Gigabyte
Beschreibung:	<i>A unit of information equal to 10 to the power of 9 bytes.</i>
Code:	E35
Name:	terabyte
Beschreibung:	<i>A unit of information equal to 10 to the power of 12 bytes.</i>
Code:	E36
Name:	petabyte
Beschreibung:	<i>A unit of information equal to 10 to the power of 15 bytes.</i>
Code:	E37
Name:	Pixel
Beschreibung:	<i>A unit of count defining the number of pixels (pixel: picture element).</i>
Code:	E38
Name:	Megapixel
Beschreibung:	<i>A unit of count equal to 10 to the power of 6 (1000000) pixels (picture elements).</i>
Code:	E39
Name:	DPI, Dots per inch
Beschreibung:	<i>A unit of information defining the number of dots per linear inch as a measure of the resolution or sharpness of a graphic image.</i>
Code:	E4
Name:	gross kilogram

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of mass defining the total number of kilograms before deductions.</i>
Code:	E40
Name:	part per hundred thousand
Beschreibung:	<i>A unit of proportion equal to 10 to the power of -5.</i>
Code:	E41
Name:	kilogram-force per square millimetre
Beschreibung:	<i>A unit of pressure defining the number of kilograms force per square millimetre.</i>
Code:	E42
Name:	kilogram-force per square centimetre
Beschreibung:	<i>A unit of pressure defining the number of kilograms force per square centimetre.</i>
Code:	E43
Name:	joule per square centimetre
Beschreibung:	<i>A unit of energy defining the number of joules per square centimetre.</i>
Code:	E44
Name:	kilogram-force metre per square centimetre
Beschreibung:	<i>A unit of torsion defining the torque kilogram-force metre per square centimetre.</i>
Code:	E46
Name:	kilowatt hour per cubic metre
Beschreibung:	<i>A unit of energy consumption expressed as kilowatt hour per cubic metre.</i>
Code:	E47
Name:	kilowatt hour per kelvin
Beschreibung:	<i>A unit of energy consumption expressed as kilowatt hour per kelvin.</i>
Code:	E48
Name:	service unit
Beschreibung:	<i>A unit of count defining the number of service units (service unit: defined period / property / facility / utility of supply).</i>
Code:	E49
Name:	working day
Beschreibung:	<i>A unit of count defining the number of working days (working day: a day on which work is ordinarily performed).</i>
Code:	E50
Name:	accounting unit
Beschreibung:	<i>A unit of count defining the number of accounting units.</i>
Code:	E51

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	job
Beschreibung:	<i>A unit of count defining the number of jobs.</i>
Code:	E52
Name:	run foot
Beschreibung:	<i>A unit of count defining the number feet per run.</i>
Code:	E53
Name:	test
Beschreibung:	<i>A unit of count defining the number of tests.</i>
Code:	E54
Name:	trip
Beschreibung:	<i>A unit of count defining the number of trips.</i>
Code:	E55
Name:	use
Beschreibung:	<i>A unit of count defining the number of times an object is used.</i>
Code:	E56
Name:	well
Beschreibung:	<i>A unit of count defining the number of wells.</i>
Code:	E57
Name:	zone
Beschreibung:	<i>A unit of count defining the number of zones.</i>
Code:	E58
Name:	exabit per second
Beschreibung:	<i>A unit of information equal to 10 to the power of 18 bits (binary digits) per second.</i>
Code:	E59
Name:	exbibyte
Beschreibung:	<i>A unit of information equal to 2 to the power of 60 bytes.</i>
Code:	E60
Name:	pebibyte
Beschreibung:	<i>A unit of information equal to 2 to the power of 50 bytes.</i>
Code:	E61
Name:	tebibyte
Beschreibung:	<i>A unit of information equal to 2 to the power of 40 bytes.</i>
Code:	E62
Name:	gibibyte

Guideline**Used Codes**

Beschreibung:	<i>A unit of information equal to 2 to the power of 30 bytes.</i>
Code:	E63
Name:	mebibyte
Beschreibung:	<i>A unit of information equal to 2 to the power of 20 bytes.</i>
Code:	E64
Name:	kibibyte
Beschreibung:	<i>A unit of information equal to 2 to the power of 10 bytes.</i>
Code:	E65
Name:	exbibit per metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 60 bits (binary digits) per metre.</i>
Code:	E66
Name:	exbibit per square metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 60 bits (binary digits) per square metre.</i>
Code:	E67
Name:	exbibit per cubic metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 60 bits (binary digits) per cubic metre.</i>
Code:	E68
Name:	gigabyte per second
Beschreibung:	<i>A unit of information equal to 10 to the power of 9 bytes per second.</i>
Code:	E69
Name:	gibibit per metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 30 bits (binary digits) per metre.</i>
Code:	E70
Name:	gibibit per square metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 30 bits (binary digits) per square metre.</i>
Code:	E71
Name:	gibibit per cubic metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 30 bits (binary digits) per cubic metre.</i>
Code:	E72
Name:	kibibit per metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 10 bits (binary digits) per metre.</i>
Code:	E73
Name:	kibibit per square metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 10 bits (binary digits) per square metre.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	E74
Name:	kibibit per cubic metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 10 bits (binary digits) per cubic metre.</i>
Code:	E75
Name:	mebibit per metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 20 bits (binary digits) per metre.</i>
Code:	E76
Name:	mebibit per square metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 20 bits (binary digits) per square metre.</i>
Code:	E77
Name:	mebibit per cubic metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 20 bits (binary digits) per cubic metre.</i>
Code:	E78
Name:	petabit
Beschreibung:	<i>A unit of information equal to 10 to the power of 15 bits (binary digits).</i>
Code:	E79
Name:	petabit per second
Beschreibung:	<i>A unit of information equal to 10 to the power of 15 bits (binary digits) per second.</i>
Code:	E80
Name:	pebibit per metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 50 bits (binary digits) per metre.</i>
Code:	E81
Name:	pebibit per square metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 50 bits (binary digits) per square metre.</i>
Code:	E82
Name:	pebibit per cubic metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 50 bits (binary digits) per cubic metre.</i>
Code:	E83
Name:	terabit
Beschreibung:	<i>A unit of information equal to 10 to the power of 12 bits (binary digits).</i>
Code:	E84
Name:	terabit per second
Beschreibung:	<i>A unit of information equal to 10 to the power of 12 bits (binary digits) per second.</i>
Code:	E85

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	tebibit per metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 40 bits (binary digits) per metre.</i>
Code:	E86
Name:	tebibit per cubic metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 40 bits (binary digits) per cubic metre.</i>
Code:	E87
Name:	tebibit per square metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 40 bits (binary digits) per square metre.</i>
Code:	E88
Name:	bit per metre
Beschreibung:	<i>A unit of information equal to 1 bit (binary digit) per metre.</i>
Code:	E89
Name:	bit per square metre
Beschreibung:	<i>A unit of information equal to 1 bit (binary digit) per square metre.</i>
Code:	EA
Name:	Jedes einzelne (Eines)
Beschreibung:	<i>A unit of count defining the number of items regarded as separate units.</i>
Code:	EB
Name:	electronic mail box
Beschreibung:	<i>A unit of count defining the number of electronic mail boxes.</i>
Code:	EQ
Name:	equivalent gallon
Beschreibung:	<i>A unit of volume defining the number of gallons of product produced from concentrate.</i>
Code:	F01
Name:	bit per cubic metre
Beschreibung:	<i>A unit of information equal to 1 bit (binary digit) per cubic metre.</i>
Code:	F13
Name:	slug
Beschreibung:	<i>A unit of mass. One slug is the mass accelerated at 1 foot per second per second by a force of 1 pound.</i>
Code:	F49
Name:	rod [unit of distance]
Beschreibung:	<i>A unit of distance equal to 5.5 yards (16 feet 6 inches).</i>
Code:	F80

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	water horse power
Beschreibung:	<i>A unit of power defining the amount of power required to move a given volume of water against acceleration of gravity to a specified elevation (pressure head).</i>
Code:	FAH
Name:	Grad Fahrenheit
Beschreibung:	<i>Refer ISO 80000-5 (Quantities and units — Part 5: Thermodynamics)</i>
Code:	FBM
Name:	fibre metre
Beschreibung:	<i>A unit of length defining the number of metres of individual fibre.</i>
Code:	FC
Name:	thousand cubic foot
Beschreibung:	<i>A unit of volume equal to one thousand cubic foot.</i>
Code:	FF
Name:	hundred cubic metre
Beschreibung:	<i>A unit of volume equal to one hundred cubic metres.</i>
Code:	FIT
Name:	failures in time
Beschreibung:	<i>A unit of count defining the number of failures that can be expected over a specified time interval. Failure rates of semiconductor components are often specified as FIT (failures in time unit) where 1 FIT = 10 to the power of -9 /h.</i>
Code:	FL
Name:	flake ton
Beschreibung:	<i>A unit of mass defining the number of tons of a flaked substance (flake: a small flattish fragment).</i>
Code:	GDW
Name:	gram, dry weight
Beschreibung:	<i>A unit of mass defining the number of grams of a product, disregarding the water content of the product.</i>
Code:	GFI
Name:	gram of fissile isotope
Beschreibung:	<i>A unit of mass defining the number of grams of a fissile isotope (fissile isotope: an isotope whose nucleus is able to be split when irradiated with low energy neutrons).</i>
Code:	GGR
Name:	great gross

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of count defining the number of units in multiples of 1728 (12 x 12 x 12).</i>
Code:	GIC
Name:	gram, including container
Beschreibung:	<i>A unit of mass defining the number of grams of a product, including its container.</i>
Code:	GIP
Name:	gram, including inner packaging
Beschreibung:	<i>A unit of mass defining the number of grams of a product, including its inner packaging materials.</i>
Code:	GRO
Name:	Gross
Beschreibung:	<i>A unit of count defining the number of units in multiples of 144 (12 x 12).</i>
Code:	GRT
Name:	gross register ton
Beschreibung:	<i>A unit of mass equal to the total cubic footage before deductions, where 1 register ton is equal to 100 cubic feet. Refer International Convention on tonnage measurement of ships.</i>
Code:	GT
Name:	gross ton
Beschreibung:	<i>A unit of mass equal to 2240 pounds. Refer International Convention on Tonnage measurement of Ships. Synonym: ton (UK) or long ton (US) (common code LTN)</i>
Code:	H16
Name:	square decametre
Beschreibung:	<i>Synonym: are</i>
Code:	H18
Name:	square hectometre
Beschreibung:	<i>Synonym: hectare</i>
Code:	H21
Name:	blank
Beschreibung:	<i>A unit of count defining the number of blanks.</i>
Code:	H25
Name:	percent per kelvin
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to the SI base unit Kelvin.</i>
Code:	H71

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	percent per month
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to a month.</i>
Code:	H72
Name:	percent per hectobar
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to 100-fold of the unit bar.</i>
Code:	H73
Name:	percent per decakelvin
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to 10-fold of the SI base unit Kelvin.</i>
Code:	H77
Name:	module width
Beschreibung:	<i>A unit of measure used to describe the breadth of electronic assemblies as an installation standard or mounting dimension.</i>
Code:	H79
Name:	Charrière
Beschreibung:	<i>A unit of distance used for measuring the diameter of small tubes such as urological instruments and catheters. Synonym: French, French gauge, Charrière gauge</i>
Code:	H80
Name:	rack unit
Beschreibung:	<i>A unit of measure used to describe the height in rack units of equipment intended for mounting in a 19-inch rack or a 23-inch rack. One rack unit is 1.75 inches (44.45 mm) high.</i>
Code:	H82
Name:	big point
Beschreibung:	<i>A unit of length defining the number of big points (big point: Adobe software(US) defines the big point to be exactly 1/72 inch (0.013 888 9 inch or 0.352 777 8 millimeters))</i>
Code:	H87
Name:	piece
Beschreibung:	<i>A unit of count defining the number of pieces (piece: a single item, article or exemplar).</i>
Code:	H89
Name:	percent per ohm
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to the SI derived unit ohm.</i>
Code:	H90
Name:	percent per degree

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to an angle of one degree.</i>
Code:	H91
Name:	percent per ten thousand
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to multiples of ten thousand.</i>
Code:	H92
Name:	percent per one hundred thousand
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to multiples of one hundred thousand.</i>
Code:	H93
Name:	percent per hundred
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to multiples of one hundred.</i>
Code:	H94
Name:	percent per thousand
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to multiples of one thousand.</i>
Code:	H95
Name:	percent per volt
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to the SI derived unit volt.</i>
Code:	H96
Name:	percent per bar
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to an atmospheric pressure of one bar.</i>
Code:	H98
Name:	percent per inch
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to an inch.</i>
Code:	H99
Name:	percent per metre
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to a metre.</i>
Code:	HA
Name:	hank
Beschreibung:	<i>A unit of length, typically for yarn.</i>
Code:	HAR
Name:	hectare
Beschreibung:	<i>Synonym: square hectometre</i>
Code:	HBX
Name:	hundred boxes
Beschreibung:	<i>A unit of count defining the number of boxes in multiples of one hundred box units.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Used Codes

Code:	HC
Name:	hundred count
Beschreibung:	<i>A unit of count defining the number of units counted in multiples of 100.</i>
Code:	HDW
Name:	hundred kilogram, dry weight
Beschreibung:	<i>A unit of mass defining the number of hundred kilograms of a product, disregarding the water content of the product.</i>
Code:	HEA
Name:	head
Beschreibung:	<i>A unit of count defining the number of heads (head: a person or animal considered as one of a number).</i>
Code:	HH
Name:	hundred cubic foot
Beschreibung:	<i>A unit of volume equal to one hundred cubic foot.</i>
Code:	HIU
Name:	hundred international unit
Beschreibung:	<i>A unit of count defining the number of international units in multiples of 100.</i>
Code:	HKM
Name:	hundred kilogram, net mass
Beschreibung:	<i>A unit of mass defining the number of hundred kilograms of a product, after deductions.</i>
Code:	HMQ
Name:	million cubic metre
Beschreibung:	<i>A unit of volume equal to one million cubic metres.</i>
Code:	HPA
Name:	hectolitre of pure alcohol
Beschreibung:	<i>A unit of volume equal to one hundred litres of pure alcohol.</i>
Code:	IE
Name:	person
Beschreibung:	<i>A unit of count defining the number of persons.</i>
Code:	INQ
Name:	Square inch
Beschreibung:	<i>Synonym: inch cubed</i>
Code:	ISD
Name:	international sugar degree

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of measure defining the sugar content of a solution, expressed in degrees.</i>
Code:	J10
Name:	percent per millimetre
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to a millimetre.</i>
Code:	J12
Name:	per mille per psi
Beschreibung:	<i>A unit of pressure equal to one thousandth of a psi (pound-force per square inch).</i>
Code:	J13
Name:	degree API
Beschreibung:	<i>A unit of relative density as a measure of how heavy or light a petroleum liquid is compared to water (API: American Petroleum Institute).</i>
Code:	J14
Name:	degree Baume (origin scale)
Beschreibung:	<i>A traditional unit of relative density for liquids. Named after Antoine Baumé.</i>
Code:	J15
Name:	degree Baume (US heavy)
Beschreibung:	<i>A unit of relative density for liquids heavier than water.</i>
Code:	J16
Name:	degree Baume (US light)
Beschreibung:	<i>A unit of relative density for liquids lighter than water.</i>
Code:	J17
Name:	degree Balling
Beschreibung:	<i>A unit of density as a measure of sugar content, especially of beer wort. Named after Karl Balling.</i>
Code:	J18
Name:	degree Brix
Beschreibung:	<i>A unit of proportion used in measuring the dissolved sugar-to-water mass ratio of a liquid. Named after Adolf Brix.</i>
Code:	J27
Name:	degree Oechsle
Beschreibung:	<i>A unit of density as a measure of sugar content of must, the unfermented liqueur from which wine is made. Named after Ferdinand Oechsle.</i>
Code:	J31
Name:	degree Twaddell

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of density for liquids that are heavier than water. 1 degree Twaddle represents a difference in specific gravity of 0.005.</i>
Code:	J38
Name:	baud
Beschreibung:	<i>A unit of signal transmission speed equal to one signalling event per second.</i>
Code:	J54
Name:	megabaud
Beschreibung:	<i>A unit of signal transmission speed equal to 10 to the power of 6 (1000000) signaling events per second.</i>
Code:	JNT
Name:	pipeline joint
Beschreibung:	<i>A count of the number of pipeline joints.</i>
Code:	JPS
Name:	hundred metre
Beschreibung:	<i>A unit of count defining the number of 100 metre lengths.</i>
Code:	JWL
Name:	number of jewels
Beschreibung:	<i>A unit of count defining the number of jewels (jewel: precious stone).</i>
Code:	K1
Name:	kilowatt demand
Beschreibung:	<i>A unit of measure defining the power load measured at predetermined intervals.</i>
Code:	K2
Name:	kilovolt ampere reactive demand
Beschreibung:	<i>A unit of measure defining the reactive power demand equal to one kilovolt ampere of reactive power.</i>
Code:	K3
Name:	kilovolt ampere reactive hour
Beschreibung:	<i>A unit of measure defining the accumulated reactive energy equal to one kilovolt ampere of reactive power per hour.</i>
Code:	K5
Name:	kilovolt ampere (reactive)
Beschreibung:	<i>Use kilovar (common code KVR)</i>
Code:	K50
Name:	kilobaud

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung: *A unit of signal transmission speed equal to 10 to the power of 3 (1000) signaling events per second.*

Code: KA

Name: cake

Beschreibung: *A unit of count defining the number of cakes (cake: object shaped into a flat, compact mass).*

Code: KAT

Name: katal

Beschreibung: *A unit of catalytic activity defining the catalytic activity of enzymes and other catalysts.*

Code: KB

Name: Kilobyte

Beschreibung: *A unit of information equal to 10 to the power of 3 (1000) characters.*

Code: KCC

Name: kilogram of choline chloride

Beschreibung: *A unit of mass equal to one thousand grams of choline chloride.*

Code: KDW

Name: kilogram drained net weight

Beschreibung: *A unit of mass defining the net number of kilograms of a product, disregarding the liquid content of the product.*

Code: KEL

Name: Kelvin

Beschreibung: *Refer ISO 80000-5 (Quantities and units — Part 5: Thermodynamics)*

Code: KGM

Name: Kilogramm

Beschreibung: *A unit of mass equal to one thousand grams.*

Code: KHY

Name: kilogram of hydrogen peroxide

Beschreibung: *A unit of mass equal to one thousand grams of hydrogen peroxide.*

Code: KIC

Name: kilogram, including container

Beschreibung: *A unit of mass defining the number of kilograms of a product, including its container.*

Code: KIP

Name: kilogram, including inner packaging

Beschreibung: *A unit of mass defining the number of kilograms of a product, including its inner*

Guideline**Used Codes**

	<i>packaging materials.</i>
Code:	KJ
Name:	kilosegment
Beschreibung:	<i>A unit of information equal to 10 to the power of 3 (1000) segments.</i>
Code:	KLK
Name:	lactic dry material percentage
Beschreibung:	<i>A unit of proportion defining the percentage of dry lactic material in a product.</i>
Code:	KLX
Name:	kilolux
Beschreibung:	<i>A unit of illuminance equal to one thousand lux.</i>
Code:	KMA
Name:	kilogram of methylamine
Beschreibung:	<i>A unit of mass equal to one thousand grams of methylamine.</i>
Code:	KMQ
Name:	Kilogramm pro Kubikmeter
Beschreibung:	<i>A unit of weight expressed in kilograms of a substance that fills a volume of one cubic metre.</i>
Code:	KNI
Name:	kilogram of nitrogen
Beschreibung:	<i>A unit of mass equal to one thousand grams of nitrogen.</i>
Code:	KNM
Name:	kilonewton per square metre
Beschreibung:	<i>Pressure expressed in kN/m².</i>
Code:	KNS
Name:	kilogram named substance
Beschreibung:	<i>A unit of mass equal to one kilogram of a named substance.</i>
Code:	KO
Name:	milliequivalence caustic potash per gram of product
Beschreibung:	<i>A unit of count defining the number of milligrams of potassium hydroxide per gram of product as a measure of the concentration of potassium hydroxide in the product.</i>
Code:	KPH
Name:	kilogram of potassium hydroxide (caustic potash)
Beschreibung:	<i>A unit of mass equal to one thousand grams of potassium hydroxide (caustic potash).</i>
Code:	KPO

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	kilogram of potassium oxide
Beschreibung:	<i>A unit of mass equal to one thousand grams of potassium oxide.</i>
Code:	KPP
Name:	kilogram of phosphorus pentoxide (phosphoric anhydride)
Beschreibung:	<i>A unit of mass equal to one thousand grams of phosphorus pentoxide phosphoric anhydride.</i>
Code:	KSD
Name:	kilogram of substance 90 % dry
Beschreibung:	<i>A unit of mass equal to one thousand grams of a named substance that is 90% dry.</i>
Code:	KSH
Name:	kilogram of sodium hydroxide (caustic soda)
Beschreibung:	<i>A unit of mass equal to one thousand grams of sodium hydroxide (caustic soda).</i>
Code:	KT
Name:	kit
Beschreibung:	<i>A unit of count defining the number of kits (kit: tub, barrel or pail).</i>
Code:	KUR
Name:	kilogram of uranium
Beschreibung:	<i>A unit of mass equal to one thousand grams of uranium.</i>
Code:	KWN
Name:	Kilowatt hour per normalized cubic metre
Beschreibung:	<i>Kilowatt hour per normalized cubic metre (temperature 0°C and pressure 101325 millibars).</i>
Code:	KWO
Name:	kilogram of tungsten trioxide
Beschreibung:	<i>A unit of mass equal to one thousand grams of tungsten trioxide.</i>
Code:	KWS
Name:	Kilowatt hour per standard cubic metre
Beschreibung:	<i>Kilowatt hour per standard cubic metre (temperature 15°C and pressure 101325 millibars).</i>
Code:	LAC
Name:	lactose excess percentage
Beschreibung:	<i>A unit of proportion defining the percentage of lactose in a product that exceeds a defined percentage level.</i>
Code:	LEF

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	leaf
Beschreibung:	<i>A unit of count defining the number of leaves.</i>
Code:	LF
Name:	linear foot
Beschreibung:	<i>A unit of count defining the number of feet (12-inch) in length of a uniform width object.</i>
Code:	LH
Name:	labour hour
Beschreibung:	<i>A unit of time defining the number of labour hours.</i>
Code:	LK
Name:	link
Beschreibung:	<i>A unit of distance equal to 0.01 chain.</i>
Code:	LM
Name:	linear metre
Beschreibung:	<i>A unit of count defining the number of metres in length of a uniform width object.</i>
Code:	LN
Name:	length
Beschreibung:	<i>A unit of distance defining the linear extent of an item measured from end to end.</i>
Code:	LO
Name:	lot [unit of procurement]
Beschreibung:	<i>A unit of count defining the number of lots (lot: a collection of associated items).</i>
Code:	LP
Name:	liquid pound
Beschreibung:	<i>A unit of mass defining the number of pounds of a liquid substance.</i>
Code:	LPA
Name:	litre of pure alcohol
Beschreibung:	<i>A unit of volume equal to one litre of pure alcohol.</i>
Code:	LR
Name:	layer
Beschreibung:	<i>A unit of count defining the number of layers.</i>
Code:	LS
Name:	lump sum
Beschreibung:	<i>A unit of count defining the number of whole or a complete monetary amounts.</i>
Code:	LTN
Name:	ton (UK) or long ton (US)

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>Synonym: gross ton (2240 lb)</i>
Code:	LUB
Name:	metric ton, lubricating oil
Beschreibung:	<i>A unit of mass defining the number of metric tons of lubricating oil.</i>
Code:	LY
Name:	linear yard
Beschreibung:	<i>A unit of count defining the number of 36-inch units in length of a uniform width object.</i>
Code:	M19
Name:	Beaufort
Beschreibung:	<i>An empirical measure for describing wind speed based mainly on observed sea conditions. The Beaufort scale indicates the wind speed by numbers that typically range from 0 for calm, to 12 for hurricane.</i>
Code:	M25
Name:	percent per degree Celsius
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to a temperature of one degree.</i>
Code:	M36
Name:	30-day month
Beschreibung:	<i>A unit of count defining the number of months expressed in multiples of 30 days, one day equals 24 hours.</i>
Code:	M37
Name:	actual/360
Beschreibung:	<i>A unit of count defining the number of years expressed in multiples of 360 days, one day equals 24 hours.</i>
Code:	M38
Name:	kilometre per second squared
Beschreibung:	<i>1000-fold of the SI base unit metre divided by the power of the SI base unit second by exponent 2.</i>
Code:	M39
Name:	centimetre per second squared
Beschreibung:	<i>0,01-fold of the SI base unit metre divided by the power of the SI base unit second by exponent 2.</i>
Code:	M4
Name:	monetary value
Beschreibung:	<i>A unit of measure expressed as a monetary amount.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	M40
Name:	yard per second squared
Beschreibung:	<i>Unit of the length according to the Anglo-American and Imperial system of units divided by the power of the SI base unit second by exponent 2.</i>
Code:	M41
Name:	millimetre per second squared
Beschreibung:	<i>0,001-fold of the SI base unit metre divided by the power of the SI base unit second by exponent 2.</i>
Code:	M42
Name:	mile (statute mile) per second squared
Beschreibung:	<i>Unit of the length according to the Imperial system of units divided by the power of the SI base unit second by exponent 2.</i>
Code:	M43
Name:	mil
Beschreibung:	<i>Unit to indicate an angle at military zone, equal to the 6400th part of the full circle of the 360° or 2·p·rad.</i>
Code:	M44
Name:	revolution
Beschreibung:	<i>Unit to identify an angle of the full circle of 360° or 2·p·rad (Refer ISO/TC12 SI Guide).</i>
Code:	M45
Name:	degree [unit of angle] per second squared
Beschreibung:	<i>360 part of a full circle divided by the power of the SI base unit second and the exponent 2.</i>
Code:	M46
Name:	revolution per minute
Beschreibung:	<i>Unit of the angular velocity.</i>
Code:	M47
Name:	circular mil
Beschreibung:	<i>Unit of an area, of which the size is given by a diameter of length of 1 mm (0,001 in) based on the formula: $area = p \cdot (diameter/2)^2$.</i>
Code:	M48
Name:	square mile (based on U.S. survey foot)
Beschreibung:	<i>Unit of the area, which is mainly common in the agriculture and forestry.</i>
Code:	M49

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	chain (based on U.S. survey foot)
Beschreibung:	<i>Unit of the length according the Anglo-American system of units.</i>
Code:	M50
Name:	furlong
Beschreibung:	<i>Unit commonly used in Great Britain at rural distances: 1 furlong = 40 rods = 10 chains (UK) = 1/8 mile = 1/10 furlong = 220 yards = 660 foot.</i>
Code:	M51
Name:	foot (U.S. survey)
Beschreibung:	<i>Unit commonly used in the United States for ordnance survey.</i>
Code:	M52
Name:	mile (based on U.S. survey foot)
Beschreibung:	<i>Unit commonly used in the United States for ordnance survey.</i>
Code:	M53
Name:	metre per pascal
Beschreibung:	<i>SI base unit metre divided by the derived SI unit pascal.</i>
Code:	M55
Name:	metre per radiant
Beschreibung:	<i>Unit of the translation factor for implementation from rotation to linear movement.</i>
Code:	M56
Name:	shake
Beschreibung:	<i>Unit for a very short period.</i>
Code:	M57
Name:	mile per minute
Beschreibung:	<i>Unit of velocity from the Imperial system of units.</i>
Code:	M58
Name:	mile per second
Beschreibung:	<i>Unit of the velocity from the Imperial system of units.</i>
Code:	M59
Name:	metre per second pascal
Beschreibung:	<i>SI base unit meter divided by the product of SI base unit second and the derived SI unit pascal.</i>
Code:	M60
Name:	metre per hour
Beschreibung:	<i>SI base unit metre divided by the unit hour.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	M61
Name:	inch per year
Beschreibung:	<i>Unit of the length according to the Anglo-American and Imperial system of units divided by the unit common year with 365 days.</i>
Code:	M62
Name:	kilometre per second
Beschreibung:	<i>1000-fold of the SI base unit metre divided by the SI base unit second.</i>
Code:	M63
Name:	inch per minute
Beschreibung:	<i>Unit inch according to the Anglo-American and Imperial system of units divided by the unit minute.</i>
Code:	M64
Name:	yard per second
Beschreibung:	<i>Unit yard according to the Anglo-American and Imperial system of units divided by the SI base unit second.</i>
Code:	M65
Name:	yard per minute
Beschreibung:	<i>Unit yard according to the Anglo-American and Imperial system of units divided by the unit minute.</i>
Code:	M66
Name:	yard per hour
Beschreibung:	<i>Unit yard according to the Anglo-American and Imperial system of units divided by the unit hour.</i>
Code:	M67
Name:	acre-foot (based on U.S. survey foot)
Beschreibung:	<i>Unit of the volume, which is used in the United States to measure/gauge the capacity of reservoirs.</i>
Code:	M68
Name:	cord (128 ft ³)
Beschreibung:	<i>Traditional unit of the volume of stacked firewood which has been measured with a cord.</i>
Code:	M69
Name:	cubic mile (UK statute)
Beschreibung:	<i>Unit of volume according to the Imperial system of units.</i>
Code:	M70

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Used Codes

Name:	ton, register
Beschreibung:	<i>Traditional unit of the cargo capacity.</i>
Code:	M71
Name:	cubic metre per pascal
Beschreibung:	<i>Power of the SI base unit meter by exponent 3 divided by the derived SI base unit pascal.</i>
Code:	M72
Name:	bel
Beschreibung:	<i>Logarithmic relationship to base 10.</i>
Code:	M73
Name:	kilogram per cubic metre pascal
Beschreibung:	<i>SI base unit kilogram divided by the product of the power of the SI base unit metre with exponent 3 and the derived SI unit pascal.</i>
Code:	M74
Name:	kilogram per pascal
Beschreibung:	<i>SI base unit kilogram divided by the derived SI unit pascal.</i>
Code:	M75
Name:	kilopound-force
Beschreibung:	<i>1000-fold of the unit of the force pound-force (lbf) according to the Anglo-American system of units with the relationship.</i>
Code:	M76
Name:	poundal
Beschreibung:	<i>Non SI-conforming unit of the power, which corresponds to a mass of a pound multiplied with the acceleration of a foot per square second.</i>
Code:	M77
Name:	kilogram metre per second squared
Beschreibung:	<i>Product of the SI base unit kilogram and the SI base unit metre divided by the power of the SI base unit second by exponent 2.</i>
Code:	M78
Name:	pond
Beschreibung:	<i>0,001-fold of the unit of the weight, defined as a mass of 1 kg which finds out about a weight strength from 1 kp by the gravitational force at sea level which corresponds to a strength of 9,806 65 newton.</i>
Code:	M79

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Used Codes

Name:	square foot per hour
Beschreibung:	<i>Power of the unit foot according to the Anglo-American and Imperial system of units by exponent 2 divided by the unit of time hour.</i>
Code:	M80
Name:	stokes per pascal
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit stokes divided by the derived SI unit pascal.</i>
Code:	M81
Name:	square centimetre per second
Beschreibung:	<i>0,000 1-fold of the power of the SI base unit metre by exponent 2 divided by the SI base unit second.</i>
Code:	M82
Name:	square metre per second pascal
Beschreibung:	<i>Power of the SI base unit metre with the exponent 2 divided by the SI base unit second and the derived SI unit pascal.</i>
Code:	M83
Name:	denier
Beschreibung:	<i>Traditional unit for the indication of the linear mass of textile fibers and yarns.</i>
Code:	M84
Name:	pound per yard
Beschreibung:	<i>Unit for linear mass according to avoirdupois system of units.</i>
Code:	M85
Name:	ton, assay
Beschreibung:	<i>Non SI-conforming unit of the mass used in the mineralogy to determine the concentration of precious metals in ore according to the mass of the precious metal in milligrams in a sample of the mass of an assay sound (number of troy ounces in a short ton (1 000 lb)).</i>
Code:	M86
Name:	pfund
Beschreibung:	<i>Outdated unit of the mass used in Germany.</i>
Code:	M87
Name:	kilogram per second pascal
Beschreibung:	<i>SI base unit kilogram divided by the product of the SI base unit second and the derived SI unit pascal.</i>
Code:	M88

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	tonne per month
Beschreibung:	<i>Unit tonne divided by the unit month.</i>
Code:	M89
Name:	tonne per year
Beschreibung:	<i>Unit tonne divided by the unit year with 365 days.</i>
Code:	M90
Name:	kilopound per hour
Beschreibung:	<i>1000-fold of the unit of the mass avoirdupois pound according to the avoirdupois unit system divided by the unit hour.</i>
Code:	M91
Name:	pound per pound
Beschreibung:	<i>Proportion of the mass consisting of the avoirdupois pound according to the avoirdupois unit system divided by the avoirdupois pound according to the avoirdupois unit system.</i>
Code:	M92
Name:	pound-force foot
Beschreibung:	<i>Product of the unit pound-force according to the Anglo-American system of units and the unit foot according to the Anglo-American and the Imperial system of units.</i>
Code:	M93
Name:	newton metre per radian
Beschreibung:	<i>Product of the derived SI unit newton and the SI base unit metre divided by the unit radian.</i>
Code:	M94
Name:	kilogram metre
Beschreibung:	<i>Unit of imbalance as a product of the SI base unit kilogram and the SI base unit metre.</i>
Code:	M95
Name:	poundal foot
Beschreibung:	<i>Product of the non SI-conforming unit of the force poundal and the unit foot according to the Anglo-American and Imperial system of units .</i>
Code:	M96
Name:	poundal inch
Beschreibung:	<i>Product of the non SI-conforming unit of the force poundal and the unit inch according to the Anglo-American and Imperial system of units .</i>
Code:	M97
Name:	dyne metre

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of the rotational moment.</i>
Code:	M98
Name:	kilogram centimetre per second
Beschreibung:	<i>Product of the SI base unit kilogram and the 0,01-fold of the SI base unit metre divided by the SI base unit second.</i>
Code:	M99
Name:	gram centimetre per second
Beschreibung:	<i>Product of the 0,001-fold of the SI base unit kilogram and the 0,01-fold of the SI base unit metre divided by the SI base unit second.</i>
Code:	MAH
Name:	megavolt ampere reactive hour
Beschreibung:	<i>A unit of electrical reactive power defining the total amount of reactive power across a power system.</i>
Code:	MAR
Name:	megavar
Beschreibung:	<i>A unit of electrical reactive power represented by a current of one thousand amperes flowing due a potential difference of one thousand volts where the sine of the phase angle between them is 1.</i>
Code:	MAW
Name:	Megawatt
Beschreibung:	<i>A unit of power defining the rate of energy transferred or consumed when a current of 1000 amperes flows due to a potential of 1000 volts at unity power factor.</i>
Code:	MBE
Name:	thousand standard brick equivalent
Beschreibung:	<i>A unit of count defining the number of one thousand brick equivalent units.</i>
Code:	MBF
Name:	thousand board foot
Beschreibung:	<i>A unit of volume equal to one thousand board foot.</i>
Code:	MD
Name:	air dry metric ton
Beschreibung:	<i>A unit of count defining the number of metric tons of a product, disregarding the water content of the product.</i>
Code:	MIU
Name:	million international unit

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of count defining the number of international units in multiples of 10 to the power of 6.</i>
Code:	MLD
Name:	milliard
Beschreibung:	<i>Synonym: billion (US)</i>
Code:	MND
Name:	kilogram, dry weight
Beschreibung:	<i>A unit of mass defining the number of kilograms of a product, disregarding the water content of the product.</i>
Code:	MON
Name:	Monat
Beschreibung:	<i>Unit of time equal to 1/12 of a year of 365,25 days.</i>
Code:	MTQ
Name:	Kubikmeter
Beschreibung:	<i>Synonym: metre cubed</i>
Code:	MWH
Name:	Megawatt Stunde (1000 kWh)
Beschreibung:	<i>A unit of power defining the total amount of bulk energy transferred or consumed.</i>
Code:	N1
Name:	pen calorie
Beschreibung:	<i>A unit of count defining the number of calories prescribed daily for parenteral/enteral therapy.</i>
Code:	N10
Name:	pound foot per second
Beschreibung:	<i>Product of the avoirdupois pound according to the avoirdupois unit system and the unit foot according to the Anglo-American and Imperial system of units divided by the SI base unit second.</i>
Code:	N11
Name:	pound inch per second
Beschreibung:	<i>Product of the avoirdupois pound according to the avoirdupois unit system and the unit inch according to the Anglo-American and Imperial system of units divided by the SI base unit second.</i>
Code:	N12
Name:	Pferdestaerke

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>Obsolete unit of the power relating to DIN 1301-3:1979: 1 PS = 735,498 75 W.</i>
Code:	N13
Name:	centimetre of mercury (0 °C)
Beschreibung:	<i>Non SI-conforming unit of pressure, at which a value of 1 cmHg meets the static pressure, which is generated by a mercury at a temperature of 0 °C with a height of 1 centimetre .</i>
Code:	N14
Name:	centimetre of water (4 °C)
Beschreibung:	<i>Non SI-conforming unit of pressure, at which a value of 1 cmH2O meets the static pressure, which is generated by a head of water at a temperature of 4 °C with a height of 1 centimetre .</i>
Code:	N15
Name:	foot of water (39.2 °F)
Beschreibung:	<i>Non SI-conforming unit of pressure according to the Anglo-American and Imperial system for units, whereas the value of 1 ftH2O is equivalent to the static pressure, which is generated by a head of water at a temperature 39,2°F with a height of 1 foot .</i>
Code:	N16
Name:	inch of mercury (32 °F)
Beschreibung:	<i>Non SI-conforming unit of pressure according to the Anglo-American and Imperial system for units, whereas the value of 1 inHg meets the static pressure, which is generated by a mercury at a temperature of 32°F with a height of 1 inch.</i>
Code:	N17
Name:	inch of mercury (60 °F)
Beschreibung:	<i>Non SI-conforming unit of pressure according to the Anglo-American and Imperial system for units, whereas the value of 1 inHg meets the static pressure, which is generated by a mercury at a temperature of 60°F with a height of 1 inch.</i>
Code:	N18
Name:	inch of water (39.2 °F)
Beschreibung:	<i>Non SI-conforming unit of pressure according to the Anglo-American and Imperial system for units, whereas the value of 1 inH2O meets the static pressure, which is generated by a head of water at a temperature of 39,2°F with a height of 1 inch .</i>
Code:	N19
Name:	inch of water (60 °F)
Beschreibung:	<i>Non SI-conforming unit of pressure according to the Anglo-American and Imperial system</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

	<i>for units, whereas the value of 1 inH2O meets the static pressure, which is generated by a head of water at a temperature of 60°F with a height of 1 inch .</i>
Code:	N20
Name:	kip per square inch
Beschreibung:	<i>Non SI-conforming unit of the pressure according to the Anglo-American system of units as the 1000-fold of the unit of the force pound-force divided by the power of the unit inch by exponent 2.</i>
Code:	N21
Name:	poundal per square foot
Beschreibung:	<i>Non SI-conforming unit of pressure by the Imperial system of units according to NIST: 1 pdl/ft² = 1,488 164 Pa.</i>
Code:	N22
Name:	ounce (avoirdupois) per square inch
Beschreibung:	<i>Unit of the surface specific mass (avoirdupois ounce according to the avoirdupois system of units according to the surface square inch according to the Anglo-American and Imperial system of units).</i>
Code:	N23
Name:	conventional metre of water
Beschreibung:	<i>Not SI-conforming unit of pressure, whereas a value of 1 mH2O is equivalent to the static pressure, which is produced by one metre high water column .</i>
Code:	N24
Name:	gram per square millimetre
Beschreibung:	<i>0,001-fold of the SI base unit kilogram divided by the 0.000 001-fold of the power of the SI base unit meter by exponent 2.</i>
Code:	N25
Name:	pound per square yard
Beschreibung:	<i>Unit for areal-related mass as a unit pound according to the avoirdupois unit system divided by the power of the unit yard according to the Anglo-American and Imperial system of units with exponent 2.</i>
Code:	N26
Name:	poundal per square inch
Beschreibung:	<i>Non SI-conforming unit of the pressure according to the Imperial system of units (poundal by square inch).</i>
Code:	N27

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	foot to the fourth power
Beschreibung:	<i>Power of the unit foot according to the Anglo-American and Imperial system of units by exponent 4 according to NIST: 1 ft⁴ = 8,630 975 m⁴.</i>
Code:	N28
Name:	cubic decimetre per kilogram
Beschreibung:	<i>0,001 fold of the power of the SI base unit meter by exponent 3 divided by the SI based unit kilogram.</i>
Code:	N29
Name:	cubic foot per pound
Beschreibung:	<i>Power of the unit foot according to the Anglo-American and Imperial system of units by exponent 3 divided by the unit avoirdupois pound according to the avoirdupois unit system.</i>
Code:	N30
Name:	cubic inch per pound
Beschreibung:	<i>Power of the unit inch according to the Anglo-American and Imperial system of units by exponent 3 divided by the avoirdupois pound according to the avoirdupois unit system .</i>
Code:	N31
Name:	kilonewton per metre
Beschreibung:	<i>1000-fold of the derived SI unit newton divided by the SI base unit metre.</i>
Code:	N32
Name:	poundal per inch
Beschreibung:	<i>Non SI-conforming unit of the surface tension according to the Imperial unit system as quotient poundal by inch.</i>
Code:	N33
Name:	pound-force per yard
Beschreibung:	<i>Unit of force per unit length based on the Anglo-American system of units.</i>
Code:	N34
Name:	poundal second per square foot
Beschreibung:	<i>Non SI-conforming unit of viscosity.</i>
Code:	N35
Name:	poise per pascal
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit poise divided by the derived SI unit pascal.</i>
Code:	N36
Name:	newton second per square metre

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>Unit of the dynamic viscosity as a product of unit of the pressure (newton by square metre) multiplied with the SI base unit second.</i>
Code:	N37
Name:	kilogram per metre second
Beschreibung:	<i>Unit of the dynamic viscosity as a quotient SI base unit kilogram divided by the SI base unit metre and by the SI base unit second.</i>
Code:	N38
Name:	kilogram per metre minute
Beschreibung:	<i>Unit of the dynamic viscosity as a quotient SI base unit kilogram divided by the SI base unit metre and by the unit minute.</i>
Code:	N39
Name:	kilogram per metre day
Beschreibung:	<i>Unit of the dynamic viscosity as a quotient SI base unit kilogram divided by the SI base unit metre and by the unit day.</i>
Code:	N40
Name:	kilogram per metre hour
Beschreibung:	<i>Unit of the dynamic viscosity as a quotient SI base unit kilogram divided by the SI base unit metre and by the unit hour.</i>
Code:	N41
Name:	gram per centimetre second
Beschreibung:	<i>Unit of the dynamic viscosity as a quotient of the 0,001-fold of the SI base unit kilogram divided by the 0,01-fold of the SI base unit metre and SI base unit second.</i>
Code:	N42
Name:	poundal second per square inch
Beschreibung:	<i>Non SI-conforming unit of dynamic viscosity according to the Imperial system of units as product unit of the pressure (poundal by square inch) multiplied by the SI base unit second.</i>
Code:	N43
Name:	pound per foot minute
Beschreibung:	<i>Unit of the dynamic viscosity according to the Anglo-American unit system.</i>
Code:	N44
Name:	pound per foot day
Beschreibung:	<i>Unit of the dynamic viscosity according to the Anglo-American unit system.</i>
Code:	N45

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	cubic metre per second pascal
Beschreibung:	<i>Power of the SI base unit meter by exponent 3 divided by the product of the SI base unit second and the derived SI base unit pascal.</i>
Code:	N46
Name:	foot poundal
Beschreibung:	<i>Unit of the work (force-path).</i>
Code:	N47
Name:	inch poundal
Beschreibung:	<i>Unit of work (force multiplied by path) according to the Imperial system of units as a product unit inch multiplied by poundal.</i>
Code:	N48
Name:	watt per square centimetre
Beschreibung:	<i>Derived SI unit watt divided by the power of the 0,01-fold the SI base unit metre by exponent 2.</i>
Code:	N49
Name:	watt per square inch
Beschreibung:	<i>Derived SI unit watt divided by the power of the unit inch according to the Anglo-American and Imperial system of units by exponent 2.</i>
Code:	N50
Name:	British thermal unit (international table) per square foot hour
Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>
Code:	N51
Name:	British thermal unit (thermochemical) per square foot hour
Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>
Code:	N52
Name:	British thermal unit (thermochemical) per square foot minute
Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>
Code:	N53
Name:	British thermal unit (international table) per square foot second
Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>
Code:	N54
Name:	British thermal unit (thermochemical) per square foot second
Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>
Code:	N55

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	British thermal unit (international table) per square inch second
Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>
Code:	N56
Name:	calorie (thermochemical) per square centimetre minute
Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>
Code:	N57
Name:	calorie (thermochemical) per square centimetre second
Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>
Code:	N58
Name:	British thermal unit (international table) per cubic foot
Beschreibung:	<i>Unit of the energy density according to the Imperial system of units.</i>
Code:	N59
Name:	British thermal unit (thermochemical) per cubic foot
Beschreibung:	<i>Unit of the energy density according to the Imperial system of units.</i>
Code:	N60
Name:	British thermal unit (international table) per degree Fahrenheit
Beschreibung:	<i>Unit of the heat capacity according to the Imperial system of units.</i>
Code:	N61
Name:	British thermal unit (thermochemical) per degree Fahrenheit
Beschreibung:	<i>Unit of the heat capacity according to the Imperial system of units.</i>
Code:	N62
Name:	British thermal unit (international table) per degree Rankine
Beschreibung:	<i>Unit of the heat capacity according to the Imperial system of units.</i>
Code:	N63
Name:	British thermal unit (thermochemical) per degree Rankine
Beschreibung:	<i>Unit of the heat capacity according to the Imperial system of units.</i>
Code:	N64
Name:	British thermal unit (thermochemical) per pound degree Rankine
Beschreibung:	<i>Unit of the heat capacity (British thermal unit according to the international table according to the Rankine degree) according to the Imperial system of units divided by the unit avoirdupois pound according to the avoirdupois system of units.</i>
Code:	N65
Name:	kilocalorie (international table) per gram kelvin
Beschreibung:	<i>Unit of the mass-related heat capacity as quotient 1000-fold of the calorie (international</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

	<i>table) divided by the product of the 0,001-fold of the SI base units kilogram and kelvin.</i>
Code:	N66
Name:	British thermal unit (39 °F)
Beschreibung:	<i>Unit of heat energy according to the Imperial system of units in a reference temperature of 39 °F.</i>
Code:	N67
Name:	British thermal unit (59 °F)
Beschreibung:	<i>Unit of heat energy according to the Imperial system of units in a reference temperature of 59 °F.</i>
Code:	N68
Name:	British thermal unit (60 °F)
Beschreibung:	<i>Unit of head energy according to the Imperial system of units at a reference temperature of 60 °F.</i>
Code:	N69
Name:	calorie (20 °C)
Beschreibung:	<i>Unit for quantity of heat, which is to be required for 1 g air free water at a constant pressure from 101,325 kPa, to warm up the pressure of standard atmosphere at sea level, from 19,5 °C on 20,5 °C.</i>
Code:	N70
Name:	quad (1015 BtuIT)
Beschreibung:	<i>Unit of heat energy according to the imperial system of units.</i>
Code:	N71
Name:	therm (EC)
Beschreibung:	<i>Unit of heat energy in commercial use, within the EU defined: 1 thm (EC) = 100 000 BtuIT.</i>
Code:	N72
Name:	therm (U.S.)
Beschreibung:	<i>Unit of heat energy in commercial use.</i>
Code:	N73
Name:	British thermal unit (thermochemical) per pound
Beschreibung:	<i>Unit of the heat energy according to the Imperial system of units divided the unit avoirdupois pound according to the avoirdupois system of units.</i>
Code:	N74
Name:	British thermal unit (international table) per hour square foot degree Fahrenheit

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Used Codes

Beschreibung:	<i>Unit of the heat transition coefficient according to the Imperial system of units.</i>
Code:	N75
Name:	British thermal unit (thermochemical) per hour square foot degree Fahrenheit
Beschreibung:	<i>Unit of the heat transition coefficient according to the imperial system of units.</i>
Code:	N76
Name:	British thermal unit (international table) per second square foot degree Fahrenheit
Beschreibung:	<i>Unit of the heat transition coefficient according to the imperial system of units.</i>
Code:	N77
Name:	British thermal unit (thermochemical) per second square foot degree Fahrenheit
Beschreibung:	<i>Unit of the heat transition coefficient according to the imperial system of units.</i>
Code:	N78
Name:	kilowatt per square metre kelvin
Beschreibung:	<i>1000-fold of the derived SI unit watt divided by the product of the power of the SI base unit metre by exponent 2 and the SI base unit kelvin.</i>
Code:	N79
Name:	kelvin per pascal
Beschreibung:	<i>SI base unit kelvin divided by the derived SI unit pascal.</i>
Code:	N80
Name:	watt per metre degree Celsius
Beschreibung:	<i>Derived SI unit watt divided by the product of the SI base unit metre and the unit for temperature degree Celsius.</i>
Code:	N81
Name:	kilowatt per metre kelvin
Beschreibung:	<i>1000-fold of the derived SI unit watt divided by the product of the SI base unit metre and the SI base unit kelvin.</i>
Code:	N82
Name:	kilowatt per metre degree Celsius
Beschreibung:	<i>1000-fold of the derived SI unit watt divided by the product of the SI base unit metre and the unit for temperature degree Celsius.</i>
Code:	N83
Name:	metre per degree Celcius metre
Beschreibung:	<i>SI base unit metre divided by the product of the unit degree Celsius and the SI base unit metre.</i>
Code:	N84

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Used Codes

Name:	degree Fahrenheit hour per British thermal unit (international table)
Beschreibung:	<i>Non SI-conforming unit of the thermal resistance according to the Imperial system of units.</i>
Code:	N85
Name:	degree Fahrenheit hour per British thermal unit (thermochemical)
Beschreibung:	<i>Non SI-conforming unit of the thermal resistance according to the Imperial system of units.</i>
Code:	N86
Name:	degree Fahrenheit second per British thermal unit (international table)
Beschreibung:	<i>Non SI-conforming unit of the thermal resistance according to the Imperial system of units.</i>
Code:	N87
Name:	degree Fahrenheit second per British thermal unit (thermochemical)
Beschreibung:	<i>Non SI-conforming unit of the thermal resistance according to the Imperial system of units.</i>
Code:	N88
Name:	degree Fahrenheit hour square foot per British thermal unit (international table) inch
Beschreibung:	<i>Unit of specific thermal resistance according to the Imperial system of units.</i>
Code:	N89
Name:	degree Fahrenheit hour square foot per British thermal unit (thermochemical) inch
Beschreibung:	<i>Unit of specific thermal resistance according to the Imperial system of units.</i>
Code:	N90
Name:	kilofarad
Beschreibung:	<i>1000-fold of the derived SI unit farad.</i>
Code:	N91
Name:	reciprocal joule
Beschreibung:	<i>Reciprocal of the derived SI unit joule.</i>
Code:	N92
Name:	picosiemens
Beschreibung:	<i>0,000 000 000 001-fold of the derived SI unit siemens.</i>
Code:	N93
Name:	ampere per pascal
Beschreibung:	<i>SI base unit ampere divided by the derived SI unit pascal.</i>
Code:	N94

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	franklin
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of the electrical charge, where the charge amounts to exactly 1 Fr where the force of 1 dyn on an equal load is performed at a distance of 1 cm.</i>
Code:	N95
Name:	ampere minute
Beschreibung:	<i>A unit of electric charge defining the amount of charge accumulated by a steady flow of one ampere for one minute..</i>
Code:	N96
Name:	biot
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of the electric power which is defined by a force of 2 dyn per cm between two parallel conductors of infinite length with negligible cross-section in the distance of 1 cm.</i>
Code:	N97
Name:	gilbert
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of the magnetomotive force, which is defined by the work to increase the magnetic potential of a positive common pol with 1 erg.</i>
Code:	N98
Name:	volt per pascal
Beschreibung:	<i>Derived SI unit volt divided by the derived SI unit pascal.</i>
Code:	N99
Name:	picovolt
Beschreibung:	<i>0,000 000 000 001-fold of the derived SI unit volt.</i>
Code:	NAR
Name:	Anzahl der Artikel
Beschreibung:	<i>A unit of count defining the number of articles (article: item).</i>
Code:	NCL
Name:	number of cells
Beschreibung:	<i>A unit of count defining the number of cells (cell: an enclosed or circumscribed space, cavity, or volume).</i>
Code:	NF
Name:	message
Beschreibung:	<i>A unit of count defining the number of messages.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	NIL
Name:	nil
Beschreibung:	<i>A unit of count defining the number of instances of nothing.</i>
Code:	NIU
Name:	Anzahl internationaler Einheiten
Beschreibung:	<i>A unit of count defining the number of international units.</i>
Code:	NL
Name:	load
Beschreibung:	<i>A unit of volume defining the number of loads (load: a quantity of items carried or processed at one time).</i>
Code:	NM3
Name:	Normalised cubic metre
Beschreibung:	<i>Normalised cubic metre (temperature 0°C and pressure 101325 millibars)</i>
Code:	NMP
Name:	number of packs
Beschreibung:	<i>A unit of count defining the number of packs (pack: a collection of objects packaged together).</i>
Code:	NPR
Name:	number of pairs
Beschreibung:	<i>A unit of count defining the number of pairs (pair: item described by two's).</i>
Code:	NPT
Name:	number of parts
Beschreibung:	<i>A unit of count defining the number of parts (part: component of a larger entity).</i>
Code:	NT
Name:	net ton
Beschreibung:	<i>A unit of mass equal to 2000 pounds, see ton (US). Refer International Convention on tonnage measurement of Ships.</i>
Code:	NTT
Name:	net register ton
Beschreibung:	<i>A unit of mass equal to the total cubic footage after deductions, where 1 register ton is equal to 100 cubic feet. Refer International Convention on tonnage measurement of Ships.</i>
Code:	NX
Name:	part per thousand

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of proportion equal to 10 to the power of -3. Synonym: per mille</i>
Code:	OA
Name:	panel
Beschreibung:	<i>A unit of count defining the number of panels (panel: a distinct, usually rectangular, section of a surface).</i>
Code:	ODE
Name:	ozone depletion equivalent
Beschreibung:	<i>A unit of mass defining the ozone depletion potential in kilograms of a product relative to the calculated depletion for the reference substance, Trichlorofluoromethane (CFC-11).</i>
Code:	ODG
Name:	ODS Grams
Beschreibung:	<i>A unit of measure calculated by multiplying the mass of the substance in grams and the ozone-depleting potential for the substance.</i>
Code:	ODK
Name:	ODS Kilograms
Beschreibung:	<i>A unit of measure calculated by multiplying the mass of the substance in kilograms and the ozone-depleting potential for the substance.</i>
Code:	ODM
Name:	ODS Milligrams
Beschreibung:	<i>A unit of measure calculated by multiplying the mass of the substance in milligrams and the ozone-depleting potential for the substance.</i>
Code:	OPM
Name:	oscillations per minute
Beschreibung:	<i>The number of oscillations per minute.</i>
Code:	OT
Name:	overtime hour
Beschreibung:	<i>A unit of time defining the number of overtime hours.</i>
Code:	OZ
Name:	ounce av
Beschreibung:	<i>A unit of measure equal to 1/16 of a pound or about 28.3495 grams (av = avoirdupois). Use ounce (common code ONZ).</i>
Code:	P1
Name:	Prozent

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of proportion equal to 0.01.</i>
Code:	P10
Name:	coulomb per metre
Beschreibung:	<i>Derived SI unit coulomb divided by the SI base unit metre.</i>
Code:	P11
Name:	kiloweber
Beschreibung:	<i>1000 fold of the derived SI unit weber.</i>
Code:	P12
Name:	gamma
Beschreibung:	<i>Unit of magnetic flow density.</i>
Code:	P13
Name:	kilotesla
Beschreibung:	<i>1000-fold of the derived SI unit tesla.</i>
Code:	P14
Name:	joule per second
Beschreibung:	<i>Quotient of the derived SI unit joule divided by the SI base unit second.</i>
Code:	P15
Name:	joule per minute
Beschreibung:	<i>Quotient from the derived SI unit joule divided by the unit minute.</i>
Code:	P16
Name:	joule per hour
Beschreibung:	<i>Quotient from the derived SI unit joule divided by the unit hour.</i>
Code:	P17
Name:	joule per day
Beschreibung:	<i>Quotient from the derived SI unit joule divided by the unit day.</i>
Code:	P18
Name:	kilojoule per second
Beschreibung:	<i>Quotient from the 1000-fold of the derived SI unit joule divided by the SI base unit second.</i>
Code:	P19
Name:	kilojoule per minute
Beschreibung:	<i>Quotient from the 1000-fold of the derived SI unit joule divided by the unit minute.</i>
Code:	P20
Name:	kilojoule per hour

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>Quotient from the 1000-fold of the derived SI unit joule divided by the unit hour.</i>
Code:	P21
Name:	kilojoule per day
Beschreibung:	<i>Quotient from the 1000-fold of the derived SI unit joule divided by the unit day.</i>
Code:	P22
Name:	nanoohm
Beschreibung:	<i>0,000 000 001-fold of the derived SI unit ohm.</i>
Code:	P23
Name:	ohm circular-mil per foot
Beschreibung:	<i>Unit of resistivity.</i>
Code:	P24
Name:	kilohenry
Beschreibung:	<i>1000-fold of the derived SI unit henry.</i>
Code:	P25
Name:	lumen per square foot
Beschreibung:	<i>Derived SI unit lumen divided by the power of the unit foot according to the Anglo-American and Imperial system of units by exponent 2.</i>
Code:	P26
Name:	phot
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of luminance, defined as lumen by square centimetre.</i>
Code:	P27
Name:	footcandle
Beschreibung:	<i>Non SI conform traditional unit, defined as density of light which impinges on a surface which has a distance of one foot from a light source, which shines with an intensity of an international candle.</i>
Code:	P28
Name:	candela per square inch
Beschreibung:	<i>SI base unit candela divided by the power of unit inch according to the Anglo-American and Imperial system of units by exponent 2.</i>
Code:	P29
Name:	footlambert
Beschreibung:	<i>Unit of the luminance according to the Anglo-American system of units, defined as emitted or reflected luminance of a lm/ft².</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	P30
Name:	lambert
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of luminance, defined as the emitted or reflected luminance by one lumen per square centimetre.</i>
Code:	P31
Name:	stilb
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of luminance, defined as emitted or reflected luminance by one lumen per square centimetre.</i>
Code:	P32
Name:	candela per square foot
Beschreibung:	<i>Base unit SI candela divided by the power of the unit foot according to the Anglo-American and Imperial system of units by exponent 2.</i>
Code:	P33
Name:	kilocandela
Beschreibung:	<i>1000-fold of the SI base unit candela.</i>
Code:	P34
Name:	millicandela
Beschreibung:	<i>0,001-fold of the SI base unit candela.</i>
Code:	P35
Name:	Hefner-Kerze
Beschreibung:	<i>Obsolete, non-legal unit of the power in Germany relating to DIN 1301-3:1979: 1 HK = 0,903 cd.</i>
Code:	P36
Name:	international candle
Beschreibung:	<i>Obsolete, non-legal unit of the power in Germany relating to DIN 1301-3:1979: 1 HK = 1,019 cd.</i>
Code:	P37
Name:	British thermal unit (international table) per square foot
Beschreibung:	<i>Unit of the areal-related energy transmission according to the Imperial system of units.</i>
Code:	P38
Name:	British thermal unit (thermochemical) per square foot
Beschreibung:	<i>Unit of the areal-related energy transmission according to the Imperial system of units.</i>
Code:	P39
Name:	calorie (thermochemical) per square centimetre

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>Unit of the areal-related energy transmission according to the Imperial system of units.</i>
Code:	P40
Name:	langley
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of the areal-related energy transmission (as a measure of the incident quantity of heat of solar radiation on the earth's surface).</i>
Code:	P41
Name:	decade (logarithmic)
Beschreibung:	<i>1 Dec := log₂ 10 ~ 3,32 according to the logarithm for frequency range between f1 and f2, when f2/f1 = 10.</i>
Code:	P42
Name:	pascal squared second
Beschreibung:	<i>Unit of the set as a product of the power of derived SI unit pascal with exponent 2 and the SI base unit second.</i>
Code:	P43
Name:	bel per metre
Beschreibung:	<i>Unit bel divided by the SI base unit metre.</i>
Code:	P44
Name:	pound mole
Beschreibung:	<i>Non SI-conforming unit of quantity of a substance relating that one pound mole of a chemical composition corresponds to the same number of pounds as the molecular weight of one molecule of this composition in atomic mass units.</i>
Code:	P45
Name:	pound mole per second
Beschreibung:	<i>Non SI-conforming unit of the power of the amount of substance non-SI compliant unit of the molar flux relating that a pound mole of a chemical composition the same number of pound corresponds like the molecular weight of a molecule of this composition in atomic mass units.</i>
Code:	P46
Name:	pound mole per minute
Beschreibung:	<i>Non SI-conforming unit of the power of the amount of substance non-SI compliant unit of the molar flux relating that a pound mole of a chemical composition the same number of pound corresponds like the molecular weight of a molecule of this composition in atomic mass units.</i>
Code:	P47

Guideline**Used Codes**

Name:	kilomole per kilogram
Beschreibung:	<i>1000-fold of the SI base unit mol divided by the SI base unit kilogram.</i>
Code:	P48
Name:	pound mole per pound
Beschreibung:	<i>Non SI-conforming unit of the material molar flux divided by the avoirdupois pound for mass according to the avoirdupois unit system.</i>
Code:	P49
Name:	newton square metre per ampere
Beschreibung:	<i>Product of the derived SI unit newton and the power of SI base unit metre with exponent 2 divided by the SI base unit ampere.</i>
Code:	P5
Name:	five pack
Beschreibung:	<i>A unit of count defining the number of five-packs (five-pack: set of five items packaged together).</i>
Code:	P50
Name:	weber metre
Beschreibung:	<i>Product of the derived SI unit weber and SI base unit metre.</i>
Code:	P51
Name:	mol per kilogram pascal
Beschreibung:	<i>SI base unit mol divided by the product of the SI base unit kilogram and the derived SI unit pascal.</i>
Code:	P52
Name:	mol per cubic metre pascal
Beschreibung:	<i>SI base unit mol divided by the product of the power from the SI base unit metre with exponent 3 and the derived SI unit pascal.</i>
Code:	P53
Name:	unit pole
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit for magnetic flux of a magnetic pole (according to the interaction of identical poles of 1 dyn at a distance of a cm).</i>
Code:	P54
Name:	milligray per second
Beschreibung:	<i>0,001-fold of the derived SI unit gray divided by the SI base unit second.</i>
Code:	P55
Name:	microgray per second

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>0,000 001-fold of the derived SI unit gray divided by the SI base unit second.</i>
Code:	P56
Name:	nanogray per second
Beschreibung:	<i>0,000 000 001-fold of the derived SI unit gray divided by the SI base unit second.</i>
Code:	P57
Name:	gray per minute
Beschreibung:	<i>SI derived unit gray divided by the unit minute.</i>
Code:	P58
Name:	milligray per minute
Beschreibung:	<i>0,001-fold of the derived SI unit gray divided by the unit minute.</i>
Code:	P59
Name:	microgray per minute
Beschreibung:	<i>0,000 001-fold of the derived SI unit gray divided by the unit minute.</i>
Code:	P60
Name:	nanogray per minute
Beschreibung:	<i>0,000 000 001-fold of the derived SI unit gray divided by the unit minute.</i>
Code:	P61
Name:	gray per hour
Beschreibung:	<i>SI derived unit gray divided by the unit hour.</i>
Code:	P62
Name:	milligray per hour
Beschreibung:	<i>0,001-fold of the derived SI unit gray divided by the unit hour.</i>
Code:	P63
Name:	microgray per hour
Beschreibung:	<i>0,000 001-fold of the derived SI unit gray divided by the unit hour.</i>
Code:	P64
Name:	nanogray per hour
Beschreibung:	<i>0,000 000 001-fold of the derived SI unit gray divided by the unit hour.</i>
Code:	P65
Name:	sievert per second
Beschreibung:	<i>Derived SI unit sievert divided by the SI base unit second.</i>
Code:	P66
Name:	millisievert per second
Beschreibung:	<i>0,001-fold of the derived SI unit sievert divided by the SI base unit second.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	P67
Name:	microsievert per second
Beschreibung:	<i>0,000 001-fold of the derived SI unit sievert divided by the SI base unit second.</i>
Code:	P68
Name:	nanosievert per second
Beschreibung:	<i>0,000 000 001-fold of the derived SI unit sievert divided by the SI base unit second.</i>
Code:	P69
Name:	rem per second
Beschreibung:	<i>Unit for the equivalent tin rate relating to DIN 1301-3:1979: 1 rem/s = 0,01 J/(kg·s) = 1 Sv/s.</i>
Code:	P70
Name:	sievert per hour
Beschreibung:	<i>Derived SI unit sievert divided by the unit hour.</i>
Code:	P71
Name:	millisievert per hour
Beschreibung:	<i>0,001-fold of the derived SI unit sievert divided by the unit hour.</i>
Code:	P72
Name:	microsievert per hour
Beschreibung:	<i>0,000 001-fold of the derived SI unit sievert divided by the unit hour.</i>
Code:	P73
Name:	nanosievert per hour
Beschreibung:	<i>0,000 000 001-fold of the derived SI unit sievert divided by the unit hour.</i>
Code:	P74
Name:	sievert per minute
Beschreibung:	<i>Derived SI unit sievert divided by the unit minute.</i>
Code:	P75
Name:	millisievert per minute
Beschreibung:	<i>0,001-fold of the derived SI unit sievert divided by the unit minute.</i>
Code:	P76
Name:	microsievert per minute
Beschreibung:	<i>0,000 001-fold of the derived SI unit sievert divided by the unit minute.</i>
Code:	P77
Name:	nanosievert per minute
Beschreibung:	<i>0,000 000 001-fold of the derived SI unit sievert divided by the unit minute.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	P78
Name:	reciprocal square inch
Beschreibung:	<i>Complement of the power of the unit inch according to the Anglo-American and Imperial system of units by exponent 2.</i>
Code:	P79
Name:	pascal square metre per kilogram
Beschreibung:	<i>Unit of the burst index as derived unit for pressure pascal related to the substance, represented as a quotient from the SI base unit kilogram divided by the power of the SI base unit metre by exponent 2.</i>
Code:	P80
Name:	millipascal per metre
Beschreibung:	<i>0,001-fold of the derived SI unit pascal divided by the SI base unit metre.</i>
Code:	P81
Name:	kilopascal per metre
Beschreibung:	<i>1000-fold of the derived SI unit pascal divided by the SI base unit metre.</i>
Code:	P82
Name:	hectopascal per metre
Beschreibung:	<i>100-fold of the derived SI unit pascal divided by the SI base unit metre.</i>
Code:	P83
Name:	standard atmosphere per metre
Beschreibung:	<i>Outdated unit of the pressure divided by the SI base unit metre.</i>
Code:	P84
Name:	technical atmosphere per metre
Beschreibung:	<i>Obsolete and non-legal unit of the pressure which is generated by a 10 metre water column divided by the SI base unit metre.</i>
Code:	P85
Name:	torr per metre
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of the pressure divided by the SI base unit metre.</i>
Code:	P86
Name:	psi per inch
Beschreibung:	<i>Compound unit for pressure (pound-force according to the Anglo-American unit system divided by the power of the unit inch according to the Anglo-American and Imperial system of units with the exponent 2) divided by the unit inch according to the Anglo-</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

<i>American and Imperial system of units .</i>	
Code:	P87
Name:	cubic metre per second square metre
Beschreibung:	<i>Unit of volume flow cubic meters by second related to the transmission surface in square metres.</i>
Code:	P88
Name:	rhe
Beschreibung:	<i>Non SI-conforming unit of fluidity of dynamic viscosity.</i>
Code:	P89
Name:	pound-force foot per inch
Beschreibung:	<i>Unit for length-related rotational moment according to the Anglo-American and Imperial system of units.</i>
Code:	P90
Name:	pound-force inch per inch
Beschreibung:	<i>Unit for length-related rotational moment according to the Anglo-American and Imperial system of units.</i>
Code:	P91
Name:	perm (0 °C)
Beschreibung:	<i>Traditional unit for the ability of a material to allow the transition of the steam, defined at a temperature of 0 °C as steam transmittance, where the mass of one grain steam penetrates an area of one foot squared at a pressure from one inch mercury per hour.</i>
Code:	P92
Name:	perm (23 °C)
Beschreibung:	<i>Traditional unit for the ability of a material to allow the transition of the steam, defined at a temperature of 23 °C as steam transmittance at which the mass of one grain of steam penetrates an area of one square foot at a pressure of one inch mercury per hour.</i>
Code:	P93
Name:	byte per second
Beschreibung:	<i>Unit byte divided by the SI base unit second.</i>
Code:	P94
Name:	kilobyte per second
Beschreibung:	<i>1000-fold of the unit byte divided by the SI base unit second.</i>
Code:	P95
Name:	megabyte per second

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>1 000 000-fold of the unit byte divided by the SI base unit second.</i>
Code:	P96
Name:	reciprocal volt
Beschreibung:	<i>Reciprocal of the derived SI unit volt.</i>
Code:	P97
Name:	reciprocal radian
Beschreibung:	<i>Reciprocal of the unit radian.</i>
Code:	P98
Name:	pascal to the power sum of stoichiometric numbers
Beschreibung:	<i>Unit of the equilibrium constant on the basis of the pressure(ISO 80000-9:2009, 9-35.a).</i>
Code:	P99
Name:	mole per cubiv metre to the power sum of stoichiometric numbers
Beschreibung:	<i>Unit of the equilibrium constant on the basis of the concentration (ISO 80000-9:2009, 9-36.a).</i>
Code:	PD
Name:	pad
Beschreibung:	<i>A unit of count defining the number of pads (pad: block of paper sheets fastened together at one end).</i>
Code:	PFL
Name:	proof litre
Beschreibung:	<i>A unit of volume equal to one litre of proof spirits, or the alcohol equivalent thereof. Used for measuring the strength of distilled alcoholic liquors, expressed as a percentage of the alcohol content of a standard mixture at a specific temperature.</i>
Code:	PGL
Name:	proof gallon
Beschreibung:	<i>A unit of volume equal to one gallon of proof spirits, or the alcohol equivalent thereof. Used for measuring the strength of distilled alcoholic liquors, expressed as a percentage of the alcohol content of a standard mixture at a specific temperature.</i>
Code:	PI
Name:	pitch
Beschreibung:	<i>A unit of count defining the number of characters that fit in a horizontal inch.</i>
Code:	PLA
Name:	degree Plato
Beschreibung:	<i>A unit of proportion defining the sugar content of a product, especially in relation to beer.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	PQ
Name:	page per inch
Beschreibung:	<i>A unit of quantity defining the degree of thickness of a bound publication, expressed as the number of pages per inch of thickness.</i>
Code:	PR
Name:	Paar
Beschreibung:	<i>A unit of count defining the number of pairs (pair: item described by two's).</i>
Code:	PT
Name:	pint (US)
Beschreibung:	<i>Use liquid pint (common code PTL)</i>
Code:	PTN
Name:	Portion
Beschreibung:	<i>A quantity of allowance of food allotted to, or enough for, one person.</i>
Code:	Q10
Name:	joule per tesla
Beschreibung:	<i>Unit of the magnetic dipole moment of the molecule as derived SI unit joule divided by the derived SI unit tesla.</i>
Code:	Q11
Name:	erlang
Beschreibung:	<i>Unit of the market value according to the feature of a single feature as a statistical measurement of the existing utilization.</i>
Code:	Q12
Name:	octet
Beschreibung:	<i>Synonym for byte: 1 octet = 8 bit = 1 byte.</i>
Code:	Q13
Name:	octet per second
Beschreibung:	<i>Unit octet divided by the SI base unit second.</i>
Code:	Q14
Name:	shannon
Beschreibung:	<i>Logarithmic unit for information equal to the content of decision of a sentence of two mutually exclusive events, expressed as a logarithm to base 2.</i>
Code:	Q15
Name:	hartley
Beschreibung:	<i>Logarithmic unit for information equal to the content of decision of a sentence of ten</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

	<i>mutually exclusive events, expressed as a logarithm to base 10.</i>
Code:	Q16
Name:	natural unit of information
Beschreibung:	<i>Logarithmic unit for information equal to the content of decision of a sentence of ,718 281 828 459 mutually exclusive events, expressed as a logarithm to base Euler value e.</i>
Code:	Q17
Name:	shannon per second
Beschreibung:	<i>Time related logarithmic unit for information equal to the content of decision of a sentence of two mutually exclusive events, expressed as a logarithm to base 2.</i>
Code:	Q18
Name:	hartley per second
Beschreibung:	<i>Time related logarithmic unit for information equal to the content of decision of a sentence of ten mutually exclusive events, expressed as a logarithm to base 10.</i>
Code:	Q19
Name:	natural unit of information per second
Beschreibung:	<i>Time related logarithmic unit for information equal to the content of decision of a sentence of 2,718 281 828 459 mutually exclusive events, expressed as a logarithm to base of the Euler value e.</i>
Code:	Q20
Name:	second per kilogramm
Beschreibung:	<i>Unit of the Einstein transition probability for spontaneous or inducing emissions and absorption according to ISO 80000-7:2008, expressed as SI base unit second divided by the SI base unit kilogram.</i>
Code:	Q21
Name:	watt square metre
Beschreibung:	<i>Unit of the first radiation constants $c_1 = 2 \cdot p \cdot h \cdot c_0$ to the power of 2, the value of which is 3,741 771 18 · 10¹⁶-fold that of the comparative value of the product of the derived SI unit watt multiplied with the power of the SI base unit metre with the exponent 2.</i>
Code:	Q22
Name:	second per radian cubic metre
Beschreibung:	<i>Unit of the density of states as an expression of angular frequency as complement of the product of hertz and radiant and the power of SI base unit metre by exponent 3 .</i>
Code:	Q23
Name:	weber to the power minus one

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>Complement of the derived SI unit weber as unit of the Josephson constant, which value is equal to the 384 597,891-fold of the reference value gigahertz divided by volt.</i>
Code:	Q24
Name:	reciprocal inch
Beschreibung:	<i>Complement of the unit inch according to the Anglo-American and Imperial system of units.</i>
Code:	Q25
Name:	dioptré
Beschreibung:	<i>Unit used at the statement of relative refractive indexes of optical systems as complement of the focal length with correspondence to: 1 dpt = 1/m.</i>
Code:	Q26
Name:	one per one
Beschreibung:	<i>Value of the quotient from two physical units of the same kind as a numerator and denominator whereas the units are shortened mutually.</i>
Code:	Q27
Name:	newton metre per metre
Beschreibung:	<i>Unit for length-related rotational moment as product of the derived SI unit newton and the SI base unit metre divided by the SI base unit metre.</i>
Code:	Q28
Name:	kilogram per square metre pascal second
Beschreibung:	<i>Unit for the ability of a material to allow the transition of steam.</i>
Code:	Q29
Name:	microgram per hectogram
Beschreibung:	<i>Microgram per hectogram.</i>
Code:	Q3
Name:	meal
Beschreibung:	<i>A unit of count defining the number of meals (meal: an amount of food to be eaten on a single occasion).</i>
Code:	Q30
Name:	pH (potential of Hydrogen)
Beschreibung:	<i>The activity of the (solvated) hydrogen ion (a logarithmic measure used to state the acidity or alkalinity of a chemical solution).</i>
Code:	Q35
Name:	megawatts per minute

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of power defining the total amount of bulk energy transferred or consumer per minute.</i>
Code:	Q36
Name:	square metre per cubic metre
Beschreibung:	<i>A unit of the amount of surface area per unit volume of an object or collection of objects.</i>
Code:	Q37
Name:	Standard cubic metre per day
Beschreibung:	<i>Standard cubic metre (temperature 15°C and pressure 101325 millibars) per day</i>
Code:	Q38
Name:	Standard cubic metre per hour
Beschreibung:	<i>Standard cubic metre (temperature 15°C and pressure 101325 millibars) per hour</i>
Code:	Q39
Name:	Normalized cubic metre per day
Beschreibung:	<i>Normalized cubic metre (temperature 0°C and pressure 101325 millibars) per day</i>
Code:	Q40
Name:	Normalized cubic metre per hour
Beschreibung:	<i>Normalized cubic metre (temperature 0°C and pressure 101325 millibars) per hour</i>
Code:	Q41
Name:	Joule per normalised cubic metre
Beschreibung:	<i>Joule per normalised cubic metre (temperature 0°C and pressure 101325 millibars).</i>
Code:	Q42
Name:	Joule per standard cubic metre
Beschreibung:	<i>Joule per standard cubic metre (temperature 15°C and pressure 101325 millibars).</i>
Code:	QA
Name:	page - facsimile
Beschreibung:	<i>A unit of count defining the number of facsimile pages.</i>
Code:	QAN
Name:	Viertel (jahr)
Beschreibung:	<i>A unit of time defining the number of quarters (3 months).</i>
Code:	QB
Name:	page - hardcopy
Beschreibung:	<i>A unit of count defining the number of hardcopy pages (hardcopy page: a page rendered as printed or written output on paper, film, or other permanent medium).</i>
Code:	QR

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	quire
Beschreibung:	<i>A unit of count for paper, expressed as the number of quires (quire: a number of paper sheets, typically 25).</i>
Code:	QT
Name:	quart (US)
Beschreibung:	<i>Use liquid quart (common code QTL)</i>
Code:	QTR
Name:	quarter (UK)
Beschreibung:	<i>A traditional unit of weight equal to 1/4 hundredweight. In the United Kingdom, one quarter equals 28 pounds.</i>
Code:	R1
Name:	pica
Beschreibung:	<i>A unit of count defining the number of picas. (pica: typographical length equal to 12 points or 4.22 mm (approx.)).</i>
Code:	R9
Name:	thousand cubic metre
Beschreibung:	<i>A unit of volume equal to one thousand cubic metres.</i>
Code:	RH
Name:	running or operating hour
Beschreibung:	<i>A unit of time defining the number of hours of operation.</i>
Code:	RM
Name:	ream
Beschreibung:	<i>A unit of count for paper, expressed as the number of reams (ream: a large quantity of paper sheets, typically 500).</i>
Code:	ROM
Name:	room
Beschreibung:	<i>A unit of count defining the number of rooms.</i>
Code:	RP
Name:	pound per ream
Beschreibung:	<i>A unit of mass for paper, expressed as pounds per ream. (ream: a large quantity of paper, typically 500 sheets).</i>
Code:	RPM
Name:	Umdrehung pro Minute
Beschreibung:	<i>Refer ISO/TC12 SI Guide</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	RPS
Name:	revolutions per second
Beschreibung:	<i>Refer ISO/TC12 SI Guide</i>
Code:	RT
Name:	revenue ton mile
Beschreibung:	<i>A unit of information typically used for billing purposes, expressed as the number of revenue tons (revenue ton: either a metric ton or a cubic metres, whichever is the larger), moved over a distance of one mile.</i>
Code:	S3
Name:	square foot per second
Beschreibung:	<i>Synonym: foot squared per second</i>
Code:	S4
Name:	square metre per second
Beschreibung:	<i>Synonym: metre squared per second (square metres/second US)</i>
Code:	SAN
Name:	half year (6 months)
Beschreibung:	<i>'A unit of time defining the number of half years (6 months).</i>
Code:	SCO
Name:	score
Beschreibung:	<i>A unit of count defining the number of units in multiples of 20.</i>
Code:	SET
Name:	set
Beschreibung:	<i>A unit of count defining the number of sets (set: a number of objects grouped together).</i>
Code:	SG
Name:	segment
Beschreibung:	<i>A unit of information equal to 64000 bytes.</i>
Code:	SHT
Name:	shipping ton
Beschreibung:	<i>A unit of mass defining the number of tons for shipping.</i>
Code:	SM3
Name:	Standard cubic metre
Beschreibung:	<i>Standard cubic metre (temperature 15°C and pressure 101325 millibars)</i>
Code:	SQ
Name:	square

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of count defining the number of squares (square: rectangular shape).</i>
Code:	SQR
Name:	square, roofing
Beschreibung:	<i>A unit of count defining the number of squares of roofing materials, measured in multiples of 100 square feet.</i>
Code:	SR
Name:	strip
Beschreibung:	<i>A unit of count defining the number of strips (strip: long narrow piece of an object).</i>
Code:	STC
Name:	stick
Beschreibung:	<i>A unit of count defining the number of sticks (stick: slender and often cylindrical piece of a substance).</i>
Code:	STK
Name:	stick, cigarette
Beschreibung:	<i>A unit of count defining the number of cigarettes in the smallest unit for stock-taking and/or duty computation.</i>
Code:	STL
Name:	standard litre
Beschreibung:	<i>A unit of volume defining the number of litres of a product at a temperature of 15 degrees Celsius, especially in relation to hydrocarbon oils.</i>
Code:	STN
Name:	ton (US) or short ton (UK/US)
Beschreibung:	<i>Synonym: net ton (2000 lb)</i>
Code:	STW
Name:	straw
Beschreibung:	<i>A unit of count defining the number of straws (straw: a slender tube used for sucking up liquids).</i>
Code:	SW
Name:	skein
Beschreibung:	<i>A unit of count defining the number of skeins (skein: a loosely-coiled bundle of yarn or thread).</i>
Code:	SX
Name:	shipment
Beschreibung:	<i>A unit of count defining the number of shipments (shipment: an amount of goods shipped)</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

	<i>or transported).</i>
Code:	SYR
Name:	syringe
Beschreibung:	<i>A unit of count defining the number of syringes (syringe: a small device for pumping, spraying and/or injecting liquids through a small aperture).</i>
Code:	T0
Name:	telecommunication line in service
Beschreibung:	<i>A unit of count defining the number of lines in service.</i>
Code:	T3
Name:	thousand piece
Beschreibung:	<i>A unit of count defining the number of pieces in multiples of 1000 (piece: a single item, article or exemplar).</i>
Code:	TAN
Name:	total acid number
Beschreibung:	<i>A unit of chemistry defining the amount of potassium hydroxide (KOH) in milligrams that is needed to neutralize the acids in one gram of oil. It is an important quality measurement of crude oil.</i>
Code:	TIC
Name:	metric ton, including container
Beschreibung:	<i>A unit of mass defining the number of metric tons of a product, including its container.</i>
Code:	TIP
Name:	metric ton, including inner packaging
Beschreibung:	<i>A unit of mass defining the number of metric tons of a product, including its inner packaging materials.</i>
Code:	TKM
Name:	tonne kilometre
Beschreibung:	<i>A unit of information typically used for billing purposes, expressed as the number of tonnes (metric tons) moved over a distance of one kilometre.</i>
Code:	TMS
Name:	kilogram of imported meat, less offal
Beschreibung:	<i>A unit of mass equal to one thousand grams of imported meat, disregarding less valuable by-products such as the entrails.</i>
Code:	TNE
Name:	Tonne (metrische Tonne)

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>Synonym: metric ton</i>
Code:	TP
Name:	ten pack
Beschreibung:	<i>A unit of count defining the number of items in multiples of 10.</i>
Code:	TPI
Name:	teeth per inch
Beschreibung:	<i>The number of teeth per inch.</i>
Code:	TPR
Name:	ten pair
Beschreibung:	<i>A unit of count defining the number of pairs in multiples of 10 (pair: item described by two's).</i>
Code:	TQD
Name:	thousand cubic metre per day
Beschreibung:	<i>A unit of volume equal to one thousand cubic metres per day.</i>
Code:	TST
Name:	ten set
Beschreibung:	<i>A unit of count defining the number of sets in multiples of 10 (set: a number of objects grouped together).</i>
Code:	TTS
Name:	ten thousand sticks
Beschreibung:	<i>A unit of count defining the number of sticks in multiples of 10000 (stick: slender and often cylindrical piece of a substance).</i>
Code:	U1
Name:	treatment
Beschreibung:	<i>A unit of count defining the number of treatments (treatment: subjection to the action of a chemical, physical or biological agent).</i>
Code:	U2
Name:	Tablette
Beschreibung:	<i>A unit of count defining the number of tablets (tablet: a small flat or compressed solid object).</i>
Code:	UB
Name:	telecommunication line in service average
Beschreibung:	<i>A unit of count defining the average number of lines in service.</i>
Code:	UC

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	telecommunication port
Beschreibung:	<i>A unit of count defining the number of network access ports.</i>
Code:	UIG
Name:	international unit per gram
Beschreibung:	<i>A unit of count defining the number of international units per gram.</i>
Code:	VP
Name:	percent volume
Beschreibung:	<i>A measure of concentration, typically expressed as the percentage volume of a solute in a solution.</i>
Code:	W2
Name:	wet kilo
Beschreibung:	<i>A unit of mass defining the number of kilograms of a product, including the water content of the product.</i>
Code:	WB
Name:	wet pound
Beschreibung:	<i>A unit of mass defining the number of pounds of a material, including the water content of the material.</i>
Code:	WCD
Name:	cord
Beschreibung:	<i>A unit of volume used for measuring lumber. One board foot equals 1/12 of a cubic foot.</i>
Code:	WE
Name:	wet ton
Beschreibung:	<i>A unit of mass defining the number of tons of a material, including the water content of the material.</i>
Code:	WG
Name:	wine gallon
Beschreibung:	<i>A unit of volume equal to 231 cubic inches.</i>
Code:	WM
Name:	working month
Beschreibung:	<i>A unit of time defining the number of working months.</i>
Code:	WSD
Name:	standard
Beschreibung:	<i>A unit of volume of finished lumber equal to 165 cubic feet. Synonym: standard cubic foot</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Used Codes

Code:	WW
Name:	millilitre of water
Beschreibung:	<i>A unit of volume equal to the number of millilitres of water.</i>
Code:	X1
Name:	Gunter's chain
Beschreibung:	<i>A unit of distance used or formerly used by British surveyors.</i>
Code:	Z11
Name:	hanging container
Beschreibung:	<i>A unit of count defining the number of hanging containers.</i>
Code:	ZP
Name:	Seite
Beschreibung:	<i>A unit of count defining the number of pages.</i>
Code:	ZZ
Name:	mutually defined
Beschreibung:	<i>A unit of measure as agreed in common between two or more parties.</i>
note	Wiederholung: 0 .. 1
	Schema-Status: O
	Typ: shared_common:Description500Type
	Definition: Angabe von Freitext, der nicht maschinell verarbeitet wird. Er soll einem Anwender auf einem Bildschirm oder ähnlichem angezeigt werden.
	Fachbegriff: Bemerkung
	Status: O
	Regel: Die Anwendung dieses Elements in freier Form wird nicht empfohlen, weil das die automatische Bearbeitung der Rechnung verhindert. Eine bessere Möglichkeit stellt die Vereinbarung codierter Referenzen (Schlüssel) dar, die die automatische Bearbeitung ermöglichen und die Anzahl der zu übertragenden Zeichen und Bearbeitungskosten reduziert. Die Standardtexte sollten zwischen den Austauschpartnern bilateral vereinbart werden und können gesetzliche und andere Anforderungen erfüllen.
	Das Vorkommen dieses Elements beeinflusst die Verarbeitung der Nachricht nicht; z.B. kann eine Begründung für Nachlieferungen mitgeteilt werden.
	EANCOM®: INVOIC.SG26[D_4451="ZZZ" AND D_4453 = "1"].FTX.C108
languageCode	Schema-Status: M
	Type: restriction (xs:string)

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	Fachbegriff:	Sprachcode
	Status:	R
	Beispiel:	en
	Bemerkung:	Siehe ISO-Sprachcode unter www.iso.org
	Definition:	Code, der die Sprache in der Beschreibung definiert.
extension	Wiederholung:	0 .. 1
	Schema-Status:	O
	Typ:	shared_common:ExtensionType
	Definition:	Erweiterungspunkt für die Erweiterung eines Dokumentes um Zusatzinformationen.
	Fachbegriff:	Erweiterungspunkt
	Status:	O
xs:sequence	Wiederholung:	1 .. 1
	Schema-Status:	M
xs:any	Wiederholung:	0 .. unbounded
	Schema-Status:	O
	Definition:	Platzhalter, über den Erweiterungen eingebunden werden können.
	Fachbegriff:	MeteredInformationInvoiceExtension
	Status:	O
	EANCOM®:	INVOIC.SG236.IMD.QTY
transactionalTradeItem	Wiederholung:	1 .. 1
	Schema-Status:	M
	Typ:	ecom_common:TransactionalTradeItemType
	Fachbegriff:	Verkaufsartikel
	Status:	R
	Definition:	Ein Verkaufsartikel ist ein Produkt oder Service, zu dem vordefinierte Informationen übermittelt werden müssen und die an jedem Punkt der Wertschöpfungskette bepreist, bestellt oder berechnet werden können.
xs:sequence	Wiederholung:	1 .. 1
	Schema-Status:	M
gtin	Wiederholung:	0 .. 1
	Schema-Status:	O
	Typ:	shared_common:GTINType
	Definition:	Das GS1 Ident dient zur eindeutigen Identifikation von Artikeln. Es besteht aus der Basisnummer, einer fortlaufenden Artikelnummer und einer Prüfziffer.
	Fachbegriff:	Global Trade Item Number (GTIN)

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

AdditionalTradeItemIdentification	Status: R Beispiel: 04098765000119 EANCOM®: INVOIC.SG26.LIN.C212.7140
	Wiederholung: 0 .. unbounded
	Schema-Status: O
	Typ: shared_common:AdditionalTradeItemIdentificationType
	Definition: Zusätzliche Identifikation des Artikels.
	Fachbegriff: ISBN 10
	Status: D
	Beispiel: 3409303244
	Fachbegriff: Leergut Typ-Nummer
	Status: D
	Beispiel: 40233301000079
	Fachbegriff: Artikelnummer des Lieferanten
	Status: D
	Beispiel: ABC5343
	Fachbegriff: Käuferinterne Artikelnummer
	Status: D
	Beispiel: XYZ987
	Fachbegriff: Objektbezeichnung
Status: D	
Beispiel: STERN	
Fachbegriff: Zolltarifnummer	
Status: D	
Beispiel: XYZ987	
Fachbegriff: Abfallart	
Status: O	
Beispiel: 4012368259753	
EANCOM®: INVOIC.SG26.PIA[D_4347="5" AND C_C212\D_7143 IN ["SA", "IB", "MN"]].C212.7140	
EANCOM®: INVOIC.SG26.PIA[D_4347="1" AND C_C212\D_7143 IN ["SA", "IN", "HS"]].C212.7140	
additionalTradeItemIdentificationTypeCode	Schema-Status: M Type: restriction (xs:string) GDD URN: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalTradeItemIdentificationTypeCode Definition: Code, der die Art der zusätzlichen Artikelidentifikation spezifiziert. Fachbegriff: Art der zusätzlichen Artikelidentifikation (Code)

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	Status:	R
	Beispiel:	BUYER_ASSIGNED
	Status:	R
	Used Codes	
	Code:	BUYER_ASSIGNED
	Name:	Vom Käufer zugewiesen
	Beschreibung:	<i>Eine eigene vom Käufer vergebene Identifikationsnummer des Produktes bzw. der Dienstleistung.</i>
	Code:	SUPPLIER_ASSIGNED
	Name:	Vom Lieferanten zugewiesen
	Beschreibung:	<i>Zusätzliche Artikelkennzeichnung, die vom Lieferanten vergeben wird.</i>
tradeItemDescription	Wiederholung:	0 .. 1
	Schema-Status:	O
	Typ:	shared_common:Description200Type
	Definition:	Verbale Beschreibung des Artikels.
	Fachbegriff:	Artikelbeschreibung
	Status:	R
	EANCOM®:	INVOIC.SG26[D_7077="A"].C273.7008
languageCode	Schema-Status:	M
	Type:	restriction (xs:string)
	Fachbegriff:	Sprachcode
	Status:	R
	Beispiel:	en
	Bemerkung:	Siehe ISO-Sprachcode unter www.iso.org
	Definition:	Code, der die Sprache in der Beschreibung definiert.
	EANCOM®:	INVOIC.SG26[D_7077="A"].IMD.C273.3453
productVariantIdentifier	Wiederholung:	0 .. 1
	Schema-Status:	O
	Typ:	restriction (xs:string)
	Definition:	Angaben zur Produktvariante
	Fachbegriff:	Aktionsartikel
	Status:	O
	Beispiel:	4012368259753
	EANCOM®:	INVOIC.SG26.PIA[D_4347="1" AND C_C212\D_7143 IN ["PV"]].C212.7140
itemTypeCode	Wiederholung:	0 .. 1

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	<p>Schema-Status: O Typ: ecom_common:ItemTypeCodeType Definition: Code zur Beschreibung der Handelseinheit. Erlaubte Codewerte sind in GS1-Code Liste ItemTypeCode angegeben.</p> <p>Fachbegriff: Artikelart (code) Status: R Beispiel: CONSUMER_UNIT GDD URN: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ItemTypeCode&release=1ItemTypeCode</p> <p>EANCOM®: INVOIC.SG26.IMD[D_7077="C" AND D_7009="CU"]</p> <p>Used Codes</p> <p>Code: CONSUMER_UNIT Name: Verbrauchereinheit Beschreibung: <i>Die Packungsgröße eines Produkts oder der Produkte, die im POS verkauft werden.</i></p> <p>Code: DESPATCH_UNIT Name: Versandeinheit Beschreibung: <i>Die Verpackungsgröße eines Produkts oder der Produkte, die versendet werden</i></p> <p>Code: INVOICING_UNIT Name: Fakturierungseinheit Beschreibung: <i>Die Packungsgröße, die als Fakturierungsgrundlage herangezogen wird</i></p> <p>Code: ORDERING_UNIT Name: Bestelleinheit Beschreibung: <i>Die Packungsgröße eines Produktes, die bestellt werden kann.</i></p>
butterFatReference	<p>Wiederholung: 0 .. 1 Schema-Status: O Typ: restriction (xs:string) Definition: Die Zuschlagsnummer und Verarbeitungsfrist wird für die Abrechnung über das Zollamt benötigt, da die gekaufte Ware mit einer entsprechenden Zuschlagsnummer versehen ist, die der Rechnungssteller an den Kunden verkaufsmäßig genau gegenüber dem Zollamt abrechnen muss.</p> <p>Fachbegriff: Butter fat reference Status: O Beispiel: 005-691-06 EANCOM®: INVOIC.SG26.SG30[D_1153="AUQ"]</p>
transactionalItemData	<p>Wiederholung: 0 .. unbounded</p>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	Schema-Status: O Typ: ecom_common:TransactionalItemType Definition: Dynamische Eigenschaften von Artikeln, wie zum Beispiel des Mindesthaltbarkeitsdatum, die Batchnummer oder die Seriennummer.
	Fachbegriff: Wareninformationen Status: O
xs:sequence	Wiederholung: 1 .. 1 Schema-Status: M
batchNumber	Wiederholung: 0 .. 1 Schema-Status: O Typ: restriction (xs:string) Definition: Artikel aus einer Charge sind durch einen Prozess gruppiert worden, der nicht notwendigerweise mit deren Herstellung zu tun hat.
	Fachbegriff: Chargennummer Status: O Beispiel: XYZHD867354 EANCOM®: INVOIC.SG26.PIA[D_4347="1" AND C_C212\D_7143 IN ["NB"]].C212.7140
itemExpirationDate	Wiederholung: 0 .. 1 Schema-Status: O Typ: xs:date Definition: Datum, nach dem der Artikel nicht mehr verwendet oder konsumiert werden sollte. Seine genaue Bedeutung hängt von der Artikelart ab. Bei Nahrungsmitteln bedeutet ein solches Datum ein mögliches Gesundheitsrisiko, falls das Produkt nach diesem Datum verzehrt wird. Bei medizinischen Produkten ist ein indirektes Gesundheitsrisiko gegeben, da das Produkt evtl. nicht mehr effektiv wirkt.
	Fachbegriff: Ablaufdatum / Haltbarkeitsdatum / Butterfett Verarbeitungsfrist Status: D Beispiel: 2023-09-05 EANCOM®: INVOIC.SG26[D_2005="9"].DTM.C507.2380
productQualityIndication	Wiederholung: 0 .. 1 Schema-Status: O Typ: shared_common:QuantityType Definition: Angabe der Qualität des Produktes wie zum Beispiel der Grad, oder die Stärke einer bestimmten Charge.
	Fachbegriff: Handelsklasse / Frischware Status: O

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	Beispiel:	A
	Bemerkung:	Handelsklasse: A (Nur Frischware)
	EANCOM®:	INVOIC.SG26[D_7077="B"].IMD.C273.7009
serialNumber	Wiederholung:	0 .. unbounded
	Schema-Status:	O
	Typ:	restriction (xs:string)
	Definition:	Eineindeutige Nummer eines bestimmten Artikels.
	Fachbegriff:	Seriennummer
	Status:	O
	Beispiel:	987654321WE
	EANCOM®:	INVOIC.SG26.PIA[D_4347="1" AND C_C212\D_7143 IN ["SN"]].C212.7140
transactionalItemWeight	Wiederholung:	0 .. unbounded
	Schema-Status:	O
	Typ:	ecom_common:UnitMeasurementType
	Fachbegriff:	Gewicht oder Volumen eines Artikels
	Status:	O
	Definition:	Gewicht oder Volumen der spezifizierten Artikel.
xs:sequence	Wiederholung:	1 .. 1
	Schema-Status:	M
measurementType	Wiederholung:	1 .. 1
	Schema-Status:	M
	Typ:	ecom_common:MeasurementTypeCodeType
	Definition:	Typ, der die Art der Messung beschreibt.
	Fachbegriff:	Art der Messung (Code)
	Status:	R
	Beispiel:	NET_VOLUME
	GDD URN:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementTypeCode
	EANCOM®:	INVOIC.SG26[D_6311="AAI"].MEA.C502.6313
	Used Codes	
	Code:	DECLARED_NET_WEIGHT
	Name:	Nettogewicht deklariert
	Beschreibung:	<i>Bedeutet, dass das Paket eine bestimmte Menge Ware ohne Verpackung enthält</i>
	Code:	GROSS_VOLUME
	Name:	Bruttovolumen

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	Used Codes
	<p>Beschreibung: <i>Das Bruttovolumen wird normalerweise berechnet durch Multiplikation der maximale Länge, Breite und Höhe der Verpackung.</i></p> <p>Code: NET_VOLUME Name: Nettovolumen</p> <p>Beschreibung: <i>Das Nettovolumen wird normalerweise berechnet durch Multiplikation der maximale Länge, Breite und Höhe des Inhalts der Verpackung.</i></p> <p>Code: TARE_WEIGHT Name: Leergewicht Beschreibung: <i>Gewicht des Containers und/oder der Verpackung. Leergewicht plus Nettogewicht gleich Bruttogewicht</i></p> <p>Code: TOTAL_GROSS_WEIGHT Name: Gesamtbruttogewicht Beschreibung: <i>Ein Maß für die Masse der Ware einschließlich des Gewichts der Transportverpackungen und eventuell vorhandener Transportausrüstung.</i></p> <p>Code: UNIT_GROSS_WEIGHT Name: Bruttogewicht der Einheit Beschreibung: <i>Das Bruttogewicht beinhaltet alle Verpackungsmaterialien und die Artikel selbst.</i></p> <p>Code: UNIT_NET_WEIGHT Name: Nettogewicht der Einheit Beschreibung: <i>Das Nettogewicht der Einheit bezieht sich auf das Gewicht aller Ebenen mit Ausnahme der Verbraucherebene. Bei der Berechnung wird keinerlei Verpackungsmaterial berücksichtigt, außer die der untersten GTIN-Ebene.</i></p>
measurementValue	<p>Wiederholung: 1 .. 1 Schema-Status: M Typ: shared_common:MeasurementType Fachbegriff: Messwert Status: R Beispiel: 1500 Definition: Messwert inklusive Einheit. EANCOM®: INVOIC.SG26[D_6311="AAI"].MEA[C_C502.6313 IN ["AAA", "AAB"]].C174.6314</p>
measurementUnitCode	<p>Schema-Status: M Type: restriction (xs:string) Fachbegriff: Einheit Status: R</p>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Beispiel:	MM
Definition:	Eine standardisierte, reproduzierbare Einheit, die zur Messung physikalischer Größen dient. Erlaubte Codewerte sind in der UN / ECE Empfehlung 20 - vollständig von GS1 adaptiert - spezifiziert.
EANCOM®:	INVOIC.SG26[D_6311="AAI"].MEA[C_C502.6313 IN ["AAA", "AAB"]].C174.6411
Used Codes	
Code:	10
Name:	group
Beschreibung:	<i>A unit of count defining the number of groups (group: set of items classified together).</i>
Code:	11
Name:	outfit
Beschreibung:	<i>A unit of count defining the number of outfits (outfit: a complete set of equipment / materials / objects used for a specific purpose).</i>
Code:	13
Name:	ration
Beschreibung:	<i>A unit of count defining the number of rations (ration: a single portion of provisions).</i>
Code:	14
Name:	shot
Beschreibung:	<i>A unit of liquid measure, especially related to spirits.</i>
Code:	15
Name:	stick, military
Beschreibung:	<i>A unit of count defining the number of military sticks (military stick: bombs or paratroops released in rapid succession from an aircraft).</i>
Code:	20
Name:	twenty foot container
Beschreibung:	<i>A unit of count defining the number of shipping containers that measure 20 foot in length.</i>
Code:	21
Name:	forty foot container
Beschreibung:	<i>A unit of count defining the number of shipping containers that measure 40 foot in length.</i>
Code:	24
Name:	theoretical pound
Beschreibung:	<i>A unit of mass defining the expected mass of material expressed as the number of pounds.</i>
Code:	27
Name:	theoretical ton

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of mass defining the expected mass of material, expressed as the number of tons.</i>
Code:	56
Name:	sitas
Beschreibung:	<i>A unit of area for tin plate equal to a surface area of 100 square metres.</i>
Code:	57
Name:	mesh
Beschreibung:	<i>A unit of count defining the number of strands per inch as a measure of the fineness of a woven product.</i>
Code:	58
Name:	net kilogram
Beschreibung:	<i>A unit of mass defining the total number of kilograms after deductions.</i>
Code:	59
Name:	Teile pro Million (ppm)
Beschreibung:	<i>A unit of proportion equal to 10 to the power of -6.</i>
Code:	60
Name:	percent weight
Beschreibung:	<i>A unit of proportion equal to 10 to the power of -2.</i>
Code:	61
Name:	part per billion (US)
Beschreibung:	<i>A unit of proportion equal to 10 to the power of -9.</i>
Code:	84
Name:	kilopound-force per square inch
Beschreibung:	<i>A unit of pressure defining the number of kilopounds force per square inch. Use kip per square inch (common code N20).</i>
Code:	11
Name:	fixed rate
Beschreibung:	<i>A unit of quantity expressed as a predetermined or set rate for usage of a facility or service.</i>
Code:	2A
Name:	radian per second
Beschreibung:	<i>Refer ISO/TC12 SI Guide</i>
Code:	2B
Name:	radian per second squared
Beschreibung:	<i>Refer ISO/TC12 SI Guide</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	2G
Name:	volt AC
Beschreibung:	<i>A unit of electric potential in relation to alternating current (AC).</i>
Code:	2H
Name:	volt DC
Beschreibung:	<i>A unit of electric potential in relation to direct current (DC).</i>
Code:	2P
Name:	kilobyte
Beschreibung:	<i>A unit of information equal to 10 to the power of 3 (1000) bytes.</i>
Code:	3C
Name:	manmonth
Beschreibung:	<i>A unit of count defining the number of months for a person or persons to perform an undertaking.</i>
Code:	4L
Name:	Megabyte
Beschreibung:	<i>A unit of information equal to 10 to the power of 6 (1000000) bytes.</i>
Code:	5B
Name:	batch
Beschreibung:	<i>A unit of count defining the number of batches (batch: quantity of material produced in one operation or number of animals or persons coming at once).</i>
Code:	5E
Name:	MMSCF/day
Beschreibung:	<i>A unit of volume equal to one million (1000000) cubic feet of gas per day.</i>
Code:	5J
Name:	hydraulic horse power
Beschreibung:	<i>A unit of power defining the hydraulic horse power delivered by a fluid pump depending on the viscosity of the fluid.</i>
Code:	A25
Name:	Pferdestärken (PS)
Beschreibung:	<i>Synonym: metric horse power</i>
Code:	A43
Name:	deadweight tonnage
Beschreibung:	<i>A unit of mass defining the difference between the weight of a ship when completely empty and its weight when completely loaded, expressed as the number of tons.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	A47
Name:	decitex
Beschreibung:	<i>A unit of yarn density. One decitex equals a mass of 1 gram per 10 kilometres of length.</i>
Code:	A48
Name:	degree Rankine
Beschreibung:	<i>Refer ISO 80000-5 (Quantities and units — Part 5: Thermodynamics)</i>
Code:	A49
Name:	denier
Beschreibung:	<i>A unit of yarn density. One denier equals a mass of 1 gram per 9 kilometres of length.</i>
Code:	A59
Name:	8-part cloud cover
Beschreibung:	<i>A unit of count defining the number of eighth-parts as a measure of the celestial dome cloud coverage. Synonym: OKTA , OCTA</i>
Code:	A75
Name:	freight ton
Beschreibung:	<i>A unit of information typically used for billing purposes, defined as either the number of metric tons or the number of cubic metres, whichever is the larger.</i>
Code:	A9
Name:	rate
Beschreibung:	<i>A unit of quantity expressed as a rate for usage of a facility or service.</i>
Code:	A91
Name:	gon
Beschreibung:	<i>Synonym: grade</i>
Code:	A99
Name:	Bit
Beschreibung:	<i>A unit of information equal to one binary digit.</i>
Code:	AA
Name:	ball
Beschreibung:	<i>A unit of count defining the number of balls (ball: object formed in the shape of sphere).</i>
Code:	AB
Name:	bulk pack
Beschreibung:	<i>A unit of count defining the number of items per bulk pack.</i>
Code:	ACT

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	activity
Beschreibung:	<i>A unit of count defining the number of activities (activity: a unit of work or action).</i>
Code:	AD
Name:	Byte
Beschreibung:	<i>A unit of information equal to 8 bits.</i>
Code:	AH
Name:	additional minute
Beschreibung:	<i>A unit of time defining the number of minutes in addition to the referenced minutes.</i>
Code:	AI
Name:	average minute per call
Beschreibung:	<i>A unit of count defining the number of minutes for the average interval of a call.</i>
Code:	AL
Name:	access line
Beschreibung:	<i>A unit of count defining the number of telephone access lines.</i>
Code:	AMH
Name:	Amperestunde
Beschreibung:	<i>A unit of electric charge defining the amount of charge accumulated by a steady flow of one ampere for one hour.</i>
Code:	ANN
Name:	Jahr
Beschreibung:	<i>Unit of time equal to 365,25 days. Synonym: Julian year</i>
Code:	AQ
Name:	anti-hemophilic factor (AHF) unit
Beschreibung:	<i>A unit of measure for blood potency (US).</i>
Code:	ARE
Name:	are
Beschreibung:	<i>Synonym: square decametre</i>
Code:	AS
Name:	assortment
Beschreibung:	<i>A unit of count defining the number of assortments (assortment: set of items grouped in a mixed collection).</i>
Code:	ASM
Name:	Alkoholgehalt pro Masse

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of mass defining the alcoholic strength of a liquid.</i>
Code:	ASU
Name:	Alkoholgehalt pro Volumen
Beschreibung:	<i>A unit of volume defining the alcoholic strength of a liquid (e.g. spirit, wine, beer, etc), often at a specific temperature.</i>
Code:	AWG
Name:	american wire gauge
Beschreibung:	<i>A unit of distance used for measuring the diameter of small tubes or wires such as the outer diameter of hypotermic or suture needles.</i>
Code:	AY
Name:	assembly
Beschreibung:	<i>A unit of count defining the number of assemblies (assembly: items that consist of component parts).</i>
Code:	B10
Name:	bit per second
Beschreibung:	<i>A unit of information equal to one binary digit per second.</i>
Code:	B13
Name:	Joule pro Quadratmeter
Beschreibung:	<i>Synonym: joule per metre squared</i>
Code:	B17
Name:	Soll-Buchungen
Beschreibung:	<i>A unit of count defining the number of entries made to the credit side of an account.</i>
Code:	B19
Name:	digit
Beschreibung:	<i>A unit of information defining the quantity of numerals used to form a number.</i>
Code:	B3
Name:	batting pound
Beschreibung:	<i>A unit of mass defining the number of pounds of wadded fibre.</i>
Code:	B30
Name:	gibibit
Beschreibung:	<i>A unit of information equal to 2³⁰ bits (binary digits).</i>
Code:	B4
Name:	barrel, imperial
Beschreibung:	<i>A unit of volume used to measure beer. One beer barrel equals 36 imperial gallons.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	B51
Name:	kilopond
Beschreibung:	<i>Synonym: kilogram-force</i>
Code:	B57
Name:	light year
Beschreibung:	<i>A unit of length defining the distance that light travels in a vacuum in one year.</i>
Code:	B68
Name:	gigabit
Beschreibung:	<i>A unit of information equal to 10 to the power of 9 bits (binary digits).</i>
Code:	B7
Name:	cycle
Beschreibung:	<i>A unit of count defining the number of cycles (cycle: a recurrent period of definite duration).</i>
Code:	B80
Name:	gigabit per second
Beschreibung:	<i>A unit of information equal to 10 to the power of 9 bits (binary digits) per second.</i>
Code:	B82
Name:	inch per linear foot
Beschreibung:	<i>A unit of length defining the number of inches per linear foot.</i>
Code:	BB
Name:	base box
Beschreibung:	<i>A unit of area of 112 sheets of tin mil products (tin plate, tin free steel or black plate) 14 by 20 inches, or 31,360 square inches.</i>
Code:	BFT
Name:	board foot
Beschreibung:	<i>A unit of volume defining the number of cords (cord: a stack of firewood of 128 cubic feet).</i>
Code:	BIL
Name:	billion (EUR)
Beschreibung:	<i>Synonym: trillion (US)</i>
Code:	BP
Name:	hundred board foot
Beschreibung:	<i>A unit of volume equal to one hundred board foot.</i>
Code:	BPM

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	beats per minute
Beschreibung:	<i>The number of beats per minute.</i>
Code:	C0
Name:	Telefoneinheit
Beschreibung:	<i>A unit of count defining the number of calls (call: communication session or visitation).</i>
Code:	C21
Name:	kibibit
Beschreibung:	<i>A unit of information equal to 2 to the power of 10 (1024) bits (binary digits).</i>
Code:	C37
Name:	kilobit
Beschreibung:	<i>A unit of information equal to 10 to the power of 3 (1000) bits (binary digits).</i>
Code:	C59
Name:	octave
Beschreibung:	<i>A unit used in music to describe the ratio in frequency between notes.</i>
Code:	C62
Name:	one
Beschreibung:	<i>Synonym: unit</i>
Code:	C69
Name:	phon
Beschreibung:	<i>A unit of subjective sound loudness. A sound has loudness p phons if it seems to the listener to be equal in loudness to the sound of a pure tone of frequency 1 kilohertz and strength p decibels.</i>
Code:	C74
Name:	kilobit per second
Beschreibung:	<i>A unit of information equal to 10 to the power of 3 (1000) bits (binary digits) per second.</i>
Code:	C79
Name:	kilovolt ampere hour
Beschreibung:	<i>A unit of accumulated energy of 1000 volt amperes over a period of one hour.</i>
Code:	C87
Name:	reciprocal cubic metre per second
Beschreibung:	<i>Synonym: reciprocal second per cubic metre</i>
Code:	C9
Name:	coil group
Beschreibung:	<i>A unit of count defining the number of coil groups (coil group: groups of items arranged</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

	<i>by lengths of those items placed in a joined sequence of concentric circles).</i>
Code:	C93
Name:	reciprocal square metre
Beschreibung:	<i>Synonym: reciprocal metre squared</i>
Code:	CCT
Name:	carrying capacity in metric ton
Beschreibung:	<i>A unit of mass defining the carrying capacity, expressed as the number of metric tons.</i>
Code:	CEL
Name:	Grad Celsius
Beschreibung:	<i>Refer ISO 80000-5 (Quantities and units — Part 5: Thermodynamics)</i>
Code:	CEN
Name:	hundred
Beschreibung:	<i>A unit of count defining the number of units in multiples of 100.</i>
Code:	CG
Name:	card
Beschreibung:	<i>A unit of count defining the number of units of card (card: thick stiff paper or cardboard).</i>
Code:	CLF
Name:	hundred leave
Beschreibung:	<i>A unit of count defining the number of leaves, expressed in units of one hundred leaves.</i>
Code:	CNP
Name:	hundred pack
Beschreibung:	<i>A unit of count defining the number of hundred-packs (hundred-pack: set of one hundred items packaged together).</i>
Code:	CNT
Name:	cental (UK)
Beschreibung:	<i>A unit of mass equal to one hundred weight (US).</i>
Code:	CTG
Name:	content gram
Beschreibung:	<i>A unit of mass defining the number of grams of a named item in a product.</i>
Code:	CTN
Name:	content ton (metric)
Beschreibung:	<i>A unit of mass defining the number of metric tons of a named item in a product.</i>
Code:	D03
Name:	kilowatt hour per hour

Guideline**Used Codes**

Beschreibung:	<i>A unit of accumulated energy of a thousand watts over a period of one hour.</i>
Code:	D04
Name:	lot [unit of weight]
Beschreibung:	<i>A unit of weight equal to about 1/2 ounce or 15 grams.</i>
Code:	D11
Name:	mebibit
Beschreibung:	<i>A unit of information equal to 2 to the power of 20 (1048576) bits (binary digits).</i>
Code:	D15
Name:	sones
Beschreibung:	<i>A unit of subjective sound loudness. One sone is the loudness of a pure tone of frequency one kilohertz and strength 40 decibels.</i>
Code:	D23
Name:	pen gram (protein)
Beschreibung:	<i>A unit of count defining the number of grams of amino acid prescribed for parenteral/ enteral therapy.</i>
Code:	D34
Name:	tex
Beschreibung:	<i>A unit of yarn density. One decitex equals a mass of 1 gram per 1 kilometre of length.</i>
Code:	D36
Name:	megabit
Beschreibung:	<i>A unit of information equal to 10 to the power of 6 (1000000) bits (binary digits).</i>
Code:	D44
Name:	var
Beschreibung:	<i>The name of the unit is an acronym for volt-ampere-reactive.</i>
Code:	D63
Name:	book
Beschreibung:	<i>A unit of count defining the number of books (book: set of items bound together or written document of a material whole).</i>
Code:	D65
Name:	round
Beschreibung:	<i>A unit of count defining the number of rounds (round: A circular or cylindrical object).</i>
Code:	D68
Name:	number of words
Beschreibung:	<i>A unit of count defining the number of words.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	D78
Name:	megajoule per second
Beschreibung:	<i>A unit of accumulated energy equal to one million joules per second.</i>
Code:	DAD
Name:	ten day
Beschreibung:	<i>A unit of time defining the number of days in multiples of 10.</i>
Code:	DB
Name:	dry pound
Beschreibung:	<i>A unit of mass defining the number of pounds of a product, disregarding the water content of the product.</i>
Code:	DEC
Name:	decade
Beschreibung:	<i>A unit of count defining the number of decades (decade: quantity equal to 10 or time equal to 10 years).</i>
Code:	DMO
Name:	standard kilolitre
Beschreibung:	<i>A unit of volume defining the number of kilolitres of a product at a temperature of 15 degrees Celsius, especially in relation to hydrocarbon oils.</i>
Code:	DPC
Name:	dozen piece
Beschreibung:	<i>A unit of count defining the number of pieces in multiples of 12 (piece: a single item, article or exemplar).</i>
Code:	DPR
Name:	dozen pair
Beschreibung:	<i>A unit of count defining the number of pairs in multiples of 12 (pair: item described by two's).</i>
Code:	DPT
Name:	displacement tonnage
Beschreibung:	<i>A unit of mass defining the volume of sea water a ship displaces, expressed as the number of tons.</i>
Code:	DRA
Name:	dram (US)
Beschreibung:	<i>Synonym: drachm (UK), troy dram</i>
Code:	DRI

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	dram (UK)
Beschreibung:	<i>Synonym: avoirdupois dram</i>
Code:	DRL
Name:	dozen roll
Beschreibung:	<i>A unit of count defining the number of rolls, expressed in twelve roll units.</i>
Code:	DT
Name:	dry ton
Beschreibung:	<i>A unit of mass defining the number of tons of a product, disregarding the water content of the product.</i>
Code:	DTN
Name:	decitonne
Beschreibung:	<i>Synonym: centner, metric 100 kg, quintal, metric 100 kg</i>
Code:	DZN
Name:	Dutzend
Beschreibung:	<i>A unit of count defining the number of units in multiples of 12.</i>
Code:	DZP
Name:	dozen pack
Beschreibung:	<i>A unit of count defining the number of packs in multiples of 12 (pack: standard packaging unit).</i>
Code:	E01
Name:	newton per square centimetre
Beschreibung:	<i>A measure of pressure expressed in newtons per square centimetre.</i>
Code:	E07
Name:	megawatt hour per hour
Beschreibung:	<i>A unit of accumulated energy of a million watts over a period of one hour.</i>
Code:	E08
Name:	megawatt per hertz
Beschreibung:	<i>A unit of energy expressed as the load change in million watts that will cause a frequency shift of one hertz.</i>
Code:	E09
Name:	milliampere hour
Beschreibung:	<i>A unit of power load delivered at the rate of one thousandth of an ampere over a period of one hour.</i>
Code:	E10

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	degree day
Beschreibung:	<i>A unit of measure used in meteorology and engineering to measure the demand for heating or cooling over a given period of days.</i>
Code:	E11
Name:	gigacalorie
Beschreibung:	<i>A unit of heat energy equal to one thousand million calories.</i>
Code:	E12
Name:	mille
Beschreibung:	<i>A unit of count defining the number of cigarettes in units of 1000.</i>
Code:	E14
Name:	kilocalorie (international table)
Beschreibung:	<i>A unit of heat energy equal to one thousand calories.</i>
Code:	E15
Name:	kilocalorie (thermochemical) per hour
Beschreibung:	<i>A unit of energy equal to one thousand calories per hour.</i>
Code:	E16
Name:	million Btu(IT) per hour
Beschreibung:	<i>A unit of power equal to one million British thermal units per hour.</i>
Code:	E17
Name:	cubic foot per second
Beschreibung:	<i>A unit of volume equal to one cubic foot passing a given point in a period of one second.</i>
Code:	E18
Name:	tonne per hour
Beschreibung:	<i>A unit of weight or mass equal to one tonne per hour.</i>
Code:	E19
Name:	ping
Beschreibung:	<i>A unit of area equal to 3.3 square metres.</i>
Code:	E20
Name:	megabit per second
Beschreibung:	<i>A unit of information equal to 10 to the power of 6 (1000000) bits (binary digits) per second.</i>
Code:	E21
Name:	shares
Beschreibung:	<i>A unit of count defining the number of shares (share: a total or portion of the parts into</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

	<i>which a business entity's capital is divided).</i>
Code:	E22
Name:	TEU
Beschreibung:	<i>A unit of count defining the number of twenty-foot equivalent units (TEUs) as a measure of containerized cargo capacity.</i>
Code:	E23
Name:	tyre
Beschreibung:	<i>A unit of count defining the number of tyres (a solid or air-filled covering placed around a wheel rim to form a soft contact with the road, absorb shock and provide traction).</i>
Code:	E25
Name:	active unit
Beschreibung:	<i>A unit of count defining the number of active units within a substance.</i>
Code:	E27
Name:	dose
Beschreibung:	<i>A unit of count defining the number of doses (dose: a definite quantity of a medicine or drug).</i>
Code:	E28
Name:	air dry ton
Beschreibung:	<i>A unit of mass defining the number of tons of a product, disregarding the water content of the product.</i>
Code:	E30
Name:	strand
Beschreibung:	<i>A unit of count defining the number of strands (strand: long, thin, flexible, single thread, strip of fibre, constituent filament or multiples of the same, twisted together).</i>
Code:	E31
Name:	square metre per litre
Beschreibung:	<i>A unit of count defining the number of square metres per litre.</i>
Code:	E32
Name:	litre per hour
Beschreibung:	<i>A unit of count defining the number of litres per hour.</i>
Code:	E33
Name:	foot per thousand
Beschreibung:	<i>A unit of count defining the number of feet per thousand units.</i>
Code:	E34

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	Gigabyte
Beschreibung:	<i>A unit of information equal to 10 to the power of 9 bytes.</i>
Code:	E35
Name:	terabyte
Beschreibung:	<i>A unit of information equal to 10 to the power of 12 bytes.</i>
Code:	E36
Name:	petabyte
Beschreibung:	<i>A unit of information equal to 10 to the power of 15 bytes.</i>
Code:	E37
Name:	Pixel
Beschreibung:	<i>A unit of count defining the number of pixels (pixel: picture element).</i>
Code:	E38
Name:	Megapixel
Beschreibung:	<i>A unit of count equal to 10 to the power of 6 (1000000) pixels (picture elements).</i>
Code:	E39
Name:	DPI, Dots per inch
Beschreibung:	<i>A unit of information defining the number of dots per linear inch as a measure of the resolution or sharpness of a graphic image.</i>
Code:	E4
Name:	gross kilogram
Beschreibung:	<i>A unit of mass defining the total number of kilograms before deductions.</i>
Code:	E40
Name:	part per hundred thousand
Beschreibung:	<i>A unit of proportion equal to 10 to the power of -5.</i>
Code:	E41
Name:	kilogram-force per square millimetre
Beschreibung:	<i>A unit of pressure defining the number of kilograms force per square millimetre.</i>
Code:	E42
Name:	kilogram-force per square centimetre
Beschreibung:	<i>A unit of pressure defining the number of kilograms force per square centimetre.</i>
Code:	E43
Name:	joule per square centimetre
Beschreibung:	<i>A unit of energy defining the number of joules per square centimetre.</i>
Code:	E44

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	kilogram-force metre per square centimetre
Beschreibung:	<i>A unit of torsion defining the torque kilogram-force metre per square centimetre.</i>
Code:	E46
Name:	kilowatt hour per cubic metre
Beschreibung:	<i>A unit of energy consumption expressed as kilowatt hour per cubic metre.</i>
Code:	E47
Name:	kilowatt hour per kelvin
Beschreibung:	<i>A unit of energy consumption expressed as kilowatt hour per kelvin.</i>
Code:	E48
Name:	service unit
Beschreibung:	<i>A unit of count defining the number of service units (service unit: defined period / property / facility / utility of supply).</i>
Code:	E49
Name:	working day
Beschreibung:	<i>A unit of count defining the number of working days (working day: a day on which work is ordinarily performed).</i>
Code:	E50
Name:	accounting unit
Beschreibung:	<i>A unit of count defining the number of accounting units.</i>
Code:	E51
Name:	job
Beschreibung:	<i>A unit of count defining the number of jobs.</i>
Code:	E52
Name:	run foot
Beschreibung:	<i>A unit of count defining the number feet per run.</i>
Code:	E53
Name:	test
Beschreibung:	<i>A unit of count defining the number of tests.</i>
Code:	E54
Name:	trip
Beschreibung:	<i>A unit of count defining the number of trips.</i>
Code:	E55
Name:	use
Beschreibung:	<i>A unit of count defining the number of times an object is used.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	E56
Name:	well
Beschreibung:	<i>A unit of count defining the number of wells.</i>
Code:	E57
Name:	zone
Beschreibung:	<i>A unit of count defining the number of zones.</i>
Code:	E58
Name:	exabit per second
Beschreibung:	<i>A unit of information equal to 10 to the power of 18 bits (binary digits) per second.</i>
Code:	E59
Name:	exbibyte
Beschreibung:	<i>A unit of information equal to 2 to the power of 60 bytes.</i>
Code:	E60
Name:	pebibyte
Beschreibung:	<i>A unit of information equal to 2 to the power of 50 bytes.</i>
Code:	E61
Name:	tebibyte
Beschreibung:	<i>A unit of information equal to 2 to the power of 40 bytes.</i>
Code:	E62
Name:	gibibyte
Beschreibung:	<i>A unit of information equal to 2 to the power of 30 bytes.</i>
Code:	E63
Name:	mebibyte
Beschreibung:	<i>A unit of information equal to 2 to the power of 20 bytes.</i>
Code:	E64
Name:	kibibyte
Beschreibung:	<i>A unit of information equal to 2 to the power of 10 bytes.</i>
Code:	E65
Name:	exbibit per metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 60 bits (binary digits) per metre.</i>
Code:	E66
Name:	exbibit per square metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 60 bits (binary digits) per square metre.</i>
Code:	E67

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	exbibit per cubic metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 60 bits (binary digits) per cubic metre.</i>
Code:	E68
Name:	gigabyte per second
Beschreibung:	<i>A unit of information equal to 10 to the power of 9 bytes per second.</i>
Code:	E69
Name:	gibibit per metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 30 bits (binary digits) per metre.</i>
Code:	E70
Name:	gibibit per square metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 30 bits (binary digits) per square metre.</i>
Code:	E71
Name:	gibibit per cubic metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 30 bits (binary digits) per cubic metre.</i>
Code:	E72
Name:	kibibit per metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 10 bits (binary digits) per metre.</i>
Code:	E73
Name:	kibibit per square metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 10 bits (binary digits) per square metre.</i>
Code:	E74
Name:	kibibit per cubic metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 10 bits (binary digits) per cubic metre.</i>
Code:	E75
Name:	mebibit per metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 20 bits (binary digits) per metre.</i>
Code:	E76
Name:	mebibit per square metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 20 bits (binary digits) per square metre.</i>
Code:	E77
Name:	mebibit per cubic metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 20 bits (binary digits) per cubic metre.</i>
Code:	E78
Name:	petabit

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of information equal to 10 to the power of 15 bits (binary digits).</i>
Code:	E79
Name:	petabit per second
Beschreibung:	<i>A unit of information equal to 10 to the power of 15 bits (binary digits) per second.</i>
Code:	E80
Name:	pebibit per metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 50 bits (binary digits) per metre.</i>
Code:	E81
Name:	pebibit per square metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 50 bits (binary digits) per square metre.</i>
Code:	E82
Name:	pebibit per cubic metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 50 bits (binary digits) per cubic metre.</i>
Code:	E83
Name:	terabit
Beschreibung:	<i>A unit of information equal to 10 to the power of 12 bits (binary digits).</i>
Code:	E84
Name:	terabit per second
Beschreibung:	<i>A unit of information equal to 10 to the power of 12 bits (binary digits) per second.</i>
Code:	E85
Name:	tebibit per metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 40 bits (binary digits) per metre.</i>
Code:	E86
Name:	tebibit per cubic metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 40 bits (binary digits) per cubic metre.</i>
Code:	E87
Name:	tebibit per square metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 40 bits (binary digits) per square metre.</i>
Code:	E88
Name:	bit per metre
Beschreibung:	<i>A unit of information equal to 1 bit (binary digit) per metre.</i>
Code:	E89
Name:	bit per square metre
Beschreibung:	<i>A unit of information equal to 1 bit (binary digit) per square metre.</i>

Guideline**Used Codes**

Code:	EA
Name:	Jedes einzelne (Eines)
Beschreibung:	<i>A unit of count defining the number of items regarded as separate units.</i>
Code:	EB
Name:	electronic mail box
Beschreibung:	<i>A unit of count defining the number of electronic mail boxes.</i>
Code:	EQ
Name:	equivalent gallon
Beschreibung:	<i>A unit of volume defining the number of gallons of product produced from concentrate.</i>
Code:	F01
Name:	bit per cubic metre
Beschreibung:	<i>A unit of information equal to 1 bit (binary digit) per cubic metre.</i>
Code:	F13
Name:	slug
Beschreibung:	<i>A unit of mass. One slug is the mass accelerated at 1 foot per second per second by a force of 1 pound.</i>
Code:	F49
Name:	rod [unit of distance]
Beschreibung:	<i>A unit of distance equal to 5.5 yards (16 feet 6 inches).</i>
Code:	F80
Name:	water horse power
Beschreibung:	<i>A unit of power defining the amount of power required to move a given volume of water against acceleration of gravity to a specified elevation (pressure head).</i>
Code:	FAH
Name:	Grad Fahrenheit
Beschreibung:	<i>Refer ISO 80000-5 (Quantities and units — Part 5: Thermodynamics)</i>
Code:	FBM
Name:	fibre metre
Beschreibung:	<i>A unit of length defining the number of metres of individual fibre.</i>
Code:	FC
Name:	thousand cubic foot
Beschreibung:	<i>A unit of volume equal to one thousand cubic foot.</i>
Code:	FF
Name:	hundred cubic metre

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of volume equal to one hundred cubic metres.</i>
Code:	FIT
Name:	failures in time
Beschreibung:	<i>A unit of count defining the number of failures that can be expected over a specified time interval. Failure rates of semiconductor components are often specified as FIT (failures in time unit) where 1 FIT = 10 to the power of -9 /h.</i>
Code:	FL
Name:	flake ton
Beschreibung:	<i>A unit of mass defining the number of tons of a flaked substance (flake: a small flattish fragment).</i>
Code:	GDW
Name:	gram, dry weight
Beschreibung:	<i>A unit of mass defining the number of grams of a product, disregarding the water content of the product.</i>
Code:	GFI
Name:	gram of fissile isotope
Beschreibung:	<i>A unit of mass defining the number of grams of a fissile isotope (fissile isotope: an isotope whose nucleus is able to be split when irradiated with low energy neutrons).</i>
Code:	GGR
Name:	great gross
Beschreibung:	<i>A unit of count defining the number of units in multiples of 1728 (12 x 12 x 12).</i>
Code:	GIC
Name:	gram, including container
Beschreibung:	<i>A unit of mass defining the number of grams of a product, including its container.</i>
Code:	GIP
Name:	gram, including inner packaging
Beschreibung:	<i>A unit of mass defining the number of grams of a product, including its inner packaging materials.</i>
Code:	GRO
Name:	Gross
Beschreibung:	<i>A unit of count defining the number of units in multiples of 144 (12 x 12).</i>
Code:	GRT
Name:	gross register ton
Beschreibung:	<i>A unit of mass equal to the total cubic footage before deductions, where 1 register ton is</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

	<i>equal to 100 cubic feet. Refer International Convention on tonnage measurement of ships.</i>
Code:	GT
Name:	gross ton
Beschreibung:	<i>A unit of mass equal to 2240 pounds. Refer International Convention on Tonnage measurement of Ships. Synonym: ton (UK) or long ton (US) (common code LTN)</i>
Code:	H16
Name:	square decametre
Beschreibung:	<i>Synonym: are</i>
Code:	H18
Name:	square hectometre
Beschreibung:	<i>Synonym: hectare</i>
Code:	H21
Name:	blank
Beschreibung:	<i>A unit of count defining the number of blanks.</i>
Code:	H25
Name:	percent per kelvin
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to the SI base unit Kelvin.</i>
Code:	H71
Name:	percent per month
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to a month.</i>
Code:	H72
Name:	percent per hectobar
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to 100-fold of the unit bar.</i>
Code:	H73
Name:	percent per decakelvin
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to 10-fold of the SI base unit Kelvin.</i>
Code:	H77
Name:	module width
Beschreibung:	<i>A unit of measure used to describe the breadth of electronic assemblies as an installation standard or mounting dimension.</i>
Code:	H79
Name:	Charrière

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of distance used for measuring the diameter of small tubes such as urological instruments and catheters. Synonym: French, French gauge, Charrière gauge</i>
Code:	H80
Name:	rack unit
Beschreibung:	<i>A unit of measure used to describe the height in rack units of equipment intended for mounting in a 19-inch rack or a 23-inch rack. One rack unit is 1.75 inches (44.45 mm) high.</i>
Code:	H82
Name:	big point
Beschreibung:	<i>A unit of length defining the number of big points (big point: Adobe software(US) defines the big point to be exactly 1/72 inch (0.013 888 9 inch or 0.352 777 8 millimeters))</i>
Code:	H87
Name:	piece
Beschreibung:	<i>A unit of count defining the number of pieces (piece: a single item, article or exemplar).</i>
Code:	H89
Name:	percent per ohm
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to the SI derived unit ohm.</i>
Code:	H90
Name:	percent per degree
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to an angle of one degree.</i>
Code:	H91
Name:	percent per ten thousand
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to multiples of ten thousand.</i>
Code:	H92
Name:	percent per one hundred thousand
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to multiples of one hundred thousand.</i>
Code:	H93
Name:	percent per hundred
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to multiples of one hundred.</i>
Code:	H94
Name:	percent per thousand
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to multiples of one thousand.</i>
Code:	H95

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	percent per volt
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to the SI derived unit volt.</i>
Code:	H96
Name:	percent per bar
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to an atmospheric pressure of one bar.</i>
Code:	H98
Name:	percent per inch
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to an inch.</i>
Code:	H99
Name:	percent per metre
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to a metre.</i>
Code:	HA
Name:	hank
Beschreibung:	<i>A unit of length, typically for yarn.</i>
Code:	HAR
Name:	hectare
Beschreibung:	<i>Synonym: square hectometre</i>
Code:	HBX
Name:	hundred boxes
Beschreibung:	<i>A unit of count defining the number of boxes in multiples of one hundred box units.</i>
Code:	HC
Name:	hundred count
Beschreibung:	<i>A unit of count defining the number of units counted in multiples of 100.</i>
Code:	HDW
Name:	hundred kilogram, dry weight
Beschreibung:	<i>A unit of mass defining the number of hundred kilograms of a product, disregarding the water content of the product.</i>
Code:	HEA
Name:	head
Beschreibung:	<i>A unit of count defining the number of heads (head: a person or animal considered as one of a number).</i>
Code:	HH
Name:	hundred cubic foot
Beschreibung:	<i>A unit of volume equal to one hundred cubic foot.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	HIU
Name:	hundred international unit
Beschreibung:	<i>A unit of count defining the number of international units in multiples of 100.</i>
Code:	HKM
Name:	hundred kilogram, net mass
Beschreibung:	<i>A unit of mass defining the number of hundred kilograms of a product, after deductions.</i>
Code:	HMQ
Name:	million cubic metre
Beschreibung:	<i>A unit of volume equal to one million cubic metres.</i>
Code:	HPA
Name:	hectolitre of pure alcohol
Beschreibung:	<i>A unit of volume equal to one hundred litres of pure alcohol.</i>
Code:	IE
Name:	person
Beschreibung:	<i>A unit of count defining the number of persons.</i>
Code:	INQ
Name:	Square inch
Beschreibung:	<i>Synonym: inch cubed</i>
Code:	ISD
Name:	international sugar degree
Beschreibung:	<i>A unit of measure defining the sugar content of a solution, expressed in degrees.</i>
Code:	J10
Name:	percent per millimetre
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to a millimetre.</i>
Code:	J12
Name:	per mille per psi
Beschreibung:	<i>A unit of pressure equal to one thousandth of a psi (pound-force per square inch).</i>
Code:	J13
Name:	degree API
Beschreibung:	<i>A unit of relative density as a measure of how heavy or light a petroleum liquid is compared to water (API: American Petroleum Institute).</i>
Code:	J14
Name:	degree Baume (origin scale)
Beschreibung:	<i>A traditional unit of relative density for liquids. Named after Antoine Baumé.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	J15
Name:	degree Baume (US heavy)
Beschreibung:	<i>A unit of relative density for liquids heavier than water.</i>
Code:	J16
Name:	degree Baume (US light)
Beschreibung:	<i>A unit of relative density for liquids lighter than water.</i>
Code:	J17
Name:	degree Balling
Beschreibung:	<i>A unit of density as a measure of sugar content, especially of beer wort. Named after Karl Balling.</i>
Code:	J18
Name:	degree Brix
Beschreibung:	<i>A unit of proportion used in measuring the dissolved sugar-to-water mass ratio of a liquid. Named after Adolf Brix.</i>
Code:	J27
Name:	degree Oechsle
Beschreibung:	<i>A unit of density as a measure of sugar content of must, the unfermented liqueur from which wine is made. Named after Ferdinand Oechsle.</i>
Code:	J31
Name:	degree Twaddell
Beschreibung:	<i>A unit of density for liquids that are heavier than water. 1 degree Twaddle represents a difference in specific gravity of 0.005.</i>
Code:	J38
Name:	baud
Beschreibung:	<i>A unit of signal transmission speed equal to one signalling event per second.</i>
Code:	J54
Name:	megabaud
Beschreibung:	<i>A unit of signal transmission speed equal to 10 to the power of 6 (1000000) signaling events per second.</i>
Code:	JNT
Name:	pipeline joint
Beschreibung:	<i>A count of the number of pipeline joints.</i>
Code:	JPS
Name:	hundred metre

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of count defining the number of 100 metre lengths.</i>
Code:	JWL
Name:	number of jewels
Beschreibung:	<i>A unit of count defining the number of jewels (jewel: precious stone).</i>
Code:	K1
Name:	kilowatt demand
Beschreibung:	<i>A unit of measure defining the power load measured at predetermined intervals.</i>
Code:	K2
Name:	kilovolt ampere reactive demand
Beschreibung:	<i>A unit of measure defining the reactive power demand equal to one kilovolt ampere of reactive power.</i>
Code:	K3
Name:	kilovolt ampere reactive hour
Beschreibung:	<i>A unit of measure defining the accumulated reactive energy equal to one kilovolt ampere of reactive power per hour.</i>
Code:	K5
Name:	kilovolt ampere (reactive)
Beschreibung:	<i>Use kilovar (common code KVR)</i>
Code:	K50
Name:	kilobaud
Beschreibung:	<i>A unit of signal transmission speed equal to 10 to the power of 3 (1000) signaling events per second.</i>
Code:	KA
Name:	cake
Beschreibung:	<i>A unit of count defining the number of cakes (cake: object shaped into a flat, compact mass).</i>
Code:	KAT
Name:	katal
Beschreibung:	<i>A unit of catalytic activity defining the catalytic activity of enzymes and other catalysts.</i>
Code:	KB
Name:	Kilobyte
Beschreibung:	<i>A unit of information equal to 10 to the power of 3 (1000) characters.</i>
Code:	KCC
Name:	kilogram of choline chloride

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of mass equal to one thousand grams of choline chloride.</i>
Code:	KDW
Name:	kilogram drained net weight
Beschreibung:	<i>A unit of mass defining the net number of kilograms of a product, disregarding the liquid content of the product.</i>
Code:	KEL
Name:	Kelvin
Beschreibung:	<i>Refer ISO 80000-5 (Quantities and units — Part 5: Thermodynamics)</i>
Code:	KGM
Name:	Kilogramm
Beschreibung:	<i>A unit of mass equal to one thousand grams.</i>
Code:	KHY
Name:	kilogram of hydrogen peroxide
Beschreibung:	<i>A unit of mass equal to one thousand grams of hydrogen peroxide.</i>
Code:	KIC
Name:	kilogram, including container
Beschreibung:	<i>A unit of mass defining the number of kilograms of a product, including its container.</i>
Code:	KIP
Name:	kilogram, including inner packaging
Beschreibung:	<i>A unit of mass defining the number of kilograms of a product, including its inner packaging materials.</i>
Code:	KJ
Name:	kilosegment
Beschreibung:	<i>A unit of information equal to 10 to the power of 3 (1000) segments.</i>
Code:	KLK
Name:	lactic dry material percentage
Beschreibung:	<i>A unit of proportion defining the percentage of dry lactic material in a product.</i>
Code:	KLX
Name:	kilolux
Beschreibung:	<i>A unit of illuminance equal to one thousand lux.</i>
Code:	KMA
Name:	kilogram of methylamine
Beschreibung:	<i>A unit of mass equal to one thousand grams of methylamine.</i>
Code:	KMQ

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	Kilogramm pro Kubikmeter
Beschreibung:	<i>A unit of weight expressed in kilograms of a substance that fills a volume of one cubic metre.</i>
Code:	KNI
Name:	kilogram of nitrogen
Beschreibung:	<i>A unit of mass equal to one thousand grams of nitrogen.</i>
Code:	KNM
Name:	kilonewton per square metre
Beschreibung:	<i>Pressure expressed in kN/m².</i>
Code:	KNS
Name:	kilogram named substance
Beschreibung:	<i>A unit of mass equal to one kilogram of a named substance.</i>
Code:	KO
Name:	milliequivalence caustic potash per gram of product
Beschreibung:	<i>A unit of count defining the number of milligrams of potassium hydroxide per gram of product as a measure of the concentration of potassium hydroxide in the product.</i>
Code:	KPH
Name:	kilogram of potassium hydroxide (caustic potash)
Beschreibung:	<i>A unit of mass equal to one thousand grams of potassium hydroxide (caustic potash).</i>
Code:	KPO
Name:	kilogram of potassium oxide
Beschreibung:	<i>A unit of mass equal to one thousand grams of potassium oxide.</i>
Code:	KPP
Name:	kilogram of phosphorus pentoxide (phosphoric anhydride)
Beschreibung:	<i>A unit of mass equal to one thousand grams of phosphorus pentoxide phosphoric anhydride.</i>
Code:	KSD
Name:	kilogram of substance 90 % dry
Beschreibung:	<i>A unit of mass equal to one thousand grams of a named substance that is 90% dry.</i>
Code:	KSH
Name:	kilogram of sodium hydroxide (caustic soda)
Beschreibung:	<i>A unit of mass equal to one thousand grams of sodium hydroxide (caustic soda).</i>
Code:	KT
Name:	kit

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of count defining the number of kits (kit: tub, barrel or pail).</i>
Code:	KUR
Name:	kilogram of uranium
Beschreibung:	<i>A unit of mass equal to one thousand grams of uranium.</i>
Code:	KWN
Name:	Kilowatt hour per normalized cubic metre
Beschreibung:	<i>Kilowatt hour per normalized cubic metre (temperature 0°C and pressure 101325 millibars).</i>
Code:	KWO
Name:	kilogram of tungsten trioxide
Beschreibung:	<i>A unit of mass equal to one thousand grams of tungsten trioxide.</i>
Code:	KWS
Name:	Kilowatt hour per standard cubic metre
Beschreibung:	<i>Kilowatt hour per standard cubic metre (temperature 15°C and pressure 101325 millibars).</i>
Code:	LAC
Name:	lactose excess percentage
Beschreibung:	<i>A unit of proportion defining the percentage of lactose in a product that exceeds a defined percentage level.</i>
Code:	LEF
Name:	leaf
Beschreibung:	<i>A unit of count defining the number of leaves.</i>
Code:	LF
Name:	linear foot
Beschreibung:	<i>A unit of count defining the number of feet (12-inch) in length of a uniform width object.</i>
Code:	LH
Name:	labour hour
Beschreibung:	<i>A unit of time defining the number of labour hours.</i>
Code:	LK
Name:	link
Beschreibung:	<i>A unit of distance equal to 0.01 chain.</i>
Code:	LM
Name:	linear metre
Beschreibung:	<i>A unit of count defining the number of metres in length of a uniform width object.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Used Codes

Code:	LN
Name:	length
Beschreibung:	<i>A unit of distance defining the linear extent of an item measured from end to end.</i>
Code:	LO
Name:	lot [unit of procurement]
Beschreibung:	<i>A unit of count defining the number of lots (lot: a collection of associated items).</i>
Code:	LP
Name:	liquid pound
Beschreibung:	<i>A unit of mass defining the number of pounds of a liquid substance.</i>
Code:	LPA
Name:	litre of pure alcohol
Beschreibung:	<i>A unit of volume equal to one litre of pure alcohol.</i>
Code:	LR
Name:	layer
Beschreibung:	<i>A unit of count defining the number of layers.</i>
Code:	LS
Name:	lump sum
Beschreibung:	<i>A unit of count defining the number of whole or a complete monetary amounts.</i>
Code:	LTN
Name:	ton (UK) or long ton (US)
Beschreibung:	<i>Synonym: gross ton (2240 lb)</i>
Code:	LUB
Name:	metric ton, lubricating oil
Beschreibung:	<i>A unit of mass defining the number of metric tons of lubricating oil.</i>
Code:	LY
Name:	linear yard
Beschreibung:	<i>A unit of count defining the number of 36-inch units in length of a uniform width object.</i>
Code:	M19
Name:	Beaufort
Beschreibung:	<i>An empirical measure for describing wind speed based mainly on observed sea conditions. The Beaufort scale indicates the wind speed by numbers that typically range from 0 for calm, to 12 for hurricane.</i>
Code:	M25
Name:	percent per degree Celsius

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to a temperature of one degree.</i>
Code:	M36
Name:	30-day month
Beschreibung:	<i>A unit of count defining the number of months expressed in multiples of 30 days, one day equals 24 hours.</i>
Code:	M37
Name:	actual/360
Beschreibung:	<i>A unit of count defining the number of years expressed in multiples of 360 days, one day equals 24 hours.</i>
Code:	M38
Name:	kilometre per second squared
Beschreibung:	<i>1000-fold of the SI base unit metre divided by the power of the SI base unit second by exponent 2.</i>
Code:	M39
Name:	centimetre per second squared
Beschreibung:	<i>0,01-fold of the SI base unit metre divided by the power of the SI base unit second by exponent 2.</i>
Code:	M4
Name:	monetary value
Beschreibung:	<i>A unit of measure expressed as a monetary amount.</i>
Code:	M40
Name:	yard per second squared
Beschreibung:	<i>Unit of the length according to the Anglo-American and Imperial system of units divided by the power of the SI base unit second by exponent 2.</i>
Code:	M41
Name:	millimetre per second squared
Beschreibung:	<i>0,001-fold of the SI base unit metre divided by the power of the SI base unit second by exponent 2.</i>
Code:	M42
Name:	mile (statute mile) per second squared
Beschreibung:	<i>Unit of the length according to the Imperial system of units divided by the power of the SI base unit second by exponent 2.</i>
Code:	M43
Name:	mil

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>Unit to indicate an angle at military zone, equal to the 6400th part of the full circle of the 360° or 2·p·rad.</i>
Code:	M44
Name:	revolution
Beschreibung:	<i>Unit to identify an angle of the full circle of 360° or 2·p·rad (Refer ISO/TC12 SI Guide).</i>
Code:	M45
Name:	degree [unit of angle] per second squared
Beschreibung:	<i>360 part of a full circle divided by the power of the SI base unit second and the exponent 2.</i>
Code:	M46
Name:	revolution per minute
Beschreibung:	<i>Unit of the angular velocity.</i>
Code:	M47
Name:	circular mil
Beschreibung:	<i>Unit of an area, of which the size is given by a diameter of length of 1 mm (0,001 in) based on the formula: area = p·(diameter/2)².</i>
Code:	M48
Name:	square mile (based on U.S. survey foot)
Beschreibung:	<i>Unit of the area, which is mainly common in the agriculture and forestry.</i>
Code:	M49
Name:	chain (based on U.S. survey foot)
Beschreibung:	<i>Unit of the length according the Anglo-American system of units.</i>
Code:	M50
Name:	furlong
Beschreibung:	<i>Unit commonly used in Great Britain at rural distances: 1 furlong = 40 rods = 10 chains (UK) = 1/8 mile = 1/10 furlong = 220 yards = 660 foot.</i>
Code:	M51
Name:	foot (U.S. survey)
Beschreibung:	<i>Unit commonly used in the United States for ordnance survey.</i>
Code:	M52
Name:	mile (based on U.S. survey foot)
Beschreibung:	<i>Unit commonly used in the United States for ordnance survey.</i>
Code:	M53
Name:	metre per pascal

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>SI base unit metre divided by the derived SI unit pascal.</i>
Code:	M55
Name:	metre per radiant
Beschreibung:	<i>Unit of the translation factor for implementation from rotation to linear movement.</i>
Code:	M56
Name:	shake
Beschreibung:	<i>Unit for a very short period.</i>
Code:	M57
Name:	mile per minute
Beschreibung:	<i>Unit of velocity from the Imperial system of units.</i>
Code:	M58
Name:	mile per second
Beschreibung:	<i>Unit of the velocity from the Imperial system of units.</i>
Code:	M59
Name:	metre per second pascal
Beschreibung:	<i>SI base unit meter divided by the product of SI base unit second and the derived SI unit pascal.</i>
Code:	M60
Name:	metre per hour
Beschreibung:	<i>SI base unit metre divided by the unit hour.</i>
Code:	M61
Name:	inch per year
Beschreibung:	<i>Unit of the length according to the Anglo-American and Imperial system of units divided by the unit common year with 365 days.</i>
Code:	M62
Name:	kilometre per second
Beschreibung:	<i>1000-fold of the SI base unit metre divided by the SI base unit second.</i>
Code:	M63
Name:	inch per minute
Beschreibung:	<i>Unit inch according to the Anglo-American and Imperial system of units divided by the unit minute.</i>
Code:	M64
Name:	yard per second
Beschreibung:	<i>Unit yard according to the Anglo-American and Imperial system of units divided by the SI</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

	<i>base unit second.</i>
Code:	M65
Name:	yard per minute
Beschreibung:	<i>Unit yard according to the Anglo-American and Imperial system of units divided by the unit minute.</i>
Code:	M66
Name:	yard per hour
Beschreibung:	<i>Unit yard according to the Anglo-American and Imperial system of units divided by the unit hour.</i>
Code:	M67
Name:	acre-foot (based on U.S. survey foot)
Beschreibung:	<i>Unit of the volume, which is used in the United States to measure/gauge the capacity of reservoirs.</i>
Code:	M68
Name:	cord (128 ft ³)
Beschreibung:	<i>Traditional unit of the volume of stacked firewood which has been measured with a cord.</i>
Code:	M69
Name:	cubic mile (UK statute)
Beschreibung:	<i>Unit of volume according to the Imperial system of units.</i>
Code:	M70
Name:	ton, register
Beschreibung:	<i>Traditional unit of the cargo capacity.</i>
Code:	M71
Name:	cubic metre per pascal
Beschreibung:	<i>Power of the SI base unit meter by exponent 3 divided by the derived SI base unit pascal.</i>
Code:	M72
Name:	bel
Beschreibung:	<i>Logarithmic relationship to base 10.</i>
Code:	M73
Name:	kilogram per cubic metre pascal
Beschreibung:	<i>SI base unit kilogram divided by the product of the power of the SI base unit metre with exponent 3 and the derived SI unit pascal.</i>
Code:	M74

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	kilogram per pascal
Beschreibung:	<i>SI base unit kilogram divided by the derived SI unit pascal.</i>
Code:	M75
Name:	kilopound-force
Beschreibung:	<i>1000-fold of the unit of the force pound-force (lbf) according to the Anglo-American system of units with the relationship.</i>
Code:	M76
Name:	poundal
Beschreibung:	<i>Non SI-conforming unit of the power, which corresponds to a mass of a pound multiplied with the acceleration of a foot per square second.</i>
Code:	M77
Name:	kilogram metre per second squared
Beschreibung:	<i>Product of the SI base unit kilogram and the SI base unit metre divided by the power of the SI base unit second by exponent 2.</i>
Code:	M78
Name:	pond
Beschreibung:	<i>0,001-fold of the unit of the weight, defined as a mass of 1 kg which finds out about a weight strength from 1 kp by the gravitational force at sea level which corresponds to a strength of 9,806 65 newton.</i>
Code:	M79
Name:	square foot per hour
Beschreibung:	<i>Power of the unit foot according to the Anglo-American and Imperial system of units by exponent 2 divided by the unit of time hour.</i>
Code:	M80
Name:	stokes per pascal
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit stokes divided by the derived SI unit pascal.</i>
Code:	M81
Name:	square centimetre per second
Beschreibung:	<i>0,000 1-fold of the power of the SI base unit metre by exponent 2 divided by the SI base unit second.</i>
Code:	M82
Name:	square metre per second pascal
Beschreibung:	<i>Power of the SI base unit metre with the exponent 2 divided by the SI base unit second and the derived SI unit pascal.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	M83
Name:	denier
Beschreibung:	<i>Traditional unit for the indication of the linear mass of textile fibers and yarns.</i>
Code:	M84
Name:	pound per yard
Beschreibung:	<i>Unit for linear mass according to avoirdupois system of units.</i>
Code:	M85
Name:	ton, assay
Beschreibung:	<i>Non SI-conforming unit of the mass used in the mineralogy to determine the concentration of precious metals in ore according to the mass of the precious metal in milligrams in a sample of the mass of an assay sound (number of troy ounces in a short ton (1 000 lb)).</i>
Code:	M86
Name:	pfund
Beschreibung:	<i>Outdated unit of the mass used in Germany.</i>
Code:	M87
Name:	kilogram per second pascal
Beschreibung:	<i>SI base unit kilogram divided by the product of the SI base unit second and the derived SI unit pascal.</i>
Code:	M88
Name:	tonne per month
Beschreibung:	<i>Unit tonne divided by the unit month.</i>
Code:	M89
Name:	tonne per year
Beschreibung:	<i>Unit tonne divided by the unit year with 365 days.</i>
Code:	M90
Name:	kilopound per hour
Beschreibung:	<i>1000-fold of the unit of the mass avoirdupois pound according to the avoirdupois unit system divided by the unit hour.</i>
Code:	M91
Name:	pound per pound
Beschreibung:	<i>Proportion of the mass consisting of the avoirdupois pound according to the avoirdupois unit system divided by the avoirdupois pound according to the avoirdupois unit system.</i>
Code:	M92

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	pound-force foot
Beschreibung:	<i>Product of the unit pound-force according to the Anglo-American system of units and the unit foot according to the Anglo-American and the Imperial system of units.</i>
Code:	M93
Name:	newton metre per radian
Beschreibung:	<i>Product of the derived SI unit newton and the SI base unit metre divided by the unit radian.</i>
Code:	M94
Name:	kilogram metre
Beschreibung:	<i>Unit of imbalance as a product of the SI base unit kilogram and the SI base unit metre.</i>
Code:	M95
Name:	poundal foot
Beschreibung:	<i>Product of the non SI-conforming unit of the force poundal and the unit foot according to the Anglo-American and Imperial system of units .</i>
Code:	M96
Name:	poundal inch
Beschreibung:	<i>Product of the non SI-conforming unit of the force poundal and the unit inch according to the Anglo-American and Imperial system of units .</i>
Code:	M97
Name:	dyne metre
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of the rotational moment.</i>
Code:	M98
Name:	kilogram centimetre per second
Beschreibung:	<i>Product of the SI base unit kilogram and the 0,01-fold of the SI base unit metre divided by the SI base unit second.</i>
Code:	M99
Name:	gram centimetre per second
Beschreibung:	<i>Product of the 0,001-fold of the SI base unit kilogram and the 0,01-fold of the SI base unit metre divided by the SI base unit second.</i>
Code:	MAH
Name:	megavolt ampere reactive hour
Beschreibung:	<i>A unit of electrical reactive power defining the total amount of reactive power across a power system.</i>
Code:	MAR

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	megavar
Beschreibung:	<i>A unit of electrical reactive power represented by a current of one thousand amperes flowing due a potential difference of one thousand volts where the sine of the phase angle between them is 1.</i>
Code:	MAW
Name:	Megawatt
Beschreibung:	<i>A unit of power defining the rate of energy transferred or consumed when a current of 1000 amperes flows due to a potential of 1000 volts at unity power factor.</i>
Code:	MBE
Name:	thousand standard brick equivalent
Beschreibung:	<i>A unit of count defining the number of one thousand brick equivalent units.</i>
Code:	MBF
Name:	thousand board foot
Beschreibung:	<i>A unit of volume equal to one thousand board foot.</i>
Code:	MD
Name:	air dry metric ton
Beschreibung:	<i>A unit of count defining the number of metric tons of a product, disregarding the water content of the product.</i>
Code:	MIU
Name:	million international unit
Beschreibung:	<i>A unit of count defining the number of international units in multiples of 10 to the power of 6.</i>
Code:	MLD
Name:	milliard
Beschreibung:	<i>Synonym: billion (US)</i>
Code:	MND
Name:	kilogram, dry weight
Beschreibung:	<i>A unit of mass defining the number of kilograms of a product, disregarding the water content of the product.</i>
Code:	MON
Name:	Monat
Beschreibung:	<i>Unit of time equal to 1/12 of a year of 365,25 days.</i>
Code:	MTQ
Name:	Kubikmeter

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>Synonym: metre cubed</i>
Code:	MWH
Name:	Megawatt Stunde (1000 kWh)
Beschreibung:	<i>A unit of power defining the total amount of bulk energy transferred or consumed.</i>
Code:	N1
Name:	pen calorie
Beschreibung:	<i>A unit of count defining the number of calories prescribed daily for parenteral/enteral therapy.</i>
Code:	N10
Name:	pound foot per second
Beschreibung:	<i>Product of the avoirdupois pound according to the avoirdupois unit system and the unit foot according to the Anglo-American and Imperial system of units divided by the SI base unit second.</i>
Code:	N11
Name:	pound inch per second
Beschreibung:	<i>Product of the avoirdupois pound according to the avoirdupois unit system and the unit inch according to the Anglo-American and Imperial system of units divided by the SI base unit second.</i>
Code:	N12
Name:	Pferdestaerke
Beschreibung:	<i>Obsolete unit of the power relating to DIN 1301-3:1979: 1 PS = 735,498 75 W.</i>
Code:	N13
Name:	centimetre of mercury (0 °C)
Beschreibung:	<i>Non SI-conforming unit of pressure, at which a value of 1 cmHg meets the static pressure, which is generated by a mercury at a temperature of 0 °C with a height of 1 centimetre .</i>
Code:	N14
Name:	centimetre of water (4 °C)
Beschreibung:	<i>Non SI-conforming unit of pressure, at which a value of 1 cmH2O meets the static pressure, which is generated by a head of water at a temperature of 4 °C with a height of 1 centimetre .</i>
Code:	N15
Name:	foot of water (39.2 °F)
Beschreibung:	<i>Non SI-conforming unit of pressure according to the Anglo-American and Imperial system</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Used Codes

	<i>for units, whereas the value of 1 ftH2O is equivalent to the static pressure, which is generated by a head of water at a temperature 39,2°F with a height of 1 foot .</i>
Code:	N16
Name:	inch of mercury (32 °F)
Beschreibung:	<i>Non SI-conforming unit of pressure according to the Anglo-American and Imperial system for units, whereas the value of 1 inHg meets the static pressure, which is generated by a mercury at a temperature of 32°F with a height of 1 inch.</i>
Code:	N17
Name:	inch of mercury (60 °F)
Beschreibung:	<i>Non SI-conforming unit of pressure according to the Anglo-American and Imperial system for units, whereas the value of 1 inHg meets the static pressure, which is generated by a mercury at a temperature of 60°F with a height of 1 inch.</i>
Code:	N18
Name:	inch of water (39.2 °F)
Beschreibung:	<i>Non SI-conforming unit of pressure according to the Anglo-American and Imperial system for units, whereas the value of 1 inH2O meets the static pressure, which is generated by a head of water at a temperature of 39,2°F with a height of 1 inch .</i>
Code:	N19
Name:	inch of water (60 °F)
Beschreibung:	<i>Non SI-conforming unit of pressure according to the Anglo-American and Imperial system for units, whereas the value of 1 inH2O meets the static pressure, which is generated by a head of water at a temperature of 60°F with a height of 1 inch .</i>
Code:	N20
Name:	kip per square inch
Beschreibung:	<i>Non SI-conforming unit of the pressure according to the Anglo-American system of units as the 1000-fold of the unit of the force pound-force divided by the power of the unit inch by exponent 2.</i>
Code:	N21
Name:	poundal per square foot
Beschreibung:	<i>Non SI-conforming unit of pressure by the Imperial system of units according to NIST: 1 pdl/ft² = 1,488 164 Pa.</i>
Code:	N22
Name:	ounce (avoirdupois) per square inch
Beschreibung:	<i>Unit of the surface specific mass (avoirdupois ounce according to the avoirdupois system</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

	<i>of units according to the surface square inch according to the Anglo-American and Imperial system of units).</i>
Code:	N23
Name:	conventional metre of water
Beschreibung:	<i>Not SI-conforming unit of pressure, whereas a value of 1 mH₂O is equivalent to the static pressure, which is produced by one metre high water column .</i>
Code:	N24
Name:	gram per square millimetre
Beschreibung:	<i>0,001-fold of the SI base unit kilogram divided by the 0.000 001-fold of the power of the SI base unit meter by exponent 2.</i>
Code:	N25
Name:	pound per square yard
Beschreibung:	<i>Unit for areal-related mass as a unit pound according to the avoirdupois unit system divided by the power of the unit yard according to the Anglo-American and Imperial system of units with exponent 2.</i>
Code:	N26
Name:	poundal per square inch
Beschreibung:	<i>Non SI-conforming unit of the pressure according to the Imperial system of units (poundal by square inch).</i>
Code:	N27
Name:	foot to the fourth power
Beschreibung:	<i>Power of the unit foot according to the Anglo-American and Imperial system of units by exponent 4 according to NIST: 1 ft⁴ = 8,630 975 m⁴.</i>
Code:	N28
Name:	cubic decimetre per kilogram
Beschreibung:	<i>0,001 fold of the power of the SI base unit meter by exponent 3 divided by the SI based unit kilogram.</i>
Code:	N29
Name:	cubic foot per pound
Beschreibung:	<i>Power of the unit foot according to the Anglo-American and Imperial system of units by exponent 3 divided by the unit avoirdupois pound according to the avoirdupois unit system.</i>
Code:	N30
Name:	cubic inch per pound

Guideline**Used Codes**

Beschreibung:	<i>Power of the unit inch according to the Anglo-American and Imperial system of units by exponent 3 divided by the avoirdupois pound according to the avoirdupois unit system .</i>
Code:	N31
Name:	kilonewton per metre
Beschreibung:	<i>1000-fold of the derived SI unit newton divided by the SI base unit metre.</i>
Code:	N32
Name:	poundal per inch
Beschreibung:	<i>Non SI-conforming unit of the surface tension according to the Imperial unit system as quotient poundal by inch.</i>
Code:	N33
Name:	pound-force per yard
Beschreibung:	<i>Unit of force per unit length based on the Anglo-American system of units.</i>
Code:	N34
Name:	poundal second per square foot
Beschreibung:	<i>Non SI-conforming unit of viscosity.</i>
Code:	N35
Name:	poise per pascal
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit poise divided by the derived SI unit pascal.</i>
Code:	N36
Name:	newton second per square metre
Beschreibung:	<i>Unit of the dynamic viscosity as a product of unit of the pressure (newton by square metre) multiplied with the SI base unit second.</i>
Code:	N37
Name:	kilogram per metre second
Beschreibung:	<i>Unit of the dynamic viscosity as a quotient SI base unit kilogram divided by the SI base unit metre and by the SI base unit second.</i>
Code:	N38
Name:	kilogram per metre minute
Beschreibung:	<i>Unit of the dynamic viscosity as a quotient SI base unit kilogram divided by the SI base unit metre and by the unit minute.</i>
Code:	N39
Name:	kilogram per metre day
Beschreibung:	<i>Unit of the dynamic viscosity as a quotient SI base unit kilogram divided by the SI base unit metre and by the unit day.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	N40
Name:	kilogram per metre hour
Beschreibung:	<i>Unit of the dynamic viscosity as a quotient SI base unit kilogram divided by the SI base unit metre and by the unit hour.</i>
Code:	N41
Name:	gram per centimetre second
Beschreibung:	<i>Unit of the dynamic viscosity as a quotient of the 0,001-fold of the SI base unit kilogram divided by the 0,01-fold of the SI base unit metre and SI base unit second.</i>
Code:	N42
Name:	poundal second per square inch
Beschreibung:	<i>Non SI-conforming unit of dynamic viscosity according to the Imperial system of units as product unit of the pressure (poundal by square inch) multiplied by the SI base unit second.</i>
Code:	N43
Name:	pound per foot minute
Beschreibung:	<i>Unit of the dynamic viscosity according to the Anglo-American unit system.</i>
Code:	N44
Name:	pound per foot day
Beschreibung:	<i>Unit of the dynamic viscosity according to the Anglo-American unit system.</i>
Code:	N45
Name:	cubic metre per second pascal
Beschreibung:	<i>Power of the SI base unit meter by exponent 3 divided by the product of the SI base unit second and the derived SI base unit pascal.</i>
Code:	N46
Name:	foot poundal
Beschreibung:	<i>Unit of the work (force-path).</i>
Code:	N47
Name:	inch poundal
Beschreibung:	<i>Unit of work (force multiplied by path) according to the Imperial system of units as a product unit inch multiplied by poundal.</i>
Code:	N48
Name:	watt per square centimetre
Beschreibung:	<i>Derived SI unit watt divided by the power of the 0,01-fold the SI base unit metre by exponent 2.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	N49
Name:	watt per square inch
Beschreibung:	<i>Derived SI unit watt divided by the power of the unit inch according to the Anglo-American and Imperial system of units by exponent 2.</i>
Code:	N50
Name:	British thermal unit (international table) per square foot hour
Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>
Code:	N51
Name:	British thermal unit (thermochemical) per square foot hour
Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>
Code:	N52
Name:	British thermal unit (thermochemical) per square foot minute
Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>
Code:	N53
Name:	British thermal unit (international table) per square foot second
Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>
Code:	N54
Name:	British thermal unit (thermochemical) per square foot second
Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>
Code:	N55
Name:	British thermal unit (international table) per square inch second
Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>
Code:	N56
Name:	calorie (thermochemical) per square centimetre minute
Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>
Code:	N57
Name:	calorie (thermochemical) per square centimetre second
Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>
Code:	N58
Name:	British thermal unit (international table) per cubic foot
Beschreibung:	<i>Unit of the energy density according to the Imperial system of units.</i>
Code:	N59
Name:	British thermal unit (thermochemical) per cubic foot
Beschreibung:	<i>Unit of the energy density according to the Imperial system of units.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	N60
Name:	British thermal unit (international table) per degree Fahrenheit
Beschreibung:	<i>Unit of the heat capacity according to the Imperial system of units.</i>
Code:	N61
Name:	British thermal unit (thermochemical) per degree Fahrenheit
Beschreibung:	<i>Unit of the heat capacity according to the Imperial system of units.</i>
Code:	N62
Name:	British thermal unit (international table) per degree Rankine
Beschreibung:	<i>Unit of the heat capacity according to the Imperial system of units.</i>
Code:	N63
Name:	British thermal unit (thermochemical) per degree Rankine
Beschreibung:	<i>Unit of the heat capacity according to the Imperial system of units.</i>
Code:	N64
Name:	British thermal unit (thermochemical) per pound degree Rankine
Beschreibung:	<i>Unit of the heat capacity (British thermal unit according to the international table according to the Rankine degree) according to the Imperial system of units divided by the unit avoirdupois pound according to the avoirdupois system of units.</i>
Code:	N65
Name:	kilocalorie (international table) per gram kelvin
Beschreibung:	<i>Unit of the mass-related heat capacity as quotient 1000-fold of the calorie (international table) divided by the product of the 0,001-fold of the SI base units kilogram and kelvin.</i>
Code:	N66
Name:	British thermal unit (39 °F)
Beschreibung:	<i>Unit of heat energy according to the Imperial system of units in a reference temperature of 39 °F.</i>
Code:	N67
Name:	British thermal unit (59 °F)
Beschreibung:	<i>Unit of heat energy according to the Imperial system of units in a reference temperature of 59 °F.</i>
Code:	N68
Name:	British thermal unit (60 °F)
Beschreibung:	<i>Unit of head energy according to the Imperial system of units at a reference temperature of 60 °F.</i>
Code:	N69

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	calorie (20 °C)
Beschreibung:	<i>Unit for quantity of heat, which is to be required for 1 g air free water at a constant pressure from 101,325 kPa, to warm up the pressure of standard atmosphere at sea level, from 19,5 °C on 20,5 °C.</i>
Code:	N70
Name:	quad (1015 BtuIT)
Beschreibung:	<i>Unit of heat energy according to the imperial system of units.</i>
Code:	N71
Name:	therm (EC)
Beschreibung:	<i>Unit of heat energy in commercial use, within the EU defined: 1 thm (EC) = 100 000 BtuIT.</i>
Code:	N72
Name:	therm (U.S.)
Beschreibung:	<i>Unit of heat energy in commercial use.</i>
Code:	N73
Name:	British thermal unit (thermochemical) per pound
Beschreibung:	<i>Unit of the heat energy according to the Imperial system of units divided the unit avoirdupois pound according to the avoirdupois system of units.</i>
Code:	N74
Name:	British thermal unit (international table) per hour square foot degree Fahrenheit
Beschreibung:	<i>Unit of the heat transition coefficient according to the Imperial system of units.</i>
Code:	N75
Name:	British thermal unit (thermochemical) per hour square foot degree Fahrenheit
Beschreibung:	<i>Unit of the heat transition coefficient according to the imperial system of units.</i>
Code:	N76
Name:	British thermal unit (international table) per second square foot degree Fahrenheit
Beschreibung:	<i>Unit of the heat transition coefficient according to the imperial system of units.</i>
Code:	N77
Name:	British thermal unit (thermochemical) per second square foot degree Fahrenheit
Beschreibung:	<i>Unit of the heat transition coefficient according to the imperial system of units.</i>
Code:	N78
Name:	kilowatt per square metre kelvin
Beschreibung:	<i>1000-fold of the derived SI unit watt divided by the product of the power of the SI base unit metre by exponent 2 and the SI base unit kelvin.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Used Codes

Code:	N79
Name:	kelvin per pascal
Beschreibung:	<i>SI base unit kelvin divided by the derived SI unit pascal.</i>
Code:	N80
Name:	watt per metre degree Celsius
Beschreibung:	<i>Derived SI unit watt divided by the product of the SI base unit metre and the unit for temperature degree Celsius.</i>
Code:	N81
Name:	kilowatt per metre kelvin
Beschreibung:	<i>1000-fold of the derived SI unit watt divided by the product of the SI base unit metre and the SI base unit kelvin.</i>
Code:	N82
Name:	kilowatt per metre degree Celsius
Beschreibung:	<i>1000-fold of the derived SI unit watt divided by the product of the SI base unit metre and the unit for temperature degree Celsius.</i>
Code:	N83
Name:	metre per degree Celcius metre
Beschreibung:	<i>SI base unit metre divided by the product of the unit degree Celsius and the SI base unit metre.</i>
Code:	N84
Name:	degree Fahrenheit hour per British thermal unit (international table)
Beschreibung:	<i>Non SI-conforming unit of the thermal resistance according to the Imperial system of units.</i>
Code:	N85
Name:	degree Fahrenheit hour per British thermal unit (thermochemical)
Beschreibung:	<i>Non SI-conforming unit of the thermal resistance according to the Imperial system of units.</i>
Code:	N86
Name:	degree Fahrenheit second per British thermal unit (international table)
Beschreibung:	<i>Non SI-conforming unit of the thermal resistance according to the Imperial system of units.</i>
Code:	N87
Name:	degree Fahrenheit second per British thermal unit (thermochemical)
Beschreibung:	<i>Non SI-conforming unit of the thermal resistance according to the Imperial system of</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

	<i>units.</i>
Code:	N88
Name:	degree Fahrenheit hour square foot per British thermal unit (international table) inch
Beschreibung:	<i>Unit of specific thermal resistance according to the Imperial system of units.</i>
Code:	N89
Name:	degree Fahrenheit hour square foot per British thermal unit (thermochemical) inch
Beschreibung:	<i>Unit of specific thermal resistance according to the Imperial system of units.</i>
Code:	N90
Name:	kilofarad
Beschreibung:	<i>1000-fold of the derived SI unit farad.</i>
Code:	N91
Name:	reciprocal joule
Beschreibung:	<i>Reciprocal of the derived SI unit joule.</i>
Code:	N92
Name:	picosiemens
Beschreibung:	<i>0,000 000 000 001-fold of the derived SI unit siemens.</i>
Code:	N93
Name:	ampere per pascal
Beschreibung:	<i>SI base unit ampere divided by the derived SI unit pascal.</i>
Code:	N94
Name:	franklin
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of the electrical charge, where the charge amounts to exactly 1 Fr where the force of 1 dyn on an equal load is performed at a distance of 1 cm.</i>
Code:	N95
Name:	ampere minute
Beschreibung:	<i>A unit of electric charge defining the amount of charge accumulated by a steady flow of one ampere for one minute..</i>
Code:	N96
Name:	biot
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of the electric power which is defined by a force of 2 dyn per cm between two parallel conductors of infinite length with negligible cross-section in the distance of 1 cm.</i>
Code:	N97

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	gilbert
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of the magnetomotive force, which is defined by the work to increase the magnetic potential of a positive common pol with 1 erg.</i>
Code:	N98
Name:	volt per pascal
Beschreibung:	<i>Derived SI unit volt divided by the derived SI unit pascal.</i>
Code:	N99
Name:	picovolt
Beschreibung:	<i>0,000 000 000 001-fold of the derived SI unit volt.</i>
Code:	NAR
Name:	Anzahl der Artikel
Beschreibung:	<i>A unit of count defining the number of articles (article: item).</i>
Code:	NCL
Name:	number of cells
Beschreibung:	<i>A unit of count defining the number of cells (cell: an enclosed or circumscribed space, cavity, or volume).</i>
Code:	NF
Name:	message
Beschreibung:	<i>A unit of count defining the number of messages.</i>
Code:	NIL
Name:	nil
Beschreibung:	<i>A unit of count defining the number of instances of nothing.</i>
Code:	NIU
Name:	Anzahl internationaler Einheiten
Beschreibung:	<i>A unit of count defining the number of international units.</i>
Code:	NL
Name:	load
Beschreibung:	<i>A unit of volume defining the number of loads (load: a quantity of items carried or processed at one time).</i>
Code:	NM3
Name:	Normalised cubic metre
Beschreibung:	<i>Normalised cubic metre (temperature 0°C and pressure 101325 millibars)</i>
Code:	NMP

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	number of packs
Beschreibung:	<i>A unit of count defining the number of packs (pack: a collection of objects packaged together).</i>
Code:	NPR
Name:	number of pairs
Beschreibung:	<i>A unit of count defining the number of pairs (pair: item described by two's).</i>
Code:	NPT
Name:	number of parts
Beschreibung:	<i>A unit of count defining the number of parts (part: component of a larger entity).</i>
Code:	NT
Name:	net ton
Beschreibung:	<i>A unit of mass equal to 2000 pounds, see ton (US). Refer International Convention on tonnage measurement of Ships.</i>
Code:	NTT
Name:	net register ton
Beschreibung:	<i>A unit of mass equal to the total cubic footage after deductions, where 1 register ton is equal to 100 cubic feet. Refer International Convention on tonnage measurement of Ships.</i>
Code:	NX
Name:	part per thousand
Beschreibung:	<i>A unit of proportion equal to 10 to the power of -3. Synonym: per mille</i>
Code:	OA
Name:	panel
Beschreibung:	<i>A unit of count defining the number of panels (panel: a distinct, usually rectangular, section of a surface).</i>
Code:	ODE
Name:	ozone depletion equivalent
Beschreibung:	<i>A unit of mass defining the ozone depletion potential in kilograms of a product relative to the calculated depletion for the reference substance, Trichlorofluoromethane (CFC-11).</i>
Code:	ODG
Name:	ODS Grams
Beschreibung:	<i>A unit of measure calculated by multiplying the mass of the substance in grams and the ozone-depleting potential for the substance.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	ODK
Name:	ODS Kilograms
Beschreibung:	<i>A unit of measure calculated by multiplying the mass of the substance in kilograms and the ozone-depleting potential for the substance.</i>
Code:	ODM
Name:	ODS Milligrams
Beschreibung:	<i>A unit of measure calculated by multiplying the mass of the substance in milligrams and the ozone-depleting potential for the substance.</i>
Code:	OPM
Name:	oscillations per minute
Beschreibung:	<i>The number of oscillations per minute.</i>
Code:	OT
Name:	overtime hour
Beschreibung:	<i>A unit of time defining the number of overtime hours.</i>
Code:	OZ
Name:	ounce av
Beschreibung:	<i>A unit of measure equal to 1/16 of a pound or about 28.3495 grams (av = avoirdupois). Use ounce (common code ONZ).</i>
Code:	P1
Name:	Prozent
Beschreibung:	<i>A unit of proportion equal to 0.01.</i>
Code:	P10
Name:	coulomb per metre
Beschreibung:	<i>Derived SI unit coulomb divided by the SI base unit metre.</i>
Code:	P11
Name:	kiloweber
Beschreibung:	<i>1000 fold of the derived SI unit weber.</i>
Code:	P12
Name:	gamma
Beschreibung:	<i>Unit of magnetic flow density.</i>
Code:	P13
Name:	kilotesla
Beschreibung:	<i>1000-fold of the derived SI unit tesla.</i>
Code:	P14

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	joule per second
Beschreibung:	<i>Quotient of the derived SI unit joule divided by the SI base unit second.</i>
Code:	P15
Name:	joule per minute
Beschreibung:	<i>Quotient from the derived SI unit joule divided by the unit minute.</i>
Code:	P16
Name:	joule per hour
Beschreibung:	<i>Quotient from the derived SI unit joule divided by the unit hour.</i>
Code:	P17
Name:	joule per day
Beschreibung:	<i>Quotient from the derived SI unit joule divided by the unit day.</i>
Code:	P18
Name:	kilojoule per second
Beschreibung:	<i>Quotient from the 1000-fold of the derived SI unit joule divided by the SI base unit second.</i>
Code:	P19
Name:	kilojoule per minute
Beschreibung:	<i>Quotient from the 1000-fold of the derived SI unit joule divided by the unit minute.</i>
Code:	P20
Name:	kilojoule per hour
Beschreibung:	<i>Quotient from the 1000-fold of the derived SI unit joule divided by the unit hour.</i>
Code:	P21
Name:	kilojoule per day
Beschreibung:	<i>Quotient from the 1000-fold of the derived SI unit joule divided by the unit day.</i>
Code:	P22
Name:	nanoohm
Beschreibung:	<i>0,000 000 001-fold of the derived SI unit ohm.</i>
Code:	P23
Name:	ohm circular-mil per foot
Beschreibung:	<i>Unit of resistivity.</i>
Code:	P24
Name:	kilohenry
Beschreibung:	<i>1000-fold of the derived SI unit henry.</i>
Code:	P25

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	lumen per square foot
Beschreibung:	<i>Derived SI unit lumen divided by the power of the unit foot according to the Anglo-American and Imperial system of units by exponent 2.</i>
Code:	P26
Name:	phot
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of luminance, defined as lumen by square centimetre.</i>
Code:	P27
Name:	footcandle
Beschreibung:	<i>Non SI conform traditional unit, defined as density of light which impinges on a surface which has a distance of one foot from a light source, which shines with an intensity of an international candle.</i>
Code:	P28
Name:	candela per square inch
Beschreibung:	<i>SI base unit candela divided by the power of unit inch according to the Anglo-American and Imperial system of units by exponent 2.</i>
Code:	P29
Name:	footlambert
Beschreibung:	<i>Unit of the luminance according to the Anglo-American system of units, defined as emitted or reflected luminance of a lm/ft².</i>
Code:	P30
Name:	lambert
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of luminance, defined as the emitted or reflected luminance by one lumen per square centimetre.</i>
Code:	P31
Name:	stilb
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of luminance, defined as emitted or reflected luminance by one lumen per square centimetre.</i>
Code:	P32
Name:	candela per square foot
Beschreibung:	<i>Base unit SI candela divided by the power of the unit foot according to the Anglo-American and Imperial system of units by exponent 2.</i>
Code:	P33
Name:	kilocandela

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>1000-fold of the SI base unit candela.</i>
Code:	P34
Name:	millicandela
Beschreibung:	<i>0,001-fold of the SI base unit candela.</i>
Code:	P35
Name:	Hefner-Kerze
Beschreibung:	<i>Obsolete, non-legal unit of the power in Germany relating to DIN 1301-3:1979: 1 HK = 0,903 cd.</i>
Code:	P36
Name:	international candle
Beschreibung:	<i>Obsolete, non-legal unit of the power in Germany relating to DIN 1301-3:1979: 1 HK = 1,019 cd.</i>
Code:	P37
Name:	British thermal unit (international table) per square foot
Beschreibung:	<i>Unit of the areal-related energy transmission according to the Imperial system of units.</i>
Code:	P38
Name:	British thermal unit (thermochemical) per square foot
Beschreibung:	<i>Unit of the areal-related energy transmission according to the Imperial system of units.</i>
Code:	P39
Name:	calorie (thermochemical) per square centimetre
Beschreibung:	<i>Unit of the areal-related energy transmission according to the Imperial system of units.</i>
Code:	P40
Name:	langley
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of the areal-related energy transmission (as a measure of the incident quantity of heat of solar radiation on the earth's surface).</i>
Code:	P41
Name:	decade (logarithmic)
Beschreibung:	<i>1 Dec := $\log_2 10 \sim 3,32$ according to the logarithm for frequency range between f_1 and f_2, when $f_2/f_1 = 10$.</i>
Code:	P42
Name:	pascal squared second
Beschreibung:	<i>Unit of the set as a product of the power of derived SI unit pascal with exponent 2 and the SI base unit second.</i>
Code:	P43

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	bel per metre
Beschreibung:	<i>Unit bel divided by the SI base unit metre.</i>
Code:	P44
Name:	pound mole
Beschreibung:	<i>Non SI-conforming unit of quantity of a substance relating that one pound mole of a chemical composition corresponds to the same number of pounds as the molecular weight of one molecule of this composition in atomic mass units.</i>
Code:	P45
Name:	pound mole per second
Beschreibung:	<i>Non SI-conforming unit of the power of the amount of substance non-SI compliant unit of the molar flux relating that a pound mole of a chemical composition the same number of pound corresponds like the molecular weight of a molecule of this composition in atomic mass units.</i>
Code:	P46
Name:	pound mole per minute
Beschreibung:	<i>Non SI-conforming unit of the power of the amount of substance non-SI compliant unit of the molar flux relating that a pound mole of a chemical composition the same number of pound corresponds like the molecular weight of a molecule of this composition in atomic mass units.</i>
Code:	P47
Name:	kilomole per kilogram
Beschreibung:	<i>1000-fold of the SI base unit mol divided by the SI base unit kilogram.</i>
Code:	P48
Name:	pound mole per pound
Beschreibung:	<i>Non SI-conforming unit of the material molar flux divided by the avoirdupois pound for mass according to the avoirdupois unit system.</i>
Code:	P49
Name:	newton square metre per ampere
Beschreibung:	<i>Product of the derived SI unit newton and the power of SI base unit metre with exponent 2 divided by the SI base unit ampere.</i>
Code:	P5
Name:	five pack
Beschreibung:	<i>A unit of count defining the number of five-packs (five-pack: set of five items packaged together).</i>

Guideline**Used Codes**

Code:	P50
Name:	weber metre
Beschreibung:	<i>Product of the derived SI unit weber and SI base unit metre.</i>
Code:	P51
Name:	mol per kilogram pascal
Beschreibung:	<i>SI base unit mol divided by the product of the SI base unit kilogram and the derived SI unit pascal.</i>
Code:	P52
Name:	mol per cubic metre pascal
Beschreibung:	<i>SI base unit mol divided by the product of the power from the SI base unit metre with exponent 3 and the derived SI unit pascal.</i>
Code:	P53
Name:	unit pole
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit for magnetic flux of a magnetic pole (according to the interaction of identical poles of 1 dyn at a distance of a cm).</i>
Code:	P54
Name:	milligray per second
Beschreibung:	<i>0,001-fold of the derived SI unit gray divided by the SI base unit second.</i>
Code:	P55
Name:	microgray per second
Beschreibung:	<i>0,000 001-fold of the derived SI unit gray divided by the SI base unit second.</i>
Code:	P56
Name:	nanogray per second
Beschreibung:	<i>0,000 000 001-fold of the derived SI unit gray divided by the SI base unit second.</i>
Code:	P57
Name:	gray per minute
Beschreibung:	<i>SI derived unit gray divided by the unit minute.</i>
Code:	P58
Name:	milligray per minute
Beschreibung:	<i>0,001-fold of the derived SI unit gray divided by the unit minute.</i>
Code:	P59
Name:	microgray per minute
Beschreibung:	<i>0,000 001-fold of the derived SI unit gray divided by the unit minute.</i>
Code:	P60

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Used Codes

Name:	nanogray per minute
Beschreibung:	<i>0,000 000 001-fold of the derived SI unit gray divided by the unit minute.</i>
Code:	P61
Name:	gray per hour
Beschreibung:	<i>SI derived unit gray divided by the unit hour.</i>
Code:	P62
Name:	milligray per hour
Beschreibung:	<i>0,001-fold of the derived SI unit gray divided by the unit hour.</i>
Code:	P63
Name:	microgray per hour
Beschreibung:	<i>0,000 001-fold of the derived SI unit gray divided by the unit hour.</i>
Code:	P64
Name:	nanogray per hour
Beschreibung:	<i>0,000 000 001-fold of the derived SI unit gray divided by the unit hour.</i>
Code:	P65
Name:	sievert per second
Beschreibung:	<i>Derived SI unit sievert divided by the SI base unit second.</i>
Code:	P66
Name:	millisievert per second
Beschreibung:	<i>0,001-fold of the derived SI unit sievert divided by the SI base unit second.</i>
Code:	P67
Name:	microsievert per second
Beschreibung:	<i>0,000 001-fold of the derived SI unit sievert divided by the SI base unit second.</i>
Code:	P68
Name:	nanosievert per second
Beschreibung:	<i>0,000 000 001-fold of the derived SI unit sievert divided by the SI base unit second.</i>
Code:	P69
Name:	rem per second
Beschreibung:	<i>Unit for the equivalent tin rate relating to DIN 1301-3:1979: 1 rem/s = 0,01 J/(kg·s) = 1 Sv/s.</i>
Code:	P70
Name:	sievert per hour
Beschreibung:	<i>Derived SI unit sievert divided by the unit hour.</i>
Code:	P71

Guideline**Used Codes**

Name:	millisievert per hour
Beschreibung:	<i>0,001-fold of the derived SI unit sievert divided by the unit hour.</i>
Code:	P72
Name:	microsievert per hour
Beschreibung:	<i>0,000 001-fold of the derived SI unit sievert divided by the unit hour.</i>
Code:	P73
Name:	nanosievert per hour
Beschreibung:	<i>0,000 000 001-fold of the derived SI unit sievert divided by the unit hour.</i>
Code:	P74
Name:	sievert per minute
Beschreibung:	<i>Derived SI unit sievert divided by the unit minute.</i>
Code:	P75
Name:	millisievert per minute
Beschreibung:	<i>0,001-fold of the derived SI unit sievert divided by the unit minute.</i>
Code:	P76
Name:	microsievert per minute
Beschreibung:	<i>0,000 001-fold of the derived SI unit sievert divided by the unit minute.</i>
Code:	P77
Name:	nanosievert per minute
Beschreibung:	<i>0,000 000 001-fold of the derived SI unit sievert divided by the unit minute.</i>
Code:	P78
Name:	reciprocal square inch
Beschreibung:	<i>Complement of the power of the unit inch according to the Anglo-American and Imperial system of units by exponent 2.</i>
Code:	P79
Name:	pascal square metre per kilogram
Beschreibung:	<i>Unit of the burst index as derived unit for pressure pascal related to the substance, represented as a quotient from the SI base unit kilogram divided by the power of the SI base unit metre by exponent 2.</i>
Code:	P80
Name:	millipascal per metre
Beschreibung:	<i>0,001-fold of the derived SI unit pascal divided by the SI base unit metre.</i>
Code:	P81
Name:	kilopascal per metre

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>1000-fold of the derived SI unit pascal divided by the SI base unit metre.</i>
Code:	P82
Name:	hectopascal per metre
Beschreibung:	<i>100-fold of the derived SI unit pascal divided by the SI base unit metre.</i>
Code:	P83
Name:	standard atmosphere per metre
Beschreibung:	<i>Outdated unit of the pressure divided by the SI base unit metre.</i>
Code:	P84
Name:	technical atmosphere per metre
Beschreibung:	<i>Obsolete and non-legal unit of the pressure which is generated by a 10 metre water column divided by the SI base unit metre.</i>
Code:	P85
Name:	torr per metre
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of the pressure divided by the SI base unit metre.</i>
Code:	P86
Name:	psi per inch
Beschreibung:	<i>Compound unit for pressure (pound-force according to the Anglo-American unit system divided by the power of the unit inch according to the Anglo-American and Imperial system of units with the exponent 2) divided by the unit inch according to the Anglo-American and Imperial system of units .</i>
Code:	P87
Name:	cubic metre per second square metre
Beschreibung:	<i>Unit of volume flow cubic meters by second related to the transmission surface in square metres.</i>
Code:	P88
Name:	rhe
Beschreibung:	<i>Non SI-conforming unit of fluidity of dynamic viscosity.</i>
Code:	P89
Name:	pound-force foot per inch
Beschreibung:	<i>Unit for length-related rotational moment according to the Anglo-American and Imperial system of units.</i>
Code:	P90
Name:	pound-force inch per inch

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>Unit for length-related rotational moment according to the Anglo-American and Imperial system of units.</i>
Code:	P91
Name:	perm (0 °C)
Beschreibung:	<i>Traditional unit for the ability of a material to allow the transition of the steam, defined at a temperature of 0 °C as steam transmittance, where the mass of one grain steam penetrates an area of one foot squared at a pressure from one inch mercury per hour.</i>
Code:	P92
Name:	perm (23 °C)
Beschreibung:	<i>Traditional unit for the ability of a material to allow the transition of the steam, defined at a temperature of 23 °C as steam transmittance at which the mass of one grain of steam penetrates an area of one square foot at a pressure of one inch mercury per hour.</i>
Code:	P93
Name:	byte per second
Beschreibung:	<i>Unit byte divided by the SI base unit second.</i>
Code:	P94
Name:	kilobyte per second
Beschreibung:	<i>1000-fold of the unit byte divided by the SI base unit second.</i>
Code:	P95
Name:	megabyte per second
Beschreibung:	<i>1 000 000-fold of the unit byte divided by the SI base unit second.</i>
Code:	P96
Name:	reciprocal volt
Beschreibung:	<i>Reciprocal of the derived SI unit volt.</i>
Code:	P97
Name:	reciprocal radian
Beschreibung:	<i>Reciprocal of the unit radian.</i>
Code:	P98
Name:	pascal to the power sum of stoichiometric numbers
Beschreibung:	<i>Unit of the equilibrium constant on the basis of the pressure(ISO 80000-9:2009, 9-35.a).</i>
Code:	P99
Name:	mole per cubiv metre to the power sum of stoichiometric numbers
Beschreibung:	<i>Unit of the equilibrium constant on the basis of the concentration (ISO 80000-9:2009, 9-36.a).</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	PD
Name:	pad
Beschreibung:	<i>A unit of count defining the number of pads (pad: block of paper sheets fastened together at one end).</i>
Code:	PFL
Name:	proof litre
Beschreibung:	<i>A unit of volume equal to one litre of proof spirits, or the alcohol equivalent thereof. Used for measuring the strength of distilled alcoholic liquors, expressed as a percentage of the alcohol content of a standard mixture at a specific temperature.</i>
Code:	PGL
Name:	proof gallon
Beschreibung:	<i>A unit of volume equal to one gallon of proof spirits, or the alcohol equivalent thereof. Used for measuring the strength of distilled alcoholic liquors, expressed as a percentage of the alcohol content of a standard mixture at a specific temperature.</i>
Code:	PI
Name:	pitch
Beschreibung:	<i>A unit of count defining the number of characters that fit in a horizontal inch.</i>
Code:	PLA
Name:	degree Plato
Beschreibung:	<i>A unit of proportion defining the sugar content of a product, especially in relation to beer.</i>
Code:	PQ
Name:	page per inch
Beschreibung:	<i>A unit of quantity defining the degree of thickness of a bound publication, expressed as the number of pages per inch of thickness.</i>
Code:	PR
Name:	Paar
Beschreibung:	<i>A unit of count defining the number of pairs (pair: item described by two's).</i>
Code:	PT
Name:	pint (US)
Beschreibung:	<i>Use liquid pint (common code PTL)</i>
Code:	PTN
Name:	Portion
Beschreibung:	<i>A quantity of allowance of food allotted to, or enough for, one person.</i>
Code:	Q10

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Used Codes

Name:	joule per tesla
Beschreibung:	<i>Unit of the magnetic dipole moment of the molecule as derived SI unit joule divided by the derived SI unit tesla.</i>
Code:	Q11
Name:	erlang
Beschreibung:	<i>Unit of the market value according to the feature of a single feature as a statistical measurement of the existing utilization.</i>
Code:	Q12
Name:	octet
Beschreibung:	<i>Synonym for byte: 1 octet = 8 bit = 1 byte.</i>
Code:	Q13
Name:	octet per second
Beschreibung:	<i>Unit octet divided by the SI base unit second.</i>
Code:	Q14
Name:	shannon
Beschreibung:	<i>Logarithmic unit for information equal to the content of decision of a sentence of two mutually exclusive events, expressed as a logarithm to base 2.</i>
Code:	Q15
Name:	hartley
Beschreibung:	<i>Logarithmic unit for information equal to the content of decision of a sentence of ten mutually exclusive events, expressed as a logarithm to base 10.</i>
Code:	Q16
Name:	natural unit of information
Beschreibung:	<i>Logarithmic unit for information equal to the content of decision of a sentence of 718 281 828 459 mutually exclusive events, expressed as a logarithm to base Euler value e.</i>
Code:	Q17
Name:	shannon per second
Beschreibung:	<i>Time related logarithmic unit for information equal to the content of decision of a sentence of two mutually exclusive events, expressed as a logarithm to base 2.</i>
Code:	Q18
Name:	hartley per second
Beschreibung:	<i>Time related logarithmic unit for information equal to the content of decision of a sentence of ten mutually exclusive events, expressed as a logarithm to base 10.</i>
Code:	Q19

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	natural unit of information per second
Beschreibung:	<i>Time related logarithmic unit for information equal to the content of decision of a sentence of 2,718 281 828 459 mutually exclusive events, expressed as a logarithm to base of the Euler value e.</i>
Code:	Q20
Name:	second per kilogramm
Beschreibung:	<i>Unit of the Einstein transition probability for spontaneous or inducing emissions and absorption according to ISO 80000-7:2008, expressed as SI base unit second divided by the SI base unit kilogram.</i>
Code:	Q21
Name:	watt square metre
Beschreibung:	<i>Unit of the first radiation constants $c_1 = 2 \cdot p \cdot h \cdot c_0$ to the power of 2, the value of which is 3,741 771 18 · 10¹⁶-fold that of the comparative value of the product of the derived SI unit watt multiplied with the power of the SI base unit metre with the exponent 2.</i>
Code:	Q22
Name:	second per radian cubic metre
Beschreibung:	<i>Unit of the density of states as an expression of angular frequency as complement of the product of hertz and radiant and the power of SI base unit metre by exponent 3 .</i>
Code:	Q23
Name:	weber to the power minus one
Beschreibung:	<i>Complement of the derived SI unit weber as unit of the Josephson constant, which value is equal to the 384 597,891-fold of the reference value gigahertz divided by volt.</i>
Code:	Q24
Name:	reciprocal inch
Beschreibung:	<i>Complement of the unit inch according to the Anglo-American and Imperial system of units.</i>
Code:	Q25
Name:	dioptre
Beschreibung:	<i>Unit used at the statement of relative refractive indexes of optical systems as complement of the focal length with correspondence to: 1 dpt = 1/m.</i>
Code:	Q26
Name:	one per one
Beschreibung:	<i>Value of the quotient from two physical units of the same kind as a numerator and denominator whereas the units are shortened mutually.</i>

Guideline**Used Codes**

Code:	Q27
Name:	newton metre per metre
Beschreibung:	<i>Unit for length-related rotational moment as product of the derived SI unit newton and the SI base unit metre divided by the SI base unit metre.</i>
Code:	Q28
Name:	kilogram per square metre pascal second
Beschreibung:	<i>Unit for the ability of a material to allow the transition of steam.</i>
Code:	Q29
Name:	microgram per hectogram
Beschreibung:	<i>Microgram per hectogram.</i>
Code:	Q3
Name:	meal
Beschreibung:	<i>A unit of count defining the number of meals (meal: an amount of food to be eaten on a single occasion).</i>
Code:	Q30
Name:	pH (potential of Hydrogen)
Beschreibung:	<i>The activity of the (solvated) hydrogen ion (a logarithmic measure used to state the acidity or alkalinity of a chemical solution).</i>
Code:	Q35
Name:	megawatts per minute
Beschreibung:	<i>A unit of power defining the total amount of bulk energy transferred or consumer per minute.</i>
Code:	Q36
Name:	square metre per cubic metre
Beschreibung:	<i>A unit of the amount of surface area per unit volume of an object or collection of objects.</i>
Code:	Q37
Name:	Standard cubic metre per day
Beschreibung:	<i>Standard cubic metre (temperature 15°C and pressure 101325 millibars) per day</i>
Code:	Q38
Name:	Standard cubic metre per hour
Beschreibung:	<i>Standard cubic metre (temperature 15°C and pressure 101325 millibars) per hour</i>
Code:	Q39
Name:	Normalized cubic metre per day
Beschreibung:	<i>Normalized cubic metre (temperature 0°C and pressure 101325 millibars) per day</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	Q40
Name:	Normalized cubic metre per hour
Beschreibung:	<i>Normalized cubic metre (temperature 0°C and pressure 101325 millibars) per hour</i>
Code:	Q41
Name:	Joule per normalised cubic metre
Beschreibung:	<i>Joule per normalised cubic metre (temperature 0°C and pressure 101325 millibars).</i>
Code:	Q42
Name:	Joule per standard cubic metre
Beschreibung:	<i>Joule per standard cubic metre (temperature 15°C and pressure 101325 millibars).</i>
Code:	QA
Name:	page - facsimile
Beschreibung:	<i>A unit of count defining the number of facsimile pages.</i>
Code:	QAN
Name:	Viertel (jahr)
Beschreibung:	<i>A unit of time defining the number of quarters (3 months).</i>
Code:	QB
Name:	page - hardcopy
Beschreibung:	<i>A unit of count defining the number of hardcopy pages (hardcopy page: a page rendered as printed or written output on paper, film, or other permanent medium).</i>
Code:	QR
Name:	quire
Beschreibung:	<i>A unit of count for paper, expressed as the number of quires (quire: a number of paper sheets, typically 25).</i>
Code:	QT
Name:	quart (US)
Beschreibung:	<i>Use liquid quart (common code QTL)</i>
Code:	QTR
Name:	quarter (UK)
Beschreibung:	<i>A traditional unit of weight equal to 1/4 hundredweight. In the United Kingdom, one quarter equals 28 pounds.</i>
Code:	R1
Name:	pica
Beschreibung:	<i>A unit of count defining the number of picas. (pica: typographical length equal to 12 points or 4.22 mm (approx.)).</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	R9
Name:	thousand cubic metre
Beschreibung:	<i>A unit of volume equal to one thousand cubic metres.</i>
Code:	RH
Name:	running or operating hour
Beschreibung:	<i>A unit of time defining the number of hours of operation.</i>
Code:	RM
Name:	ream
Beschreibung:	<i>A unit of count for paper, expressed as the number of reams (ream: a large quantity of paper sheets, typically 500).</i>
Code:	ROM
Name:	room
Beschreibung:	<i>A unit of count defining the number of rooms.</i>
Code:	RP
Name:	pound per ream
Beschreibung:	<i>A unit of mass for paper, expressed as pounds per ream. (ream: a large quantity of paper, typically 500 sheets).</i>
Code:	RPM
Name:	Umdrehung pro Minute
Beschreibung:	<i>Refer ISO/TC12 SI Guide</i>
Code:	RPS
Name:	revolutions per second
Beschreibung:	<i>Refer ISO/TC12 SI Guide</i>
Code:	RT
Name:	revenue ton mile
Beschreibung:	<i>A unit of information typically used for billing purposes, expressed as the number of revenue tons (revenue ton: either a metric ton or a cubic metres, whichever is the larger), moved over a distance of one mile.</i>
Code:	S3
Name:	square foot per second
Beschreibung:	<i>Synonym: foot squared per second</i>
Code:	S4
Name:	square metre per second
Beschreibung:	<i>Synonym: metre squared per second (square metres/second US)</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	SAN
Name:	half year (6 months)
Beschreibung:	<i>'A unit of time defining the number of half years (6 months).</i>
Code:	SCO
Name:	score
Beschreibung:	<i>A unit of count defining the number of units in multiples of 20.</i>
Code:	SET
Name:	set
Beschreibung:	<i>A unit of count defining the number of sets (set: a number of objects grouped together).</i>
Code:	SG
Name:	segment
Beschreibung:	<i>A unit of information equal to 64000 bytes.</i>
Code:	SHT
Name:	shipping ton
Beschreibung:	<i>A unit of mass defining the number of tons for shipping.</i>
Code:	SM3
Name:	Standard cubic metre
Beschreibung:	<i>Standard cubic metre (temperature 15°C and pressure 101325 millibars)</i>
Code:	SQ
Name:	square
Beschreibung:	<i>A unit of count defining the number of squares (square: rectangular shape).</i>
Code:	SQR
Name:	square, roofing
Beschreibung:	<i>A unit of count defining the number of squares of roofing materials, measured in multiples of 100 square feet.</i>
Code:	SR
Name:	strip
Beschreibung:	<i>A unit of count defining the number of strips (strip: long narrow piece of an object).</i>
Code:	STC
Name:	stick
Beschreibung:	<i>A unit of count defining the number of sticks (stick: slender and often cylindrical piece of a substance).</i>
Code:	STK
Name:	stick, cigarette

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung: *A unit of count defining the number of cigarettes in the smallest unit for stock-taking and/or duty computation.*

Code: STL

Name: standard litre

Beschreibung: *A unit of volume defining the number of litres of a product at a temperature of 15 degrees Celsius, especially in relation to hydrocarbon oils.*

Code: STN

Name: ton (US) or short ton (UK/US)

Beschreibung: *Synonym: net ton (2000 lb)*

Code: STW

Name: straw

Beschreibung: *A unit of count defining the number of straws (straw: a slender tube used for sucking up liquids).*

Code: SW

Name: skein

Beschreibung: *A unit of count defining the number of skeins (skein: a loosely-coiled bundle of yarn or thread).*

Code: SX

Name: shipment

Beschreibung: *A unit of count defining the number of shipments (shipment: an amount of goods shipped or transported).*

Code: SYR

Name: syringe

Beschreibung: *A unit of count defining the number of syringes (syringe: a small device for pumping, spraying and/or injecting liquids through a small aperture).*

Code: T0

Name: telecommunication line in service

Beschreibung: *A unit of count defining the number of lines in service.*

Code: T3

Name: thousand piece

Beschreibung: *A unit of count defining the number of pieces in multiples of 1000 (piece: a single item, article or exemplar).*

Code: TAN

Name: total acid number

Guideline**Used Codes**

Beschreibung:	<i>A unit of chemistry defining the amount of potassium hydroxide (KOH) in milligrams that is needed to neutralize the acids in one gram of oil. It is an important quality measurement of crude oil.</i>
Code:	TIC
Name:	metric ton, including container
Beschreibung:	<i>A unit of mass defining the number of metric tons of a product, including its container.</i>
Code:	TIP
Name:	metric ton, including inner packaging
Beschreibung:	<i>A unit of mass defining the number of metric tons of a product, including its inner packaging materials.</i>
Code:	TKM
Name:	tonne kilometre
Beschreibung:	<i>A unit of information typically used for billing purposes, expressed as the number of tonnes (metric tons) moved over a distance of one kilometre.</i>
Code:	TMS
Name:	kilogram of imported meat, less offal
Beschreibung:	<i>A unit of mass equal to one thousand grams of imported meat, disregarding less valuable by-products such as the entrails.</i>
Code:	TNE
Name:	Tonne (metrische Tonne)
Beschreibung:	<i>Synonym: metric ton</i>
Code:	TP
Name:	ten pack
Beschreibung:	<i>A unit of count defining the number of items in multiples of 10.</i>
Code:	TPI
Name:	teeth per inch
Beschreibung:	<i>The number of teeth per inch.</i>
Code:	TPR
Name:	ten pair
Beschreibung:	<i>A unit of count defining the number of pairs in multiples of 10 (pair: item described by two's).</i>
Code:	TQD
Name:	thousand cubic metre per day
Beschreibung:	<i>A unit of volume equal to one thousand cubic metres per day.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	TST
Name:	ten set
Beschreibung:	<i>A unit of count defining the number of sets in multiples of 10 (set: a number of objects grouped together).</i>
Code:	TTS
Name:	ten thousand sticks
Beschreibung:	<i>A unit of count defining the number of sticks in multiples of 10000 (stick: slender and often cylindrical piece of a substance).</i>
Code:	U1
Name:	treatment
Beschreibung:	<i>A unit of count defining the number of treatments (treatment: subjection to the action of a chemical, physical or biological agent).</i>
Code:	U2
Name:	Tablette
Beschreibung:	<i>A unit of count defining the number of tablets (tablet: a small flat or compressed solid object).</i>
Code:	UB
Name:	telecommunication line in service average
Beschreibung:	<i>A unit of count defining the average number of lines in service.</i>
Code:	UC
Name:	telecommunication port
Beschreibung:	<i>A unit of count defining the number of network access ports.</i>
Code:	UIG
Name:	international unit per gram
Beschreibung:	<i>A unit of count defining the number of international units per gram.</i>
Code:	VP
Name:	percent volume
Beschreibung:	<i>A measure of concentration, typically expressed as the percentage volume of a solute in a solution.</i>
Code:	W2
Name:	wet kilo
Beschreibung:	<i>A unit of mass defining the number of kilograms of a product, including the water content of the product.</i>
Code:	WB

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	wet pound
Beschreibung:	<i>A unit of mass defining the number of pounds of a material, including the water content of the material.</i>
Code:	WCD
Name:	cord
Beschreibung:	<i>A unit of volume used for measuring lumber. One board foot equals 1/12 of a cubic foot.</i>
Code:	WE
Name:	wet ton
Beschreibung:	<i>A unit of mass defining the number of tons of a material, including the water content of the material.</i>
Code:	WG
Name:	wine gallon
Beschreibung:	<i>A unit of volume equal to 231 cubic inches.</i>
Code:	WM
Name:	working month
Beschreibung:	<i>A unit of time defining the number of working months.</i>
Code:	WSD
Name:	standard
Beschreibung:	<i>A unit of volume of finished lumber equal to 165 cubic feet. Synonym: standard cubic foot</i>
Code:	WW
Name:	millilitre of water
Beschreibung:	<i>A unit of volume equal to the number of millilitres of water.</i>
Code:	X1
Name:	Gunter's chain
Beschreibung:	<i>A unit of distance used or formerly used by British surveyors.</i>
Code:	Z11
Name:	hanging container
Beschreibung:	<i>A unit of count defining the number of hanging containers.</i>
Code:	ZP
Name:	Seite
Beschreibung:	<i>A unit of count defining the number of pages.</i>
Code:	ZZ
Name:	mutually defined

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

		Used Codes		
<div style="border-left: 1px solid black; border-right: 1px solid black; border-bottom: 1px solid black; padding: 2px;"> <div style="border-left: 1px solid black; border-right: 1px solid black; border-bottom: 1px solid black; padding: 2px;"> <div style="border-left: 1px solid black; border-right: 1px solid black; padding: 2px;">serialNumberRange</div> </div> </div>		Beschreibung:	<i>A unit of measure as agreed in common between two or more parties.</i>	
		Wiederholung:	0 .. unbounded	
		Schema-Status:	O	
		Typ:	shared_common:StringRangeType	
		Definition:	Angabe einer Differenz oder eines Intervalls der zugehörigen Seriennummern.	
		Fachbegriff:	Seriennumbereich	
		Status:	O	
<div style="border-left: 1px solid black; border-right: 1px solid black; border-bottom: 1px solid black; padding: 2px;"> <div style="border-left: 1px solid black; border-right: 1px solid black; padding: 2px;"> <div style="border-left: 1px solid black; padding: 2px;">xs:sequence</div> </div> </div>		Wiederholung:	1 .. 1	
		Schema-Status:	M	
	<div style="border-left: 1px solid black; border-right: 1px solid black; border-bottom: 1px solid black; padding: 2px;"> <div style="border-left: 1px solid black; padding: 2px;">maximumValue</div> </div>		Wiederholung:	0 .. 1
			Schema-Status:	O
		Typ:	xs:string	
		Definition:	Angabe der Obergrenze eines Strings-Wertebereichs.	
		Fachbegriff:	Maximalwert	
	Status:	O		
<div style="border-left: 1px solid black; border-right: 1px solid black; border-bottom: 1px solid black; padding: 2px;"> <div style="border-left: 1px solid black; padding: 2px;">minimumValue</div> </div>		EANCOM®:	INVOIC.SG26[D_7405="BN"].GIN.C208.7402(2)	
		Wiederholung:	0 .. 1	
		Schema-Status:	O	
		Typ:	xs:string	
		Definition:	Angabe der Untergrenze eines Strings-Wertebereichs.	
		Fachbegriff:	Minimalwert	
		Status:	R	
<div style="border-left: 1px solid black; border-right: 1px solid black; border-bottom: 1px solid black; padding: 2px;"> <div style="border-left: 1px solid black; padding: 2px;">transactionalItemDimensions</div> </div>		EANCOM®:	INVOIC.SG26[D_7405="BN"].GIN.C208.7402(1)	
		Wiederholung:	0 .. unbounded	
		Schema-Status:	O	
		Typ:	shared_common:DimensionType	
		Definition:	Angabe von Länge, Breite und Höhe eines Objektes inklusive der zugehörigen Maßeinheit.	
		Fachbegriff:	Maßangaben	
		Status:	O	
<div style="border-left: 1px solid black; border-right: 1px solid black; border-bottom: 1px solid black; padding: 2px;"> <div style="border-left: 1px solid black; padding: 2px;">xs:sequence</div> </div>		Bemerkung:	Größenangaben zum berechneten Artikel.	
		Wiederholung:	1 .. 1	
<div style="border-left: 1px solid black; border-right: 1px solid black; padding: 2px;"> <div style="border-left: 1px solid black; padding: 2px;">depth</div> </div>		Schema-Status:	M	
		Wiederholung:	1 .. 1	
	Schema-Status:	M		

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

measurementUnitCode	Typ:	shared_common:MeasurementType
	Fachbegriff:	Längenmaßangabe
	Status:	R
	Beispiel:	700
	Definition:	Die Tiefe ist die Strecke von der Vorderseite zur Rückseite.
	EANCOM®:	INVOIC.SG26.MEA[D_6313="LN"].6314
	Schema-Status:	M
	Type:	restriction (xs:string)
	Fachbegriff:	Einheit
	Status:	R
	Beispiel:	MM
	Definition:	Eine standardisierte, reproduzierbare Einheit, die zur Messung physikalischer Größen dient. Erlaubte Codewerte sind in der UN / ECE Empfehlung 20 - vollständig von GS1 adaptiert - spezifiziert.
	Used Codes	
	Code:	10
	Name:	group
	Beschreibung:	<i>A unit of count defining the number of groups (group: set of items classified together).</i>
	Code:	11
	Name:	outfit
	Beschreibung:	<i>A unit of count defining the number of outfits (outfit: a complete set of equipment / materials / objects used for a specific purpose).</i>
	Code:	13
	Name:	ration
	Beschreibung:	<i>A unit of count defining the number of rations (ration: a single portion of provisions).</i>
	Code:	14
	Name:	shot
	Beschreibung:	<i>A unit of liquid measure, especially related to spirits.</i>
	Code:	15
	Name:	stick, military
	Beschreibung:	<i>A unit of count defining the number of military sticks (military stick: bombs or paratroops released in rapid succession from an aircraft).</i>
	Code:	20
	Name:	twenty foot container
	Beschreibung:	<i>A unit of count defining the number of shipping containers that measure 20 foot in length.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	21
Name:	forty foot container
Beschreibung:	<i>A unit of count defining the number of shipping containers that measure 40 foot in length.</i>
Code:	24
Name:	theoretical pound
Beschreibung:	<i>A unit of mass defining the expected mass of material expressed as the number of pounds.</i>
Code:	27
Name:	theoretical ton
Beschreibung:	<i>A unit of mass defining the expected mass of material, expressed as the number of tons.</i>
Code:	56
Name:	sitas
Beschreibung:	<i>A unit of area for tin plate equal to a surface area of 100 square metres.</i>
Code:	57
Name:	mesh
Beschreibung:	<i>A unit of count defining the number of strands per inch as a measure of the fineness of a woven product.</i>
Code:	58
Name:	net kilogram
Beschreibung:	<i>A unit of mass defining the total number of kilograms after deductions.</i>
Code:	59
Name:	Teile pro Million (ppm)
Beschreibung:	<i>A unit of proportion equal to 10 to the power of -6.</i>
Code:	60
Name:	percent weight
Beschreibung:	<i>A unit of proportion equal to 10 to the power of -2.</i>
Code:	61
Name:	part per billion (US)
Beschreibung:	<i>A unit of proportion equal to 10 to the power of -9.</i>
Code:	84
Name:	kilopound-force per square inch
Beschreibung:	<i>A unit of pressure defining the number of kilopounds force per square inch. Use kip per square inch (common code N20).</i>
Code:	1I

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline



Used Codes

Name:	fixed rate
Beschreibung:	<i>A unit of quantity expressed as a predetermined or set rate for usage of a facility or service.</i>
Code:	2A
Name:	radian per second
Beschreibung:	<i>Refer ISO/TC12 SI Guide</i>
Code:	2B
Name:	radian per second squared
Beschreibung:	<i>Refer ISO/TC12 SI Guide</i>
Code:	2G
Name:	volt AC
Beschreibung:	<i>A unit of electric potential in relation to alternating current (AC).</i>
Code:	2H
Name:	volt DC
Beschreibung:	<i>A unit of electric potential in relation to direct current (DC).</i>
Code:	2P
Name:	kilobyte
Beschreibung:	<i>A unit of information equal to 10 to the power of 3 (1000) bytes.</i>
Code:	3C
Name:	manmonth
Beschreibung:	<i>A unit of count defining the number of months for a person or persons to perform an undertaking.</i>
Code:	4L
Name:	Megabyte
Beschreibung:	<i>A unit of information equal to 10 to the power of 6 (1000000) bytes.</i>
Code:	5B
Name:	batch
Beschreibung:	<i>A unit of count defining the number of batches (batch: quantity of material produced in one operation or number of animals or persons coming at once).</i>
Code:	5E
Name:	MMSCF/day
Beschreibung:	<i>A unit of volume equal to one million (1000000) cubic feet of gas per day.</i>
Code:	5J
Name:	hydraulic horse power

Guideline**Used Codes**

Beschreibung:	<i>A unit of power defining the hydraulic horse power delivered by a fluid pump depending on the viscosity of the fluid.</i>
Code:	A25
Name:	Pferdestärken (PS)
Beschreibung:	<i>Synonym: metric horse power</i>
Code:	A43
Name:	deadweight tonnage
Beschreibung:	<i>A unit of mass defining the difference between the weight of a ship when completely empty and its weight when completely loaded, expressed as the number of tons.</i>
Code:	A47
Name:	decitex
Beschreibung:	<i>A unit of yarn density. One decitex equals a mass of 1 gram per 10 kilometres of length.</i>
Code:	A48
Name:	degree Rankine
Beschreibung:	<i>Refer ISO 80000-5 (Quantities and units — Part 5: Thermodynamics)</i>
Code:	A49
Name:	denier
Beschreibung:	<i>A unit of yarn density. One denier equals a mass of 1 gram per 9 kilometres of length.</i>
Code:	A59
Name:	8-part cloud cover
Beschreibung:	<i>A unit of count defining the number of eighth-parts as a measure of the celestial dome cloud coverage. Synonym: OKTA , OCTA</i>
Code:	A75
Name:	freight ton
Beschreibung:	<i>A unit of information typically used for billing purposes, defined as either the number of metric tons or the number of cubic metres, whichever is the larger.</i>
Code:	A9
Name:	rate
Beschreibung:	<i>A unit of quantity expressed as a rate for usage of a facility or service.</i>
Code:	A91
Name:	gon
Beschreibung:	<i>Synonym: grade</i>
Code:	A99

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	Bit
Beschreibung:	<i>A unit of information equal to one binary digit.</i>
Code:	AA
Name:	ball
Beschreibung:	<i>A unit of count defining the number of balls (ball: object formed in the shape of sphere).</i>
Code:	AB
Name:	bulk pack
Beschreibung:	<i>A unit of count defining the number of items per bulk pack.</i>
Code:	ACT
Name:	activity
Beschreibung:	<i>A unit of count defining the number of activities (activity: a unit of work or action).</i>
Code:	AD
Name:	Byte
Beschreibung:	<i>A unit of information equal to 8 bits.</i>
Code:	AH
Name:	additional minute
Beschreibung:	<i>A unit of time defining the number of minutes in addition to the referenced minutes.</i>
Code:	AI
Name:	average minute per call
Beschreibung:	<i>A unit of count defining the number of minutes for the average interval of a call.</i>
Code:	AL
Name:	access line
Beschreibung:	<i>A unit of count defining the number of telephone access lines.</i>
Code:	AMH
Name:	Amperestunde
Beschreibung:	<i>A unit of electric charge defining the amount of charge accumulated by a steady flow of one ampere for one hour.</i>
Code:	ANN
Name:	Jahr
Beschreibung:	<i>Unit of time equal to 365,25 days. Synonym: Julian year</i>
Code:	AQ
Name:	anti-hemophilic factor (AHF) unit
Beschreibung:	<i>A unit of measure for blood potency (US).</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	ARE
Name:	are
Beschreibung:	<i>Synonym: square decametre</i>
Code:	AS
Name:	assortment
Beschreibung:	<i>A unit of count defining the number of assortments (assortment: set of items grouped in a mixed collection).</i>
Code:	ASM
Name:	Alkoholgehalt pro Masse
Beschreibung:	<i>A unit of mass defining the alcoholic strength of a liquid.</i>
Code:	ASU
Name:	Alkoholgehalt pro Volumen
Beschreibung:	<i>A unit of volume defining the alcoholic strength of a liquid (e.g. spirit, wine, beer, etc), often at a specific temperature.</i>
Code:	AWG
Name:	american wire gauge
Beschreibung:	<i>A unit of distance used for measuring the diameter of small tubes or wires such as the outer diameter of hypotermic or suture needles.</i>
Code:	AY
Name:	assembly
Beschreibung:	<i>A unit of count defining the number of assemblies (assembly: items that consist of component parts).</i>
Code:	B10
Name:	bit per second
Beschreibung:	<i>A unit of information equal to one binary digit per second.</i>
Code:	B13
Name:	Joule pro Quadratmeter
Beschreibung:	<i>Synonym: joule per metre squared</i>
Code:	B17
Name:	Soll-Buchungen
Beschreibung:	<i>A unit of count defining the number of entries made to the credit side of an account.</i>
Code:	B19
Name:	digit
Beschreibung:	<i>A unit of information defining the quantity of numerals used to form a number.</i>

Guideline**Used Codes**

Code:	B3
Name:	batting pound
Beschreibung:	<i>A unit of mass defining the number of pounds of wadded fibre.</i>
Code:	B30
Name:	gibibit
Beschreibung:	<i>A unit of information equal to 2³⁰ bits (binary digits).</i>
Code:	B4
Name:	barrel, imperial
Beschreibung:	<i>A unit of volume used to measure beer. One beer barrel equals 36 imperial gallons.</i>
Code:	B51
Name:	kilopond
Beschreibung:	<i>Synonym: kilogram-force</i>
Code:	B57
Name:	light year
Beschreibung:	<i>A unit of length defining the distance that light travels in a vacuum in one year.</i>
Code:	B68
Name:	gigabit
Beschreibung:	<i>A unit of information equal to 10 to the power of 9 bits (binary digits).</i>
Code:	B7
Name:	cycle
Beschreibung:	<i>A unit of count defining the number of cycles (cycle: a recurrent period of definite duration).</i>
Code:	B80
Name:	gigabit per second
Beschreibung:	<i>A unit of information equal to 10 to the power of 9 bits (binary digits) per second.</i>
Code:	B82
Name:	inch per linear foot
Beschreibung:	<i>A unit of length defining the number of inches per linear foot.</i>
Code:	BB
Name:	base box
Beschreibung:	<i>A unit of area of 112 sheets of tin mil products (tin plate, tin free steel or black plate) 14 by 20 inches, or 31,360 square inches.</i>
Code:	BFT
Name:	board foot

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of volume defining the number of cords (cord: a stack of firewood of 128 cubic feet).</i>
Code:	BIL
Name:	billion (EUR)
Beschreibung:	<i>Synonym: trillion (US)</i>
Code:	BP
Name:	hundred board foot
Beschreibung:	<i>A unit of volume equal to one hundred board foot.</i>
Code:	BPM
Name:	beats per minute
Beschreibung:	<i>The number of beats per minute.</i>
Code:	C0
Name:	Telefoneinheit
Beschreibung:	<i>A unit of count defining the number of calls (call: communication session or visitation).</i>
Code:	C21
Name:	kibibit
Beschreibung:	<i>A unit of information equal to 2 to the power of 10 (1024) bits (binary digits).</i>
Code:	C37
Name:	kilobit
Beschreibung:	<i>A unit of information equal to 10 to the power of 3 (1000) bits (binary digits).</i>
Code:	C59
Name:	octave
Beschreibung:	<i>A unit used in music to describe the ratio in frequency between notes.</i>
Code:	C62
Name:	one
Beschreibung:	<i>Synonym: unit</i>
Code:	C69
Name:	phon
Beschreibung:	<i>A unit of subjective sound loudness. A sound has loudness p phons if it seems to the listener to be equal in loudness to the sound of a pure tone of frequency 1 kilohertz and strength p decibels.</i>
Code:	C74
Name:	kilobit per second
Beschreibung:	<i>A unit of information equal to 10 to the power of 3 (1000) bits (binary digits) per second.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	C79
Name:	kilovolt ampere hour
Beschreibung:	<i>A unit of accumulated energy of 1000 volt amperes over a period of one hour.</i>
Code:	C87
Name:	reciprocal cubic metre per second
Beschreibung:	<i>Synonym: reciprocal second per cubic metre</i>
Code:	C9
Name:	coil group
Beschreibung:	<i>A unit of count defining the number of coil groups (coil group: groups of items arranged by lengths of those items placed in a joined sequence of concentric circles).</i>
Code:	C93
Name:	reciprocal square metre
Beschreibung:	<i>Synonym: reciprocal metre squared</i>
Code:	CCT
Name:	carrying capacity in metric ton
Beschreibung:	<i>A unit of mass defining the carrying capacity, expressed as the number of metric tons.</i>
Code:	CEL
Name:	Grad Celsius
Beschreibung:	<i>Refer ISO 80000-5 (Quantities and units — Part 5: Thermodynamics)</i>
Code:	CEN
Name:	hundred
Beschreibung:	<i>A unit of count defining the number of units in multiples of 100.</i>
Code:	CG
Name:	card
Beschreibung:	<i>A unit of count defining the number of units of card (card: thick stiff paper or cardboard).</i>
Code:	CLF
Name:	hundred leave
Beschreibung:	<i>A unit of count defining the number of leaves, expressed in units of one hundred leaves.</i>
Code:	CNP
Name:	hundred pack
Beschreibung:	<i>A unit of count defining the number of hundred-packs (hundred-pack: set of one hundred items packaged together).</i>
Code:	CNT
Name:	cental (UK)

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of mass equal to one hundred weight (US).</i>
Code:	CTG
Name:	content gram
Beschreibung:	<i>A unit of mass defining the number of grams of a named item in a product.</i>
Code:	CTN
Name:	content ton (metric)
Beschreibung:	<i>A unit of mass defining the number of metric tons of a named item in a product.</i>
Code:	D03
Name:	kilowatt hour per hour
Beschreibung:	<i>A unit of accumulated energy of a thousand watts over a period of one hour.</i>
Code:	D04
Name:	lot [unit of weight]
Beschreibung:	<i>A unit of weight equal to about 1/2 ounce or 15 grams.</i>
Code:	D11
Name:	mebibit
Beschreibung:	<i>A unit of information equal to 2 to the power of 20 (1048576) bits (binary digits).</i>
Code:	D15
Name:	sones
Beschreibung:	<i>A unit of subjective sound loudness. One sone is the loudness of a pure tone of frequency one kilohertz and strength 40 decibels.</i>
Code:	D23
Name:	pen gram (protein)
Beschreibung:	<i>A unit of count defining the number of grams of amino acid prescribed for parenteral/ enteral therapy.</i>
Code:	D34
Name:	tex
Beschreibung:	<i>A unit of yarn density. One decitex equals a mass of 1 gram per 1 kilometre of length.</i>
Code:	D36
Name:	megabit
Beschreibung:	<i>A unit of information equal to 10 to the power of 6 (1000000) bits (binary digits).</i>
Code:	D44
Name:	var
Beschreibung:	<i>The name of the unit is an acronym for volt-ampere-reactive.</i>
Code:	D63

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	book
Beschreibung:	<i>A unit of count defining the number of books (book: set of items bound together or written document of a material whole).</i>
Code:	D65
Name:	round
Beschreibung:	<i>A unit of count defining the number of rounds (round: A circular or cylindrical object).</i>
Code:	D68
Name:	number of words
Beschreibung:	<i>A unit of count defining the number of words.</i>
Code:	D78
Name:	megajoule per second
Beschreibung:	<i>A unit of accumulated energy equal to one million joules per second.</i>
Code:	DAD
Name:	ten day
Beschreibung:	<i>A unit of time defining the number of days in multiples of 10.</i>
Code:	DB
Name:	dry pound
Beschreibung:	<i>A unit of mass defining the number of pounds of a product, disregarding the water content of the product.</i>
Code:	DEC
Name:	decade
Beschreibung:	<i>A unit of count defining the number of decades (decade: quantity equal to 10 or time equal to 10 years).</i>
Code:	DMO
Name:	standard kilolitre
Beschreibung:	<i>A unit of volume defining the number of kilolitres of a product at a temperature of 15 degrees Celsius, especially in relation to hydrocarbon oils.</i>
Code:	DPC
Name:	dozen piece
Beschreibung:	<i>A unit of count defining the number of pieces in multiples of 12 (piece: a single item, article or exemplar).</i>
Code:	DPR
Name:	dozen pair
Beschreibung:	<i>A unit of count defining the number of pairs in multiples of 12 (pair: item described by</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

	<i>two's).</i>
Code:	DPT
Name:	displacement tonnage
Beschreibung:	<i>A unit of mass defining the volume of sea water a ship displaces, expressed as the number of tons.</i>
Code:	DRA
Name:	dram (US)
Beschreibung:	<i>Synonym: drachm (UK), troy dram</i>
Code:	DRI
Name:	dram (UK)
Beschreibung:	<i>Synonym: avoirdupois dram</i>
Code:	DRL
Name:	dozen roll
Beschreibung:	<i>A unit of count defining the number of rolls, expressed in twelve roll units.</i>
Code:	DT
Name:	dry ton
Beschreibung:	<i>A unit of mass defining the number of tons of a product, disregarding the water content of the product.</i>
Code:	DTN
Name:	decitonne
Beschreibung:	<i>Synonym: centner, metric 100 kg, quintal, metric 100 kg</i>
Code:	DZN
Name:	Dutzend
Beschreibung:	<i>A unit of count defining the number of units in multiples of 12.</i>
Code:	DZP
Name:	dozen pack
Beschreibung:	<i>A unit of count defining the number of packs in multiples of 12 (pack: standard packaging unit).</i>
Code:	E01
Name:	newton per square centimetre
Beschreibung:	<i>A measure of pressure expressed in newtons per square centimetre.</i>
Code:	E07
Name:	megawatt hour per hour
Beschreibung:	<i>A unit of accumulated energy of a million watts over a period of one hour.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	E08
Name:	megawatt per hertz
Beschreibung:	<i>A unit of energy expressed as the load change in million watts that will cause a frequency shift of one hertz.</i>
Code:	E09
Name:	milliampere hour
Beschreibung:	<i>A unit of power load delivered at the rate of one thousandth of an ampere over a period of one hour.</i>
Code:	E10
Name:	degree day
Beschreibung:	<i>A unit of measure used in meteorology and engineering to measure the demand for heating or cooling over a given period of days.</i>
Code:	E11
Name:	gigacalorie
Beschreibung:	<i>A unit of heat energy equal to one thousand million calories.</i>
Code:	E12
Name:	mille
Beschreibung:	<i>A unit of count defining the number of cigarettes in units of 1000.</i>
Code:	E14
Name:	kilocalorie (international table)
Beschreibung:	<i>A unit of heat energy equal to one thousand calories.</i>
Code:	E15
Name:	kilocalorie (thermochemical) per hour
Beschreibung:	<i>A unit of energy equal to one thousand calories per hour.</i>
Code:	E16
Name:	million Btu(IT) per hour
Beschreibung:	<i>A unit of power equal to one million British thermal units per hour.</i>
Code:	E17
Name:	cubic foot per second
Beschreibung:	<i>A unit of volume equal to one cubic foot passing a given point in a period of one second.</i>
Code:	E18
Name:	tonne per hour
Beschreibung:	<i>A unit of weight or mass equal to one tonne per hour.</i>
Code:	E19

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	ping
Beschreibung:	<i>A unit of area equal to 3.3 square metres.</i>
Code:	E20
Name:	megabit per second
Beschreibung:	<i>A unit of information equal to 10 to the power of 6 (1000000) bits (binary digits) per second.</i>
Code:	E21
Name:	shares
Beschreibung:	<i>A unit of count defining the number of shares (share: a total or portion of the parts into which a business entity's capital is divided).</i>
Code:	E22
Name:	TEU
Beschreibung:	<i>A unit of count defining the number of twenty-foot equivalent units (TEUs) as a measure of containerized cargo capacity.</i>
Code:	E23
Name:	tyre
Beschreibung:	<i>A unit of count defining the number of tyres (a solid or air-filled covering placed around a wheel rim to form a soft contact with the road, absorb shock and provide traction).</i>
Code:	E25
Name:	active unit
Beschreibung:	<i>A unit of count defining the number of active units within a substance.</i>
Code:	E27
Name:	dose
Beschreibung:	<i>A unit of count defining the number of doses (dose: a definite quantity of a medicine or drug).</i>
Code:	E28
Name:	air dry ton
Beschreibung:	<i>A unit of mass defining the number of tons of a product, disregarding the water content of the product.</i>
Code:	E30
Name:	strand
Beschreibung:	<i>A unit of count defining the number of strands (strand: long, thin, flexible, single thread, strip of fibre, constituent filament or multiples of the same, twisted together).</i>
Code:	E31

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	square metre per litre
Beschreibung:	<i>A unit of count defining the number of square metres per litre.</i>
Code:	E32
Name:	litre per hour
Beschreibung:	<i>A unit of count defining the number of litres per hour.</i>
Code:	E33
Name:	foot per thousand
Beschreibung:	<i>A unit of count defining the number of feet per thousand units.</i>
Code:	E34
Name:	Gigabyte
Beschreibung:	<i>A unit of information equal to 10 to the power of 9 bytes.</i>
Code:	E35
Name:	terabyte
Beschreibung:	<i>A unit of information equal to 10 to the power of 12 bytes.</i>
Code:	E36
Name:	petabyte
Beschreibung:	<i>A unit of information equal to 10 to the power of 15 bytes.</i>
Code:	E37
Name:	Pixel
Beschreibung:	<i>A unit of count defining the number of pixels (pixel: picture element).</i>
Code:	E38
Name:	Megapixel
Beschreibung:	<i>A unit of count equal to 10 to the power of 6 (1000000) pixels (picture elements).</i>
Code:	E39
Name:	DPI, Dots per inch
Beschreibung:	<i>A unit of information defining the number of dots per linear inch as a measure of the resolution or sharpness of a graphic image.</i>
Code:	E4
Name:	gross kilogram
Beschreibung:	<i>A unit of mass defining the total number of kilograms before deductions.</i>
Code:	E40
Name:	part per hundred thousand
Beschreibung:	<i>A unit of proportion equal to 10 to the power of -5.</i>
Code:	E41

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	kilogram-force per square millimetre
Beschreibung:	<i>A unit of pressure defining the number of kilograms force per square millimetre.</i>
Code:	E42
Name:	kilogram-force per square centimetre
Beschreibung:	<i>A unit of pressure defining the number of kilograms force per square centimetre.</i>
Code:	E43
Name:	joule per square centimetre
Beschreibung:	<i>A unit of energy defining the number of joules per square centimetre.</i>
Code:	E44
Name:	kilogram-force metre per square centimetre
Beschreibung:	<i>A unit of torsion defining the torque kilogram-force metre per square centimetre.</i>
Code:	E46
Name:	kilowatt hour per cubic metre
Beschreibung:	<i>A unit of energy consumption expressed as kilowatt hour per cubic metre.</i>
Code:	E47
Name:	kilowatt hour per kelvin
Beschreibung:	<i>A unit of energy consumption expressed as kilowatt hour per kelvin.</i>
Code:	E48
Name:	service unit
Beschreibung:	<i>A unit of count defining the number of service units (service unit: defined period / property / facility / utility of supply).</i>
Code:	E49
Name:	working day
Beschreibung:	<i>A unit of count defining the number of working days (working day: a day on which work is ordinarily performed).</i>
Code:	E50
Name:	accounting unit
Beschreibung:	<i>A unit of count defining the number of accounting units.</i>
Code:	E51
Name:	job
Beschreibung:	<i>A unit of count defining the number of jobs.</i>
Code:	E52
Name:	run foot
Beschreibung:	<i>A unit of count defining the number feet per run.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	E53
Name:	test
Beschreibung:	<i>A unit of count defining the number of tests.</i>
Code:	E54
Name:	trip
Beschreibung:	<i>A unit of count defining the number of trips.</i>
Code:	E55
Name:	use
Beschreibung:	<i>A unit of count defining the number of times an object is used.</i>
Code:	E56
Name:	well
Beschreibung:	<i>A unit of count defining the number of wells.</i>
Code:	E57
Name:	zone
Beschreibung:	<i>A unit of count defining the number of zones.</i>
Code:	E58
Name:	exabit per second
Beschreibung:	<i>A unit of information equal to 10 to the power of 18 bits (binary digits) per second.</i>
Code:	E59
Name:	exbibyte
Beschreibung:	<i>A unit of information equal to 2 to the power of 60 bytes.</i>
Code:	E60
Name:	pebibyte
Beschreibung:	<i>A unit of information equal to 2 to the power of 50 bytes.</i>
Code:	E61
Name:	tebibyte
Beschreibung:	<i>A unit of information equal to 2 to the power of 40 bytes.</i>
Code:	E62
Name:	gibibyte
Beschreibung:	<i>A unit of information equal to 2 to the power of 30 bytes.</i>
Code:	E63
Name:	mebibyte
Beschreibung:	<i>A unit of information equal to 2 to the power of 20 bytes.</i>
Code:	E64

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	kibibyte
Beschreibung:	<i>A unit of information equal to 2 to the power of 10 bytes.</i>
Code:	E65
Name:	exbibit per metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 60 bits (binary digits) per metre.</i>
Code:	E66
Name:	exbibit per square metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 60 bits (binary digits) per square metre.</i>
Code:	E67
Name:	exbibit per cubic metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 60 bits (binary digits) per cubic metre.</i>
Code:	E68
Name:	gigabyte per second
Beschreibung:	<i>A unit of information equal to 10 to the power of 9 bytes per second.</i>
Code:	E69
Name:	gibibit per metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 30 bits (binary digits) per metre.</i>
Code:	E70
Name:	gibibit per square metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 30 bits (binary digits) per square metre.</i>
Code:	E71
Name:	gibibit per cubic metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 30 bits (binary digits) per cubic metre.</i>
Code:	E72
Name:	kibibit per metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 10 bits (binary digits) per metre.</i>
Code:	E73
Name:	kibibit per square metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 10 bits (binary digits) per square metre.</i>
Code:	E74
Name:	kibibit per cubic metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 10 bits (binary digits) per cubic metre.</i>
Code:	E75
Name:	mebibit per metre

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of information equal to 2 to the power of 20 bits (binary digits) per metre.</i>
Code:	E76
Name:	mebibit per square metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 20 bits (binary digits) per square metre.</i>
Code:	E77
Name:	mebibit per cubic metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 20 bits (binary digits) per cubic metre.</i>
Code:	E78
Name:	petabit
Beschreibung:	<i>A unit of information equal to 10 to the power of 15 bits (binary digits).</i>
Code:	E79
Name:	petabit per second
Beschreibung:	<i>A unit of information equal to 10 to the power of 15 bits (binary digits) per second.</i>
Code:	E80
Name:	pebibit per metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 50 bits (binary digits) per metre.</i>
Code:	E81
Name:	pebibit per square metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 50 bits (binary digits) per square metre.</i>
Code:	E82
Name:	pebibit per cubic metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 50 bits (binary digits) per cubic metre.</i>
Code:	E83
Name:	terabit
Beschreibung:	<i>A unit of information equal to 10 to the power of 12 bits (binary digits).</i>
Code:	E84
Name:	terabit per second
Beschreibung:	<i>A unit of information equal to 10 to the power of 12 bits (binary digits) per second.</i>
Code:	E85
Name:	tebibit per metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 40 bits (binary digits) per metre.</i>
Code:	E86
Name:	tebibit per cubic metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 40 bits (binary digits) per cubic metre.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	E87
Name:	tebibit per square metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 40 bits (binary digits) per square metre.</i>
Code:	E88
Name:	bit per metre
Beschreibung:	<i>A unit of information equal to 1 bit (binary digit) per metre.</i>
Code:	E89
Name:	bit per square metre
Beschreibung:	<i>A unit of information equal to 1 bit (binary digit) per square metre.</i>
Code:	EA
Name:	Jedes einzelne (Eines)
Beschreibung:	<i>A unit of count defining the number of items regarded as separate units.</i>
Code:	EB
Name:	electronic mail box
Beschreibung:	<i>A unit of count defining the number of electronic mail boxes.</i>
Code:	EQ
Name:	equivalent gallon
Beschreibung:	<i>A unit of volume defining the number of gallons of product produced from concentrate.</i>
Code:	F01
Name:	bit per cubic metre
Beschreibung:	<i>A unit of information equal to 1 bit (binary digit) per cubic metre.</i>
Code:	F13
Name:	slug
Beschreibung:	<i>A unit of mass. One slug is the mass accelerated at 1 foot per second per second by a force of 1 pound.</i>
Code:	F49
Name:	rod [unit of distance]
Beschreibung:	<i>A unit of distance equal to 5.5 yards (16 feet 6 inches).</i>
Code:	F80
Name:	water horse power
Beschreibung:	<i>A unit of power defining the amount of power required to move a given volume of water against acceleration of gravity to a specified elevation (pressure head).</i>
Code:	FAH
Name:	Grad Fahrenheit

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>Refer ISO 80000-5 (Quantities and units — Part 5: Thermodynamics)</i>
Code:	FBM
Name:	fibre metre
Beschreibung:	<i>A unit of length defining the number of metres of individual fibre.</i>
Code:	FC
Name:	thousand cubic foot
Beschreibung:	<i>A unit of volume equal to one thousand cubic foot.</i>
Code:	FF
Name:	hundred cubic metre
Beschreibung:	<i>A unit of volume equal to one hundred cubic metres.</i>
Code:	FIT
Name:	failures in time
Beschreibung:	<i>A unit of count defining the number of failures that can be expected over a specified time interval. Failure rates of semiconductor components are often specified as FIT (failures in time unit) where 1 FIT = 10 to the power of -9 /h.</i>
Code:	FL
Name:	flake ton
Beschreibung:	<i>A unit of mass defining the number of tons of a flaked substance (flake: a small flattish fragment).</i>
Code:	GDW
Name:	gram, dry weight
Beschreibung:	<i>A unit of mass defining the number of grams of a product, disregarding the water content of the product.</i>
Code:	GFI
Name:	gram of fissile isotope
Beschreibung:	<i>A unit of mass defining the number of grams of a fissile isotope (fissile isotope: an isotope whose nucleus is able to be split when irradiated with low energy neutrons).</i>
Code:	GGR
Name:	great gross
Beschreibung:	<i>A unit of count defining the number of units in multiples of 1728 (12 x 12 x 12).</i>
Code:	GIC
Name:	gram, including container
Beschreibung:	<i>A unit of mass defining the number of grams of a product, including its container.</i>
Code:	GIP

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	gram, including inner packaging
Beschreibung:	<i>A unit of mass defining the number of grams of a product, including its inner packaging materials.</i>
Code:	GRO
Name:	Gross
Beschreibung:	<i>A unit of count defining the number of units in multiples of 144 (12 x 12).</i>
Code:	GRT
Name:	gross register ton
Beschreibung:	<i>A unit of mass equal to the total cubic footage before deductions, where 1 register ton is equal to 100 cubic feet. Refer International Convention on tonnage measurement of ships.</i>
Code:	GT
Name:	gross ton
Beschreibung:	<i>A unit of mass equal to 2240 pounds. Refer International Convention on Tonnage measurement of Ships. Synonym: ton (UK) or long ton (US) (common code LTN)</i>
Code:	H16
Name:	square decametre
Beschreibung:	<i>Synonym: are</i>
Code:	H18
Name:	square hectometre
Beschreibung:	<i>Synonym: hectare</i>
Code:	H21
Name:	blank
Beschreibung:	<i>A unit of count defining the number of blanks.</i>
Code:	H25
Name:	percent per kelvin
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to the SI base unit Kelvin.</i>
Code:	H71
Name:	percent per month
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to a month.</i>
Code:	H72
Name:	percent per hectobar
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to 100-fold of the unit bar.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	H73
Name:	percent per decakelvin
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to 10-fold of the SI base unit Kelvin.</i>
Code:	H77
Name:	module width
Beschreibung:	<i>A unit of measure used to describe the breadth of electronic assemblies as an installation standard or mounting dimension.</i>
Code:	H79
Name:	Charrière
Beschreibung:	<i>A unit of distance used for measuring the diameter of small tubes such as urological instruments and catheters. Synonym: French, French gauge, Charrière gauge</i>
Code:	H80
Name:	rack unit
Beschreibung:	<i>A unit of measure used to describe the height in rack units of equipment intended for mounting in a 19-inch rack or a 23-inch rack. One rack unit is 1.75 inches (44.45 mm) high.</i>
Code:	H82
Name:	big point
Beschreibung:	<i>A unit of length defining the number of big points (big point: Adobe software(US) defines the big point to be exactly 1/72 inch (0.013 888 9 inch or 0.352 777 8 millimeters))</i>
Code:	H87
Name:	piece
Beschreibung:	<i>A unit of count defining the number of pieces (piece: a single item, article or exemplar).</i>
Code:	H89
Name:	percent per ohm
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to the SI derived unit ohm.</i>
Code:	H90
Name:	percent per degree
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to an angle of one degree.</i>
Code:	H91
Name:	percent per ten thousand
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to multiples of ten thousand.</i>
Code:	H92

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	percent per one hundred thousand
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to multiples of one hundred thousand.</i>
Code:	H93
Name:	percent per hundred
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to multiples of one hundred.</i>
Code:	H94
Name:	percent per thousand
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to multiples of one thousand.</i>
Code:	H95
Name:	percent per volt
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to the SI derived unit volt.</i>
Code:	H96
Name:	percent per bar
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to an atmospheric pressure of one bar.</i>
Code:	H98
Name:	percent per inch
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to an inch.</i>
Code:	H99
Name:	percent per metre
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to a metre.</i>
Code:	HA
Name:	hank
Beschreibung:	<i>A unit of length, typically for yarn.</i>
Code:	HAR
Name:	hectare
Beschreibung:	<i>Synonym: square hectometre</i>
Code:	HBX
Name:	hundred boxes
Beschreibung:	<i>A unit of count defining the number of boxes in multiples of one hundred box units.</i>
Code:	HC
Name:	hundred count
Beschreibung:	<i>A unit of count defining the number of units counted in multiples of 100.</i>
Code:	HDW
Name:	hundred kilogram, dry weight

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of mass defining the number of hundred kilograms of a product, disregarding the water content of the product.</i>
Code:	HEA
Name:	head
Beschreibung:	<i>A unit of count defining the number of heads (head: a person or animal considered as one of a number).</i>
Code:	HH
Name:	hundred cubic foot
Beschreibung:	<i>A unit of volume equal to one hundred cubic foot.</i>
Code:	HIU
Name:	hundred international unit
Beschreibung:	<i>A unit of count defining the number of international units in multiples of 100.</i>
Code:	HKM
Name:	hundred kilogram, net mass
Beschreibung:	<i>A unit of mass defining the number of hundred kilograms of a product, after deductions.</i>
Code:	HMQ
Name:	million cubic metre
Beschreibung:	<i>A unit of volume equal to one million cubic metres.</i>
Code:	HPA
Name:	hectolitre of pure alcohol
Beschreibung:	<i>A unit of volume equal to one hundred litres of pure alcohol.</i>
Code:	IE
Name:	person
Beschreibung:	<i>A unit of count defining the number of persons.</i>
Code:	INQ
Name:	Square inch
Beschreibung:	<i>Synonym: inch cubed</i>
Code:	ISD
Name:	international sugar degree
Beschreibung:	<i>A unit of measure defining the sugar content of a solution, expressed in degrees.</i>
Code:	J10
Name:	percent per millimetre
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to a millimetre.</i>
Code:	J12

Guideline**Used Codes**

Name:	per mille per psi
Beschreibung:	<i>A unit of pressure equal to one thousandth of a psi (pound-force per square inch).</i>
Code:	J13
Name:	degree API
Beschreibung:	<i>A unit of relative density as a measure of how heavy or light a petroleum liquid is compared to water (API: American Petroleum Institute).</i>
Code:	J14
Name:	degree Baume (origin scale)
Beschreibung:	<i>A traditional unit of relative density for liquids. Named after Antoine Baumé.</i>
Code:	J15
Name:	degree Baume (US heavy)
Beschreibung:	<i>A unit of relative density for liquids heavier than water.</i>
Code:	J16
Name:	degree Baume (US light)
Beschreibung:	<i>A unit of relative density for liquids lighter than water.</i>
Code:	J17
Name:	degree Balling
Beschreibung:	<i>A unit of density as a measure of sugar content, especially of beer wort. Named after Karl Balling.</i>
Code:	J18
Name:	degree Brix
Beschreibung:	<i>A unit of proportion used in measuring the dissolved sugar-to-water mass ratio of a liquid. Named after Adolf Brix.</i>
Code:	J27
Name:	degree Oechsle
Beschreibung:	<i>A unit of density as a measure of sugar content of must, the unfermented liqueur from which wine is made. Named after Ferdinand Oechsle.</i>
Code:	J31
Name:	degree Twaddell
Beschreibung:	<i>A unit of density for liquids that are heavier than water. 1 degree Twaddle represents a difference in specific gravity of 0.005.</i>
Code:	J38
Name:	baud
Beschreibung:	<i>A unit of signal transmission speed equal to one signalling event per second.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	J54
Name:	megabaud
Beschreibung:	<i>A unit of signal transmission speed equal to 10 to the power of 6 (1000000) signaling events per second.</i>
Code:	JNT
Name:	pipeline joint
Beschreibung:	<i>A count of the number of pipeline joints.</i>
Code:	JPS
Name:	hundred metre
Beschreibung:	<i>A unit of count defining the number of 100 metre lengths.</i>
Code:	JWL
Name:	number of jewels
Beschreibung:	<i>A unit of count defining the number of jewels (jewel: precious stone).</i>
Code:	K1
Name:	kilowatt demand
Beschreibung:	<i>A unit of measure defining the power load measured at predetermined intervals.</i>
Code:	K2
Name:	kilovolt ampere reactive demand
Beschreibung:	<i>A unit of measure defining the reactive power demand equal to one kilovolt ampere of reactive power.</i>
Code:	K3
Name:	kilovolt ampere reactive hour
Beschreibung:	<i>A unit of measure defining the accumulated reactive energy equal to one kilovolt ampere of reactive power per hour.</i>
Code:	K5
Name:	kilovolt ampere (reactive)
Beschreibung:	<i>Use kilovar (common code KVR)</i>
Code:	K50
Name:	kilobaud
Beschreibung:	<i>A unit of signal transmission speed equal to 10 to the power of 3 (1000) signaling events per second.</i>
Code:	KA
Name:	cake
Beschreibung:	<i>A unit of count defining the number of cakes (cake: object shaped into a flat, compact</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Used Codes

	<i>mass).</i>
Code:	KAT
Name:	katal
Beschreibung:	<i>A unit of catalytic activity defining the catalytic activity of enzymes and other catalysts.</i>
Code:	KB
Name:	Kilobyte
Beschreibung:	<i>A unit of information equal to 10 to the power of 3 (1000) characters.</i>
Code:	KCC
Name:	kilogram of choline chloride
Beschreibung:	<i>A unit of mass equal to one thousand grams of choline chloride.</i>
Code:	KDW
Name:	kilogram drained net weight
Beschreibung:	<i>A unit of mass defining the net number of kilograms of a product, disregarding the liquid content of the product.</i>
Code:	KEL
Name:	Kelvin
Beschreibung:	<i>Refer ISO 80000-5 (Quantities and units — Part 5: Thermodynamics)</i>
Code:	KGM
Name:	Kilogramm
Beschreibung:	<i>A unit of mass equal to one thousand grams.</i>
Code:	KHY
Name:	kilogram of hydrogen peroxide
Beschreibung:	<i>A unit of mass equal to one thousand grams of hydrogen peroxide.</i>
Code:	KIC
Name:	kilogram, including container
Beschreibung:	<i>A unit of mass defining the number of kilograms of a product, including its container.</i>
Code:	KIP
Name:	kilogram, including inner packaging
Beschreibung:	<i>A unit of mass defining the number of kilograms of a product, including its inner packaging materials.</i>
Code:	KJ
Name:	kilosegment
Beschreibung:	<i>A unit of information equal to 10 to the power of 3 (1000) segments.</i>
Code:	KLK

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	lactic dry material percentage
Beschreibung:	<i>A unit of proportion defining the percentage of dry lactic material in a product.</i>
Code:	KLX
Name:	kilolux
Beschreibung:	<i>A unit of illuminance equal to one thousand lux.</i>
Code:	KMA
Name:	kilogram of methylamine
Beschreibung:	<i>A unit of mass equal to one thousand grams of methylamine.</i>
Code:	KMQ
Name:	Kilogramm pro Kubikmeter
Beschreibung:	<i>A unit of weight expressed in kilograms of a substance that fills a volume of one cubic metre.</i>
Code:	KNI
Name:	kilogram of nitrogen
Beschreibung:	<i>A unit of mass equal to one thousand grams of nitrogen.</i>
Code:	KNM
Name:	kilonewton per square metre
Beschreibung:	<i>Pressure expressed in kN/m².</i>
Code:	KNS
Name:	kilogram named substance
Beschreibung:	<i>A unit of mass equal to one kilogram of a named substance.</i>
Code:	KO
Name:	milliequivalence caustic potash per gram of product
Beschreibung:	<i>A unit of count defining the number of milligrams of potassium hydroxide per gram of product as a measure of the concentration of potassium hydroxide in the product.</i>
Code:	KPH
Name:	kilogram of potassium hydroxide (caustic potash)
Beschreibung:	<i>A unit of mass equal to one thousand grams of potassium hydroxide (caustic potash).</i>
Code:	KPO
Name:	kilogram of potassium oxide
Beschreibung:	<i>A unit of mass equal to one thousand grams of potassium oxide.</i>
Code:	KPP
Name:	kilogram of phosphorus pentoxide (phosphoric anhydride)
Beschreibung:	<i>A unit of mass equal to one thousand grams of phosphorus pentoxide phosphoric</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

	<i>anhydride.</i>
Code:	KSD
Name:	kilogram of substance 90 % dry
Beschreibung:	<i>A unit of mass equal to one thousand grams of a named substance that is 90% dry.</i>
Code:	KSH
Name:	kilogram of sodium hydroxide (caustic soda)
Beschreibung:	<i>A unit of mass equal to one thousand grams of sodium hydroxide (caustic soda).</i>
Code:	KT
Name:	kit
Beschreibung:	<i>A unit of count defining the number of kits (kit: tub, barrel or pail).</i>
Code:	KUR
Name:	kilogram of uranium
Beschreibung:	<i>A unit of mass equal to one thousand grams of uranium.</i>
Code:	KWN
Name:	Kilowatt hour per normalized cubic metre
Beschreibung:	<i>Kilowatt hour per normalized cubic metre (temperature 0°C and pressure 101325 millibars).</i>
Code:	KWO
Name:	kilogram of tungsten trioxide
Beschreibung:	<i>A unit of mass equal to one thousand grams of tungsten trioxide.</i>
Code:	KWS
Name:	Kilowatt hour per standard cubic metre
Beschreibung:	<i>Kilowatt hour per standard cubic metre (temperature 15°C and pressure 101325 millibars).</i>
Code:	LAC
Name:	lactose excess percentage
Beschreibung:	<i>A unit of proportion defining the percentage of lactose in a product that exceeds a defined percentage level.</i>
Code:	LEF
Name:	leaf
Beschreibung:	<i>A unit of count defining the number of leaves.</i>
Code:	LF
Name:	linear foot
Beschreibung:	<i>A unit of count defining the number of feet (12-inch) in length of a uniform width object.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	LH
Name:	labour hour
Beschreibung:	<i>A unit of time defining the number of labour hours.</i>
Code:	LK
Name:	link
Beschreibung:	<i>A unit of distance equal to 0.01 chain.</i>
Code:	LM
Name:	linear metre
Beschreibung:	<i>A unit of count defining the number of metres in length of a uniform width object.</i>
Code:	LN
Name:	length
Beschreibung:	<i>A unit of distance defining the linear extent of an item measured from end to end.</i>
Code:	LO
Name:	lot [unit of procurement]
Beschreibung:	<i>A unit of count defining the number of lots (lot: a collection of associated items).</i>
Code:	LP
Name:	liquid pound
Beschreibung:	<i>A unit of mass defining the number of pounds of a liquid substance.</i>
Code:	LPA
Name:	litre of pure alcohol
Beschreibung:	<i>A unit of volume equal to one litre of pure alcohol.</i>
Code:	LR
Name:	layer
Beschreibung:	<i>A unit of count defining the number of layers.</i>
Code:	LS
Name:	lump sum
Beschreibung:	<i>A unit of count defining the number of whole or a complete monetary amounts.</i>
Code:	LTN
Name:	ton (UK) or long ton (US)
Beschreibung:	<i>Synonym: gross ton (2240 lb)</i>
Code:	LUB
Name:	metric ton, lubricating oil
Beschreibung:	<i>A unit of mass defining the number of metric tons of lubricating oil.</i>
Code:	LY

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	linear yard
Beschreibung:	<i>A unit of count defining the number of 36-inch units in length of a uniform width object.</i>
Code:	M19
Name:	Beaufort
Beschreibung:	<i>An empirical measure for describing wind speed based mainly on observed sea conditions. The Beaufort scale indicates the wind speed by numbers that typically range from 0 for calm, to 12 for hurricane.</i>
Code:	M25
Name:	percent per degree Celsius
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to a temperature of one degree.</i>
Code:	M36
Name:	30-day month
Beschreibung:	<i>A unit of count defining the number of months expressed in multiples of 30 days, one day equals 24 hours.</i>
Code:	M37
Name:	actual/360
Beschreibung:	<i>A unit of count defining the number of years expressed in multiples of 360 days, one day equals 24 hours.</i>
Code:	M38
Name:	kilometre per second squared
Beschreibung:	<i>1000-fold of the SI base unit metre divided by the power of the SI base unit second by exponent 2.</i>
Code:	M39
Name:	centimetre per second squared
Beschreibung:	<i>0,01-fold of the SI base unit metre divided by the power of the SI base unit second by exponent 2.</i>
Code:	M4
Name:	monetary value
Beschreibung:	<i>A unit of measure expressed as a monetary amount.</i>
Code:	M40
Name:	yard per second squared
Beschreibung:	<i>Unit of the length according to the Anglo-American and Imperial system of units divided by the power of the SI base unit second by exponent 2.</i>
Code:	M41

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	millimetre per second squared
Beschreibung:	<i>0,001-fold of the SI base unit metre divided by the power of the SI base unit second by exponent 2.</i>
Code:	M42
Name:	mile (statute mile) per second squared
Beschreibung:	<i>Unit of the length according to the Imperial system of units divided by the power of the SI base unit second by exponent 2.</i>
Code:	M43
Name:	mil
Beschreibung:	<i>Unit to indicate an angle at military zone, equal to the 6400th part of the full circle of the 360° or 2·p·rad.</i>
Code:	M44
Name:	revolution
Beschreibung:	<i>Unit to identify an angle of the full circle of 360° or 2·p·rad (Refer ISO/TC12 SI Guide).</i>
Code:	M45
Name:	degree [unit of angle] per second squared
Beschreibung:	<i>360 part of a full circle divided by the power of the SI base unit second and the exponent 2.</i>
Code:	M46
Name:	revolution per minute
Beschreibung:	<i>Unit of the angular velocity.</i>
Code:	M47
Name:	circular mil
Beschreibung:	<i>Unit of an area, of which the size is given by a diameter of length of 1 mm (0,001 in) based on the formula: $area = p \cdot (diameter/2)^2$.</i>
Code:	M48
Name:	square mile (based on U.S. survey foot)
Beschreibung:	<i>Unit of the area, which is mainly common in the agriculture and forestry.</i>
Code:	M49
Name:	chain (based on U.S. survey foot)
Beschreibung:	<i>Unit of the length according the Anglo-American system of units.</i>
Code:	M50
Name:	furlong
Beschreibung:	<i>Unit commonly used in Great Britain at rural distances: 1 furlong = 40 rods = 10 chains</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

	<i>(UK) = 1/8 mile = 1/10 furlong = 220 yards = 660 foot.</i>
Code:	M51
Name:	foot (U.S. survey)
Beschreibung:	<i>Unit commonly used in the United States for ordnance survey.</i>
Code:	M52
Name:	mile (based on U.S. survey foot)
Beschreibung:	<i>Unit commonly used in the United States for ordnance survey.</i>
Code:	M53
Name:	metre per pascal
Beschreibung:	<i>SI base unit metre divided by the derived SI unit pascal.</i>
Code:	M55
Name:	metre per radian
Beschreibung:	<i>Unit of the translation factor for implementation from rotation to linear movement.</i>
Code:	M56
Name:	shake
Beschreibung:	<i>Unit for a very short period.</i>
Code:	M57
Name:	mile per minute
Beschreibung:	<i>Unit of velocity from the Imperial system of units.</i>
Code:	M58
Name:	mile per second
Beschreibung:	<i>Unit of the velocity from the Imperial system of units.</i>
Code:	M59
Name:	metre per second pascal
Beschreibung:	<i>SI base unit meter divided by the product of SI base unit second and the derived SI unit pascal.</i>
Code:	M60
Name:	metre per hour
Beschreibung:	<i>SI base unit metre divided by the unit hour.</i>
Code:	M61
Name:	inch per year
Beschreibung:	<i>Unit of the length according to the Anglo-American and Imperial system of units divided by the unit common year with 365 days.</i>
Code:	M62

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	kilometre per second
Beschreibung:	<i>1000-fold of the SI base unit metre divided by the SI base unit second.</i>
Code:	M63
Name:	inch per minute
Beschreibung:	<i>Unit inch according to the Anglo-American and Imperial system of units divided by the unit minute.</i>
Code:	M64
Name:	yard per second
Beschreibung:	<i>Unit yard according to the Anglo-American and Imperial system of units divided by the SI base unit second.</i>
Code:	M65
Name:	yard per minute
Beschreibung:	<i>Unit yard according to the Anglo-American and Imperial system of units divided by the unit minute.</i>
Code:	M66
Name:	yard per hour
Beschreibung:	<i>Unit yard according to the Anglo-American and Imperial system of units divided by the unit hour.</i>
Code:	M67
Name:	acre-foot (based on U.S. survey foot)
Beschreibung:	<i>Unit of the volume, which is used in the United States to measure/gauge the capacity of reservoirs.</i>
Code:	M68
Name:	cord (128 ft ³)
Beschreibung:	<i>Traditional unit of the volume of stacked firewood which has been measured with a cord.</i>
Code:	M69
Name:	cubic mile (UK statute)
Beschreibung:	<i>Unit of volume according to the Imperial system of units.</i>
Code:	M70
Name:	ton, register
Beschreibung:	<i>Traditional unit of the cargo capacity.</i>
Code:	M71
Name:	cubic metre per pascal
Beschreibung:	<i>Power of the SI base unit meter by exponent 3 divided by the derived SI base unit</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

	<i>pascal.</i>
Code:	M72
Name:	bel
Beschreibung:	<i>Logarithmic relationship to base 10.</i>
Code:	M73
Name:	kilogram per cubic metre pascal
Beschreibung:	<i>SI base unit kilogram divided by the product of the power of the SI base unit metre with exponent 3 and the derived SI unit pascal.</i>
Code:	M74
Name:	kilogram per pascal
Beschreibung:	<i>SI base unit kilogram divided by the derived SI unit pascal.</i>
Code:	M75
Name:	kilopound-force
Beschreibung:	<i>1000-fold of the unit of the force pound-force (lbf) according to the Anglo-American system of units with the relationship.</i>
Code:	M76
Name:	poundal
Beschreibung:	<i>Non SI-conforming unit of the power, which corresponds to a mass of a pound multiplied with the acceleration of a foot per square second.</i>
Code:	M77
Name:	kilogram metre per second squared
Beschreibung:	<i>Product of the SI base unit kilogram and the SI base unit metre divided by the power of the SI base unit second by exponent 2.</i>
Code:	M78
Name:	pond
Beschreibung:	<i>0,001-fold of the unit of the weight, defined as a mass of 1 kg which finds out about a weight strength from 1 kp by the gravitational force at sea level which corresponds to a strength of 9,806 65 newton.</i>
Code:	M79
Name:	square foot per hour
Beschreibung:	<i>Power of the unit foot according to the Anglo-American and Imperial system of units by exponent 2 divided by the unit of time hour.</i>
Code:	M80
Name:	stokes per pascal

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit stokes divided by the derived SI unit pascal.</i>
Code:	M81
Name:	square centimetre per second
Beschreibung:	<i>0,000 1-fold of the power of the SI base unit metre by exponent 2 divided by the SI base unit second.</i>
Code:	M82
Name:	square metre per second pascal
Beschreibung:	<i>Power of the SI base unit metre with the exponent 2 divided by the SI base unit second and the derived SI unit pascal.</i>
Code:	M83
Name:	denier
Beschreibung:	<i>Traditional unit for the indication of the linear mass of textile fibers and yarns.</i>
Code:	M84
Name:	pound per yard
Beschreibung:	<i>Unit for linear mass according to avoirdupois system of units.</i>
Code:	M85
Name:	ton, assay
Beschreibung:	<i>Non SI-conforming unit of the mass used in the mineralogy to determine the concentration of precious metals in ore according to the mass of the precious metal in milligrams in a sample of the mass of an assay sound (number of troy ounces in a short ton (1 000 lb)).</i>
Code:	M86
Name:	pfund
Beschreibung:	<i>Outdated unit of the mass used in Germany.</i>
Code:	M87
Name:	kilogram per second pascal
Beschreibung:	<i>SI base unit kilogram divided by the product of the SI base unit second and the derived SI unit pascal.</i>
Code:	M88
Name:	tonne per month
Beschreibung:	<i>Unit tonne divided by the unit month.</i>
Code:	M89
Name:	tonne per year
Beschreibung:	<i>Unit tonne divided by the unit year with 365 days.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	M90
Name:	kilopound per hour
Beschreibung:	<i>1000-fold of the unit of the mass avoirdupois pound according to the avoirdupois unit system divided by the unit hour.</i>
Code:	M91
Name:	pound per pound
Beschreibung:	<i>Proportion of the mass consisting of the avoirdupois pound according to the avoirdupois unit system divided by the avoirdupois pound according to the avoirdupois unit system.</i>
Code:	M92
Name:	pound-force foot
Beschreibung:	<i>Product of the unit pound-force according to the Anglo-American system of units and the unit foot according to the Anglo-American and the Imperial system of units.</i>
Code:	M93
Name:	newton metre per radian
Beschreibung:	<i>Product of the derived SI unit newton and the SI base unit metre divided by the unit radian.</i>
Code:	M94
Name:	kilogram metre
Beschreibung:	<i>Unit of imbalance as a product of the SI base unit kilogram and the SI base unit metre.</i>
Code:	M95
Name:	poundal foot
Beschreibung:	<i>Product of the non SI-conforming unit of the force poundal and the unit foot according to the Anglo-American and Imperial system of units .</i>
Code:	M96
Name:	poundal inch
Beschreibung:	<i>Product of the non SI-conforming unit of the force poundal and the unit inch according to the Anglo-American and Imperial system of units .</i>
Code:	M97
Name:	dyne metre
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of the rotational moment.</i>
Code:	M98
Name:	kilogram centimetre per second
Beschreibung:	<i>Product of the SI base unit kilogram and the 0,01-fold of the SI base unit metre divided by the SI base unit second.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	M99
Name:	gram centimetre per second
Beschreibung:	<i>Product of the 0,001-fold of the SI base unit kilogram and the 0,01-fold of the SI base unit metre divided by the SI base unit second.</i>
Code:	MAH
Name:	megavolt ampere reactive hour
Beschreibung:	<i>A unit of electrical reactive power defining the total amount of reactive power across a power system.</i>
Code:	MAR
Name:	megavar
Beschreibung:	<i>A unit of electrical reactive power represented by a current of one thousand amperes flowing due a potential difference of one thousand volts where the sine of the phase angle between them is 1.</i>
Code:	MAW
Name:	Megawatt
Beschreibung:	<i>A unit of power defining the rate of energy transferred or consumed when a current of 1000 amperes flows due to a potential of 1000 volts at unity power factor.</i>
Code:	MBE
Name:	thousand standard brick equivalent
Beschreibung:	<i>A unit of count defining the number of one thousand brick equivalent units.</i>
Code:	MBF
Name:	thousand board foot
Beschreibung:	<i>A unit of volume equal to one thousand board foot.</i>
Code:	MD
Name:	air dry metric ton
Beschreibung:	<i>A unit of count defining the number of metric tons of a product, disregarding the water content of the product.</i>
Code:	MIU
Name:	million international unit
Beschreibung:	<i>A unit of count defining the number of international units in multiples of 10 to the power of 6.</i>
Code:	MLD
Name:	milliard
Beschreibung:	<i>Synonym: billion (US)</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	MND
Name:	kilogram, dry weight
Beschreibung:	<i>A unit of mass defining the number of kilograms of a product, disregarding the water content of the product.</i>
Code:	MON
Name:	Monat
Beschreibung:	<i>Unit of time equal to 1/12 of a year of 365,25 days.</i>
Code:	MTQ
Name:	Kubikmeter
Beschreibung:	<i>Synonym: metre cubed</i>
Code:	MWH
Name:	Megawatt Stunde (1000 KWh)
Beschreibung:	<i>A unit of power defining the total amount of bulk energy transferred or consumed.</i>
Code:	N1
Name:	pen calorie
Beschreibung:	<i>A unit of count defining the number of calories prescribed daily for parenteral/enteral therapy.</i>
Code:	N10
Name:	pound foot per second
Beschreibung:	<i>Product of the avoirdupois pound according to the avoirdupois unit system and the unit foot according to the Anglo-American and Imperial system of units divided by the SI base unit second.</i>
Code:	N11
Name:	pound inch per second
Beschreibung:	<i>Product of the avoirdupois pound according to the avoirdupois unit system and the unit inch according to the Anglo-American and Imperial system of units divided by the SI base unit second.</i>
Code:	N12
Name:	Pferdestaerke
Beschreibung:	<i>Obsolete unit of the power relating to DIN 1301-3:1979: 1 PS = 735,498 75 W.</i>
Code:	N13
Name:	centimetre of mercury (0 °C)
Beschreibung:	<i>Non SI-conforming unit of pressure, at which a value of 1 cmHg meets the static pressure, which is generated by a mercury at a temperature of 0 °C with a height of 1</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Used Codes

	<i>centimetre .</i>
Code:	N14
Name:	centimetre of water (4 °C)
Beschreibung:	<i>Non SI-conforming unit of pressure, at which a value of 1 cmH2O meets the static pressure, which is generated by a head of water at a temperature of 4 °C with a height of 1 centimetre .</i>
Code:	N15
Name:	foot of water (39.2 °F)
Beschreibung:	<i>Non SI-conforming unit of pressure according to the Anglo-American and Imperial system for units, whereas the value of 1 ftH2O is equivalent to the static pressure, which is generated by a head of water at a temperature 39,2°F with a height of 1 foot .</i>
Code:	N16
Name:	inch of mercury (32 °F)
Beschreibung:	<i>Non SI-conforming unit of pressure according to the Anglo-American and Imperial system for units, whereas the value of 1 inHg meets the static pressure, which is generated by a mercury at a temperature of 32°F with a height of 1 inch.</i>
Code:	N17
Name:	inch of mercury (60 °F)
Beschreibung:	<i>Non SI-conforming unit of pressure according to the Anglo-American and Imperial system for units, whereas the value of 1 inHg meets the static pressure, which is generated by a mercury at a temperature of 60°F with a height of 1 inch.</i>
Code:	N18
Name:	inch of water (39.2 °F)
Beschreibung:	<i>Non SI-conforming unit of pressure according to the Anglo-American and Imperial system for units, whereas the value of 1 inH2O meets the static pressure, which is generated by a head of water at a temperature of 39,2°F with a height of 1 inch .</i>
Code:	N19
Name:	inch of water (60 °F)
Beschreibung:	<i>Non SI-conforming unit of pressure according to the Anglo-American and Imperial system for units, whereas the value of 1 inH2O meets the static pressure, which is generated by a head of water at a temperature of 60°F with a height of 1 inch .</i>
Code:	N20
Name:	kip per square inch
Beschreibung:	<i>Non SI-conforming unit of the pressure according to the Anglo-American system of units</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Used Codes

	<i>as the 1000-fold of the unit of the force pound-force divided by the power of the unit inch by exponent 2.</i>
Code:	N21
Name:	poundal per square foot
Beschreibung:	<i>Non SI-conforming unit of pressure by the Imperial system of units according to NIST: 1 pdl/ft² = 1,488 164 Pa.</i>
Code:	N22
Name:	ounce (avoirdupois) per square inch
Beschreibung:	<i>Unit of the surface specific mass (avoirdupois ounce according to the avoirdupois system of units according to the surface square inch according to the Anglo-American and Imperial system of units).</i>
Code:	N23
Name:	conventional metre of water
Beschreibung:	<i>Not SI-conforming unit of pressure, whereas a value of 1 mH₂O is equivalent to the static pressure, which is produced by one metre high water column .</i>
Code:	N24
Name:	gram per square millimetre
Beschreibung:	<i>0,001-fold of the SI base unit kilogram divided by the 0.000 001-fold of the power of the SI base unit meter by exponent 2.</i>
Code:	N25
Name:	pound per square yard
Beschreibung:	<i>Unit for areal-related mass as a unit pound according to the avoirdupois unit system divided by the power of the unit yard according to the Anglo-American and Imperial system of units with exponent 2.</i>
Code:	N26
Name:	poundal per square inch
Beschreibung:	<i>Non SI-conforming unit of the pressure according to the Imperial system of units (poundal by square inch).</i>
Code:	N27
Name:	foot to the fourth power
Beschreibung:	<i>Power of the unit foot according to the Anglo-American and Imperial system of units by exponent 4 according to NIST: 1 ft⁴ = 8,630 975 m⁴.</i>
Code:	N28
Name:	cubic decimetre per kilogram

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>0,001 fold of the power of the SI base unit meter by exponent 3 divided by the SI based unit kilogram.</i>
Code:	N29
Name:	cubic foot per pound
Beschreibung:	<i>Power of the unit foot according to the Anglo-American and Imperial system of units by exponent 3 divided by the unit avoirdupois pound according to the avoirdupois unit system.</i>
Code:	N30
Name:	cubic inch per pound
Beschreibung:	<i>Power of the unit inch according to the Anglo-American and Imperial system of units by exponent 3 divided by the avoirdupois pound according to the avoirdupois unit system .</i>
Code:	N31
Name:	kilonewton per metre
Beschreibung:	<i>1000-fold of the derived SI unit newton divided by the SI base unit metre.</i>
Code:	N32
Name:	poundal per inch
Beschreibung:	<i>Non SI-conforming unit of the surface tension according to the Imperial unit system as quotient poundal by inch.</i>
Code:	N33
Name:	pound-force per yard
Beschreibung:	<i>Unit of force per unit length based on the Anglo-American system of units.</i>
Code:	N34
Name:	poundal second per square foot
Beschreibung:	<i>Non SI-conforming unit of viscosity.</i>
Code:	N35
Name:	poise per pascal
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit poise divided by the derived SI unit pascal.</i>
Code:	N36
Name:	newton second per square metre
Beschreibung:	<i>Unit of the dynamic viscosity as a product of unit of the pressure (newton by square metre) multiplied with the SI base unit second.</i>
Code:	N37
Name:	kilogram per metre second
Beschreibung:	<i>Unit of the dynamic viscosity as a quotient SI base unit kilogram divided by the SI base</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

	<i>unit metre and by the SI base unit second.</i>
Code:	N38
Name:	kilogram per metre minute
Beschreibung:	<i>Unit of the dynamic viscosity as a quotient SI base unit kilogram divided by the SI base unit metre and by the unit minute.</i>
Code:	N39
Name:	kilogram per metre day
Beschreibung:	<i>Unit of the dynamic viscosity as a quotient SI base unit kilogram divided by the SI base unit metre and by the unit day.</i>
Code:	N40
Name:	kilogram per metre hour
Beschreibung:	<i>Unit of the dynamic viscosity as a quotient SI base unit kilogram divided by the SI base unit metre and by the unit hour.</i>
Code:	N41
Name:	gram per centimetre second
Beschreibung:	<i>Unit of the dynamic viscosity as a quotient of the 0,001-fold of the SI base unit kilogram divided by the 0,01-fold of the SI base unit metre and SI base unit second.</i>
Code:	N42
Name:	poundal second per square inch
Beschreibung:	<i>Non SI-conforming unit of dynamic viscosity according to the Imperial system of units as product unit of the pressure (poundal by square inch) multiplied by the SI base unit second.</i>
Code:	N43
Name:	pound per foot minute
Beschreibung:	<i>Unit of the dynamic viscosity according to the Anglo-American unit system.</i>
Code:	N44
Name:	pound per foot day
Beschreibung:	<i>Unit of the dynamic viscosity according to the Anglo-American unit system.</i>
Code:	N45
Name:	cubic metre per second pascal
Beschreibung:	<i>Power of the SI base unit meter by exponent 3 divided by the product of the SI base unit second and the derived SI base unit pascal.</i>
Code:	N46
Name:	foot poundal

Guideline**Used Codes**

Beschreibung:	<i>Unit of the work (force-path).</i>
Code:	N47
Name:	inch poundal
Beschreibung:	<i>Unit of work (force multiplied by path) according to the Imperial system of units as a product unit inch multiplied by poundal.</i>
Code:	N48
Name:	watt per square centimetre
Beschreibung:	<i>Derived SI unit watt divided by the power of the 0,01-fold the SI base unit metre by exponent 2.</i>
Code:	N49
Name:	watt per square inch
Beschreibung:	<i>Derived SI unit watt divided by the power of the unit inch according to the Anglo-American and Imperial system of units by exponent 2.</i>
Code:	N50
Name:	British thermal unit (international table) per square foot hour
Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>
Code:	N51
Name:	British thermal unit (thermochemical) per square foot hour
Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>
Code:	N52
Name:	British thermal unit (thermochemical) per square foot minute
Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>
Code:	N53
Name:	British thermal unit (international table) per square foot second
Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>
Code:	N54
Name:	British thermal unit (thermochemical) per square foot second
Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>
Code:	N55
Name:	British thermal unit (international table) per square inch second
Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>
Code:	N56
Name:	calorie (thermochemical) per square centimetre minute
Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Used Codes

Code:	N57
Name:	calorie (thermochemical) per square centimetre second
Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>
Code:	N58
Name:	British thermal unit (international table) per cubic foot
Beschreibung:	<i>Unit of the energy density according to the Imperial system of units.</i>
Code:	N59
Name:	British thermal unit (thermochemical) per cubic foot
Beschreibung:	<i>Unit of the energy density according to the Imperial system of units.</i>
Code:	N60
Name:	British thermal unit (international table) per degree Fahrenheit
Beschreibung:	<i>Unit of the heat capacity according to the Imperial system of units.</i>
Code:	N61
Name:	British thermal unit (thermochemical) per degree Fahrenheit
Beschreibung:	<i>Unit of the heat capacity according to the Imperial system of units.</i>
Code:	N62
Name:	British thermal unit (international table) per degree Rankine
Beschreibung:	<i>Unit of the heat capacity according to the Imperial system of units.</i>
Code:	N63
Name:	British thermal unit (thermochemical) per degree Rankine
Beschreibung:	<i>Unit of the heat capacity according to the Imperial system of units.</i>
Code:	N64
Name:	British thermal unit (thermochemical) per pound degree Rankine
Beschreibung:	<i>Unit of the heat capacity (British thermal unit according to the international table according to the Rankine degree) according to the Imperial system of units divided by the unit avoirdupois pound according to the avoirdupois system of units.</i>
Code:	N65
Name:	kilocalorie (international table) per gram kelvin
Beschreibung:	<i>Unit of the mass-related heat capacity as quotient 1000-fold of the calorie (international table) divided by the product of the 0,001-fold of the SI base units kilogram and kelvin.</i>
Code:	N66
Name:	British thermal unit (39 °F)
Beschreibung:	<i>Unit of heat energy according to the Imperial system of units in a reference temperature of 39 °F.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Used Codes

Code:	N67
Name:	British thermal unit (59 °F)
Beschreibung:	<i>Unit of heat energy according to the Imperial system of units in a reference temperature of 59 °F.</i>
Code:	N68
Name:	British thermal unit (60 °F)
Beschreibung:	<i>Unit of head energy according to the Imperial system of units at a reference temperature of 60 °F.</i>
Code:	N69
Name:	calorie (20 °C)
Beschreibung:	<i>Unit for quantity of heat, which is to be required for 1 g air free water at a constant pressure from 101,325 kPa, to warm up the pressure of standard atmosphere at sea level, from 19,5 °C on 20,5 °C.</i>
Code:	N70
Name:	quad (1015 BtuIT)
Beschreibung:	<i>Unit of heat energy according to the imperial system of units.</i>
Code:	N71
Name:	therm (EC)
Beschreibung:	<i>Unit of heat energy in commercial use, within the EU defined: 1 thm (EC) = 100 000 BtuIT.</i>
Code:	N72
Name:	therm (U.S.)
Beschreibung:	<i>Unit of heat energy in commercial use.</i>
Code:	N73
Name:	British thermal unit (thermochemical) per pound
Beschreibung:	<i>Unit of the heat energy according to the Imperial system of units divided the unit avoirdupois pound according to the avoirdupois system of units.</i>
Code:	N74
Name:	British thermal unit (international table) per hour square foot degree Fahrenheit
Beschreibung:	<i>Unit of the heat transition coefficient according to the Imperial system of units.</i>
Code:	N75
Name:	British thermal unit (thermochemical) per hour square foot degree Fahrenheit
Beschreibung:	<i>Unit of the heat transition coefficient according to the imperial system of units.</i>
Code:	N76

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	British thermal unit (international table) per second square foot degree Fahrenheit
Beschreibung:	<i>Unit of the heat transition coefficient according to the imperial system of units.</i>
Code:	N77
Name:	British thermal unit (thermochemical) per second square foot degree Fahrenheit
Beschreibung:	<i>Unit of the heat transition coefficient according to the imperial system of units.</i>
Code:	N78
Name:	kilowatt per square metre kelvin
Beschreibung:	<i>1000-fold of the derived SI unit watt divided by the product of the power of the SI base unit metre by exponent 2 and the SI base unit kelvin.</i>
Code:	N79
Name:	kelvin per pascal
Beschreibung:	<i>SI base unit kelvin divided by the derived SI unit pascal.</i>
Code:	N80
Name:	watt per metre degree Celsius
Beschreibung:	<i>Derived SI unit watt divided by the product of the SI base unit metre and the unit for temperature degree Celsius.</i>
Code:	N81
Name:	kilowatt per metre kelvin
Beschreibung:	<i>1000-fold of the derived SI unit watt divided by the product of the SI base unit metre and the SI base unit kelvin.</i>
Code:	N82
Name:	kilowatt per metre degree Celsius
Beschreibung:	<i>1000-fold of the derived SI unit watt divided by the product of the SI base unit metre and the unit for temperature degree Celsius.</i>
Code:	N83
Name:	metre per degree Celcius metre
Beschreibung:	<i>SI base unit metre divided by the product of the unit degree Celsius and the SI base unit metre.</i>
Code:	N84
Name:	degree Fahrenheit hour per British thermal unit (international table)
Beschreibung:	<i>Non SI-conforming unit of the thermal resistance according to the Imperial system of units.</i>
Code:	N85
Name:	degree Fahrenheit hour per British thermal unit (thermochemical)

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>Non SI-conforming unit of the thermal resistance according to the Imperial system of units.</i>
Code:	N86
Name:	degree Fahrenheit second per British thermal unit (international table)
Beschreibung:	<i>Non SI-conforming unit of the thermal resistance according to the Imperial system of units.</i>
Code:	N87
Name:	degree Fahrenheit second per British thermal unit (thermochemical)
Beschreibung:	<i>Non SI-conforming unit of the thermal resistance according to the Imperial system of units.</i>
Code:	N88
Name:	degree Fahrenheit hour square foot per British thermal unit (international table) inch
Beschreibung:	<i>Unit of specific thermal resistance according to the Imperial system of units.</i>
Code:	N89
Name:	degree Fahrenheit hour square foot per British thermal unit (thermochemical) inch
Beschreibung:	<i>Unit of specific thermal resistance according to the Imperial system of units.</i>
Code:	N90
Name:	kilofarad
Beschreibung:	<i>1000-fold of the derived SI unit farad.</i>
Code:	N91
Name:	reciprocal joule
Beschreibung:	<i>Reciprocal of the derived SI unit joule.</i>
Code:	N92
Name:	picosiemens
Beschreibung:	<i>0,000 000 000 001-fold of the derived SI unit siemens.</i>
Code:	N93
Name:	ampere per pascal
Beschreibung:	<i>SI base unit ampere divided by the derived SI unit pascal.</i>
Code:	N94
Name:	franklin
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of the electrical charge, where the charge amounts to exactly 1 Fr where the force of 1 dyn on an equal load is performed at a distance of 1 cm.</i>
Code:	N95

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	ampere minute
Beschreibung:	<i>A unit of electric charge defining the amount of charge accumulated by a steady flow of one ampere for one minute..</i>
Code:	N96
Name:	biot
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of the electric power which is defined by a force of 2 dyn per cm between two parallel conductors of infinite length with negligible cross-section in the distance of 1 cm.</i>
Code:	N97
Name:	gilbert
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of the magnetomotive force, which is defined by the work to increase the magnetic potential of a positive common pole with 1 erg.</i>
Code:	N98
Name:	volt per pascal
Beschreibung:	<i>Derived SI unit volt divided by the derived SI unit pascal.</i>
Code:	N99
Name:	picovolt
Beschreibung:	<i>0,000 000 000 001-fold of the derived SI unit volt.</i>
Code:	NAR
Name:	Anzahl der Artikel
Beschreibung:	<i>A unit of count defining the number of articles (article: item).</i>
Code:	NCL
Name:	number of cells
Beschreibung:	<i>A unit of count defining the number of cells (cell: an enclosed or circumscribed space, cavity, or volume).</i>
Code:	NF
Name:	message
Beschreibung:	<i>A unit of count defining the number of messages.</i>
Code:	NIL
Name:	nil
Beschreibung:	<i>A unit of count defining the number of instances of nothing.</i>
Code:	NIU
Name:	Anzahl internationaler Einheiten

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of count defining the number of international units.</i>
Code:	NL
Name:	load
Beschreibung:	<i>A unit of volume defining the number of loads (load: a quantity of items carried or processed at one time).</i>
Code:	NM3
Name:	Normalised cubic metre
Beschreibung:	<i>Normalised cubic metre (temperature 0°C and pressure 101325 millibars)</i>
Code:	NMP
Name:	number of packs
Beschreibung:	<i>A unit of count defining the number of packs (pack: a collection of objects packaged together).</i>
Code:	NPR
Name:	number of pairs
Beschreibung:	<i>A unit of count defining the number of pairs (pair: item described by two's).</i>
Code:	NPT
Name:	number of parts
Beschreibung:	<i>A unit of count defining the number of parts (part: component of a larger entity).</i>
Code:	NT
Name:	net ton
Beschreibung:	<i>A unit of mass equal to 2000 pounds, see ton (US). Refer International Convention on tonnage measurement of Ships.</i>
Code:	NTT
Name:	net register ton
Beschreibung:	<i>A unit of mass equal to the total cubic footage after deductions, where 1 register ton is equal to 100 cubic feet. Refer International Convention on tonnage measurement of Ships.</i>
Code:	NX
Name:	part per thousand
Beschreibung:	<i>A unit of proportion equal to 10 to the power of -3. Synonym: per mille</i>
Code:	OA
Name:	panel
Beschreibung:	<i>A unit of count defining the number of panels (panel: a distinct, usually rectangular,</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

	<i>section of a surface).</i>
Code:	ODE
Name:	ozone depletion equivalent
Beschreibung:	<i>A unit of mass defining the ozone depletion potential in kilograms of a product relative to the calculated depletion for the reference substance, Trichlorofluoromethane (CFC-11).</i>
Code:	ODG
Name:	ODS Grams
Beschreibung:	<i>A unit of measure calculated by multiplying the mass of the substance in grams and the ozone-depleting potential for the substance.</i>
Code:	ODK
Name:	ODS Kilograms
Beschreibung:	<i>A unit of measure calculated by multiplying the mass of the substance in kilograms and the ozone-depleting potential for the substance.</i>
Code:	ODM
Name:	ODS Milligrams
Beschreibung:	<i>A unit of measure calculated by multiplying the mass of the substance in milligrams and the ozone-depleting potential for the substance.</i>
Code:	OPM
Name:	oscillations per minute
Beschreibung:	<i>The number of oscillations per minute.</i>
Code:	OT
Name:	overtime hour
Beschreibung:	<i>A unit of time defining the number of overtime hours.</i>
Code:	OZ
Name:	ounce av
Beschreibung:	<i>A unit of measure equal to 1/16 of a pound or about 28.3495 grams (av = avoirdupois). Use ounce (common code ONZ).</i>
Code:	P1
Name:	Prozent
Beschreibung:	<i>A unit of proportion equal to 0.01.</i>
Code:	P10
Name:	coulomb per metre
Beschreibung:	<i>Derived SI unit coulomb divided by the SI base unit metre.</i>
Code:	P11

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	kiloweber
Beschreibung:	<i>1000 fold of the derived SI unit weber.</i>
Code:	P12
Name:	gamma
Beschreibung:	<i>Unit of magnetic flow density.</i>
Code:	P13
Name:	kilotesla
Beschreibung:	<i>1000-fold of the derived SI unit tesla.</i>
Code:	P14
Name:	joule per second
Beschreibung:	<i>Quotient of the derived SI unit joule divided by the SI base unit second.</i>
Code:	P15
Name:	joule per minute
Beschreibung:	<i>Quotient from the derived SI unit joule divided by the unit minute.</i>
Code:	P16
Name:	joule per hour
Beschreibung:	<i>Quotient from the derived SI unit joule divided by the unit hour.</i>
Code:	P17
Name:	joule per day
Beschreibung:	<i>Quotient from the derived SI unit joule divided by the unit day.</i>
Code:	P18
Name:	kilojoule per second
Beschreibung:	<i>Quotient from the 1000-fold of the derived SI unit joule divided by the SI base unit second.</i>
Code:	P19
Name:	kilojoule per minute
Beschreibung:	<i>Quotient from the 1000-fold of the derived SI unit joule divided by the unit minute.</i>
Code:	P20
Name:	kilojoule per hour
Beschreibung:	<i>Quotient from the 1000-fold of the derived SI unit joule divided by the unit hour.</i>
Code:	P21
Name:	kilojoule per day
Beschreibung:	<i>Quotient from the 1000-fold of the derived SI unit joule divided by the unit day.</i>
Code:	P22

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline



Used Codes

Name:	nanoohm
Beschreibung:	<i>0,000 000 001-fold of the derived SI unit ohm.</i>
Code:	P23
Name:	ohm circular-mil per foot
Beschreibung:	<i>Unit of resistivity.</i>
Code:	P24
Name:	kilohenry
Beschreibung:	<i>1000-fold of the derived SI unit henry.</i>
Code:	P25
Name:	lumen per square foot
Beschreibung:	<i>Derived SI unit lumen divided by the power of the unit foot according to the Anglo-American and Imperial system of units by exponent 2.</i>
Code:	P26
Name:	phot
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of luminance, defined as lumen by square centimetre.</i>
Code:	P27
Name:	footcandle
Beschreibung:	<i>Non SI conform traditional unit, defined as density of light which impinges on a surface which has a distance of one foot from a light source, which shines with an intensity of an international candle.</i>
Code:	P28
Name:	candela per square inch
Beschreibung:	<i>SI base unit candela divided by the power of unit inch according to the Anglo-American and Imperial system of units by exponent 2.</i>
Code:	P29
Name:	footlambert
Beschreibung:	<i>Unit of the luminance according to the Anglo-American system of units, defined as emitted or reflected luminance of a lm/ft².</i>
Code:	P30
Name:	lambert
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of luminance, defined as the emitted or reflected luminance by one lumen per square centimetre.</i>
Code:	P31

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	stilb
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of luminance, defined as emitted or reflected luminance by one lumen per square centimetre.</i>
Code:	P32
Name:	candela per square foot
Beschreibung:	<i>Base unit SI candela divided by the power of the unit foot according to the Anglo-American and Imperial system of units by exponent 2.</i>
Code:	P33
Name:	kilocandela
Beschreibung:	<i>1000-fold of the SI base unit candela.</i>
Code:	P34
Name:	millicandela
Beschreibung:	<i>0,001-fold of the SI base unit candela.</i>
Code:	P35
Name:	Hefner-Kerze
Beschreibung:	<i>Obsolete, non-legal unit of the power in Germany relating to DIN 1301-3:1979: 1 HK = 0,903 cd.</i>
Code:	P36
Name:	international candle
Beschreibung:	<i>Obsolete, non-legal unit of the power in Germany relating to DIN 1301-3:1979: 1 HK = 1,019 cd.</i>
Code:	P37
Name:	British thermal unit (international table) per square foot
Beschreibung:	<i>Unit of the areal-related energy transmission according to the Imperial system of units.</i>
Code:	P38
Name:	British thermal unit (thermochemical) per square foot
Beschreibung:	<i>Unit of the areal-related energy transmission according to the Imperial system of units.</i>
Code:	P39
Name:	calorie (thermochemical) per square centimetre
Beschreibung:	<i>Unit of the areal-related energy transmission according to the Imperial system of units.</i>
Code:	P40
Name:	langley
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of the areal-related energy transmission (as a measure of the incident quantity of heat of solar radiation on the earth's surface).</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	P41
Name:	decade (logarithmic)
Beschreibung:	<i>1 Dec := log₂ 10 ~ 3,32 according to the logarithm for frequency range between f1 and f2, when f2/f1 = 10.</i>
Code:	P42
Name:	pascal squared second
Beschreibung:	<i>Unit of the set as a product of the power of derived SI unit pascal with exponent 2 and the SI base unit second.</i>
Code:	P43
Name:	bel per metre
Beschreibung:	<i>Unit bel divided by the SI base unit metre.</i>
Code:	P44
Name:	pound mole
Beschreibung:	<i>Non SI-conforming unit of quantity of a substance relating that one pound mole of a chemical composition corresponds to the same number of pounds as the molecular weight of one molecule of this composition in atomic mass units.</i>
Code:	P45
Name:	pound mole per second
Beschreibung:	<i>Non SI-conforming unit of the power of the amount of substance non-SI compliant unit of the molar flux relating that a pound mole of a chemical composition the same number of pound corresponds like the molecular weight of a molecule of this composition in atomic mass units.</i>
Code:	P46
Name:	pound mole per minute
Beschreibung:	<i>Non SI-conforming unit of the power of the amount of substance non-SI compliant unit of the molar flux relating that a pound mole of a chemical composition the same number of pound corresponds like the molecular weight of a molecule of this composition in atomic mass units.</i>
Code:	P47
Name:	kilomole per kilogram
Beschreibung:	<i>1000-fold of the SI base unit mol divided by the SI base unit kilogram.</i>
Code:	P48
Name:	pound mole per pound
Beschreibung:	<i>Non SI-conforming unit of the material molar flux divided by the avoirdupois pound for</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

	<i>mass according to the avoirdupois unit system.</i>
Code:	P49
Name:	newton square metre per ampere
Beschreibung:	<i>Product of the derived SI unit newton and the power of SI base unit metre with exponent 2 divided by the SI base unit ampere.</i>
Code:	P5
Name:	five pack
Beschreibung:	<i>A unit of count defining the number of five-packs (five-pack: set of five items packaged together).</i>
Code:	P50
Name:	weber metre
Beschreibung:	<i>Product of the derived SI unit weber and SI base unit metre.</i>
Code:	P51
Name:	mol per kilogram pascal
Beschreibung:	<i>SI base unit mol divided by the product of the SI base unit kilogram and the derived SI unit pascal.</i>
Code:	P52
Name:	mol per cubic metre pascal
Beschreibung:	<i>SI base unit mol divided by the product of the power from the SI base unit metre with exponent 3 and the derived SI unit pascal.</i>
Code:	P53
Name:	unit pole
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit for magnetic flux of a magnetic pole (according to the interaction of identical poles of 1 dyn at a distance of a cm).</i>
Code:	P54
Name:	milligray per second
Beschreibung:	<i>0,001-fold of the derived SI unit gray divided by the SI base unit second.</i>
Code:	P55
Name:	microgray per second
Beschreibung:	<i>0,000 001-fold of the derived SI unit gray divided by the SI base unit second.</i>
Code:	P56
Name:	nanogray per second
Beschreibung:	<i>0,000 000 001-fold of the derived SI unit gray divided by the SI base unit second.</i>
Code:	P57

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	gray per minute
Beschreibung:	<i>SI derived unit gray divided by the unit minute.</i>
Code:	P58
Name:	milligray per minute
Beschreibung:	<i>0,001-fold of the derived SI unit gray divided by the unit minute.</i>
Code:	P59
Name:	microgray per minute
Beschreibung:	<i>0,000 001-fold of the derived SI unit gray divided by the unit minute.</i>
Code:	P60
Name:	nanogray per minute
Beschreibung:	<i>0,000 000 001-fold of the derived SI unit gray divided by the unit minute.</i>
Code:	P61
Name:	gray per hour
Beschreibung:	<i>SI derived unit gray divided by the unit hour.</i>
Code:	P62
Name:	milligray per hour
Beschreibung:	<i>0,001-fold of the derived SI unit gray divided by the unit hour.</i>
Code:	P63
Name:	microgray per hour
Beschreibung:	<i>0,000 001-fold of the derived SI unit gray divided by the unit hour.</i>
Code:	P64
Name:	nanogray per hour
Beschreibung:	<i>0,000 000 001-fold of the derived SI unit gray divided by the unit hour.</i>
Code:	P65
Name:	sievert per second
Beschreibung:	<i>Derived SI unit sievert divided by the SI base unit second.</i>
Code:	P66
Name:	millisievert per second
Beschreibung:	<i>0,001-fold of the derived SI unit sievert divided by the SI base unit second.</i>
Code:	P67
Name:	microsievert per second
Beschreibung:	<i>0,000 001-fold of the derived SI unit sievert divided by the SI base unit second.</i>
Code:	P68
Name:	nanosievert per second

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Used Codes

Beschreibung:	<i>0,000 000 001-fold of the derived SI unit sievert divided by the SI base unit second.</i>
Code:	P69
Name:	rem per second
Beschreibung:	<i>Unit for the equivalent tin rate relating to DIN 1301-3:1979: 1 rem/s = 0,01 J/(kg·s) = 1 Sv/s.</i>
Code:	P70
Name:	sievert per hour
Beschreibung:	<i>Derived SI unit sievert divided by the unit hour.</i>
Code:	P71
Name:	millisievert per hour
Beschreibung:	<i>0,001-fold of the derived SI unit sievert divided by the unit hour.</i>
Code:	P72
Name:	microsievert per hour
Beschreibung:	<i>0,000 001-fold of the derived SI unit sievert divided by the unit hour.</i>
Code:	P73
Name:	nanosievert per hour
Beschreibung:	<i>0,000 000 001-fold of the derived SI unit sievert divided by the unit hour.</i>
Code:	P74
Name:	sievert per minute
Beschreibung:	<i>Derived SI unit sievert divided by the unit minute.</i>
Code:	P75
Name:	millisievert per minute
Beschreibung:	<i>0,001-fold of the derived SI unit sievert divided by the unit minute.</i>
Code:	P76
Name:	microsievert per minute
Beschreibung:	<i>0,000 001-fold of the derived SI unit sievert divided by the unit minute.</i>
Code:	P77
Name:	nanosievert per minute
Beschreibung:	<i>0,000 000 001-fold of the derived SI unit sievert divided by the unit minute.</i>
Code:	P78
Name:	reciprocal square inch
Beschreibung:	<i>Complement of the power of the unit inch according to the Anglo-American and Imperial system of units by exponent 2.</i>
Code:	P79

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	pascal square metre per kilogram
Beschreibung:	<i>Unit of the burst index as derived unit for pressure pascal related to the substance, represented as a quotient from the SI base unit kilogram divided by the power of the SI base unit metre by exponent 2.</i>
Code:	P80
Name:	millipascal per metre
Beschreibung:	<i>0,001-fold of the derived SI unit pascal divided by the SI base unit metre.</i>
Code:	P81
Name:	kilopascal per metre
Beschreibung:	<i>1000-fold of the derived SI unit pascal divided by the SI base unit metre.</i>
Code:	P82
Name:	hectopascal per metre
Beschreibung:	<i>100-fold of the derived SI unit pascal divided by the SI base unit metre.</i>
Code:	P83
Name:	standard atmosphere per metre
Beschreibung:	<i>Outdated unit of the pressure divided by the SI base unit metre.</i>
Code:	P84
Name:	technical atmosphere per metre
Beschreibung:	<i>Obsolete and non-legal unit of the pressure which is generated by a 10 metre water column divided by the SI base unit metre.</i>
Code:	P85
Name:	torr per metre
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of the pressure divided by the SI base unit metre.</i>
Code:	P86
Name:	psi per inch
Beschreibung:	<i>Compound unit for pressure (pound-force according to the Anglo-American unit system divided by the power of the unit inch according to the Anglo-American and Imperial system of units with the exponent 2) divided by the unit inch according to the Anglo-American and Imperial system of units .</i>
Code:	P87
Name:	cubic metre per second square metre
Beschreibung:	<i>Unit of volume flow cubic meters by second related to the transmission surface in square metres.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	P88
Name:	rhe
Beschreibung:	<i>Non SI-conforming unit of fluidity of dynamic viscosity.</i>
Code:	P89
Name:	pound-force foot per inch
Beschreibung:	<i>Unit for length-related rotational moment according to the Anglo-American and Imperial system of units.</i>
Code:	P90
Name:	pound-force inch per inch
Beschreibung:	<i>Unit for length-related rotational moment according to the Anglo-American and Imperial system of units.</i>
Code:	P91
Name:	perm (0 °C)
Beschreibung:	<i>Traditional unit for the ability of a material to allow the transition of the steam, defined at a temperature of 0 °C as steam transmittance, where the mass of one grain steam penetrates an area of one foot squared at a pressure from one inch mercury per hour.</i>
Code:	P92
Name:	perm (23 °C)
Beschreibung:	<i>Traditional unit for the ability of a material to allow the transition of the steam, defined at a temperature of 23 °C as steam transmittance at which the mass of one grain of steam penetrates an area of one square foot at a pressure of one inch mercury per hour.</i>
Code:	P93
Name:	byte per second
Beschreibung:	<i>Unit byte divided by the SI base unit second.</i>
Code:	P94
Name:	kilobyte per second
Beschreibung:	<i>1000-fold of the unit byte divided by the SI base unit second.</i>
Code:	P95
Name:	megabyte per second
Beschreibung:	<i>1 000 000-fold of the unit byte divided by the SI base unit second.</i>
Code:	P96
Name:	reciprocal volt
Beschreibung:	<i>Reciprocal of the derived SI unit volt.</i>
Code:	P97

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	reciprocal radian
Beschreibung:	<i>Reciprocal of the unit radian.</i>
Code:	P98
Name:	pascal to the power sum of stoichiometric numbers
Beschreibung:	<i>Unit of the equilibrium constant on the basis of the pressure(ISO 80000-9:2009, 9-35.a).</i>
Code:	P99
Name:	mole per cubiv metre to the power sum of stoichiometric numbers
Beschreibung:	<i>Unit of the equilibrium constant on the basis of the concentration (ISO 80000-9:2009, 9-36.a).</i>
Code:	PD
Name:	pad
Beschreibung:	<i>A unit of count defining the number of pads (pad: block of paper sheets fastened together at one end).</i>
Code:	PFL
Name:	proof litre
Beschreibung:	<i>A unit of volume equal to one litre of proof spirits, or the alcohol equivalent thereof. Used for measuring the strength of distilled alcoholic liquors, expressed as a percentage of the alcohol content of a standard mixture at a specific temperature.</i>
Code:	PGL
Name:	proof gallon
Beschreibung:	<i>A unit of volume equal to one gallon of proof spirits, or the alcohol equivalent thereof. Used for measuring the strength of distilled alcoholic liquors, expressed as a percentage of the alcohol content of a standard mixture at a specific temperature.</i>
Code:	PI
Name:	pitch
Beschreibung:	<i>A unit of count defining the number of characters that fit in a horizontal inch.</i>
Code:	PLA
Name:	degree Plato
Beschreibung:	<i>A unit of proportion defining the sugar content of a product, especially in relation to beer.</i>
Code:	PQ
Name:	page per inch
Beschreibung:	<i>A unit of quantity defining the degree of thickness of a bound publication, expressed as the number of pages per inch of thickness.</i>
Code:	PR

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	Paar
Beschreibung:	<i>A unit of count defining the number of pairs (pair: item described by two's).</i>
Code:	PT
Name:	pint (US)
Beschreibung:	<i>Use liquid pint (common code PTL)</i>
Code:	PTN
Name:	Portion
Beschreibung:	<i>A quantity of allowance of food allotted to, or enough for, one person.</i>
Code:	Q10
Name:	joule per tesla
Beschreibung:	<i>Unit of the magnetic dipole moment of the molecule as derived SI unit joule divided by the derived SI unit tesla.</i>
Code:	Q11
Name:	erlang
Beschreibung:	<i>Unit of the market value according to the feature of a single feature as a statistical measurement of the existing utilization.</i>
Code:	Q12
Name:	octet
Beschreibung:	<i>Synonym for byte: 1 octet = 8 bit = 1 byte.</i>
Code:	Q13
Name:	octet per second
Beschreibung:	<i>Unit octet divided by the SI base unit second.</i>
Code:	Q14
Name:	shannon
Beschreibung:	<i>Logarithmic unit for information equal to the content of decision of a sentence of two mutually exclusive events, expressed as a logarithm to base 2.</i>
Code:	Q15
Name:	hartley
Beschreibung:	<i>Logarithmic unit for information equal to the content of decision of a sentence of ten mutually exclusive events, expressed as a logarithm to base 10.</i>
Code:	Q16
Name:	natural unit of information
Beschreibung:	<i>Logarithmic unit for information equal to the content of decision of a sentence of ,718 281 828 459 mutually exclusive events, expressed as a logarithm to base Euler value e.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	Q17
Name:	shannon per second
Beschreibung:	<i>Time related logarithmic unit for information equal to the content of decision of a sentence of two mutually exclusive events, expressed as a logarithm to base 2.</i>
Code:	Q18
Name:	hartley per second
Beschreibung:	<i>Time related logarithmic unit for information equal to the content of decision of a sentence of ten mutually exclusive events, expressed as a logarithm to base 10.</i>
Code:	Q19
Name:	natural unit of information per second
Beschreibung:	<i>Time related logarithmic unit for information equal to the content of decision of a sentence of 2,718 281 828 459 mutually exclusive events, expressed as a logarithm to base of the Euler value e.</i>
Code:	Q20
Name:	second per kilogramm
Beschreibung:	<i>Unit of the Einstein transition probability for spontaneous or inducing emissions and absorption according to ISO 80000-7:2008, expressed as SI base unit second divided by the SI base unit kilogram.</i>
Code:	Q21
Name:	watt square metre
Beschreibung:	<i>Unit of the first radiation constants $c_1 = 2 \cdot p \cdot h \cdot c_0$ to the power of 2, the value of which is 3,741 771 18 · 10¹⁶-fold that of the comparative value of the product of the derived SI unit watt multiplied with the power of the SI base unit metre with the exponent 2.</i>
Code:	Q22
Name:	second per radian cubic metre
Beschreibung:	<i>Unit of the density of states as an expression of angular frequency as complement of the product of hertz and radian and the power of SI base unit metre by exponent 3 .</i>
Code:	Q23
Name:	weber to the power minus one
Beschreibung:	<i>Complement of the derived SI unit weber as unit of the Josephson constant, which value is equal to the 384 597,891-fold of the reference value gigahertz divided by volt.</i>
Code:	Q24
Name:	reciprocal inch
Beschreibung:	<i>Complement of the unit inch according to the Anglo-American and Imperial system of</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

	<i>units.</i>
Code:	Q25
Name:	dioptré
Beschreibung:	<i>Unit used at the statement of relative refractive indexes of optical systems as complement of the focal length with correspondence to: 1 dpt = 1/m.</i>
Code:	Q26
Name:	one per one
Beschreibung:	<i>Value of the quotient from two physical units of the same kind as a numerator and denominator whereas the units are shortened mutually.</i>
Code:	Q27
Name:	newton metre per metre
Beschreibung:	<i>Unit for length-related rotational moment as product of the derived SI unit newton and the SI base unit metre divided by the SI base unit metre.</i>
Code:	Q28
Name:	kilogram per square metre pascal second
Beschreibung:	<i>Unit for the ability of a material to allow the transition of steam.</i>
Code:	Q29
Name:	microgram per hectogram
Beschreibung:	<i>Microgram per hectogram.</i>
Code:	Q3
Name:	meal
Beschreibung:	<i>A unit of count defining the number of meals (meal: an amount of food to be eaten on a single occasion).</i>
Code:	Q30
Name:	pH (potential of Hydrogen)
Beschreibung:	<i>The activity of the (solvated) hydrogen ion (a logarithmic measure used to state the acidity or alkalinity of a chemical solution).</i>
Code:	Q35
Name:	megawatts per minute
Beschreibung:	<i>A unit of power defining the total amount of bulk energy transferred or consumer per minute.</i>
Code:	Q36
Name:	square metre per cubic metre
Beschreibung:	<i>A unit of the amount of surface area per unit volume of an object or collection of objects.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	Q37
Name:	Standard cubic metre per day
Beschreibung:	<i>Standard cubic metre (temperature 15°C and pressure 101325 millibars) per day</i>
Code:	Q38
Name:	Standard cubic metre per hour
Beschreibung:	<i>Standard cubic metre (temperature 15°C and pressure 101325 millibars) per hour</i>
Code:	Q39
Name:	Normalized cubic metre per day
Beschreibung:	<i>Normalized cubic metre (temperature 0°C and pressure 101325 millibars) per day</i>
Code:	Q40
Name:	Normalized cubic metre per hour
Beschreibung:	<i>Normalized cubic metre (temperature 0°C and pressure 101325 millibars) per hour</i>
Code:	Q41
Name:	Joule per normalised cubic metre
Beschreibung:	<i>Joule per normalised cubic metre (temperature 0°C and pressure 101325 millibars).</i>
Code:	Q42
Name:	Joule per standard cubic metre
Beschreibung:	<i>Joule per standard cubic metre (temperature 15°C and pressure 101325 millibars).</i>
Code:	QA
Name:	page - facsimile
Beschreibung:	<i>A unit of count defining the number of facsimile pages.</i>
Code:	QAN
Name:	Viertel (jahr)
Beschreibung:	<i>A unit of time defining the number of quarters (3 months).</i>
Code:	QB
Name:	page - hardcopy
Beschreibung:	<i>A unit of count defining the number of hardcopy pages (hardcopy page: a page rendered as printed or written output on paper, film, or other permanent medium).</i>
Code:	QR
Name:	quire
Beschreibung:	<i>A unit of count for paper, expressed as the number of quires (quire: a number of paper sheets, typically 25).</i>
Code:	QT
Name:	quart (US)

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>Use liquid quart (common code QTL)</i>
Code:	QTR
Name:	quarter (UK)
Beschreibung:	<i>A traditional unit of weight equal to 1/4 hundredweight. In the United Kingdom, one quarter equals 28 pounds.</i>
Code:	R1
Name:	pica
Beschreibung:	<i>A unit of count defining the number of picas. (pica: typographical length equal to 12 points or 4.22 mm (approx.)).</i>
Code:	R9
Name:	thousand cubic metre
Beschreibung:	<i>A unit of volume equal to one thousand cubic metres.</i>
Code:	RH
Name:	running or operating hour
Beschreibung:	<i>A unit of time defining the number of hours of operation.</i>
Code:	RM
Name:	ream
Beschreibung:	<i>A unit of count for paper, expressed as the number of reams (ream: a large quantity of paper sheets, typically 500).</i>
Code:	ROM
Name:	room
Beschreibung:	<i>A unit of count defining the number of rooms.</i>
Code:	RP
Name:	pound per ream
Beschreibung:	<i>A unit of mass for paper, expressed as pounds per ream. (ream: a large quantity of paper, typically 500 sheets).</i>
Code:	RPM
Name:	Umdrehung pro Minute
Beschreibung:	<i>Refer ISO/TC12 SI Guide</i>
Code:	RPS
Name:	revolutions per second
Beschreibung:	<i>Refer ISO/TC12 SI Guide</i>
Code:	RT
Name:	revenue ton mile

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung: *A unit of information typically used for billing purposes, expressed as the number of revenue tons (revenue ton: either a metric ton or a cubic metres, whichever is the larger), moved over a distance of one mile.*

Code: S3

Name: square foot per second

Beschreibung: *Synonym: foot squared per second*

Code: S4

Name: square metre per second

Beschreibung: *Synonym: metre squared per second (square metres/second US)*

Code: SAN

Name: half year (6 months)

Beschreibung: *'A unit of time defining the number of half years (6 months).*

Code: SCO

Name: score

Beschreibung: *A unit of count defining the number of units in multiples of 20.*

Code: SET

Name: set

Beschreibung: *A unit of count defining the number of sets (set: a number of objects grouped together).*

Code: SG

Name: segment

Beschreibung: *A unit of information equal to 64000 bytes.*

Code: SHT

Name: shipping ton

Beschreibung: *A unit of mass defining the number of tons for shipping.*

Code: SM3

Name: Standard cubic metre

Beschreibung: *Standard cubic metre (temperature 15°C and pressure 101325 millibars)*

Code: SQ

Name: square

Beschreibung: *A unit of count defining the number of squares (square: rectangular shape).*

Code: SQR

Name: square, roofing

Beschreibung: *A unit of count defining the number of squares of roofing materials, measured in multiples of 100 square feet.*

Guideline**Used Codes**

Code:	SR
Name:	strip
Beschreibung:	<i>A unit of count defining the number of strips (strip: long narrow piece of an object).</i>
Code:	STC
Name:	stick
Beschreibung:	<i>A unit of count defining the number of sticks (stick: slender and often cylindrical piece of a substance).</i>
Code:	STK
Name:	stick, cigarette
Beschreibung:	<i>A unit of count defining the number of cigarettes in the smallest unit for stock-taking and/or duty computation.</i>
Code:	STL
Name:	standard litre
Beschreibung:	<i>A unit of volume defining the number of litres of a product at a temperature of 15 degrees Celsius, especially in relation to hydrocarbon oils.</i>
Code:	STN
Name:	ton (US) or short ton (UK/US)
Beschreibung:	<i>Synonym: net ton (2000 lb)</i>
Code:	STW
Name:	straw
Beschreibung:	<i>A unit of count defining the number of straws (straw: a slender tube used for sucking up liquids).</i>
Code:	SW
Name:	skein
Beschreibung:	<i>A unit of count defining the number of skeins (skein: a loosely-coiled bundle of yarn or thread).</i>
Code:	SX
Name:	shipment
Beschreibung:	<i>A unit of count defining the number of shipments (shipment: an amount of goods shipped or transported).</i>
Code:	SYR
Name:	syringe
Beschreibung:	<i>A unit of count defining the number of syringes (syringe: a small device for pumping, spraying and/or injecting liquids through a small aperture).</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	T0
Name:	telecommunication line in service
Beschreibung:	<i>A unit of count defining the number of lines in service.</i>
Code:	T3
Name:	thousand piece
Beschreibung:	<i>A unit of count defining the number of pieces in multiples of 1000 (piece: a single item, article or exemplar).</i>
Code:	TAN
Name:	total acid number
Beschreibung:	<i>A unit of chemistry defining the amount of potassium hydroxide (KOH) in milligrams that is needed to neutralize the acids in one gram of oil. It is an important quality measurement of crude oil.</i>
Code:	TIC
Name:	metric ton, including container
Beschreibung:	<i>A unit of mass defining the number of metric tons of a product, including its container.</i>
Code:	TIP
Name:	metric ton, including inner packaging
Beschreibung:	<i>A unit of mass defining the number of metric tons of a product, including its inner packaging materials.</i>
Code:	TKM
Name:	tonne kilometre
Beschreibung:	<i>A unit of information typically used for billing purposes, expressed as the number of tonnes (metric tons) moved over a distance of one kilometre.</i>
Code:	TMS
Name:	kilogram of imported meat, less offal
Beschreibung:	<i>A unit of mass equal to one thousand grams of imported meat, disregarding less valuable by-products such as the entrails.</i>
Code:	TNE
Name:	Tonne (metrische Tonne)
Beschreibung:	<i>Synonym: metric ton</i>
Code:	TP
Name:	ten pack
Beschreibung:	<i>A unit of count defining the number of items in multiples of 10.</i>
Code:	TPI

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	teeth per inch
Beschreibung:	<i>The number of teeth per inch.</i>
Code:	TPR
Name:	ten pair
Beschreibung:	<i>A unit of count defining the number of pairs in multiples of 10 (pair: item described by two's).</i>
Code:	TQD
Name:	thousand cubic metre per day
Beschreibung:	<i>A unit of volume equal to one thousand cubic metres per day.</i>
Code:	TST
Name:	ten set
Beschreibung:	<i>A unit of count defining the number of sets in multiples of 10 (set: a number of objects grouped together).</i>
Code:	TTS
Name:	ten thousand sticks
Beschreibung:	<i>A unit of count defining the number of sticks in multiples of 10000 (stick: slender and often cylindrical piece of a substance).</i>
Code:	U1
Name:	treatment
Beschreibung:	<i>A unit of count defining the number of treatments (treatment: subjection to the action of a chemical, physical or biological agent).</i>
Code:	U2
Name:	Tablette
Beschreibung:	<i>A unit of count defining the number of tablets (tablet: a small flat or compressed solid object).</i>
Code:	UB
Name:	telecommunication line in service average
Beschreibung:	<i>A unit of count defining the average number of lines in service.</i>
Code:	UC
Name:	telecommunication port
Beschreibung:	<i>A unit of count defining the number of network access ports.</i>
Code:	UIG
Name:	international unit per gram
Beschreibung:	<i>A unit of count defining the number of international units per gram.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline



Used Codes

Code:	VP
Name:	percent volume
Beschreibung:	<i>A measure of concentration, typically expressed as the percentage volume of a solute in a solution.</i>
Code:	W2
Name:	wet kilo
Beschreibung:	<i>A unit of mass defining the number of kilograms of a product, including the water content of the product.</i>
Code:	WB
Name:	wet pound
Beschreibung:	<i>A unit of mass defining the number of pounds of a material, including the water content of the material.</i>
Code:	WCD
Name:	cord
Beschreibung:	<i>A unit of volume used for measuring lumber. One board foot equals 1/12 of a cubic foot.</i>
Code:	WE
Name:	wet ton
Beschreibung:	<i>A unit of mass defining the number of tons of a material, including the water content of the material.</i>
Code:	WG
Name:	wine gallon
Beschreibung:	<i>A unit of volume equal to 231 cubic inches.</i>
Code:	WM
Name:	working month
Beschreibung:	<i>A unit of time defining the number of working months.</i>
Code:	WSD
Name:	standard
Beschreibung:	<i>A unit of volume of finished lumber equal to 165 cubic feet. Synonym: standard cubic foot</i>
Code:	WW
Name:	millilitre of water
Beschreibung:	<i>A unit of volume equal to the number of millilitres of water.</i>
Code:	X1
Name:	Gunter's chain

Guideline

<div style="border-left: 1px solid black; border-right: 1px solid black; border-bottom: 1px solid black; padding: 5px;"> <p>height</p> </div>	<p>Used Codes</p> <p>Beschreibung: <i>A unit of distance used or formerly used by British surveyors.</i></p> <p>Code: Z11</p> <p>Name: hanging container</p>
	<p>Beschreibung: <i>A unit of count defining the number of hanging containers.</i></p> <p>Code: ZP</p> <p>Name: Seite</p>
	<p>Beschreibung: <i>A unit of count defining the number of pages.</i></p> <p>Code: ZZ</p> <p>Name: mutually defined</p>
	<p>Beschreibung: <i>A unit of measure as agreed in common between two or more parties.</i></p> <p>Wiederholung: 1 .. 1</p> <p>Schema-Status: M</p> <p>Typ: shared_common:MeasurementType</p> <p>Fachbegriff: Höhenmaßangabe</p> <p>Status: R</p> <p>Beispiel: 700</p> <p>Definition: Die Höhe stellt die vertikale Dimension vom niedrigsten zum höchsten Ausläufer eines Objektes dar.</p>
	<p>EANCOM®: INVOIC.SG26.MEA[D_6313="HT"].6314</p>
	<p>Schema-Status: M</p> <p>Type: restriction (xs:string)</p> <p>Fachbegriff: Einheit</p> <p>Status: R</p> <p>Beispiel: MM</p> <p>Definition: Eine standardisierte, reproduzierbare Einheit, die zur Messung physikalischer Größen dient. Erlaubte Codewerte sind in der UN / ECE Empfehlung 20 - vollständig von GS1 adaptiert - spezifiziert.</p>
	<p>Used Codes</p> <p>Code: 10</p> <p>Name: group</p> <p>Beschreibung: <i>A unit of count defining the number of groups (group: set of items classified together).</i></p>
	<p>Code: 11</p> <p>Name: outfit</p> <p>Beschreibung: <i>A unit of count defining the number of outfits (outfit: a complete set of equipment /</i></p>
	<p>measurementUnitCode</p>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

	<i>materials / objects used for a specific purpose).</i>
Code:	13
Name:	ration
Beschreibung:	<i>A unit of count defining the number of rations (ration: a single portion of provisions).</i>
Code:	14
Name:	shot
Beschreibung:	<i>A unit of liquid measure, especially related to spirits.</i>
Code:	15
Name:	stick, military
Beschreibung:	<i>A unit of count defining the number of military sticks (military stick: bombs or paratroops released in rapid succession from an aircraft).</i>
Code:	20
Name:	twenty foot container
Beschreibung:	<i>A unit of count defining the number of shipping containers that measure 20 foot in length.</i>
Code:	21
Name:	forty foot container
Beschreibung:	<i>A unit of count defining the number of shipping containers that measure 40 foot in length.</i>
Code:	24
Name:	theoretical pound
Beschreibung:	<i>A unit of mass defining the expected mass of material expressed as the number of pounds.</i>
Code:	27
Name:	theoretical ton
Beschreibung:	<i>A unit of mass defining the expected mass of material, expressed as the number of tons.</i>
Code:	56
Name:	sitas
Beschreibung:	<i>A unit of area for tin plate equal to a surface area of 100 square metres.</i>
Code:	57
Name:	mesh
Beschreibung:	<i>A unit of count defining the number of strands per inch as a measure of the fineness of a woven product.</i>
Code:	58
Name:	net kilogram
Beschreibung:	<i>A unit of mass defining the total number of kilograms after deductions.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	59
Name:	Teile pro Million (ppm)
Beschreibung:	<i>A unit of proportion equal to 10 to the power of -6.</i>
Code:	60
Name:	percent weight
Beschreibung:	<i>A unit of proportion equal to 10 to the power of -2.</i>
Code:	61
Name:	part per billion (US)
Beschreibung:	<i>A unit of proportion equal to 10 to the power of -9.</i>
Code:	84
Name:	kilopound-force per square inch
Beschreibung:	<i>A unit of pressure defining the number of kilopounds force per square inch. Use kip per square inch (common code N20).</i>
Code:	11
Name:	fixed rate
Beschreibung:	<i>A unit of quantity expressed as a predetermined or set rate for usage of a facility or service.</i>
Code:	2A
Name:	radian per second
Beschreibung:	<i>Refer ISO/TC12 SI Guide</i>
Code:	2B
Name:	radian per second squared
Beschreibung:	<i>Refer ISO/TC12 SI Guide</i>
Code:	2G
Name:	volt AC
Beschreibung:	<i>A unit of electric potential in relation to alternating current (AC).</i>
Code:	2H
Name:	volt DC
Beschreibung:	<i>A unit of electric potential in relation to direct current (DC).</i>
Code:	2P
Name:	kilobyte
Beschreibung:	<i>A unit of information equal to 10 to the power of 3 (1000) bytes.</i>
Code:	3C
Name:	manmonth

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of count defining the number of months for a person or persons to perform an undertaking.</i>
Code:	4L
Name:	Megabyte
Beschreibung:	<i>A unit of information equal to 10 to the power of 6 (1000000) bytes.</i>
Code:	5B
Name:	batch
Beschreibung:	<i>A unit of count defining the number of batches (batch: quantity of material produced in one operation or number of animals or persons coming at once).</i>
Code:	5E
Name:	MMSCF/day
Beschreibung:	<i>A unit of volume equal to one million (1000000) cubic feet of gas per day.</i>
Code:	5J
Name:	hydraulic horse power
Beschreibung:	<i>A unit of power defining the hydraulic horse power delivered by a fluid pump depending on the viscosity of the fluid.</i>
Code:	A25
Name:	Pferdestärken (PS)
Beschreibung:	<i>Synonym: metric horse power</i>
Code:	A43
Name:	deadweight tonnage
Beschreibung:	<i>A unit of mass defining the difference between the weight of a ship when completely empty and its weight when completely loaded, expressed as the number of tons.</i>
Code:	A47
Name:	decitex
Beschreibung:	<i>A unit of yarn density. One decitex equals a mass of 1 gram per 10 kilometres of length.</i>
Code:	A48
Name:	degree Rankine
Beschreibung:	<i>Refer ISO 80000-5 (Quantities and units — Part 5: Thermodynamics)</i>
Code:	A49
Name:	denier
Beschreibung:	<i>A unit of yarn density. One denier equals a mass of 1 gram per 9 kilometres of length.</i>
Code:	A59
Name:	8-part cloud cover

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline



Used Codes

Beschreibung:	<i>A unit of count defining the number of eighth-parts as a measure of the celestial dome cloud coverage. Synonym: OKTA , OCTA</i>
Code:	A75
Name:	freight ton
Beschreibung:	<i>A unit of information typically used for billing purposes, defined as either the number of metric tons or the number of cubic metres, whichever is the larger.</i>
Code:	A9
Name:	rate
Beschreibung:	<i>A unit of quantity expressed as a rate for usage of a facility or service.</i>
Code:	A91
Name:	gon
Beschreibung:	<i>Synonym: grade</i>
Code:	A99
Name:	Bit
Beschreibung:	<i>A unit of information equal to one binary digit.</i>
Code:	AA
Name:	ball
Beschreibung:	<i>A unit of count defining the number of balls (ball: object formed in the shape of sphere).</i>
Code:	AB
Name:	bulk pack
Beschreibung:	<i>A unit of count defining the number of items per bulk pack.</i>
Code:	ACT
Name:	activity
Beschreibung:	<i>A unit of count defining the number of activities (activity: a unit of work or action).</i>
Code:	AD
Name:	Byte
Beschreibung:	<i>A unit of information equal to 8 bits.</i>
Code:	AH
Name:	additional minute
Beschreibung:	<i>A unit of time defining the number of minutes in addition to the referenced minutes.</i>
Code:	AI
Name:	average minute per call
Beschreibung:	<i>A unit of count defining the number of minutes for the average interval of a call.</i>

Guideline**Used Codes**

Code:	AL
Name:	access line
Beschreibung:	<i>A unit of count defining the number of telephone access lines.</i>
Code:	AMH
Name:	Amperestunde
Beschreibung:	<i>A unit of electric charge defining the amount of charge accumulated by a steady flow of one ampere for one hour.</i>
Code:	ANN
Name:	Jahr
Beschreibung:	<i>Unit of time equal to 365,25 days. Synonym: Julian year</i>
Code:	AQ
Name:	anti-hemophilic factor (AHF) unit
Beschreibung:	<i>A unit of measure for blood potency (US).</i>
Code:	ARE
Name:	are
Beschreibung:	<i>Synonym: square decametre</i>
Code:	AS
Name:	assortment
Beschreibung:	<i>A unit of count defining the number of assortments (assortment: set of items grouped in a mixed collection).</i>
Code:	ASM
Name:	Alkoholgehalt pro Masse
Beschreibung:	<i>A unit of mass defining the alcoholic strength of a liquid.</i>
Code:	ASU
Name:	Alkoholgehalt pro Volumen
Beschreibung:	<i>A unit of volume defining the alcoholic strength of a liquid (e.g. spirit, wine, beer, etc), often at a specific temperature.</i>
Code:	AWG
Name:	american wire gauge
Beschreibung:	<i>A unit of distance used for measuring the diameter of small tubes or wires such as the outer diameter of hypothermic or suture needles.</i>
Code:	AY
Name:	assembly

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung: *A unit of count defining the number of assemblies (assembly: items that consist of component parts).*

Code: B10

Name: bit per second

Beschreibung: *A unit of information equal to one binary digit per second.*

Code: B13

Name: Joule pro Quadratmeter

Beschreibung: *Synonym: joule per metre squared*

Code: B17

Name: Soll-Buchungen

Beschreibung: *A unit of count defining the number of entries made to the credit side of an account.*

Code: B19

Name: digit

Beschreibung: *A unit of information defining the quantity of numerals used to form a number.*

Code: B3

Name: batting pound

Beschreibung: *A unit of mass defining the number of pounds of wadded fibre.*

Code: B30

Name: gibibit

Beschreibung: *A unit of information equal to 2^{30} bits (binary digits).*

Code: B4

Name: barrel, imperial

Beschreibung: *A unit of volume used to measure beer. One beer barrel equals 36 imperial gallons.*

Code: B51

Name: kilopond

Beschreibung: *Synonym: kilogram-force*

Code: B57

Name: light year

Beschreibung: *A unit of length defining the distance that light travels in a vacuum in one year.*

Code: B68

Name: gigabit

Beschreibung: *A unit of information equal to 10 to the power of 9 bits (binary digits).*

Code: B7

Name: cycle

Guideline**Used Codes**

Beschreibung:	<i>A unit of count defining the number of cycles (cycle: a recurrent period of definite duration).</i>
Code:	B80
Name:	gigabit per second
Beschreibung:	<i>A unit of information equal to 10 to the power of 9 bits (binary digits) per second.</i>
Code:	B82
Name:	inch per linear foot
Beschreibung:	<i>A unit of length defining the number of inches per linear foot.</i>
Code:	BB
Name:	base box
Beschreibung:	<i>A unit of area of 112 sheets of tin mil products (tin plate, tin free steel or black plate) 14 by 20 inches, or 31,360 square inches.</i>
Code:	BFT
Name:	board foot
Beschreibung:	<i>A unit of volume defining the number of cords (cord: a stack of firewood of 128 cubic feet).</i>
Code:	BIL
Name:	billion (EUR)
Beschreibung:	<i>Synonym: trillion (US)</i>
Code:	BP
Name:	hundred board foot
Beschreibung:	<i>A unit of volume equal to one hundred board foot.</i>
Code:	BPM
Name:	beats per minute
Beschreibung:	<i>The number of beats per minute.</i>
Code:	C0
Name:	Telefoneinheit
Beschreibung:	<i>A unit of count defining the number of calls (call: communication session or visitation).</i>
Code:	C21
Name:	kibibit
Beschreibung:	<i>A unit of information equal to 2 to the power of 10 (1024) bits (binary digits).</i>
Code:	C37
Name:	kilobit
Beschreibung:	<i>A unit of information equal to 10 to the power of 3 (1000) bits (binary digits).</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	C59
Name:	octave
Beschreibung:	<i>A unit used in music to describe the ratio in frequency between notes.</i>
Code:	C62
Name:	one
Beschreibung:	<i>Synonym: unit</i>
Code:	C69
Name:	phon
Beschreibung:	<i>A unit of subjective sound loudness. A sound has loudness p phons if it seems to the listener to be equal in loudness to the sound of a pure tone of frequency 1 kilohertz and strength p decibels.</i>
Code:	C74
Name:	kilobit per second
Beschreibung:	<i>A unit of information equal to 10 to the power of 3 (1000) bits (binary digits) per second.</i>
Code:	C79
Name:	kilovolt ampere hour
Beschreibung:	<i>A unit of accumulated energy of 1000 volt amperes over a period of one hour.</i>
Code:	C87
Name:	reciprocal cubic metre per second
Beschreibung:	<i>Synonym: reciprocal second per cubic metre</i>
Code:	C9
Name:	coil group
Beschreibung:	<i>A unit of count defining the number of coil groups (coil group: groups of items arranged by lengths of those items placed in a joined sequence of concentric circles).</i>
Code:	C93
Name:	reciprocal square metre
Beschreibung:	<i>Synonym: reciprocal metre squared</i>
Code:	CCT
Name:	carrying capacity in metric ton
Beschreibung:	<i>A unit of mass defining the carrying capacity, expressed as the number of metric tons.</i>
Code:	CEL
Name:	Grad Celsius
Beschreibung:	<i>Refer ISO 80000-5 (Quantities and units – Part 5: Thermodynamics)</i>
Code:	CEN

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	hundred
Beschreibung:	<i>A unit of count defining the number of units in multiples of 100.</i>
Code:	CG
Name:	card
Beschreibung:	<i>A unit of count defining the number of units of card (card: thick stiff paper or cardboard).</i>
Code:	CLF
Name:	hundred leave
Beschreibung:	<i>A unit of count defining the number of leaves, expressed in units of one hundred leaves.</i>
Code:	CNP
Name:	hundred pack
Beschreibung:	<i>A unit of count defining the number of hundred-packs (hundred-pack: set of one hundred items packaged together).</i>
Code:	CNT
Name:	cental (UK)
Beschreibung:	<i>A unit of mass equal to one hundred weight (US).</i>
Code:	CTG
Name:	content gram
Beschreibung:	<i>A unit of mass defining the number of grams of a named item in a product.</i>
Code:	CTN
Name:	content ton (metric)
Beschreibung:	<i>A unit of mass defining the number of metric tons of a named item in a product.</i>
Code:	D03
Name:	kilowatt hour per hour
Beschreibung:	<i>A unit of accumulated energy of a thousand watts over a period of one hour.</i>
Code:	D04
Name:	lot [unit of weight]
Beschreibung:	<i>A unit of weight equal to about 1/2 ounce or 15 grams.</i>
Code:	D11
Name:	mebibit
Beschreibung:	<i>A unit of information equal to 2 to the power of 20 (1048576) bits (binary digits).</i>
Code:	D15
Name:	sonne
Beschreibung:	<i>A unit of subjective sound loudness. One sone is the loudness of a pure tone of frequency one kilohertz and strength 40 decibels.</i>

Guideline**Used Codes**

Code:	D23
Name:	pen gram (protein)
Beschreibung:	<i>A unit of count defining the number of grams of amino acid prescribed for parenteral/ enteral therapy.</i>
Code:	D34
Name:	tex
Beschreibung:	<i>A unit of yarn density. One decitex equals a mass of 1 gram per 1 kilometre of length.</i>
Code:	D36
Name:	megabit
Beschreibung:	<i>A unit of information equal to 10 to the power of 6 (1000000) bits (binary digits).</i>
Code:	D44
Name:	var
Beschreibung:	<i>The name of the unit is an acronym for volt-ampere-reactive.</i>
Code:	D63
Name:	book
Beschreibung:	<i>A unit of count defining the number of books (book: set of items bound together or written document of a material whole).</i>
Code:	D65
Name:	round
Beschreibung:	<i>A unit of count defining the number of rounds (round: A circular or cylindrical object).</i>
Code:	D68
Name:	number of words
Beschreibung:	<i>A unit of count defining the number of words.</i>
Code:	D78
Name:	megajoule per second
Beschreibung:	<i>A unit of accumulated energy equal to one million joules per second.</i>
Code:	DAD
Name:	ten day
Beschreibung:	<i>A unit of time defining the number of days in multiples of 10.</i>
Code:	DB
Name:	dry pound
Beschreibung:	<i>A unit of mass defining the number of pounds of a product, disregarding the water content of the product.</i>
Code:	DEC

Guideline**Used Codes**

Name:	decade
Beschreibung:	<i>A unit of count defining the number of decades (decade: quantity equal to 10 or time equal to 10 years).</i>
Code:	DMO
Name:	standard kilolitre
Beschreibung:	<i>A unit of volume defining the number of kilolitres of a product at a temperature of 15 degrees Celsius, especially in relation to hydrocarbon oils.</i>
Code:	DPC
Name:	dozen piece
Beschreibung:	<i>A unit of count defining the number of pieces in multiples of 12 (piece: a single item, article or exemplar).</i>
Code:	DPR
Name:	dozen pair
Beschreibung:	<i>A unit of count defining the number of pairs in multiples of 12 (pair: item described by two's).</i>
Code:	DPT
Name:	displacement tonnage
Beschreibung:	<i>A unit of mass defining the volume of sea water a ship displaces, expressed as the number of tons.</i>
Code:	DRA
Name:	dram (US)
Beschreibung:	<i>Synonym: drachm (UK), troy dram</i>
Code:	DRI
Name:	dram (UK)
Beschreibung:	<i>Synonym: avoirdupois dram</i>
Code:	DRL
Name:	dozen roll
Beschreibung:	<i>A unit of count defining the number of rolls, expressed in twelve roll units.</i>
Code:	DT
Name:	dry ton
Beschreibung:	<i>A unit of mass defining the number of tons of a product, disregarding the water content of the product.</i>
Code:	DTN
Name:	decitonne

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>Synonym: centner, metric 100 kg, quintal, metric 100 kg</i>
Code:	DZN
Name:	Dutzend
Beschreibung:	<i>A unit of count defining the number of units in multiples of 12.</i>
Code:	DZP
Name:	dozen pack
Beschreibung:	<i>A unit of count defining the number of packs in multiples of 12 (pack: standard packaging unit).</i>
Code:	E01
Name:	newton per square centimetre
Beschreibung:	<i>A measure of pressure expressed in newtons per square centimetre.</i>
Code:	E07
Name:	megawatt hour per hour
Beschreibung:	<i>A unit of accumulated energy of a million watts over a period of one hour.</i>
Code:	E08
Name:	megawatt per hertz
Beschreibung:	<i>A unit of energy expressed as the load change in million watts that will cause a frequency shift of one hertz.</i>
Code:	E09
Name:	milliampere hour
Beschreibung:	<i>A unit of power load delivered at the rate of one thousandth of an ampere over a period of one hour.</i>
Code:	E10
Name:	degree day
Beschreibung:	<i>A unit of measure used in meteorology and engineering to measure the demand for heating or cooling over a given period of days.</i>
Code:	E11
Name:	gigacalorie
Beschreibung:	<i>A unit of heat energy equal to one thousand million calories.</i>
Code:	E12
Name:	mille
Beschreibung:	<i>A unit of count defining the number of cigarettes in units of 1000.</i>
Code:	E14
Name:	kilocalorie (international table)

Guideline**Used Codes**

Beschreibung:	<i>A unit of heat energy equal to one thousand calories.</i>
Code:	E15
Name:	kilocalorie (thermochemical) per hour
Beschreibung:	<i>A unit of energy equal to one thousand calories per hour.</i>
Code:	E16
Name:	million Btu(IT) per hour
Beschreibung:	<i>A unit of power equal to one million British thermal units per hour.</i>
Code:	E17
Name:	cubic foot per second
Beschreibung:	<i>A unit of volume equal to one cubic foot passing a given point in a period of one second.</i>
Code:	E18
Name:	tonne per hour
Beschreibung:	<i>A unit of weight or mass equal to one tonne per hour.</i>
Code:	E19
Name:	ping
Beschreibung:	<i>A unit of area equal to 3.3 square metres.</i>
Code:	E20
Name:	megabit per second
Beschreibung:	<i>A unit of information equal to 10 to the power of 6 (1000000) bits (binary digits) per second.</i>
Code:	E21
Name:	shares
Beschreibung:	<i>A unit of count defining the number of shares (share: a total or portion of the parts into which a business entity's capital is divided).</i>
Code:	E22
Name:	TEU
Beschreibung:	<i>A unit of count defining the number of twenty-foot equivalent units (TEUs) as a measure of containerized cargo capacity.</i>
Code:	E23
Name:	tyre
Beschreibung:	<i>A unit of count defining the number of tyres (a solid or air-filled covering placed around a wheel rim to form a soft contact with the road, absorb shock and provide traction).</i>
Code:	E25
Name:	active unit

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of count defining the number of active units within a substance.</i>
Code:	E27
Name:	dose
Beschreibung:	<i>A unit of count defining the number of doses (dose: a definite quantity of a medicine or drug).</i>
Code:	E28
Name:	air dry ton
Beschreibung:	<i>A unit of mass defining the number of tons of a product, disregarding the water content of the product.</i>
Code:	E30
Name:	strand
Beschreibung:	<i>A unit of count defining the number of strands (strand: long, thin, flexible, single thread, strip of fibre, constituent filament or multiples of the same, twisted together).</i>
Code:	E31
Name:	square metre per litre
Beschreibung:	<i>A unit of count defining the number of square metres per litre.</i>
Code:	E32
Name:	litre per hour
Beschreibung:	<i>A unit of count defining the number of litres per hour.</i>
Code:	E33
Name:	foot per thousand
Beschreibung:	<i>A unit of count defining the number of feet per thousand units.</i>
Code:	E34
Name:	Gigabyte
Beschreibung:	<i>A unit of information equal to 10 to the power of 9 bytes.</i>
Code:	E35
Name:	terabyte
Beschreibung:	<i>A unit of information equal to 10 to the power of 12 bytes.</i>
Code:	E36
Name:	petabyte
Beschreibung:	<i>A unit of information equal to 10 to the power of 15 bytes.</i>
Code:	E37
Name:	Pixel
Beschreibung:	<i>A unit of count defining the number of pixels (pixel: picture element).</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	E38
Name:	Megapixel
Beschreibung:	<i>A unit of count equal to 10 to the power of 6 (1000000) pixels (picture elements).</i>
Code:	E39
Name:	DPI, Dots per inch
Beschreibung:	<i>A unit of information defining the number of dots per linear inch as a measure of the resolution or sharpness of a graphic image.</i>
Code:	E4
Name:	gross kilogram
Beschreibung:	<i>A unit of mass defining the total number of kilograms before deductions.</i>
Code:	E40
Name:	part per hundred thousand
Beschreibung:	<i>A unit of proportion equal to 10 to the power of -5.</i>
Code:	E41
Name:	kilogram-force per square millimetre
Beschreibung:	<i>A unit of pressure defining the number of kilograms force per square millimetre.</i>
Code:	E42
Name:	kilogram-force per square centimetre
Beschreibung:	<i>A unit of pressure defining the number of kilograms force per square centimetre.</i>
Code:	E43
Name:	joule per square centimetre
Beschreibung:	<i>A unit of energy defining the number of joules per square centimetre.</i>
Code:	E44
Name:	kilogram-force metre per square centimetre
Beschreibung:	<i>A unit of torsion defining the torque kilogram-force metre per square centimetre.</i>
Code:	E46
Name:	kilowatt hour per cubic metre
Beschreibung:	<i>A unit of energy consumption expressed as kilowatt hour per cubic metre.</i>
Code:	E47
Name:	kilowatt hour per kelvin
Beschreibung:	<i>A unit of energy consumption expressed as kilowatt hour per kelvin.</i>
Code:	E48
Name:	service unit
Beschreibung:	<i>A unit of count defining the number of service units (service unit: defined period /</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

	<i>property / facility / utility of supply).</i>
Code:	E49
Name:	working day
Beschreibung:	<i>A unit of count defining the number of working days (working day: a day on which work is ordinarily performed).</i>
Code:	E50
Name:	accounting unit
Beschreibung:	<i>A unit of count defining the number of accounting units.</i>
Code:	E51
Name:	job
Beschreibung:	<i>A unit of count defining the number of jobs.</i>
Code:	E52
Name:	run foot
Beschreibung:	<i>A unit of count defining the number feet per run.</i>
Code:	E53
Name:	test
Beschreibung:	<i>A unit of count defining the number of tests.</i>
Code:	E54
Name:	trip
Beschreibung:	<i>A unit of count defining the number of trips.</i>
Code:	E55
Name:	use
Beschreibung:	<i>A unit of count defining the number of times an object is used.</i>
Code:	E56
Name:	well
Beschreibung:	<i>A unit of count defining the number of wells.</i>
Code:	E57
Name:	zone
Beschreibung:	<i>A unit of count defining the number of zones.</i>
Code:	E58
Name:	exabit per second
Beschreibung:	<i>A unit of information equal to 10 to the power of 18 bits (binary digits) per second.</i>
Code:	E59
Name:	exbibyte

Guideline**Used Codes**

Beschreibung:	<i>A unit of information equal to 2 to the power of 60 bytes.</i>
Code:	E60
Name:	pebibyte
Beschreibung:	<i>A unit of information equal to 2 to the power of 50 bytes.</i>
Code:	E61
Name:	tebibyte
Beschreibung:	<i>A unit of information equal to 2 to the power of 40 bytes.</i>
Code:	E62
Name:	gibibyte
Beschreibung:	<i>A unit of information equal to 2 to the power of 30 bytes.</i>
Code:	E63
Name:	mebibyte
Beschreibung:	<i>A unit of information equal to 2 to the power of 20 bytes.</i>
Code:	E64
Name:	kibibyte
Beschreibung:	<i>A unit of information equal to 2 to the power of 10 bytes.</i>
Code:	E65
Name:	exbibit per metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 60 bits (binary digits) per metre.</i>
Code:	E66
Name:	exbibit per square metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 60 bits (binary digits) per square metre.</i>
Code:	E67
Name:	exbibit per cubic metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 60 bits (binary digits) per cubic metre.</i>
Code:	E68
Name:	gigabyte per second
Beschreibung:	<i>A unit of information equal to 10 to the power of 9 bytes per second.</i>
Code:	E69
Name:	gibibit per metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 30 bits (binary digits) per metre.</i>
Code:	E70
Name:	gibibit per square metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 30 bits (binary digits) per square metre.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	E71
Name:	gibibit per cubic metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 30 bits (binary digits) per cubic metre.</i>
Code:	E72
Name:	kibibit per metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 10 bits (binary digits) per metre.</i>
Code:	E73
Name:	kibibit per square metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 10 bits (binary digits) per square metre.</i>
Code:	E74
Name:	kibibit per cubic metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 10 bits (binary digits) per cubic metre.</i>
Code:	E75
Name:	mebibit per metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 20 bits (binary digits) per metre.</i>
Code:	E76
Name:	mebibit per square metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 20 bits (binary digits) per square metre.</i>
Code:	E77
Name:	mebibit per cubic metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 20 bits (binary digits) per cubic metre.</i>
Code:	E78
Name:	petabit
Beschreibung:	<i>A unit of information equal to 10 to the power of 15 bits (binary digits).</i>
Code:	E79
Name:	petabit per second
Beschreibung:	<i>A unit of information equal to 10 to the power of 15 bits (binary digits) per second.</i>
Code:	E80
Name:	pebibit per metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 50 bits (binary digits) per metre.</i>
Code:	E81
Name:	pebibit per square metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 50 bits (binary digits) per square metre.</i>
Code:	E82

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	pebibit per cubic metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 50 bits (binary digits) per cubic metre.</i>
Code:	E83
Name:	terabit
Beschreibung:	<i>A unit of information equal to 10 to the power of 12 bits (binary digits).</i>
Code:	E84
Name:	terabit per second
Beschreibung:	<i>A unit of information equal to 10 to the power of 12 bits (binary digits) per second.</i>
Code:	E85
Name:	tebibit per metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 40 bits (binary digits) per metre.</i>
Code:	E86
Name:	tebibit per cubic metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 40 bits (binary digits) per cubic metre.</i>
Code:	E87
Name:	tebibit per square metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 40 bits (binary digits) per square metre.</i>
Code:	E88
Name:	bit per metre
Beschreibung:	<i>A unit of information equal to 1 bit (binary digit) per metre.</i>
Code:	E89
Name:	bit per square metre
Beschreibung:	<i>A unit of information equal to 1 bit (binary digit) per square metre.</i>
Code:	EA
Name:	Jedes einzelne (Eines)
Beschreibung:	<i>A unit of count defining the number of items regarded as separate units.</i>
Code:	EB
Name:	electronic mail box
Beschreibung:	<i>A unit of count defining the number of electronic mail boxes.</i>
Code:	EQ
Name:	equivalent gallon
Beschreibung:	<i>A unit of volume defining the number of gallons of product produced from concentrate.</i>
Code:	F01
Name:	bit per cubic metre

Guideline**Used Codes**

Beschreibung:	<i>A unit of information equal to 1 bit (binary digit) per cubic metre.</i>
Code:	F13
Name:	slug
Beschreibung:	<i>A unit of mass. One slug is the mass accelerated at 1 foot per second per second by a force of 1 pound.</i>
Code:	F49
Name:	rod [unit of distance]
Beschreibung:	<i>A unit of distance equal to 5.5 yards (16 feet 6 inches).</i>
Code:	F80
Name:	water horse power
Beschreibung:	<i>A unit of power defining the amount of power required to move a given volume of water against acceleration of gravity to a specified elevation (pressure head).</i>
Code:	FAH
Name:	Grad Fahrenheit
Beschreibung:	<i>Refer ISO 80000-5 (Quantities and units — Part 5: Thermodynamics)</i>
Code:	FBM
Name:	fibre metre
Beschreibung:	<i>A unit of length defining the number of metres of individual fibre.</i>
Code:	FC
Name:	thousand cubic foot
Beschreibung:	<i>A unit of volume equal to one thousand cubic foot.</i>
Code:	FF
Name:	hundred cubic metre
Beschreibung:	<i>A unit of volume equal to one hundred cubic metres.</i>
Code:	FIT
Name:	failures in time
Beschreibung:	<i>A unit of count defining the number of failures that can be expected over a specified time interval. Failure rates of semiconductor components are often specified as FIT (failures in time unit) where 1 FIT = 10 to the power of -9 /h.</i>
Code:	FL
Name:	flake ton
Beschreibung:	<i>A unit of mass defining the number of tons of a flaked substance (flake: a small flattish fragment).</i>
Code:	GDW

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline



Used Codes

Name:	gram, dry weight
Beschreibung:	<i>A unit of mass defining the number of grams of a product, disregarding the water content of the product.</i>
Code:	GFI
Name:	gram of fissile isotope
Beschreibung:	<i>A unit of mass defining the number of grams of a fissile isotope (fissile isotope: an isotope whose nucleus is able to be split when irradiated with low energy neutrons).</i>
Code:	GGR
Name:	great gross
Beschreibung:	<i>A unit of count defining the number of units in multiples of 1728 (12 x 12 x 12).</i>
Code:	GIC
Name:	gram, including container
Beschreibung:	<i>A unit of mass defining the number of grams of a product, including its container.</i>
Code:	GIP
Name:	gram, including inner packaging
Beschreibung:	<i>A unit of mass defining the number of grams of a product, including its inner packaging materials.</i>
Code:	GRO
Name:	Gross
Beschreibung:	<i>A unit of count defining the number of units in multiples of 144 (12 x 12).</i>
Code:	GRT
Name:	gross register ton
Beschreibung:	<i>A unit of mass equal to the total cubic footage before deductions, where 1 register ton is equal to 100 cubic feet. Refer International Convention on tonnage measurement of ships.</i>
Code:	GT
Name:	gross ton
Beschreibung:	<i>A unit of mass equal to 2240 pounds. Refer International Convention on Tonnage measurement of Ships. Synonym: ton (UK) or long ton (US) (common code LTN)</i>
Code:	H16
Name:	square decametre
Beschreibung:	<i>Synonym: are</i>
Code:	H18

Guideline**Used Codes**

Name:	square hectometre
Beschreibung:	<i>Synonym: hectare</i>
Code:	H21
Name:	blank
Beschreibung:	<i>A unit of count defining the number of blanks.</i>
Code:	H25
Name:	percent per kelvin
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to the SI base unit Kelvin.</i>
Code:	H71
Name:	percent per month
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to a month.</i>
Code:	H72
Name:	percent per hectobar
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to 100-fold of the unit bar.</i>
Code:	H73
Name:	percent per decakelvin
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to 10-fold of the SI base unit Kelvin.</i>
Code:	H77
Name:	module width
Beschreibung:	<i>A unit of measure used to describe the breadth of electronic assemblies as an installation standard or mounting dimension.</i>
Code:	H79
Name:	Charrière
Beschreibung:	<i>A unit of distance used for measuring the diameter of small tubes such as urological instruments and catheters. Synonym: French, French gauge, Charrière gauge</i>
Code:	H80
Name:	rack unit
Beschreibung:	<i>A unit of measure used to describe the height in rack units of equipment intended for mounting in a 19-inch rack or a 23-inch rack. One rack unit is 1.75 inches (44.45 mm) high.</i>
Code:	H82
Name:	big point
Beschreibung:	<i>A unit of length defining the number of big points (big point: Adobe software(US) defines</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

	<i>the big point to be exactly 1/72 inch (0.013 888 9 inch or 0.352 777 8 millimeters))</i>
Code:	H87
Name:	piece
Beschreibung:	<i>A unit of count defining the number of pieces (piece: a single item, article or exemplar).</i>
Code:	H89
Name:	percent per ohm
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to the SI derived unit ohm.</i>
Code:	H90
Name:	percent per degree
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to an angle of one degree.</i>
Code:	H91
Name:	percent per ten thousand
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to multiples of ten thousand.</i>
Code:	H92
Name:	percent per one hundred thousand
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to multiples of one hundred thousand.</i>
Code:	H93
Name:	percent per hundred
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to multiples of one hundred.</i>
Code:	H94
Name:	percent per thousand
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to multiples of one thousand.</i>
Code:	H95
Name:	percent per volt
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to the SI derived unit volt.</i>
Code:	H96
Name:	percent per bar
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to an atmospheric pressure of one bar.</i>
Code:	H98
Name:	percent per inch
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to an inch.</i>
Code:	H99
Name:	percent per metre
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to a metre.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	HA
Name:	hank
Beschreibung:	<i>A unit of length, typically for yarn.</i>
Code:	HAR
Name:	hectare
Beschreibung:	<i>Synonym: square hectometre</i>
Code:	HBX
Name:	hundred boxes
Beschreibung:	<i>A unit of count defining the number of boxes in multiples of one hundred box units.</i>
Code:	HC
Name:	hundred count
Beschreibung:	<i>A unit of count defining the number of units counted in multiples of 100.</i>
Code:	HDW
Name:	hundred kilogram, dry weight
Beschreibung:	<i>A unit of mass defining the number of hundred kilograms of a product, disregarding the water content of the product.</i>
Code:	HEA
Name:	head
Beschreibung:	<i>A unit of count defining the number of heads (head: a person or animal considered as one of a number).</i>
Code:	HH
Name:	hundred cubic foot
Beschreibung:	<i>A unit of volume equal to one hundred cubic foot.</i>
Code:	HIU
Name:	hundred international unit
Beschreibung:	<i>A unit of count defining the number of international units in multiples of 100.</i>
Code:	HKM
Name:	hundred kilogram, net mass
Beschreibung:	<i>A unit of mass defining the number of hundred kilograms of a product, after deductions.</i>
Code:	HMQ
Name:	million cubic metre
Beschreibung:	<i>A unit of volume equal to one million cubic metres.</i>
Code:	HPA
Name:	hectolitre of pure alcohol

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of volume equal to one hundred litres of pure alcohol.</i>
Code:	IE
Name:	person
Beschreibung:	<i>A unit of count defining the number of persons.</i>
Code:	INQ
Name:	Square inch
Beschreibung:	<i>Synonym: inch cubed</i>
Code:	ISD
Name:	international sugar degree
Beschreibung:	<i>A unit of measure defining the sugar content of a solution, expressed in degrees.</i>
Code:	J10
Name:	percent per millimetre
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to a millimetre.</i>
Code:	J12
Name:	per mille per psi
Beschreibung:	<i>A unit of pressure equal to one thousandth of a psi (pound-force per square inch).</i>
Code:	J13
Name:	degree API
Beschreibung:	<i>A unit of relative density as a measure of how heavy or light a petroleum liquid is compared to water (API: American Petroleum Institute).</i>
Code:	J14
Name:	degree Baume (origin scale)
Beschreibung:	<i>A traditional unit of relative density for liquids. Named after Antoine Baumé.</i>
Code:	J15
Name:	degree Baume (US heavy)
Beschreibung:	<i>A unit of relative density for liquids heavier than water.</i>
Code:	J16
Name:	degree Baume (US light)
Beschreibung:	<i>A unit of relative density for liquids lighter than water.</i>
Code:	J17
Name:	degree Balling
Beschreibung:	<i>A unit of density as a measure of sugar content, especially of beer wort. Named after Karl Balling.</i>
Code:	J18

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	degree Brix
Beschreibung:	<i>A unit of proportion used in measuring the dissolved sugar-to-water mass ratio of a liquid. Named after Adolf Brix.</i>
Code:	J27
Name:	degree Oechsle
Beschreibung:	<i>A unit of density as a measure of sugar content of must, the unfermented liqueur from which wine is made. Named after Ferdinand Oechsle.</i>
Code:	J31
Name:	degree Twaddell
Beschreibung:	<i>A unit of density for liquids that are heavier than water. 1 degree Twaddle represents a difference in specific gravity of 0.005.</i>
Code:	J38
Name:	baud
Beschreibung:	<i>A unit of signal transmission speed equal to one signalling event per second.</i>
Code:	J54
Name:	megabaud
Beschreibung:	<i>A unit of signal transmission speed equal to 10 to the power of 6 (1000000) signaling events per second.</i>
Code:	JNT
Name:	pipeline joint
Beschreibung:	<i>A count of the number of pipeline joints.</i>
Code:	JPS
Name:	hundred metre
Beschreibung:	<i>A unit of count defining the number of 100 metre lengths.</i>
Code:	JWL
Name:	number of jewels
Beschreibung:	<i>A unit of count defining the number of jewels (jewel: precious stone).</i>
Code:	K1
Name:	kilowatt demand
Beschreibung:	<i>A unit of measure defining the power load measured at predetermined intervals.</i>
Code:	K2
Name:	kilovolt ampere reactive demand
Beschreibung:	<i>A unit of measure defining the reactive power demand equal to one kilovolt ampere of reactive power.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	K3
Name:	kilovolt ampere reactive hour
Beschreibung:	<i>A unit of measure defining the accumulated reactive energy equal to one kilovolt ampere of reactive power per hour.</i>
Code:	K5
Name:	kilovolt ampere (reactive)
Beschreibung:	<i>Use kilovar (common code KVR)</i>
Code:	K50
Name:	kilobaud
Beschreibung:	<i>A unit of signal transmission speed equal to 10 to the power of 3 (1000) signaling events per second.</i>
Code:	KA
Name:	cake
Beschreibung:	<i>A unit of count defining the number of cakes (cake: object shaped into a flat, compact mass).</i>
Code:	KAT
Name:	katal
Beschreibung:	<i>A unit of catalytic activity defining the catalytic activity of enzymes and other catalysts.</i>
Code:	KB
Name:	Kilobyte
Beschreibung:	<i>A unit of information equal to 10 to the power of 3 (1000) characters.</i>
Code:	KCC
Name:	kilogram of choline chloride
Beschreibung:	<i>A unit of mass equal to one thousand grams of choline chloride.</i>
Code:	KDW
Name:	kilogram drained net weight
Beschreibung:	<i>A unit of mass defining the net number of kilograms of a product, disregarding the liquid content of the product.</i>
Code:	KEL
Name:	Kelvin
Beschreibung:	<i>Refer ISO 80000-5 (Quantities and units — Part 5: Thermodynamics)</i>
Code:	KGM
Name:	Kilogramm
Beschreibung:	<i>A unit of mass equal to one thousand grams.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	KHY
Name:	kilogram of hydrogen peroxide
Beschreibung:	<i>A unit of mass equal to one thousand grams of hydrogen peroxide.</i>
Code:	KIC
Name:	kilogram, including container
Beschreibung:	<i>A unit of mass defining the number of kilograms of a product, including its container.</i>
Code:	KIP
Name:	kilogram, including inner packaging
Beschreibung:	<i>A unit of mass defining the number of kilograms of a product, including its inner packaging materials.</i>
Code:	KJ
Name:	kilosegment
Beschreibung:	<i>A unit of information equal to 10 to the power of 3 (1000) segments.</i>
Code:	KLK
Name:	lactic dry material percentage
Beschreibung:	<i>A unit of proportion defining the percentage of dry lactic material in a product.</i>
Code:	KLX
Name:	kilolux
Beschreibung:	<i>A unit of illuminance equal to one thousand lux.</i>
Code:	KMA
Name:	kilogram of methylamine
Beschreibung:	<i>A unit of mass equal to one thousand grams of methylamine.</i>
Code:	KMQ
Name:	Kilogramm pro Kubikmeter
Beschreibung:	<i>A unit of weight expressed in kilograms of a substance that fills a volume of one cubic metre.</i>
Code:	KNI
Name:	kilogram of nitrogen
Beschreibung:	<i>A unit of mass equal to one thousand grams of nitrogen.</i>
Code:	KNM
Name:	kilonewton per square metre
Beschreibung:	<i>Pressure expressed in kN/m².</i>
Code:	KNS
Name:	kilogram named substance

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Used Codes

Beschreibung:	<i>A unit of mass equal to one kilogram of a named substance.</i>
Code:	KO
Name:	milliequivalence caustic potash per gram of product
Beschreibung:	<i>A unit of count defining the number of milligrams of potassium hydroxide per gram of product as a measure of the concentration of potassium hydroxide in the product.</i>
Code:	KPH
Name:	kilogram of potassium hydroxide (caustic potash)
Beschreibung:	<i>A unit of mass equal to one thousand grams of potassium hydroxide (caustic potash).</i>
Code:	KPO
Name:	kilogram of potassium oxide
Beschreibung:	<i>A unit of mass equal to one thousand grams of potassium oxide.</i>
Code:	KPP
Name:	kilogram of phosphorus pentoxide (phosphoric anhydride)
Beschreibung:	<i>A unit of mass equal to one thousand grams of phosphorus pentoxide phosphoric anhydride.</i>
Code:	KSD
Name:	kilogram of substance 90 % dry
Beschreibung:	<i>A unit of mass equal to one thousand grams of a named substance that is 90% dry.</i>
Code:	KSH
Name:	kilogram of sodium hydroxide (caustic soda)
Beschreibung:	<i>A unit of mass equal to one thousand grams of sodium hydroxide (caustic soda).</i>
Code:	KT
Name:	kit
Beschreibung:	<i>A unit of count defining the number of kits (kit: tub, barrel or pail).</i>
Code:	KUR
Name:	kilogram of uranium
Beschreibung:	<i>A unit of mass equal to one thousand grams of uranium.</i>
Code:	KWN
Name:	Kilowatt hour per normalized cubic metre
Beschreibung:	<i>Kilowatt hour per normalized cubic metre (temperature 0°C and pressure 101325 millibars).</i>
Code:	KWO
Name:	kilogram of tungsten trioxide
Beschreibung:	<i>A unit of mass equal to one thousand grams of tungsten trioxide.</i>

Guideline**Used Codes**

Code:	KWS
Name:	Kilowatt hour per standard cubic metre
Beschreibung:	<i>Kilowatt hour per standard cubic metre (temperature 15°C and pressure 101325 millibars).</i>
Code:	LAC
Name:	lactose excess percentage
Beschreibung:	<i>A unit of proportion defining the percentage of lactose in a product that exceeds a defined percentage level.</i>
Code:	LEF
Name:	leaf
Beschreibung:	<i>A unit of count defining the number of leaves.</i>
Code:	LF
Name:	linear foot
Beschreibung:	<i>A unit of count defining the number of feet (12-inch) in length of a uniform width object.</i>
Code:	LH
Name:	labour hour
Beschreibung:	<i>A unit of time defining the number of labour hours.</i>
Code:	LK
Name:	link
Beschreibung:	<i>A unit of distance equal to 0.01 chain.</i>
Code:	LM
Name:	linear metre
Beschreibung:	<i>A unit of count defining the number of metres in length of a uniform width object.</i>
Code:	LN
Name:	length
Beschreibung:	<i>A unit of distance defining the linear extent of an item measured from end to end.</i>
Code:	LO
Name:	lot [unit of procurement]
Beschreibung:	<i>A unit of count defining the number of lots (lot: a collection of associated items).</i>
Code:	LP
Name:	liquid pound
Beschreibung:	<i>A unit of mass defining the number of pounds of a liquid substance.</i>
Code:	LPA
Name:	litre of pure alcohol

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of volume equal to one litre of pure alcohol.</i>
Code:	LR
Name:	layer
Beschreibung:	<i>A unit of count defining the number of layers.</i>
Code:	LS
Name:	lump sum
Beschreibung:	<i>A unit of count defining the number of whole or a complete monetary amounts.</i>
Code:	LTN
Name:	ton (UK) or long ton (US)
Beschreibung:	<i>Synonym: gross ton (2240 lb)</i>
Code:	LUB
Name:	metric ton, lubricating oil
Beschreibung:	<i>A unit of mass defining the number of metric tons of lubricating oil.</i>
Code:	LY
Name:	linear yard
Beschreibung:	<i>A unit of count defining the number of 36-inch units in length of a uniform width object.</i>
Code:	M19
Name:	Beaufort
Beschreibung:	<i>An empirical measure for describing wind speed based mainly on observed sea conditions. The Beaufort scale indicates the wind speed by numbers that typically range from 0 for calm, to 12 for hurricane.</i>
Code:	M25
Name:	percent per degree Celsius
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to a temperature of one degree.</i>
Code:	M36
Name:	30-day month
Beschreibung:	<i>A unit of count defining the number of months expressed in multiples of 30 days, one day equals 24 hours.</i>
Code:	M37
Name:	actual/360
Beschreibung:	<i>A unit of count defining the number of years expressed in multiples of 360 days, one day equals 24 hours.</i>
Code:	M38
Name:	kilometre per second squared

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Used Codes

Beschreibung:	<i>1000-fold of the SI base unit metre divided by the power of the SI base unit second by exponent 2.</i>
Code:	M39
Name:	centimetre per second squared
Beschreibung:	<i>0,01-fold of the SI base unit metre divided by the power of the SI base unit second by exponent 2.</i>
Code:	M4
Name:	monetary value
Beschreibung:	<i>A unit of measure expressed as a monetary amount.</i>
Code:	M40
Name:	yard per second squared
Beschreibung:	<i>Unit of the length according to the Anglo-American and Imperial system of units divided by the power of the SI base unit second by exponent 2.</i>
Code:	M41
Name:	millimetre per second squared
Beschreibung:	<i>0,001-fold of the SI base unit metre divided by the power of the SI base unit second by exponent 2.</i>
Code:	M42
Name:	mile (statute mile) per second squared
Beschreibung:	<i>Unit of the length according to the Imperial system of units divided by the power of the SI base unit second by exponent 2.</i>
Code:	M43
Name:	mil
Beschreibung:	<i>Unit to indicate an angle at military zone, equal to the 6400th part of the full circle of the 360° or 2·p·rad.</i>
Code:	M44
Name:	revolution
Beschreibung:	<i>Unit to identify an angle of the full circle of 360° or 2·p·rad (Refer ISO/TC12 SI Guide).</i>
Code:	M45
Name:	degree [unit of angle] per second squared
Beschreibung:	<i>360 part of a full circle divided by the power of the SI base unit second and the exponent 2.</i>
Code:	M46
Name:	revolution per minute

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>Unit of the angular velocity.</i>
Code:	M47
Name:	circular mil
Beschreibung:	<i>Unit of an area, of which the size is given by a diameter of length of 1 mm (0,001 in) based on the formula: $area = p \cdot (diameter/2)^2$.</i>
Code:	M48
Name:	square mile (based on U.S. survey foot)
Beschreibung:	<i>Unit of the area, which is mainly common in the agriculture and forestry.</i>
Code:	M49
Name:	chain (based on U.S. survey foot)
Beschreibung:	<i>Unit of the length according the Anglo-American system of units.</i>
Code:	M50
Name:	furlong
Beschreibung:	<i>Unit commonly used in Great Britain at rural distances: 1 furlong = 40 rods = 10 chains (UK) = 1/8 mile = 1/10 furlong = 220 yards = 660 foot.</i>
Code:	M51
Name:	foot (U.S. survey)
Beschreibung:	<i>Unit commonly used in the United States for ordnance survey.</i>
Code:	M52
Name:	mile (based on U.S. survey foot)
Beschreibung:	<i>Unit commonly used in the United States for ordnance survey.</i>
Code:	M53
Name:	metre per pascal
Beschreibung:	<i>SI base unit metre divided by the derived SI unit pascal.</i>
Code:	M55
Name:	metre per radiant
Beschreibung:	<i>Unit of the translation factor for implementation from rotation to linear movement.</i>
Code:	M56
Name:	shake
Beschreibung:	<i>Unit for a very short period.</i>
Code:	M57
Name:	mile per minute
Beschreibung:	<i>Unit of velocity from the Imperial system of units.</i>
Code:	M58

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline



Used Codes

Name:	mile per second
Beschreibung:	<i>Unit of the velocity from the Imperial system of units.</i>
Code:	M59
Name:	metre per second pascal
Beschreibung:	<i>SI base unit meter divided by the product of SI base unit second and the derived SI unit pascal.</i>
Code:	M60
Name:	metre per hour
Beschreibung:	<i>SI base unit metre divided by the unit hour.</i>
Code:	M61
Name:	inch per year
Beschreibung:	<i>Unit of the length according to the Anglo-American and Imperial system of units divided by the unit common year with 365 days.</i>
Code:	M62
Name:	kilometre per second
Beschreibung:	<i>1000-fold of the SI base unit metre divided by the SI base unit second.</i>
Code:	M63
Name:	inch per minute
Beschreibung:	<i>Unit inch according to the Anglo-American and Imperial system of units divided by the unit minute.</i>
Code:	M64
Name:	yard per second
Beschreibung:	<i>Unit yard according to the Anglo-American and Imperial system of units divided by the SI base unit second.</i>
Code:	M65
Name:	yard per minute
Beschreibung:	<i>Unit yard according to the Anglo-American and Imperial system of units divided by the unit minute.</i>
Code:	M66
Name:	yard per hour
Beschreibung:	<i>Unit yard according to the Anglo-American and Imperial system of units divided by the unit hour.</i>
Code:	M67
Name:	acre-foot (based on U.S. survey foot)

Guideline**Used Codes**

Beschreibung:	<i>Unit of the volume, which is used in the United States to measure/gauge the capacity of reservoirs.</i>
Code:	M68
Name:	cord (128 ft ³)
Beschreibung:	<i>Traditional unit of the volume of stacked firewood which has been measured with a cord.</i>
Code:	M69
Name:	cubic mile (UK statute)
Beschreibung:	<i>Unit of volume according to the Imperial system of units.</i>
Code:	M70
Name:	ton, register
Beschreibung:	<i>Traditional unit of the cargo capacity.</i>
Code:	M71
Name:	cubic metre per pascal
Beschreibung:	<i>Power of the SI base unit meter by exponent 3 divided by the derived SI base unit pascal.</i>
Code:	M72
Name:	bel
Beschreibung:	<i>Logarithmic relationship to base 10.</i>
Code:	M73
Name:	kilogram per cubic metre pascal
Beschreibung:	<i>SI base unit kilogram divided by the product of the power of the SI base unit metre with exponent 3 and the derived SI unit pascal.</i>
Code:	M74
Name:	kilogram per pascal
Beschreibung:	<i>SI base unit kilogram divided by the derived SI unit pascal.</i>
Code:	M75
Name:	kilopound-force
Beschreibung:	<i>1000-fold of the unit of the force pound-force (lbf) according to the Anglo-American system of units with the relationship.</i>
Code:	M76
Name:	poundal
Beschreibung:	<i>Non SI-conforming unit of the power, which corresponds to a mass of a pound multiplied with the acceleration of a foot per square second.</i>
Code:	M77

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline



Used Codes

Name:	kilogram metre per second squared
Beschreibung:	<i>Product of the SI base unit kilogram and the SI base unit metre divided by the power of the SI base unit second by exponent 2.</i>
Code:	M78
Name:	pond
Beschreibung:	<i>0,001-fold of the unit of the weight, defined as a mass of 1 kg which finds out about a weight strength from 1 kp by the gravitational force at sea level which corresponds to a strength of 9,806 65 newton.</i>
Code:	M79
Name:	square foot per hour
Beschreibung:	<i>Power of the unit foot according to the Anglo-American and Imperial system of units by exponent 2 divided by the unit of time hour.</i>
Code:	M80
Name:	stokes per pascal
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit stokes divided by the derived SI unit pascal.</i>
Code:	M81
Name:	square centimetre per second
Beschreibung:	<i>0,000 1-fold of the power of the SI base unit metre by exponent 2 divided by the SI base unit second.</i>
Code:	M82
Name:	square metre per second pascal
Beschreibung:	<i>Power of the SI base unit metre with the exponent 2 divided by the SI base unit second and the derived SI unit pascal.</i>
Code:	M83
Name:	denier
Beschreibung:	<i>Traditional unit for the indication of the linear mass of textile fibers and yarns.</i>
Code:	M84
Name:	pound per yard
Beschreibung:	<i>Unit for linear mass according to avoirdupois system of units.</i>
Code:	M85
Name:	ton, assay
Beschreibung:	<i>Non SI-conforming unit of the mass used in the mineralogy to determine the concentration of precious metals in ore according to the mass of the precious metal in milligrams in a sample of the mass of an assay sound (number of troy ounces in a short</i>

Guideline**Used Codes**

	<i>ton (1 000 lb)).</i>
Code:	M86
Name:	pfund
Beschreibung:	<i>Outdated unit of the mass used in Germany.</i>
Code:	M87
Name:	kilogram per second pascal
Beschreibung:	<i>SI base unit kilogram divided by the product of the SI base unit second and the derived SI unit pascal.</i>
Code:	M88
Name:	tonne per month
Beschreibung:	<i>Unit tonne divided by the unit month.</i>
Code:	M89
Name:	tonne per year
Beschreibung:	<i>Unit tonne divided by the unit year with 365 days.</i>
Code:	M90
Name:	kilopound per hour
Beschreibung:	<i>1000-fold of the unit of the mass avoirdupois pound according to the avoirdupois unit system divided by the unit hour.</i>
Code:	M91
Name:	pound per pound
Beschreibung:	<i>Proportion of the mass consisting of the avoirdupois pound according to the avoirdupois unit system divided by the avoirdupois pound according to the avoirdupois unit system.</i>
Code:	M92
Name:	pound-force foot
Beschreibung:	<i>Product of the unit pound-force according to the Anglo-American system of units and the unit foot according to the Anglo-American and the Imperial system of units.</i>
Code:	M93
Name:	newton metre per radian
Beschreibung:	<i>Product of the derived SI unit newton and the SI base unit metre divided by the unit radian.</i>
Code:	M94
Name:	kilogram metre
Beschreibung:	<i>Unit of imbalance as a product of the SI base unit kilogram and the SI base unit metre.</i>
Code:	M95

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	poundal foot
Beschreibung:	<i>Product of the non SI-conforming unit of the force poundal and the unit foot according to the Anglo-American and Imperial system of units .</i>
Code:	M96
Name:	poundal inch
Beschreibung:	<i>Product of the non SI-conforming unit of the force poundal and the unit inch according to the Anglo-American and Imperial system of units .</i>
Code:	M97
Name:	dyne metre
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of the rotational moment.</i>
Code:	M98
Name:	kilogram centimetre per second
Beschreibung:	<i>Product of the SI base unit kilogram and the 0,01-fold of the SI base unit metre divided by the SI base unit second.</i>
Code:	M99
Name:	gram centimetre per second
Beschreibung:	<i>Product of the 0,001-fold of the SI base unit kilogram and the 0,01-fold of the SI base unit metre divided by the SI base unit second.</i>
Code:	MAH
Name:	megavolt ampere reactive hour
Beschreibung:	<i>A unit of electrical reactive power defining the total amount of reactive power across a power system.</i>
Code:	MAR
Name:	megavar
Beschreibung:	<i>A unit of electrical reactive power represented by a current of one thousand amperes flowing due a potential difference of one thousand volts where the sine of the phase angle between them is 1.</i>
Code:	MAW
Name:	Megawatt
Beschreibung:	<i>A unit of power defining the rate of energy transferred or consumed when a current of 1000 amperes flows due to a potential of 1000 volts at unity power factor.</i>
Code:	MBE
Name:	thousand standard brick equivalent
Beschreibung:	<i>A unit of count defining the number of one thousand brick equivalent units.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	MBF
Name:	thousand board foot
Beschreibung:	<i>A unit of volume equal to one thousand board foot.</i>
Code:	MD
Name:	air dry metric ton
Beschreibung:	<i>A unit of count defining the number of metric tons of a product, disregarding the water content of the product.</i>
Code:	MIU
Name:	million international unit
Beschreibung:	<i>A unit of count defining the number of international units in multiples of 10 to the power of 6.</i>
Code:	MLD
Name:	milliard
Beschreibung:	<i>Synonym: billion (US)</i>
Code:	MND
Name:	kilogram, dry weight
Beschreibung:	<i>A unit of mass defining the number of kilograms of a product, disregarding the water content of the product.</i>
Code:	MON
Name:	Monat
Beschreibung:	<i>Unit of time equal to 1/12 of a year of 365,25 days.</i>
Code:	MTQ
Name:	Kubikmeter
Beschreibung:	<i>Synonym: metre cubed</i>
Code:	MWH
Name:	Megawatt Stunde (1000 kWh)
Beschreibung:	<i>A unit of power defining the total amount of bulk energy transferred or consumed.</i>
Code:	N1
Name:	pen calorie
Beschreibung:	<i>A unit of count defining the number of calories prescribed daily for parenteral/enteral therapy.</i>
Code:	N10
Name:	pound foot per second
Beschreibung:	<i>Product of the avoirdupois pound according to the avoirdupois unit system and the unit</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline



Used Codes

	<i>foot according to the Anglo-American and Imperial system of units divided by the SI base unit second.</i>
Code:	N11
Name:	pound inch per second
Beschreibung:	<i>Product of the avoirdupois pound according to the avoirdupois unit system and the unit inch according to the Anglo-American and Imperial system of units divided by the SI base unit second.</i>
Code:	N12
Name:	Pferdestaerke
Beschreibung:	<i>Obsolete unit of the power relating to DIN 1301-3:1979: 1 PS = 735,498 75 W.</i>
Code:	N13
Name:	centimetre of mercury (0 °C)
Beschreibung:	<i>Non SI-conforming unit of pressure, at which a value of 1 cmHg meets the static pressure, which is generated by a mercury at a temperature of 0 °C with a height of 1 centimetre .</i>
Code:	N14
Name:	centimetre of water (4 °C)
Beschreibung:	<i>Non SI-conforming unit of pressure, at which a value of 1 cmH2O meets the static pressure, which is generated by a head of water at a temperature of 4 °C with a height of 1 centimetre .</i>
Code:	N15
Name:	foot of water (39.2 °F)
Beschreibung:	<i>Non SI-conforming unit of pressure according to the Anglo-American and Imperial system for units, whereas the value of 1 ftH2O is equivalent to the static pressure, which is generated by a head of water at a temperature 39,2°F with a height of 1 foot .</i>
Code:	N16
Name:	inch of mercury (32 °F)
Beschreibung:	<i>Non SI-conforming unit of pressure according to the Anglo-American and Imperial system for units, whereas the value of 1 inHg meets the static pressure, which is generated by a mercury at a temperature of 32°F with a height of 1 inch.</i>
Code:	N17
Name:	inch of mercury (60 °F)
Beschreibung:	<i>Non SI-conforming unit of pressure according to the Anglo-American and Imperial system for units, whereas the value of 1 inHg meets the static pressure, which is generated by a</i>

Guideline

Used Codes

	<i>mercury at a temperature of 60°F with a height of 1 inch.</i>
Code:	N18
Name:	inch of water (39.2 °F)
Beschreibung:	<i>Non SI-conforming unit of pressure according to the Anglo-American and Imperial system for units, whereas the value of 1 inH2O meets the static pressure, which is generated by a head of water at a temperature of 39,2°F with a height of 1 inch .</i>
Code:	N19
Name:	inch of water (60 °F)
Beschreibung:	<i>Non SI-conforming unit of pressure according to the Anglo-American and Imperial system for units, whereas the value of 1 inH2O meets the static pressure, which is generated by a head of water at a temperature of 60°F with a height of 1 inch .</i>
Code:	N20
Name:	kip per square inch
Beschreibung:	<i>Non SI-conforming unit of the pressure according to the Anglo-American system of units as the 1000-fold of the unit of the force pound-force divided by the power of the unit inch by exponent 2.</i>
Code:	N21
Name:	poundal per square foot
Beschreibung:	<i>Non SI-conforming unit of pressure by the Imperial system of units according to NIST: 1 pdl/ft² = 1,488 164 Pa.</i>
Code:	N22
Name:	ounce (avoirdupois) per square inch
Beschreibung:	<i>Unit of the surface specific mass (avoirdupois ounce according to the avoirdupois system of units according to the surface square inch according to the Anglo-American and Imperial system of units).</i>
Code:	N23
Name:	conventional metre of water
Beschreibung:	<i>Not SI-conforming unit of pressure, whereas a value of 1 mH2O is equivalent to the static pressure, which is produced by one metre high water column .</i>
Code:	N24
Name:	gram per square millimetre
Beschreibung:	<i>0,001-fold of the SI base unit kilogram divided by the 0.000 001-fold of the power of the SI base unit meter by exponent 2.</i>
Code:	N25

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	pound per square yard
Beschreibung:	<i>Unit for areal-related mass as a unit pound according to the avoirdupois unit system divided by the power of the unit yard according to the Anglo-American and Imperial system of units with exponent 2.</i>
Code:	N26
Name:	poundal per square inch
Beschreibung:	<i>Non SI-conforming unit of the pressure according to the Imperial system of units (poundal by square inch).</i>
Code:	N27
Name:	foot to the fourth power
Beschreibung:	<i>Power of the unit foot according to the Anglo-American and Imperial system of units by exponent 4 according to NIST: $1 \text{ ft}^4 = 8,630\,975 \text{ m}^4$.</i>
Code:	N28
Name:	cubic decimetre per kilogram
Beschreibung:	<i>0,001 fold of the power of the SI base unit meter by exponent 3 divided by the SI based unit kilogram.</i>
Code:	N29
Name:	cubic foot per pound
Beschreibung:	<i>Power of the unit foot according to the Anglo-American and Imperial system of units by exponent 3 divided by the unit avoirdupois pound according to the avoirdupois unit system.</i>
Code:	N30
Name:	cubic inch per pound
Beschreibung:	<i>Power of the unit inch according to the Anglo-American and Imperial system of units by exponent 3 divided by the avoirdupois pound according to the avoirdupois unit system .</i>
Code:	N31
Name:	kilonewton per metre
Beschreibung:	<i>1000-fold of the derived SI unit newton divided by the SI base unit metre.</i>
Code:	N32
Name:	poundal per inch
Beschreibung:	<i>Non SI-conforming unit of the surface tension according to the Imperial unit system as quotient poundal by inch.</i>
Code:	N33
Name:	pound-force per yard

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>Unit of force per unit length based on the Anglo-American system of units.</i>
Code:	N34
Name:	poundal second per square foot
Beschreibung:	<i>Non SI-conforming unit of viscosity.</i>
Code:	N35
Name:	poise per pascal
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit poise divided by the derived SI unit pascal.</i>
Code:	N36
Name:	newton second per square metre
Beschreibung:	<i>Unit of the dynamic viscosity as a product of unit of the pressure (newton by square metre) multiplied with the SI base unit second.</i>
Code:	N37
Name:	kilogram per metre second
Beschreibung:	<i>Unit of the dynamic viscosity as a quotient SI base unit kilogram divided by the SI base unit metre and by the SI base unit second.</i>
Code:	N38
Name:	kilogram per metre minute
Beschreibung:	<i>Unit of the dynamic viscosity as a quotient SI base unit kilogram divided by the SI base unit metre and by the unit minute.</i>
Code:	N39
Name:	kilogram per metre day
Beschreibung:	<i>Unit of the dynamic viscosity as a quotient SI base unit kilogram divided by the SI base unit metre and by the unit day.</i>
Code:	N40
Name:	kilogram per metre hour
Beschreibung:	<i>Unit of the dynamic viscosity as a quotient SI base unit kilogram divided by the SI base unit metre and by the unit hour.</i>
Code:	N41
Name:	gram per centimetre second
Beschreibung:	<i>Unit of the dynamic viscosity as a quotient of the 0,001-fold of the SI base unit kilogram divided by the 0,01-fold of the SI base unit metre and SI base unit second.</i>
Code:	N42
Name:	poundal second per square inch
Beschreibung:	<i>Non SI-conforming unit of dynamic viscosity according to the Imperial system of units as</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

	<i>product unit of the pressure (poundal by square inch) multiplied by the SI base unit second.</i>
Code:	N43
Name:	pound per foot minute
Beschreibung:	<i>Unit of the dynamic viscosity according to the Anglo-American unit system.</i>
Code:	N44
Name:	pound per foot day
Beschreibung:	<i>Unit of the dynamic viscosity according to the Anglo-American unit system.</i>
Code:	N45
Name:	cubic metre per second pascal
Beschreibung:	<i>Power of the SI base unit meter by exponent 3 divided by the product of the SI base unit second and the derived SI base unit pascal.</i>
Code:	N46
Name:	foot poundal
Beschreibung:	<i>Unit of the work (force-path).</i>
Code:	N47
Name:	inch poundal
Beschreibung:	<i>Unit of work (force multiplied by path) according to the Imperial system of units as a product unit inch multiplied by poundal.</i>
Code:	N48
Name:	watt per square centimetre
Beschreibung:	<i>Derived SI unit watt divided by the power of the 0,01-fold the SI base unit metre by exponent 2.</i>
Code:	N49
Name:	watt per square inch
Beschreibung:	<i>Derived SI unit watt divided by the power of the unit inch according to the Anglo-American and Imperial system of units by exponent 2.</i>
Code:	N50
Name:	British thermal unit (international table) per square foot hour
Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>
Code:	N51
Name:	British thermal unit (thermochemical) per square foot hour
Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>
Code:	N52

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Used Codes

Name:	British thermal unit (thermochemical) per square foot minute
Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>
Code:	N53
Name:	British thermal unit (international table) per square foot second
Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>
Code:	N54
Name:	British thermal unit (thermochemical) per square foot second
Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>
Code:	N55
Name:	British thermal unit (international table) per square inch second
Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>
Code:	N56
Name:	calorie (thermochemical) per square centimetre minute
Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>
Code:	N57
Name:	calorie (thermochemical) per square centimetre second
Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>
Code:	N58
Name:	British thermal unit (international table) per cubic foot
Beschreibung:	<i>Unit of the energy density according to the Imperial system of units.</i>
Code:	N59
Name:	British thermal unit (thermochemical) per cubic foot
Beschreibung:	<i>Unit of the energy density according to the Imperial system of units.</i>
Code:	N60
Name:	British thermal unit (international table) per degree Fahrenheit
Beschreibung:	<i>Unit of the heat capacity according to the Imperial system of units.</i>
Code:	N61
Name:	British thermal unit (thermochemical) per degree Fahrenheit
Beschreibung:	<i>Unit of the heat capacity according to the Imperial system of units.</i>
Code:	N62
Name:	British thermal unit (international table) per degree Rankine
Beschreibung:	<i>Unit of the heat capacity according to the Imperial system of units.</i>
Code:	N63
Name:	British thermal unit (thermochemical) per degree Rankine

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>Unit of the heat capacity according to the Imperial system of units.</i>
Code:	N64
Name:	British thermal unit (thermochemical) per pound degree Rankine
Beschreibung:	<i>Unit of the heat capacity (British thermal unit according to the international table according to the Rankine degree) according to the Imperial system of units divided by the unit avoirdupois pound according to the avoirdupois system of units.</i>
Code:	N65
Name:	kilocalorie (international table) per gram kelvin
Beschreibung:	<i>Unit of the mass-related heat capacity as quotient 1000-fold of the calorie (international table) divided by the product of the 0,001-fold of the SI base units kilogram and kelvin.</i>
Code:	N66
Name:	British thermal unit (39 °F)
Beschreibung:	<i>Unit of heat energy according to the Imperial system of units in a reference temperature of 39 °F.</i>
Code:	N67
Name:	British thermal unit (59 °F)
Beschreibung:	<i>Unit of heat energy according to the Imperial system of units in a reference temperature of 59 °F.</i>
Code:	N68
Name:	British thermal unit (60 °F)
Beschreibung:	<i>Unit of head energy according to the Imperial system of units at a reference temperature of 60 °F.</i>
Code:	N69
Name:	calorie (20 °C)
Beschreibung:	<i>Unit for quantity of heat, which is to be required for 1 g air free water at a constant pressure from 101,325 kPa, to warm up the pressure of standard atmosphere at sea level, from 19,5 °C on 20,5 °C.</i>
Code:	N70
Name:	quad (1015 BtuIT)
Beschreibung:	<i>Unit of heat energy according to the imperial system of units.</i>
Code:	N71
Name:	therm (EC)
Beschreibung:	<i>Unit of heat energy in commercial use, within the EU defined: 1 thm (EC) = 100 000 BtuIT.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	N72
Name:	therm (U.S.)
Beschreibung:	<i>Unit of heat energy in commercial use.</i>
Code:	N73
Name:	British thermal unit (thermochemical) per pound
Beschreibung:	<i>Unit of the heat energy according to the Imperial system of units divided the unit avoirdupois pound according to the avoirdupois system of units.</i>
Code:	N74
Name:	British thermal unit (international table) per hour square foot degree Fahrenheit
Beschreibung:	<i>Unit of the heat transition coefficient according to the Imperial system of units.</i>
Code:	N75
Name:	British thermal unit (thermochemical) per hour square foot degree Fahrenheit
Beschreibung:	<i>Unit of the heat transition coefficient according to the imperial system of units.</i>
Code:	N76
Name:	British thermal unit (international table) per second square foot degree Fahrenheit
Beschreibung:	<i>Unit of the heat transition coefficient according to the imperial system of units.</i>
Code:	N77
Name:	British thermal unit (thermochemical) per second square foot degree Fahrenheit
Beschreibung:	<i>Unit of the heat transition coefficient according to the imperial system of units.</i>
Code:	N78
Name:	kilowatt per square metre kelvin
Beschreibung:	<i>1000-fold of the derived SI unit watt divided by the product of the power of the SI base unit metre by exponent 2 and the SI base unit kelvin.</i>
Code:	N79
Name:	kelvin per pascal
Beschreibung:	<i>SI base unit kelvin divided by the derived SI unit pascal.</i>
Code:	N80
Name:	watt per metre degree Celsius
Beschreibung:	<i>Derived SI unit watt divided by the product of the SI base unit metre and the unit for temperature degree Celsius.</i>
Code:	N81
Name:	kilowatt per metre kelvin
Beschreibung:	<i>1000-fold of the derived SI unit watt divided by the product of the SI base unit metre and the SI base unit kelvin.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	N82
Name:	kilowatt per metre degree Celsius
Beschreibung:	<i>1000-fold of the derived SI unit watt divided by the product of the SI base unit metre and the unit for temperature degree Celsius.</i>
Code:	N83
Name:	metre per degree Celsius metre
Beschreibung:	<i>SI base unit metre divided by the product of the unit degree Celsius and the SI base unit metre.</i>
Code:	N84
Name:	degree Fahrenheit hour per British thermal unit (international table)
Beschreibung:	<i>Non SI-conforming unit of the thermal resistance according to the Imperial system of units.</i>
Code:	N85
Name:	degree Fahrenheit hour per British thermal unit (thermochemical)
Beschreibung:	<i>Non SI-conforming unit of the thermal resistance according to the Imperial system of units.</i>
Code:	N86
Name:	degree Fahrenheit second per British thermal unit (international table)
Beschreibung:	<i>Non SI-conforming unit of the thermal resistance according to the Imperial system of units.</i>
Code:	N87
Name:	degree Fahrenheit second per British thermal unit (thermochemical)
Beschreibung:	<i>Non SI-conforming unit of the thermal resistance according to the Imperial system of units.</i>
Code:	N88
Name:	degree Fahrenheit hour square foot per British thermal unit (international table) inch
Beschreibung:	<i>Unit of specific thermal resistance according to the Imperial system of units.</i>
Code:	N89
Name:	degree Fahrenheit hour square foot per British thermal unit (thermochemical) inch
Beschreibung:	<i>Unit of specific thermal resistance according to the Imperial system of units.</i>
Code:	N90
Name:	kilofarad
Beschreibung:	<i>1000-fold of the derived SI unit farad.</i>
Code:	N91

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	reciprocal joule
Beschreibung:	<i>Reciprocal of the derived SI unit joule.</i>
Code:	N92
Name:	pico Siemens
Beschreibung:	<i>0,000 000 000 001-fold of the derived SI unit siemens.</i>
Code:	N93
Name:	ampere per pascal
Beschreibung:	<i>SI base unit ampere divided by the derived SI unit pascal.</i>
Code:	N94
Name:	franklin
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of the electrical charge, where the charge amounts to exactly 1 Fr where the force of 1 dyn on an equal load is performed at a distance of 1 cm.</i>
Code:	N95
Name:	ampere minute
Beschreibung:	<i>A unit of electric charge defining the amount of charge accumulated by a steady flow of one ampere for one minute..</i>
Code:	N96
Name:	biot
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of the electric power which is defined by a force of 2 dyn per cm between two parallel conductors of infinite length with negligible cross-section in the distance of 1 cm.</i>
Code:	N97
Name:	gilbert
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of the magnetomotive force, which is defined by the work to increase the magnetic potential of a positive common pole with 1 erg.</i>
Code:	N98
Name:	volt per pascal
Beschreibung:	<i>Derived SI unit volt divided by the derived SI unit pascal.</i>
Code:	N99
Name:	picovolt
Beschreibung:	<i>0,000 000 000 001-fold of the derived SI unit volt.</i>
Code:	NAR

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	Anzahl der Artikel
Beschreibung:	<i>A unit of count defining the number of articles (article: item).</i>
Code:	NCL
Name:	number of cells
Beschreibung:	<i>A unit of count defining the number of cells (cell: an enclosed or circumscribed space, cavity, or volume).</i>
Code:	NF
Name:	message
Beschreibung:	<i>A unit of count defining the number of messages.</i>
Code:	NIL
Name:	nil
Beschreibung:	<i>A unit of count defining the number of instances of nothing.</i>
Code:	NIU
Name:	Anzahl internationaler Einheiten
Beschreibung:	<i>A unit of count defining the number of international units.</i>
Code:	NL
Name:	load
Beschreibung:	<i>A unit of volume defining the number of loads (load: a quantity of items carried or processed at one time).</i>
Code:	NM3
Name:	Normalised cubic metre
Beschreibung:	<i>Normalised cubic metre (temperature 0°C and pressure 101325 millibars)</i>
Code:	NMP
Name:	number of packs
Beschreibung:	<i>A unit of count defining the number of packs (pack: a collection of objects packaged together).</i>
Code:	NPR
Name:	number of pairs
Beschreibung:	<i>A unit of count defining the number of pairs (pair: item described by two's).</i>
Code:	NPT
Name:	number of parts
Beschreibung:	<i>A unit of count defining the number of parts (part: component of a larger entity).</i>
Code:	NT
Name:	net ton

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of mass equal to 2000 pounds, see ton (US). Refer International Convention on tonnage measurement of Ships.</i>
Code:	NTT
Name:	net register ton
Beschreibung:	<i>A unit of mass equal to the total cubic footage after deductions, where 1 register ton is equal to 100 cubic feet. Refer International Convention on tonnage measurement of Ships.</i>
Code:	NX
Name:	part per thousand
Beschreibung:	<i>A unit of proportion equal to 10 to the power of -3. Synonym: per mille</i>
Code:	OA
Name:	panel
Beschreibung:	<i>A unit of count defining the number of panels (panel: a distinct, usually rectangular, section of a surface).</i>
Code:	ODE
Name:	ozone depletion equivalent
Beschreibung:	<i>A unit of mass defining the ozone depletion potential in kilograms of a product relative to the calculated depletion for the reference substance, Trichlorofluoromethane (CFC-11).</i>
Code:	ODG
Name:	ODS Grams
Beschreibung:	<i>A unit of measure calculated by multiplying the mass of the substance in grams and the ozone-depleting potential for the substance.</i>
Code:	ODK
Name:	ODS Kilograms
Beschreibung:	<i>A unit of measure calculated by multiplying the mass of the substance in kilograms and the ozone-depleting potential for the substance.</i>
Code:	ODM
Name:	ODS Milligrams
Beschreibung:	<i>A unit of measure calculated by multiplying the mass of the substance in milligrams and the ozone-depleting potential for the substance.</i>
Code:	OPM
Name:	oscillations per minute
Beschreibung:	<i>The number of oscillations per minute.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	OT
Name:	overtime hour
Beschreibung:	<i>A unit of time defining the number of overtime hours.</i>
Code:	OZ
Name:	ounce av
Beschreibung:	<i>A unit of measure equal to 1/16 of a pound or about 28.3495 grams (av = avoirdupois). Use ounce (common code ONZ).</i>
Code:	P1
Name:	Prozent
Beschreibung:	<i>A unit of proportion equal to 0.01.</i>
Code:	P10
Name:	coulomb per metre
Beschreibung:	<i>Derived SI unit coulomb divided by the SI base unit metre.</i>
Code:	P11
Name:	kiloweber
Beschreibung:	<i>1000 fold of the derived SI unit weber.</i>
Code:	P12
Name:	gamma
Beschreibung:	<i>Unit of magnetic flow density.</i>
Code:	P13
Name:	kilotesla
Beschreibung:	<i>1000-fold of the derived SI unit tesla.</i>
Code:	P14
Name:	joule per second
Beschreibung:	<i>Quotient of the derived SI unit joule divided by the SI base unit second.</i>
Code:	P15
Name:	joule per minute
Beschreibung:	<i>Quotient from the derived SI unit joule divided by the unit minute.</i>
Code:	P16
Name:	joule per hour
Beschreibung:	<i>Quotient from the derived SI unit joule divided by the unit hour.</i>
Code:	P17
Name:	joule per day
Beschreibung:	<i>Quotient from the derived SI unit joule divided by the unit day.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	P18
Name:	kilojoule per second
Beschreibung:	<i>Quotient from the 1000-fold of the derived SI unit joule divided by the SI base unit second.</i>
Code:	P19
Name:	kilojoule per minute
Beschreibung:	<i>Quotient from the 1000-fold of the derived SI unit joule divided by the unit minute.</i>
Code:	P20
Name:	kilojoule per hour
Beschreibung:	<i>Quotient from the 1000-fold of the derived SI unit joule divided by the unit hour.</i>
Code:	P21
Name:	kilojoule per day
Beschreibung:	<i>Quotient from the 1000-fold of the derived SI unit joule divided by the unit day.</i>
Code:	P22
Name:	nanoohm
Beschreibung:	<i>0,000 000 001-fold of the derived SI unit ohm.</i>
Code:	P23
Name:	ohm circular-mil per foot
Beschreibung:	<i>Unit of resistivity.</i>
Code:	P24
Name:	kiloHenry
Beschreibung:	<i>1000-fold of the derived SI unit Henry.</i>
Code:	P25
Name:	lumen per square foot
Beschreibung:	<i>Derived SI unit lumen divided by the power of the unit foot according to the Anglo-American and Imperial system of units by exponent 2.</i>
Code:	P26
Name:	phot
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of luminance, defined as lumen by square centimetre.</i>
Code:	P27
Name:	footcandle
Beschreibung:	<i>Non SI conform traditional unit, defined as density of light which impinges on a surface which has a distance of one foot from a light source, which shines with an intensity of an</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline



Used Codes

	<i>international candle.</i>
Code:	P28
Name:	candela per square inch
Beschreibung:	<i>SI base unit candela divided by the power of unit inch according to the Anglo-American and Imperial system of units by exponent 2.</i>
Code:	P29
Name:	footlambert
Beschreibung:	<i>Unit of the luminance according to the Anglo-American system of units, defined as emitted or reflected luminance of a lm/ft².</i>
Code:	P30
Name:	lambert
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of luminance, defined as the emitted or reflected luminance by one lumen per square centimetre.</i>
Code:	P31
Name:	stilb
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of luminance, defined as emitted or reflected luminance by one lumen per square centimetre.</i>
Code:	P32
Name:	candela per square foot
Beschreibung:	<i>Base unit SI candela divided by the power of the unit foot according to the Anglo-American and Imperial system of units by exponent 2.</i>
Code:	P33
Name:	kilocandela
Beschreibung:	<i>1000-fold of the SI base unit candela.</i>
Code:	P34
Name:	millicandela
Beschreibung:	<i>0,001-fold of the SI base unit candela.</i>
Code:	P35
Name:	Hefner-Kerze
Beschreibung:	<i>Obsolete, non-legal unit of the power in Germany relating to DIN 1301-3:1979: 1 HK = 0,903 cd.</i>
Code:	P36
Name:	international candle
Beschreibung:	<i>Obsolete, non-legal unit of the power in Germany relating to DIN 1301-3:1979: 1 HK =</i>

Guideline**Used Codes**

	<i>1,019 cd.</i>
Code:	P37
Name:	British thermal unit (international table) per square foot
Beschreibung:	<i>Unit of the areal-related energy transmission according to the Imperial system of units.</i>
Code:	P38
Name:	British thermal unit (thermochemical) per square foot
Beschreibung:	<i>Unit of the areal-related energy transmission according to the Imperial system of units.</i>
Code:	P39
Name:	calorie (thermochemical) per square centimetre
Beschreibung:	<i>Unit of the areal-related energy transmission according to the Imperial system of units.</i>
Code:	P40
Name:	langley
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of the areal-related energy transmission (as a measure of the incident quantity of heat of solar radiation on the earth's surface).</i>
Code:	P41
Name:	decade (logarithmic)
Beschreibung:	<i>1 Dec := log₂ 10 ~ 3,32 according to the logarithm for frequency range between f1 and f2, when f2/f1 = 10.</i>
Code:	P42
Name:	pascal squared second
Beschreibung:	<i>Unit of the set as a product of the power of derived SI unit pascal with exponent 2 and the SI base unit second.</i>
Code:	P43
Name:	bel per metre
Beschreibung:	<i>Unit bel divided by the SI base unit metre.</i>
Code:	P44
Name:	pound mole
Beschreibung:	<i>Non SI-conforming unit of quantity of a substance relating that one pound mole of a chemical composition corresponds to the same number of pounds as the molecular weight of one molecule of this composition in atomic mass units.</i>
Code:	P45
Name:	pound mole per second
Beschreibung:	<i>Non SI-conforming unit of the power of the amount of substance non-SI compliant unit of the molar flux relating that a pound mole of a chemical composition the same number of</i>

Guideline**Used Codes**

	<i>pound corresponds like the molecular weight of a molecule of this composition in atomic mass units.</i>
Code:	P46
Name:	pound mole per minute
Beschreibung:	<i>Non SI-conforming unit of the power of the amount of substance non-SI compliant unit of the molar flux relating that a pound mole of a chemical composition the same number of pound corresponds like the molecular weight of a molecule of this composition in atomic mass units.</i>
Code:	P47
Name:	kilomole per kilogram
Beschreibung:	<i>1000-fold of the SI base unit mol divided by the SI base unit kilogram.</i>
Code:	P48
Name:	pound mole per pound
Beschreibung:	<i>Non SI-conforming unit of the material molar flux divided by the avoirdupois pound for mass according to the avoirdupois unit system.</i>
Code:	P49
Name:	newton square metre per ampere
Beschreibung:	<i>Product of the derived SI unit newton and the power of SI base unit metre with exponent 2 divided by the SI base unit ampere.</i>
Code:	P5
Name:	five pack
Beschreibung:	<i>A unit of count defining the number of five-packs (five-pack: set of five items packaged together).</i>
Code:	P50
Name:	weber metre
Beschreibung:	<i>Product of the derived SI unit weber and SI base unit metre.</i>
Code:	P51
Name:	mol per kilogram pascal
Beschreibung:	<i>SI base unit mol divided by the product of the SI base unit kilogram and the derived SI unit pascal.</i>
Code:	P52
Name:	mol per cubic metre pascal
Beschreibung:	<i>SI base unit mol divided by the product of the power from the SI base unit metre with exponent 3 and the derived SI unit pascal.</i>

Guideline**Used Codes**

Code:	P53
Name:	unit pole
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit for magnetic flux of a magnetic pole (according to the interaction of identical poles of 1 dyn at a distance of a cm).</i>
Code:	P54
Name:	milligray per second
Beschreibung:	<i>0,001-fold of the derived SI unit gray divided by the SI base unit second.</i>
Code:	P55
Name:	microgray per second
Beschreibung:	<i>0,000 001-fold of the derived SI unit gray divided by the SI base unit second.</i>
Code:	P56
Name:	nanogray per second
Beschreibung:	<i>0,000 000 001-fold of the derived SI unit gray divided by the SI base unit second.</i>
Code:	P57
Name:	gray per minute
Beschreibung:	<i>SI derived unit gray divided by the unit minute.</i>
Code:	P58
Name:	milligray per minute
Beschreibung:	<i>0,001-fold of the derived SI unit gray divided by the unit minute.</i>
Code:	P59
Name:	microgray per minute
Beschreibung:	<i>0,000 001-fold of the derived SI unit gray divided by the unit minute.</i>
Code:	P60
Name:	nanogray per minute
Beschreibung:	<i>0,000 000 001-fold of the derived SI unit gray divided by the unit minute.</i>
Code:	P61
Name:	gray per hour
Beschreibung:	<i>SI derived unit gray divided by the unit hour.</i>
Code:	P62
Name:	milligray per hour
Beschreibung:	<i>0,001-fold of the derived SI unit gray divided by the unit hour.</i>
Code:	P63
Name:	microgray per hour
Beschreibung:	<i>0,000 001-fold of the derived SI unit gray divided by the unit hour.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	P64
Name:	nanogray per hour
Beschreibung:	<i>0,000 000 001-fold of the derived SI unit gray divided by the unit hour.</i>
Code:	P65
Name:	sievert per second
Beschreibung:	<i>Derived SI unit sievert divided by the SI base unit second.</i>
Code:	P66
Name:	millisievert per second
Beschreibung:	<i>0,001-fold of the derived SI unit sievert divided by the SI base unit second.</i>
Code:	P67
Name:	microsievert per second
Beschreibung:	<i>0,000 001-fold of the derived SI unit sievert divided by the SI base unit second.</i>
Code:	P68
Name:	nanosievert per second
Beschreibung:	<i>0,000 000 001-fold of the derived SI unit sievert divided by the SI base unit second.</i>
Code:	P69
Name:	rem per second
Beschreibung:	<i>Unit for the equivalent tin rate relating to DIN 1301-3:1979: 1 rem/s = 0,01 J/(kg·s) = 1 Sv/s.</i>
Code:	P70
Name:	sievert per hour
Beschreibung:	<i>Derived SI unit sievert divided by the unit hour.</i>
Code:	P71
Name:	millisievert per hour
Beschreibung:	<i>0,001-fold of the derived SI unit sievert divided by the unit hour.</i>
Code:	P72
Name:	microsievert per hour
Beschreibung:	<i>0,000 001-fold of the derived SI unit sievert divided by the unit hour.</i>
Code:	P73
Name:	nanosievert per hour
Beschreibung:	<i>0,000 000 001-fold of the derived SI unit sievert divided by the unit hour.</i>
Code:	P74
Name:	sievert per minute
Beschreibung:	<i>Derived SI unit sievert divided by the unit minute.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	P75
Name:	millisievert per minute
Beschreibung:	<i>0,001-fold of the derived SI unit sievert divided by the unit minute.</i>
Code:	P76
Name:	microsievert per minute
Beschreibung:	<i>0,000 001-fold of the derived SI unit sievert divided by the unit minute.</i>
Code:	P77
Name:	nanosievert per minute
Beschreibung:	<i>0,000 000 001-fold of the derived SI unit sievert divided by the unit minute.</i>
Code:	P78
Name:	reciprocal square inch
Beschreibung:	<i>Complement of the power of the unit inch according to the Anglo-American and Imperial system of units by exponent 2.</i>
Code:	P79
Name:	pascal square metre per kilogram
Beschreibung:	<i>Unit of the burst index as derived unit for pressure pascal related to the substance, represented as a quotient from the SI base unit kilogram divided by the power of the SI base unit metre by exponent 2.</i>
Code:	P80
Name:	millipascal per metre
Beschreibung:	<i>0,001-fold of the derived SI unit pascal divided by the SI base unit metre.</i>
Code:	P81
Name:	kilopascal per metre
Beschreibung:	<i>1000-fold of the derived SI unit pascal divided by the SI base unit metre.</i>
Code:	P82
Name:	hectopascal per metre
Beschreibung:	<i>100-fold of the derived SI unit pascal divided by the SI base unit metre.</i>
Code:	P83
Name:	standard atmosphere per metre
Beschreibung:	<i>Outdated unit of the pressure divided by the SI base unit metre.</i>
Code:	P84
Name:	technical atmosphere per metre
Beschreibung:	<i>Obsolete and non-legal unit of the pressure which is generated by a 10 metre water column divided by the SI base unit metre.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Used Codes

Code:	P85
Name:	torr per metre
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of the pressure divided by the SI base unit metre.</i>
Code:	P86
Name:	psi per inch
Beschreibung:	<i>Compound unit for pressure (pound-force according to the Anglo-American unit system divided by the power of the unit inch according to the Anglo-American and Imperial system of units with the exponent 2) divided by the unit inch according to the Anglo-American and Imperial system of units .</i>
Code:	P87
Name:	cubic metre per second square metre
Beschreibung:	<i>Unit of volume flow cubic meters by second related to the transmission surface in square metres.</i>
Code:	P88
Name:	rhe
Beschreibung:	<i>Non SI-conforming unit of fluidity of dynamic viscosity.</i>
Code:	P89
Name:	pound-force foot per inch
Beschreibung:	<i>Unit for length-related rotational moment according to the Anglo-American and Imperial system of units.</i>
Code:	P90
Name:	pound-force inch per inch
Beschreibung:	<i>Unit for length-related rotational moment according to the Anglo-American and Imperial system of units.</i>
Code:	P91
Name:	perm (0 °C)
Beschreibung:	<i>Traditional unit for the ability of a material to allow the transition of the steam, defined at a temperature of 0 °C as steam transmittance, where the mass of one grain steam penetrates an area of one foot squared at a pressure from one inch mercury per hour.</i>
Code:	P92
Name:	perm (23 °C)
Beschreibung:	<i>Traditional unit for the ability of a material to allow the transition of the steam, defined at a temperature of 23 °C as steam transmittance at which the mass of one grain of steam</i>

Guideline**Used Codes**

	<i>penetrates an area of one square foot at a pressure of one inch mercury per hour.</i>
Code:	P93
Name:	byte per second
Beschreibung:	<i>Unit byte divided by the SI base unit second.</i>
Code:	P94
Name:	kilobyte per second
Beschreibung:	<i>1000-fold of the unit byte divided by the SI base unit second.</i>
Code:	P95
Name:	megabyte per second
Beschreibung:	<i>1 000 000-fold of the unit byte divided by the SI base unit second.</i>
Code:	P96
Name:	reciprocal volt
Beschreibung:	<i>Reciprocal of the derived SI unit volt.</i>
Code:	P97
Name:	reciprocal radian
Beschreibung:	<i>Reciprocal of the unit radian.</i>
Code:	P98
Name:	pascal to the power sum of stoichiometric numbers
Beschreibung:	<i>Unit of the equilibrium constant on the basis of the pressure(ISO 80000-9:2009, 9-35.a).</i>
Code:	P99
Name:	mole per cubiv metre to the power sum of stoichiometric numbers
Beschreibung:	<i>Unit of the equilibrium constant on the basis of the concentration (ISO 80000-9:2009, 9-36.a).</i>
Code:	PD
Name:	pad
Beschreibung:	<i>A unit of count defining the number of pads (pad: block of paper sheets fastened together at one end).</i>
Code:	PFL
Name:	proof litre
Beschreibung:	<i>A unit of volume equal to one litre of proof spirits, or the alcohol equivalent thereof. Used for measuring the strength of distilled alcoholic liquors, expressed as a percentage of the alcohol content of a standard mixture at a specific temperature.</i>
Code:	PGL
Name:	proof gallon

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of volume equal to one gallon of proof spirits, or the alcohol equivalent thereof. Used for measuring the strength of distilled alcoholic liquors, expressed as a percentage of the alcohol content of a standard mixture at a specific temperature.</i>
Code:	PI
Name:	pitch
Beschreibung:	<i>A unit of count defining the number of characters that fit in a horizontal inch.</i>
Code:	PLA
Name:	degree Plato
Beschreibung:	<i>A unit of proportion defining the sugar content of a product, especially in relation to beer.</i>
Code:	PQ
Name:	page per inch
Beschreibung:	<i>A unit of quantity defining the degree of thickness of a bound publication, expressed as the number of pages per inch of thickness.</i>
Code:	PR
Name:	Paar
Beschreibung:	<i>A unit of count defining the number of pairs (pair: item described by two's).</i>
Code:	PT
Name:	pint (US)
Beschreibung:	<i>Use liquid pint (common code PTL)</i>
Code:	PTN
Name:	Portion
Beschreibung:	<i>A quantity of allowance of food allotted to, or enough for, one person.</i>
Code:	Q10
Name:	joule per tesla
Beschreibung:	<i>Unit of the magnetic dipole moment of the molecule as derived SI unit joule divided by the derived SI unit tesla.</i>
Code:	Q11
Name:	erlang
Beschreibung:	<i>Unit of the market value according to the feature of a single feature as a statistical measurement of the existing utilization.</i>
Code:	Q12
Name:	octet
Beschreibung:	<i>Synonym for byte: 1 octet = 8 bit = 1 byte.</i>
Code:	Q13

Guideline

Used Codes

Name:	octet per second
Beschreibung:	<i>Unit octet divided by the SI base unit second.</i>
Code:	Q14
Name:	shannon
Beschreibung:	<i>Logarithmic unit for information equal to the content of decision of a sentence of two mutually exclusive events, expressed as a logarithm to base 2.</i>
Code:	Q15
Name:	hartley
Beschreibung:	<i>Logarithmic unit for information equal to the content of decision of a sentence of ten mutually exclusive events, expressed as a logarithm to base 10.</i>
Code:	Q16
Name:	natural unit of information
Beschreibung:	<i>Logarithmic unit for information equal to the content of decision of a sentence of ,718 281 828 459 mutually exclusive events, expressed as a logarithm to base Euler value e.</i>
Code:	Q17
Name:	shannon per second
Beschreibung:	<i>Time related logarithmic unit for information equal to the content of decision of a sentence of two mutually exclusive events, expressed as a logarithm to base 2.</i>
Code:	Q18
Name:	hartley per second
Beschreibung:	<i>Time related logarithmic unit for information equal to the content of decision of a sentence of ten mutually exclusive events, expressed as a logarithm to base 10.</i>
Code:	Q19
Name:	natural unit of information per second
Beschreibung:	<i>Time related logarithmic unit for information equal to the content of decision of a sentence of 2,718 281 828 459 mutually exclusive events, expressed as a logarithm to base of the Euler value e.</i>
Code:	Q20
Name:	second per kilogramm
Beschreibung:	<i>Unit of the Einstein transition probability for spontaneous or inducing emissions and absorption according to ISO 80000-7:2008, expressed as SI base unit second divided by the SI base unit kilogram.</i>
Code:	Q21
Name:	watt square metre

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>Unit of the first radiation constants $c_1 = 2 \cdot p \cdot h \cdot c_0$ to the power of 2, the value of which is 3,741 771 18 · 10¹⁶-fold that of the comparative value of the product of the derived SI unit watt multiplied with the power of the SI base unit metre with the exponent 2.</i>
Code:	Q22
Name:	second per radian cubic metre
Beschreibung:	<i>Unit of the density of states as an expression of angular frequency as complement of the product of hertz and radiant and the power of SI base unit metre by exponent 3 .</i>
Code:	Q23
Name:	weber to the power minus one
Beschreibung:	<i>Complement of the derived SI unit weber as unit of the Josephson constant, which value is equal to the 384 597,891-fold of the reference value gigahertz divided by volt.</i>
Code:	Q24
Name:	reciprocal inch
Beschreibung:	<i>Complement of the unit inch according to the Anglo-American and Imperial system of units.</i>
Code:	Q25
Name:	dioptre
Beschreibung:	<i>Unit used at the statement of relative refractive indexes of optical systems as complement of the focal length with correspondence to: 1 dpt = 1/m.</i>
Code:	Q26
Name:	one per one
Beschreibung:	<i>Value of the quotient from two physical units of the same kind as a numerator and denominator whereas the units are shortened mutually.</i>
Code:	Q27
Name:	newton metre per metre
Beschreibung:	<i>Unit for length-related rotational moment as product of the derived SI unit newton and the SI base unit metre divided by the SI base unit metre.</i>
Code:	Q28
Name:	kilogram per square metre pascal second
Beschreibung:	<i>Unit for the ability of a material to allow the transition of steam.</i>
Code:	Q29
Name:	microgram per hectogram
Beschreibung:	<i>Microgram per hectogram.</i>
Code:	Q3

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	meal
Beschreibung:	<i>A unit of count defining the number of meals (meal: an amount of food to be eaten on a single occasion).</i>
Code:	Q30
Name:	pH (potential of Hydrogen)
Beschreibung:	<i>The activity of the (solvated) hydrogen ion (a logarithmic measure used to state the acidity or alkalinity of a chemical solution).</i>
Code:	Q35
Name:	megawatts per minute
Beschreibung:	<i>A unit of power defining the total amount of bulk energy transferred or consumer per minute.</i>
Code:	Q36
Name:	square metre per cubic metre
Beschreibung:	<i>A unit of the amount of surface area per unit volume of an object or collection of objects.</i>
Code:	Q37
Name:	Standard cubic metre per day
Beschreibung:	<i>Standard cubic metre (temperature 15°C and pressure 101325 millibars) per day</i>
Code:	Q38
Name:	Standard cubic metre per hour
Beschreibung:	<i>Standard cubic metre (temperature 15°C and pressure 101325 millibars) per hour</i>
Code:	Q39
Name:	Normalized cubic metre per day
Beschreibung:	<i>Normalized cubic metre (temperature 0°C and pressure 101325 millibars) per day</i>
Code:	Q40
Name:	Normalized cubic metre per hour
Beschreibung:	<i>Normalized cubic metre (temperature 0°C and pressure 101325 millibars) per hour</i>
Code:	Q41
Name:	Joule per normalised cubic metre
Beschreibung:	<i>Joule per normalised cubic metre (temperature 0°C and pressure 101325 millibars).</i>
Code:	Q42
Name:	Joule per standard cubic metre
Beschreibung:	<i>Joule per standard cubic metre (temperature 15°C and pressure 101325 millibars).</i>
Code:	QA
Name:	page - facsimile

Guideline**Used Codes**

Beschreibung:	<i>A unit of count defining the number of facsimile pages.</i>
Code:	QAN
Name:	Viertel (jahr)
Beschreibung:	<i>A unit of time defining the number of quarters (3 months).</i>
Code:	QB
Name:	page - hardcopy
Beschreibung:	<i>A unit of count defining the number of hardcopy pages (hardcopy page: a page rendered as printed or written output on paper, film, or other permanent medium).</i>
Code:	QR
Name:	quire
Beschreibung:	<i>A unit of count for paper, expressed as the number of quires (quire: a number of paper sheets, typically 25).</i>
Code:	QT
Name:	quart (US)
Beschreibung:	<i>Use liquid quart (common code QTL)</i>
Code:	QTR
Name:	quarter (UK)
Beschreibung:	<i>A traditional unit of weight equal to 1/4 hundredweight. In the United Kingdom, one quarter equals 28 pounds.</i>
Code:	R1
Name:	pica
Beschreibung:	<i>A unit of count defining the number of picas. (pica: typographical length equal to 12 points or 4.22 mm (approx.)).</i>
Code:	R9
Name:	thousand cubic metre
Beschreibung:	<i>A unit of volume equal to one thousand cubic metres.</i>
Code:	RH
Name:	running or operating hour
Beschreibung:	<i>A unit of time defining the number of hours of operation.</i>
Code:	RM
Name:	ream
Beschreibung:	<i>A unit of count for paper, expressed as the number of reams (ream: a large quantity of paper sheets, typically 500).</i>
Code:	ROM

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	room
Beschreibung:	<i>A unit of count defining the number of rooms.</i>
Code:	RP
Name:	pound per ream
Beschreibung:	<i>A unit of mass for paper, expressed as pounds per ream. (ream: a large quantity of paper, typically 500 sheets).</i>
Code:	RPM
Name:	Umdrehung pro Minute
Beschreibung:	<i>Refer ISO/TC12 SI Guide</i>
Code:	RPS
Name:	revolutions per second
Beschreibung:	<i>Refer ISO/TC12 SI Guide</i>
Code:	RT
Name:	revenue ton mile
Beschreibung:	<i>A unit of information typically used for billing purposes, expressed as the number of revenue tons (revenue ton: either a metric ton or a cubic metres, whichever is the larger), moved over a distance of one mile.</i>
Code:	S3
Name:	square foot per second
Beschreibung:	<i>Synonym: foot squared per second</i>
Code:	S4
Name:	square metre per second
Beschreibung:	<i>Synonym: metre squared per second (square metres/second US)</i>
Code:	SAN
Name:	half year (6 months)
Beschreibung:	<i>'A unit of time defining the number of half years (6 months).</i>
Code:	SCO
Name:	score
Beschreibung:	<i>A unit of count defining the number of units in multiples of 20.</i>
Code:	SET
Name:	set
Beschreibung:	<i>A unit of count defining the number of sets (set: a number of objects grouped together).</i>
Code:	SG
Name:	segment

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of information equal to 64000 bytes.</i>
Code:	SHT
Name:	shipping ton
Beschreibung:	<i>A unit of mass defining the number of tons for shipping.</i>
Code:	SM3
Name:	Standard cubic metre
Beschreibung:	<i>Standard cubic metre (temperature 15°C and pressure 101325 millibars)</i>
Code:	SQ
Name:	square
Beschreibung:	<i>A unit of count defining the number of squares (square: rectangular shape).</i>
Code:	SQR
Name:	square, roofing
Beschreibung:	<i>A unit of count defining the number of squares of roofing materials, measured in multiples of 100 square feet.</i>
Code:	SR
Name:	strip
Beschreibung:	<i>A unit of count defining the number of strips (strip: long narrow piece of an object).</i>
Code:	STC
Name:	stick
Beschreibung:	<i>A unit of count defining the number of sticks (stick: slender and often cylindrical piece of a substance).</i>
Code:	STK
Name:	stick, cigarette
Beschreibung:	<i>A unit of count defining the number of cigarettes in the smallest unit for stock-taking and/or duty computation.</i>
Code:	STL
Name:	standard litre
Beschreibung:	<i>A unit of volume defining the number of litres of a product at a temperature of 15 degrees Celsius, especially in relation to hydrocarbon oils.</i>
Code:	STN
Name:	ton (US) or short ton (UK/US)
Beschreibung:	<i>Synonym: net ton (2000 lb)</i>
Code:	STW
Name:	straw

Guideline

Used Codes

Beschreibung:	<i>A unit of count defining the number of straws (straw: a slender tube used for sucking up liquids).</i>
Code:	SW
Name:	skein
Beschreibung:	<i>A unit of count defining the number of skeins (skein: a loosely-coiled bundle of yarn or thread).</i>
Code:	SX
Name:	shipment
Beschreibung:	<i>A unit of count defining the number of shipments (shipment: an amount of goods shipped or transported).</i>
Code:	SYR
Name:	syringe
Beschreibung:	<i>A unit of count defining the number of syringes (syringe: a small device for pumping, spraying and/or injecting liquids through a small aperture).</i>
Code:	T0
Name:	telecommunication line in service
Beschreibung:	<i>A unit of count defining the number of lines in service.</i>
Code:	T3
Name:	thousand piece
Beschreibung:	<i>A unit of count defining the number of pieces in multiples of 1000 (piece: a single item, article or exemplar).</i>
Code:	TAN
Name:	total acid number
Beschreibung:	<i>A unit of chemistry defining the amount of potassium hydroxide (KOH) in milligrams that is needed to neutralize the acids in one gram of oil. It is an important quality measurement of crude oil.</i>
Code:	TIC
Name:	metric ton, including container
Beschreibung:	<i>A unit of mass defining the number of metric tons of a product, including its container.</i>
Code:	TIP
Name:	metric ton, including inner packaging
Beschreibung:	<i>A unit of mass defining the number of metric tons of a product, including its inner packaging materials.</i>
Code:	TKM

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	tonne kilometre
Beschreibung:	<i>A unit of information typically used for billing purposes, expressed as the number of tonnes (metric tons) moved over a distance of one kilometre.</i>
Code:	TMS
Name:	kilogram of imported meat, less offal
Beschreibung:	<i>A unit of mass equal to one thousand grams of imported meat, disregarding less valuable by-products such as the entrails.</i>
Code:	TNE
Name:	Tonne (metrische Tonne)
Beschreibung:	<i>Synonym: metric ton</i>
Code:	TP
Name:	ten pack
Beschreibung:	<i>A unit of count defining the number of items in multiples of 10.</i>
Code:	TPI
Name:	teeth per inch
Beschreibung:	<i>The number of teeth per inch.</i>
Code:	TPR
Name:	ten pair
Beschreibung:	<i>A unit of count defining the number of pairs in multiples of 10 (pair: item described by two's).</i>
Code:	TQD
Name:	thousand cubic metre per day
Beschreibung:	<i>A unit of volume equal to one thousand cubic metres per day.</i>
Code:	TST
Name:	ten set
Beschreibung:	<i>A unit of count defining the number of sets in multiples of 10 (set: a number of objects grouped together).</i>
Code:	TTS
Name:	ten thousand sticks
Beschreibung:	<i>A unit of count defining the number of sticks in multiples of 10000 (stick: slender and often cylindrical piece of a substance).</i>
Code:	U1
Name:	treatment
Beschreibung:	<i>A unit of count defining the number of treatments (treatment: subjection to the action of</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

	<i>a chemical, physical or biological agent).</i>
Code:	U2
Name:	Tablette
Beschreibung:	<i>A unit of count defining the number of tablets (tablet: a small flat or compressed solid object).</i>
Code:	UB
Name:	telecommunication line in service average
Beschreibung:	<i>A unit of count defining the average number of lines in service.</i>
Code:	UC
Name:	telecommunication port
Beschreibung:	<i>A unit of count defining the number of network access ports.</i>
Code:	UIG
Name:	international unit per gram
Beschreibung:	<i>A unit of count defining the number of international units per gram.</i>
Code:	VP
Name:	percent volume
Beschreibung:	<i>A measure of concentration, typically expressed as the percentage volume of a solute in a solution.</i>
Code:	W2
Name:	wet kilo
Beschreibung:	<i>A unit of mass defining the number of kilograms of a product, including the water content of the product.</i>
Code:	WB
Name:	wet pound
Beschreibung:	<i>A unit of mass defining the number of pounds of a material, including the water content of the material.</i>
Code:	WCD
Name:	cord
Beschreibung:	<i>A unit of volume used for measuring lumber. One board foot equals 1/12 of a cubic foot.</i>
Code:	WE
Name:	wet ton
Beschreibung:	<i>A unit of mass defining the number of tons of a material, including the water content of the material.</i>
Code:	WG

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Used Codes

Name:	wine gallon
Beschreibung:	<i>A unit of volume equal to 231 cubic inches.</i>
Code:	WM
Name:	working month
Beschreibung:	<i>A unit of time defining the number of working months.</i>
Code:	WSD
Name:	standard
Beschreibung:	<i>A unit of volume of finished lumber equal to 165 cubic feet. Synonym: standard cubic foot</i>
Code:	WW
Name:	millilitre of water
Beschreibung:	<i>A unit of volume equal to the number of millilitres of water.</i>
Code:	X1
Name:	Gunter's chain
Beschreibung:	<i>A unit of distance used or formerly used by British surveyors.</i>
Code:	Z11
Name:	hanging container
Beschreibung:	<i>A unit of count defining the number of hanging containers.</i>
Code:	ZP
Name:	Seite
Beschreibung:	<i>A unit of count defining the number of pages.</i>
Code:	ZZ
Name:	mutually defined
Beschreibung:	<i>A unit of measure as agreed in common between two or more parties.</i>
Wiederholung:	1 .. 1
Schema-Status:	M
Typ:	shared_common:MeasurementType
Fachbegriff:	Breitenmaßangabe
Status:	R
Beispiel:	700
Definition:	Die Breite ist die Strecke von der linken zur rechten Seite eines Objektes.
EANCOM®:	INVOIC.SG26.MEA[D_6313="WD"].6314
Schema-Status:	M
Type:	restriction (xs:string)

width

measurementUnitCode

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Fachbegriff: **Einheit**
 Status: **R**
 Beispiel: MM
 Definition: Eine standardisierte, reproduzierbare Einheit, die zur Messung physikalischer Größen dient. Erlaubte Codewerte sind in der UN / ECE Empfehlung 20 - vollständig von GS1 adaptiert - spezifiziert.

Used Codes

Code:	10
Name:	group
Beschreibung:	<i>A unit of count defining the number of groups (group: set of items classified together).</i>
Code:	11
Name:	outfit
Beschreibung:	<i>A unit of count defining the number of outfits (outfit: a complete set of equipment / materials / objects used for a specific purpose).</i>
Code:	13
Name:	ration
Beschreibung:	<i>A unit of count defining the number of rations (ration: a single portion of provisions).</i>
Code:	14
Name:	shot
Beschreibung:	<i>A unit of liquid measure, especially related to spirits.</i>
Code:	15
Name:	stick, military
Beschreibung:	<i>A unit of count defining the number of military sticks (military stick: bombs or paratroops released in rapid succession from an aircraft).</i>
Code:	20
Name:	twenty foot container
Beschreibung:	<i>A unit of count defining the number of shipping containers that measure 20 foot in length.</i>
Code:	21
Name:	forty foot container
Beschreibung:	<i>A unit of count defining the number of shipping containers that measure 40 foot in length.</i>
Code:	24
Name:	theoretical pound
Beschreibung:	<i>A unit of mass defining the expected mass of material expressed as the number of pounds.</i>
Code:	27

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	theoretical ton
Beschreibung:	<i>A unit of mass defining the expected mass of material, expressed as the number of tons.</i>
Code:	56
Name:	sitas
Beschreibung:	<i>A unit of area for tin plate equal to a surface area of 100 square metres.</i>
Code:	57
Name:	mesh
Beschreibung:	<i>A unit of count defining the number of strands per inch as a measure of the fineness of a woven product.</i>
Code:	58
Name:	net kilogram
Beschreibung:	<i>A unit of mass defining the total number of kilograms after deductions.</i>
Code:	59
Name:	Teile pro Million (ppm)
Beschreibung:	<i>A unit of proportion equal to 10 to the power of -6.</i>
Code:	60
Name:	percent weight
Beschreibung:	<i>A unit of proportion equal to 10 to the power of -2.</i>
Code:	61
Name:	part per billion (US)
Beschreibung:	<i>A unit of proportion equal to 10 to the power of -9.</i>
Code:	84
Name:	kilopound-force per square inch
Beschreibung:	<i>A unit of pressure defining the number of kilopounds force per square inch. Use kip per square inch (common code N20).</i>
Code:	1I
Name:	fixed rate
Beschreibung:	<i>A unit of quantity expressed as a predetermined or set rate for usage of a facility or service.</i>
Code:	2A
Name:	radian per second
Beschreibung:	<i>Refer ISO/TC12 SI Guide</i>
Code:	2B
Name:	radian per second squared

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>Refer ISO/TC12 SI Guide</i>
Code:	2G
Name:	volt AC
Beschreibung:	<i>A unit of electric potential in relation to alternating current (AC).</i>
Code:	2H
Name:	volt DC
Beschreibung:	<i>A unit of electric potential in relation to direct current (DC).</i>
Code:	2P
Name:	kilobyte
Beschreibung:	<i>A unit of information equal to 10 to the power of 3 (1000) bytes.</i>
Code:	3C
Name:	manmonth
Beschreibung:	<i>A unit of count defining the number of months for a person or persons to perform an undertaking.</i>
Code:	4L
Name:	Megabyte
Beschreibung:	<i>A unit of information equal to 10 to the power of 6 (1000000) bytes.</i>
Code:	5B
Name:	batch
Beschreibung:	<i>A unit of count defining the number of batches (batch: quantity of material produced in one operation or number of animals or persons coming at once).</i>
Code:	5E
Name:	MMSCF/day
Beschreibung:	<i>A unit of volume equal to one million (1000000) cubic feet of gas per day.</i>
Code:	5J
Name:	hydraulic horse power
Beschreibung:	<i>A unit of power defining the hydraulic horse power delivered by a fluid pump depending on the viscosity of the fluid.</i>
Code:	A25
Name:	Pferdestärken (PS)
Beschreibung:	<i>Synonym: metric horse power</i>
Code:	A43
Name:	deadweight tonnage
Beschreibung:	<i>A unit of mass defining the difference between the weight of a ship when completely</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

	<i>empty and its weight when completely loaded, expressed as the number of tons.</i>
Code:	A47
Name:	decitex
Beschreibung:	<i>A unit of yarn density. One decitex equals a mass of 1 gram per 10 kilometres of length.</i>
Code:	A48
Name:	degree Rankine
Beschreibung:	<i>Refer ISO 80000-5 (Quantities and units — Part 5: Thermodynamics)</i>
Code:	A49
Name:	denier
Beschreibung:	<i>A unit of yarn density. One denier equals a mass of 1 gram per 9 kilometres of length.</i>
Code:	A59
Name:	8-part cloud cover
Beschreibung:	<i>A unit of count defining the number of eighth-parts as a measure of the celestial dome cloud coverage. Synonym: OKTA , OCTA</i>
Code:	A75
Name:	freight ton
Beschreibung:	<i>A unit of information typically used for billing purposes, defined as either the number of metric tons or the number of cubic metres, whichever is the larger.</i>
Code:	A9
Name:	rate
Beschreibung:	<i>A unit of quantity expressed as a rate for usage of a facility or service.</i>
Code:	A91
Name:	gon
Beschreibung:	<i>Synonym: grade</i>
Code:	A99
Name:	Bit
Beschreibung:	<i>A unit of information equal to one binary digit.</i>
Code:	AA
Name:	ball
Beschreibung:	<i>A unit of count defining the number of balls (ball: object formed in the shape of sphere).</i>
Code:	AB
Name:	bulk pack
Beschreibung:	<i>A unit of count defining the number of items per bulk pack.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	ACT
Name:	activity
Beschreibung:	<i>A unit of count defining the number of activities (activity: a unit of work or action).</i>
Code:	AD
Name:	Byte
Beschreibung:	<i>A unit of information equal to 8 bits.</i>
Code:	AH
Name:	additional minute
Beschreibung:	<i>A unit of time defining the number of minutes in addition to the referenced minutes.</i>
Code:	AI
Name:	average minute per call
Beschreibung:	<i>A unit of count defining the number of minutes for the average interval of a call.</i>
Code:	AL
Name:	access line
Beschreibung:	<i>A unit of count defining the number of telephone access lines.</i>
Code:	AMH
Name:	Amperestunde
Beschreibung:	<i>A unit of electric charge defining the amount of charge accumulated by a steady flow of one ampere for one hour.</i>
Code:	ANN
Name:	Jahr
Beschreibung:	<i>Unit of time equal to 365,25 days. Synonym: Julian year</i>
Code:	AQ
Name:	anti-hemophilic factor (AHF) unit
Beschreibung:	<i>A unit of measure for blood potency (US).</i>
Code:	ARE
Name:	are
Beschreibung:	<i>Synonym: square decametre</i>
Code:	AS
Name:	assortment
Beschreibung:	<i>A unit of count defining the number of assortments (assortment: set of items grouped in a mixed collection).</i>
Code:	ASM

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	Alkoholgehalt pro Masse
Beschreibung:	<i>A unit of mass defining the alcoholic strength of a liquid.</i>
Code:	ASU
Name:	Alkoholgehalt pro Volumen
Beschreibung:	<i>A unit of volume defining the alcoholic strength of a liquid (e.g. spirit, wine, beer, etc), often at a specific temperature.</i>
Code:	AWG
Name:	american wire gauge
Beschreibung:	<i>A unit of distance used for measuring the diameter of small tubes or wires such as the outer diameter of hypotermic or suture needles.</i>
Code:	AY
Name:	assembly
Beschreibung:	<i>A unit of count defining the number of assemblies (assembly: items that consist of component parts).</i>
Code:	B10
Name:	bit per second
Beschreibung:	<i>A unit of information equal to one binary digit per second.</i>
Code:	B13
Name:	Joule pro Quadratmeter
Beschreibung:	<i>Synonym: joule per metre squared</i>
Code:	B17
Name:	Soll-Buchungen
Beschreibung:	<i>A unit of count defining the number of entries made to the credit side of an account.</i>
Code:	B19
Name:	digit
Beschreibung:	<i>A unit of information defining the quantity of numerals used to form a number.</i>
Code:	B3
Name:	batting pound
Beschreibung:	<i>A unit of mass defining the number of pounds of wadded fibre.</i>
Code:	B30
Name:	gibibit
Beschreibung:	<i>A unit of information equal to 2³⁰ bits (binary digits).</i>
Code:	B4
Name:	barrel, imperial

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of volume used to measure beer. One beer barrel equals 36 imperial gallons.</i>
Code:	B51
Name:	kilopond
Beschreibung:	<i>Synonym: kilogram-force</i>
Code:	B57
Name:	light year
Beschreibung:	<i>A unit of length defining the distance that light travels in a vacuum in one year.</i>
Code:	B68
Name:	gigabit
Beschreibung:	<i>A unit of information equal to 10 to the power of 9 bits (binary digits).</i>
Code:	B7
Name:	cycle
Beschreibung:	<i>A unit of count defining the number of cycles (cycle: a recurrent period of definite duration).</i>
Code:	B80
Name:	gigabit per second
Beschreibung:	<i>A unit of information equal to 10 to the power of 9 bits (binary digits) per second.</i>
Code:	B82
Name:	inch per linear foot
Beschreibung:	<i>A unit of length defining the number of inches per linear foot.</i>
Code:	BB
Name:	base box
Beschreibung:	<i>A unit of area of 112 sheets of tin mil products (tin plate, tin free steel or black plate) 14 by 20 inches, or 31,360 square inches.</i>
Code:	BFT
Name:	board foot
Beschreibung:	<i>A unit of volume defining the number of cords (cord: a stack of firewood of 128 cubic feet).</i>
Code:	BIL
Name:	billion (EUR)
Beschreibung:	<i>Synonym: trillion (US)</i>
Code:	BP
Name:	hundred board foot
Beschreibung:	<i>A unit of volume equal to one hundred board foot.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	BPM
Name:	beats per minute
Beschreibung:	<i>The number of beats per minute.</i>
Code:	C0
Name:	Telefoneinheit
Beschreibung:	<i>A unit of count defining the number of calls (call: communication session or visitation).</i>
Code:	C21
Name:	kibibit
Beschreibung:	<i>A unit of information equal to 2 to the power of 10 (1024) bits (binary digits).</i>
Code:	C37
Name:	kilobit
Beschreibung:	<i>A unit of information equal to 10 to the power of 3 (1000) bits (binary digits).</i>
Code:	C59
Name:	octave
Beschreibung:	<i>A unit used in music to describe the ratio in frequency between notes.</i>
Code:	C62
Name:	one
Beschreibung:	<i>Synonym: unit</i>
Code:	C69
Name:	phon
Beschreibung:	<i>A unit of subjective sound loudness. A sound has loudness p phons if it seems to the listener to be equal in loudness to the sound of a pure tone of frequency 1 kilohertz and strength p decibels.</i>
Code:	C74
Name:	kilobit per second
Beschreibung:	<i>A unit of information equal to 10 to the power of 3 (1000) bits (binary digits) per second.</i>
Code:	C79
Name:	kilovolt ampere hour
Beschreibung:	<i>A unit of accumulated energy of 1000 volt amperes over a period of one hour.</i>
Code:	C87
Name:	reciprocal cubic metre per second
Beschreibung:	<i>Synonym: reciprocal second per cubic metre</i>
Code:	C9
Name:	coil group

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of count defining the number of coil groups (coil group: groups of items arranged by lengths of those items placed in a joined sequence of concentric circles).</i>
Code:	C93
Name:	reciprocal square metre
Beschreibung:	<i>Synonym: reciprocal metre squared</i>
Code:	CCT
Name:	carrying capacity in metric ton
Beschreibung:	<i>A unit of mass defining the carrying capacity, expressed as the number of metric tons.</i>
Code:	CEL
Name:	Grad Celsius
Beschreibung:	<i>Refer ISO 80000-5 (Quantities and units — Part 5: Thermodynamics)</i>
Code:	CEN
Name:	hundred
Beschreibung:	<i>A unit of count defining the number of units in multiples of 100.</i>
Code:	CG
Name:	card
Beschreibung:	<i>A unit of count defining the number of units of card (card: thick stiff paper or cardboard).</i>
Code:	CLF
Name:	hundred leave
Beschreibung:	<i>A unit of count defining the number of leaves, expressed in units of one hundred leaves.</i>
Code:	CNP
Name:	hundred pack
Beschreibung:	<i>A unit of count defining the number of hundred-packs (hundred-pack: set of one hundred items packaged together).</i>
Code:	CNT
Name:	cental (UK)
Beschreibung:	<i>A unit of mass equal to one hundred weight (US).</i>
Code:	CTG
Name:	content gram
Beschreibung:	<i>A unit of mass defining the number of grams of a named item in a product.</i>
Code:	CTN
Name:	content ton (metric)
Beschreibung:	<i>A unit of mass defining the number of metric tons of a named item in a product.</i>
Code:	D03

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Used Codes

Name:	kilowatt hour per hour
Beschreibung:	<i>A unit of accumulated energy of a thousand watts over a period of one hour.</i>
Code:	D04
Name:	lot [unit of weight]
Beschreibung:	<i>A unit of weight equal to about 1/2 ounce or 15 grams.</i>
Code:	D11
Name:	mebibit
Beschreibung:	<i>A unit of information equal to 2 to the power of 20 (1048576) bits (binary digits).</i>
Code:	D15
Name:	sones
Beschreibung:	<i>A unit of subjective sound loudness. One sone is the loudness of a pure tone of frequency one kilohertz and strength 40 decibels.</i>
Code:	D23
Name:	pen gram (protein)
Beschreibung:	<i>A unit of count defining the number of grams of amino acid prescribed for parenteral/ enteral therapy.</i>
Code:	D34
Name:	tex
Beschreibung:	<i>A unit of yarn density. One decitex equals a mass of 1 gram per 1 kilometre of length.</i>
Code:	D36
Name:	megabit
Beschreibung:	<i>A unit of information equal to 10 to the power of 6 (1000000) bits (binary digits).</i>
Code:	D44
Name:	var
Beschreibung:	<i>The name of the unit is an acronym for volt-ampere-reactive.</i>
Code:	D63
Name:	book
Beschreibung:	<i>A unit of count defining the number of books (book: set of items bound together or written document of a material whole).</i>
Code:	D65
Name:	round
Beschreibung:	<i>A unit of count defining the number of rounds (round: A circular or cylindrical object).</i>
Code:	D68
Name:	number of words

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of count defining the number of words.</i>
Code:	D78
Name:	megajoule per second
Beschreibung:	<i>A unit of accumulated energy equal to one million joules per second.</i>
Code:	DAD
Name:	ten day
Beschreibung:	<i>A unit of time defining the number of days in multiples of 10.</i>
Code:	DB
Name:	dry pound
Beschreibung:	<i>A unit of mass defining the number of pounds of a product, disregarding the water content of the product.</i>
Code:	DEC
Name:	decade
Beschreibung:	<i>A unit of count defining the number of decades (decade: quantity equal to 10 or time equal to 10 years).</i>
Code:	DMO
Name:	standard kilolitre
Beschreibung:	<i>A unit of volume defining the number of kilolitres of a product at a temperature of 15 degrees Celsius, especially in relation to hydrocarbon oils.</i>
Code:	DPC
Name:	dozen piece
Beschreibung:	<i>A unit of count defining the number of pieces in multiples of 12 (piece: a single item, article or exemplar).</i>
Code:	DPR
Name:	dozen pair
Beschreibung:	<i>A unit of count defining the number of pairs in multiples of 12 (pair: item described by two's).</i>
Code:	DPT
Name:	displacement tonnage
Beschreibung:	<i>A unit of mass defining the volume of sea water a ship displaces, expressed as the number of tons.</i>
Code:	DRA
Name:	dram (US)
Beschreibung:	<i>Synonym: drachm (UK), troy dram</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	DRI
Name:	dram (UK)
Beschreibung:	<i>Synonym: avoirdupois dram</i>
Code:	DRL
Name:	dozen roll
Beschreibung:	<i>A unit of count defining the number of rolls, expressed in twelve roll units.</i>
Code:	DT
Name:	dry ton
Beschreibung:	<i>A unit of mass defining the number of tons of a product, disregarding the water content of the product.</i>
Code:	DTN
Name:	decitonne
Beschreibung:	<i>Synonym: centner, metric 100 kg, quintal, metric 100 kg</i>
Code:	DZN
Name:	Dutzend
Beschreibung:	<i>A unit of count defining the number of units in multiples of 12.</i>
Code:	DZP
Name:	dozen pack
Beschreibung:	<i>A unit of count defining the number of packs in multiples of 12 (pack: standard packaging unit).</i>
Code:	E01
Name:	newton per square centimetre
Beschreibung:	<i>A measure of pressure expressed in newtons per square centimetre.</i>
Code:	E07
Name:	megawatt hour per hour
Beschreibung:	<i>A unit of accumulated energy of a million watts over a period of one hour.</i>
Code:	E08
Name:	megawatt per hertz
Beschreibung:	<i>A unit of energy expressed as the load change in million watts that will cause a frequency shift of one hertz.</i>
Code:	E09
Name:	milliampere hour
Beschreibung:	<i>A unit of power load delivered at the rate of one thousandth of an ampere over a period of one hour.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	E10
Name:	degree day
Beschreibung:	<i>A unit of measure used in meteorology and engineering to measure the demand for heating or cooling over a given period of days.</i>
Code:	E11
Name:	gigacalorie
Beschreibung:	<i>A unit of heat energy equal to one thousand million calories.</i>
Code:	E12
Name:	mille
Beschreibung:	<i>A unit of count defining the number of cigarettes in units of 1000.</i>
Code:	E14
Name:	kilocalorie (international table)
Beschreibung:	<i>A unit of heat energy equal to one thousand calories.</i>
Code:	E15
Name:	kilocalorie (thermochemical) per hour
Beschreibung:	<i>A unit of energy equal to one thousand calories per hour.</i>
Code:	E16
Name:	million Btu(IT) per hour
Beschreibung:	<i>A unit of power equal to one million British thermal units per hour.</i>
Code:	E17
Name:	cubic foot per second
Beschreibung:	<i>A unit of volume equal to one cubic foot passing a given point in a period of one second.</i>
Code:	E18
Name:	tonne per hour
Beschreibung:	<i>A unit of weight or mass equal to one tonne per hour.</i>
Code:	E19
Name:	ping
Beschreibung:	<i>A unit of area equal to 3.3 square metres.</i>
Code:	E20
Name:	megabit per second
Beschreibung:	<i>A unit of information equal to 10 to the power of 6 (1000000) bits (binary digits) per second.</i>
Code:	E21
Name:	shares

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of count defining the number of shares (share: a total or portion of the parts into which a business entity's capital is divided).</i>
Code:	E22
Name:	TEU
Beschreibung:	<i>A unit of count defining the number of twenty-foot equivalent units (TEUs) as a measure of containerized cargo capacity.</i>
Code:	E23
Name:	tyre
Beschreibung:	<i>A unit of count defining the number of tyres (a solid or air-filled covering placed around a wheel rim to form a soft contact with the road, absorb shock and provide traction).</i>
Code:	E25
Name:	active unit
Beschreibung:	<i>A unit of count defining the number of active units within a substance.</i>
Code:	E27
Name:	dose
Beschreibung:	<i>A unit of count defining the number of doses (dose: a definite quantity of a medicine or drug).</i>
Code:	E28
Name:	air dry ton
Beschreibung:	<i>A unit of mass defining the number of tons of a product, disregarding the water content of the product.</i>
Code:	E30
Name:	strand
Beschreibung:	<i>A unit of count defining the number of strands (strand: long, thin, flexible, single thread, strip of fibre, constituent filament or multiples of the same, twisted together).</i>
Code:	E31
Name:	square metre per litre
Beschreibung:	<i>A unit of count defining the number of square metres per litre.</i>
Code:	E32
Name:	litre per hour
Beschreibung:	<i>A unit of count defining the number of litres per hour.</i>
Code:	E33
Name:	foot per thousand
Beschreibung:	<i>A unit of count defining the number of feet per thousand units.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	E34
Name:	Gigabyte
Beschreibung:	<i>A unit of information equal to 10 to the power of 9 bytes.</i>
Code:	E35
Name:	terabyte
Beschreibung:	<i>A unit of information equal to 10 to the power of 12 bytes.</i>
Code:	E36
Name:	petabyte
Beschreibung:	<i>A unit of information equal to 10 to the power of 15 bytes.</i>
Code:	E37
Name:	Pixel
Beschreibung:	<i>A unit of count defining the number of pixels (pixel: picture element).</i>
Code:	E38
Name:	Megapixel
Beschreibung:	<i>A unit of count equal to 10 to the power of 6 (1000000) pixels (picture elements).</i>
Code:	E39
Name:	DPI, Dots per inch
Beschreibung:	<i>A unit of information defining the number of dots per linear inch as a measure of the resolution or sharpness of a graphic image.</i>
Code:	E4
Name:	gross kilogram
Beschreibung:	<i>A unit of mass defining the total number of kilograms before deductions.</i>
Code:	E40
Name:	part per hundred thousand
Beschreibung:	<i>A unit of proportion equal to 10 to the power of -5.</i>
Code:	E41
Name:	kilogram-force per square millimetre
Beschreibung:	<i>A unit of pressure defining the number of kilograms force per square millimetre.</i>
Code:	E42
Name:	kilogram-force per square centimetre
Beschreibung:	<i>A unit of pressure defining the number of kilograms force per square centimetre.</i>
Code:	E43
Name:	joule per square centimetre
Beschreibung:	<i>A unit of energy defining the number of joules per square centimetre.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	E44
Name:	kilogram-force metre per square centimetre
Beschreibung:	<i>A unit of torsion defining the torque kilogram-force metre per square centimetre.</i>
Code:	E46
Name:	kilowatt hour per cubic metre
Beschreibung:	<i>A unit of energy consumption expressed as kilowatt hour per cubic metre.</i>
Code:	E47
Name:	kilowatt hour per kelvin
Beschreibung:	<i>A unit of energy consumption expressed as kilowatt hour per kelvin.</i>
Code:	E48
Name:	service unit
Beschreibung:	<i>A unit of count defining the number of service units (service unit: defined period / property / facility / utility of supply).</i>
Code:	E49
Name:	working day
Beschreibung:	<i>A unit of count defining the number of working days (working day: a day on which work is ordinarily performed).</i>
Code:	E50
Name:	accounting unit
Beschreibung:	<i>A unit of count defining the number of accounting units.</i>
Code:	E51
Name:	job
Beschreibung:	<i>A unit of count defining the number of jobs.</i>
Code:	E52
Name:	run foot
Beschreibung:	<i>A unit of count defining the number feet per run.</i>
Code:	E53
Name:	test
Beschreibung:	<i>A unit of count defining the number of tests.</i>
Code:	E54
Name:	trip
Beschreibung:	<i>A unit of count defining the number of trips.</i>
Code:	E55
Name:	use

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of count defining the number of times an object is used.</i>
Code:	E56
Name:	well
Beschreibung:	<i>A unit of count defining the number of wells.</i>
Code:	E57
Name:	zone
Beschreibung:	<i>A unit of count defining the number of zones.</i>
Code:	E58
Name:	exabit per second
Beschreibung:	<i>A unit of information equal to 10 to the power of 18 bits (binary digits) per second.</i>
Code:	E59
Name:	exbibyte
Beschreibung:	<i>A unit of information equal to 2 to the power of 60 bytes.</i>
Code:	E60
Name:	pebibyte
Beschreibung:	<i>A unit of information equal to 2 to the power of 50 bytes.</i>
Code:	E61
Name:	tebibyte
Beschreibung:	<i>A unit of information equal to 2 to the power of 40 bytes.</i>
Code:	E62
Name:	gibibyte
Beschreibung:	<i>A unit of information equal to 2 to the power of 30 bytes.</i>
Code:	E63
Name:	mebibyte
Beschreibung:	<i>A unit of information equal to 2 to the power of 20 bytes.</i>
Code:	E64
Name:	kibibyte
Beschreibung:	<i>A unit of information equal to 2 to the power of 10 bytes.</i>
Code:	E65
Name:	exbibit per metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 60 bits (binary digits) per metre.</i>
Code:	E66
Name:	exbibit per square metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 60 bits (binary digits) per square metre.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	E67
Name:	exbibit per cubic metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 60 bits (binary digits) per cubic metre.</i>
Code:	E68
Name:	gigabyte per second
Beschreibung:	<i>A unit of information equal to 10 to the power of 9 bytes per second.</i>
Code:	E69
Name:	gibibit per metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 30 bits (binary digits) per metre.</i>
Code:	E70
Name:	gibibit per square metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 30 bits (binary digits) per square metre.</i>
Code:	E71
Name:	gibibit per cubic metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 30 bits (binary digits) per cubic metre.</i>
Code:	E72
Name:	kibibit per metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 10 bits (binary digits) per metre.</i>
Code:	E73
Name:	kibibit per square metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 10 bits (binary digits) per square metre.</i>
Code:	E74
Name:	kibibit per cubic metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 10 bits (binary digits) per cubic metre.</i>
Code:	E75
Name:	mebibit per metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 20 bits (binary digits) per metre.</i>
Code:	E76
Name:	mebibit per square metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 20 bits (binary digits) per square metre.</i>
Code:	E77
Name:	mebibit per cubic metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 20 bits (binary digits) per cubic metre.</i>
Code:	E78

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	petabit
Beschreibung:	<i>A unit of information equal to 10 to the power of 15 bits (binary digits).</i>
Code:	E79
Name:	petabit per second
Beschreibung:	<i>A unit of information equal to 10 to the power of 15 bits (binary digits) per second.</i>
Code:	E80
Name:	pebibit per metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 50 bits (binary digits) per metre.</i>
Code:	E81
Name:	pebibit per square metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 50 bits (binary digits) per square metre.</i>
Code:	E82
Name:	pebibit per cubic metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 50 bits (binary digits) per cubic metre.</i>
Code:	E83
Name:	terabit
Beschreibung:	<i>A unit of information equal to 10 to the power of 12 bits (binary digits).</i>
Code:	E84
Name:	terabit per second
Beschreibung:	<i>A unit of information equal to 10 to the power of 12 bits (binary digits) per second.</i>
Code:	E85
Name:	tebibit per metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 40 bits (binary digits) per metre.</i>
Code:	E86
Name:	tebibit per cubic metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 40 bits (binary digits) per cubic metre.</i>
Code:	E87
Name:	tebibit per square metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 40 bits (binary digits) per square metre.</i>
Code:	E88
Name:	bit per metre
Beschreibung:	<i>A unit of information equal to 1 bit (binary digit) per metre.</i>
Code:	E89
Name:	bit per square metre

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of information equal to 1 bit (binary digit) per square metre.</i>
Code:	EA
Name:	Jedes einzelne (Eines)
Beschreibung:	<i>A unit of count defining the number of items regarded as separate units.</i>
Code:	EB
Name:	electronic mail box
Beschreibung:	<i>A unit of count defining the number of electronic mail boxes.</i>
Code:	EQ
Name:	equivalent gallon
Beschreibung:	<i>A unit of volume defining the number of gallons of product produced from concentrate.</i>
Code:	F01
Name:	bit per cubic metre
Beschreibung:	<i>A unit of information equal to 1 bit (binary digit) per cubic metre.</i>
Code:	F13
Name:	slug
Beschreibung:	<i>A unit of mass. One slug is the mass accelerated at 1 foot per second per second by a force of 1 pound.</i>
Code:	F49
Name:	rod [unit of distance]
Beschreibung:	<i>A unit of distance equal to 5.5 yards (16 feet 6 inches).</i>
Code:	F80
Name:	water horse power
Beschreibung:	<i>A unit of power defining the amount of power required to move a given volume of water against acceleration of gravity to a specified elevation (pressure head).</i>
Code:	FAH
Name:	Grad Fahrenheit
Beschreibung:	<i>Refer ISO 80000-5 (Quantities and units — Part 5: Thermodynamics)</i>
Code:	FBM
Name:	fibre metre
Beschreibung:	<i>A unit of length defining the number of metres of individual fibre.</i>
Code:	FC
Name:	thousand cubic foot
Beschreibung:	<i>A unit of volume equal to one thousand cubic foot.</i>
Code:	FF

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	hundred cubic metre
Beschreibung:	<i>A unit of volume equal to one hundred cubic metres.</i>
Code:	FIT
Name:	failures in time
Beschreibung:	<i>A unit of count defining the number of failures that can be expected over a specified time interval. Failure rates of semiconductor components are often specified as FIT (failures in time unit) where 1 FIT = 10 to the power of -9 /h.</i>
Code:	FL
Name:	flake ton
Beschreibung:	<i>A unit of mass defining the number of tons of a flaked substance (flake: a small flattish fragment).</i>
Code:	GDW
Name:	gram, dry weight
Beschreibung:	<i>A unit of mass defining the number of grams of a product, disregarding the water content of the product.</i>
Code:	GFI
Name:	gram of fissile isotope
Beschreibung:	<i>A unit of mass defining the number of grams of a fissile isotope (fissile isotope: an isotope whose nucleus is able to be split when irradiated with low energy neutrons).</i>
Code:	GGR
Name:	great gross
Beschreibung:	<i>A unit of count defining the number of units in multiples of 1728 (12 x 12 x 12).</i>
Code:	GIC
Name:	gram, including container
Beschreibung:	<i>A unit of mass defining the number of grams of a product, including its container.</i>
Code:	GIP
Name:	gram, including inner packaging
Beschreibung:	<i>A unit of mass defining the number of grams of a product, including its inner packaging materials.</i>
Code:	GRO
Name:	Gross
Beschreibung:	<i>A unit of count defining the number of units in multiples of 144 (12 x 12).</i>
Code:	GRT
Name:	gross register ton

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of mass equal to the total cubic footage before deductions, where 1 register ton is equal to 100 cubic feet. Refer International Convention on tonnage measurement of ships.</i>
Code:	GT
Name:	gross ton
Beschreibung:	<i>A unit of mass equal to 2240 pounds. Refer International Convention on Tonnage measurement of Ships. Synonym: ton (UK) or long ton (US) (common code LTN)</i>
Code:	H16
Name:	square decametre
Beschreibung:	<i>Synonym: are</i>
Code:	H18
Name:	square hectometre
Beschreibung:	<i>Synonym: hectare</i>
Code:	H21
Name:	blank
Beschreibung:	<i>A unit of count defining the number of blanks.</i>
Code:	H25
Name:	percent per kelvin
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to the SI base unit Kelvin.</i>
Code:	H71
Name:	percent per month
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to a month.</i>
Code:	H72
Name:	percent per hectobar
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to 100-fold of the unit bar.</i>
Code:	H73
Name:	percent per decakelvin
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to 10-fold of the SI base unit Kelvin.</i>
Code:	H77
Name:	module width
Beschreibung:	<i>A unit of measure used to describe the breadth of electronic assemblies as an installation standard or mounting dimension.</i>
Code:	H79

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	Charrière
Beschreibung:	<i>A unit of distance used for measuring the diameter of small tubes such as urological instruments and catheters. Synonym: French, French gauge, Charrière gauge</i>
Code:	H80
Name:	rack unit
Beschreibung:	<i>A unit of measure used to describe the height in rack units of equipment intended for mounting in a 19-inch rack or a 23-inch rack. One rack unit is 1.75 inches (44.45 mm) high.</i>
Code:	H82
Name:	big point
Beschreibung:	<i>A unit of length defining the number of big points (big point: Adobe software(US) defines the big point to be exactly 1/72 inch (0.013 888 9 inch or 0.352 777 8 millimeters))</i>
Code:	H87
Name:	piece
Beschreibung:	<i>A unit of count defining the number of pieces (piece: a single item, article or exemplar).</i>
Code:	H89
Name:	percent per ohm
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to the SI derived unit ohm.</i>
Code:	H90
Name:	percent per degree
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to an angle of one degree.</i>
Code:	H91
Name:	percent per ten thousand
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to multiples of ten thousand.</i>
Code:	H92
Name:	percent per one hundred thousand
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to multiples of one hundred thousand.</i>
Code:	H93
Name:	percent per hundred
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to multiples of one hundred.</i>
Code:	H94
Name:	percent per thousand
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to multiples of one thousand.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	H95
Name:	percent per volt
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to the SI derived unit volt.</i>
Code:	H96
Name:	percent per bar
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to an atmospheric pressure of one bar.</i>
Code:	H98
Name:	percent per inch
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to an inch.</i>
Code:	H99
Name:	percent per metre
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to a metre.</i>
Code:	HA
Name:	hank
Beschreibung:	<i>A unit of length, typically for yarn.</i>
Code:	HAR
Name:	hectare
Beschreibung:	<i>Synonym: square hectometre</i>
Code:	HBX
Name:	hundred boxes
Beschreibung:	<i>A unit of count defining the number of boxes in multiples of one hundred box units.</i>
Code:	HC
Name:	hundred count
Beschreibung:	<i>A unit of count defining the number of units counted in multiples of 100.</i>
Code:	HDW
Name:	hundred kilogram, dry weight
Beschreibung:	<i>A unit of mass defining the number of hundred kilograms of a product, disregarding the water content of the product.</i>
Code:	HEA
Name:	head
Beschreibung:	<i>A unit of count defining the number of heads (head: a person or animal considered as one of a number).</i>
Code:	HH
Name:	hundred cubic foot

Guideline**Used Codes**

Beschreibung:	<i>A unit of volume equal to one hundred cubic foot.</i>
Code:	HIU
Name:	hundred international unit
Beschreibung:	<i>A unit of count defining the number of international units in multiples of 100.</i>
Code:	HKM
Name:	hundred kilogram, net mass
Beschreibung:	<i>A unit of mass defining the number of hundred kilograms of a product, after deductions.</i>
Code:	HMQ
Name:	million cubic metre
Beschreibung:	<i>A unit of volume equal to one million cubic metres.</i>
Code:	HPA
Name:	hectolitre of pure alcohol
Beschreibung:	<i>A unit of volume equal to one hundred litres of pure alcohol.</i>
Code:	IE
Name:	person
Beschreibung:	<i>A unit of count defining the number of persons.</i>
Code:	INQ
Name:	Square inch
Beschreibung:	<i>Synonym: inch cubed</i>
Code:	ISD
Name:	international sugar degree
Beschreibung:	<i>A unit of measure defining the sugar content of a solution, expressed in degrees.</i>
Code:	J10
Name:	percent per millimetre
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to a millimetre.</i>
Code:	J12
Name:	per mille per psi
Beschreibung:	<i>A unit of pressure equal to one thousandth of a psi (pound-force per square inch).</i>
Code:	J13
Name:	degree API
Beschreibung:	<i>A unit of relative density as a measure of how heavy or light a petroleum liquid is compared to water (API: American Petroleum Institute).</i>
Code:	J14
Name:	degree Baume (origin scale)

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A traditional unit of relative density for liquids. Named after Antoine Baumé.</i>
Code:	J15
Name:	degree Baume (US heavy)
Beschreibung:	<i>A unit of relative density for liquids heavier than water.</i>
Code:	J16
Name:	degree Baume (US light)
Beschreibung:	<i>A unit of relative density for liquids lighter than water.</i>
Code:	J17
Name:	degree Balling
Beschreibung:	<i>A unit of density as a measure of sugar content, especially of beer wort. Named after Karl Balling.</i>
Code:	J18
Name:	degree Brix
Beschreibung:	<i>A unit of proportion used in measuring the dissolved sugar-to-water mass ratio of a liquid. Named after Adolf Brix.</i>
Code:	J27
Name:	degree Oechsle
Beschreibung:	<i>A unit of density as a measure of sugar content of must, the unfermented liqueur from which wine is made. Named after Ferdinand Oechsle.</i>
Code:	J31
Name:	degree Twaddell
Beschreibung:	<i>A unit of density for liquids that are heavier than water. 1 degree Twaddle represents a difference in specific gravity of 0.005.</i>
Code:	J38
Name:	baud
Beschreibung:	<i>A unit of signal transmission speed equal to one signalling event per second.</i>
Code:	J54
Name:	megabaud
Beschreibung:	<i>A unit of signal transmission speed equal to 10 to the power of 6 (1000000) signaling events per second.</i>
Code:	JNT
Name:	pipeline joint
Beschreibung:	<i>A count of the number of pipeline joints.</i>
Code:	JPS

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	hundred metre
Beschreibung:	<i>A unit of count defining the number of 100 metre lengths.</i>
Code:	JWL
Name:	number of jewels
Beschreibung:	<i>A unit of count defining the number of jewels (jewel: precious stone).</i>
Code:	K1
Name:	kilowatt demand
Beschreibung:	<i>A unit of measure defining the power load measured at predetermined intervals.</i>
Code:	K2
Name:	kilovolt ampere reactive demand
Beschreibung:	<i>A unit of measure defining the reactive power demand equal to one kilovolt ampere of reactive power.</i>
Code:	K3
Name:	kilovolt ampere reactive hour
Beschreibung:	<i>A unit of measure defining the accumulated reactive energy equal to one kilovolt ampere of reactive power per hour.</i>
Code:	K5
Name:	kilovolt ampere (reactive)
Beschreibung:	<i>Use kilovar (common code KVR)</i>
Code:	K50
Name:	kilobaud
Beschreibung:	<i>A unit of signal transmission speed equal to 10 to the power of 3 (1000) signaling events per second.</i>
Code:	KA
Name:	cake
Beschreibung:	<i>A unit of count defining the number of cakes (cake: object shaped into a flat, compact mass).</i>
Code:	KAT
Name:	katal
Beschreibung:	<i>A unit of catalytic activity defining the catalytic activity of enzymes and other catalysts.</i>
Code:	KB
Name:	Kilobyte
Beschreibung:	<i>A unit of information equal to 10 to the power of 3 (1000) characters.</i>
Code:	KCC

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	kilogram of choline chloride
Beschreibung:	<i>A unit of mass equal to one thousand grams of choline chloride.</i>
Code:	KDW
Name:	kilogram drained net weight
Beschreibung:	<i>A unit of mass defining the net number of kilograms of a product, disregarding the liquid content of the product.</i>
Code:	KEL
Name:	Kelvin
Beschreibung:	<i>Refer ISO 80000-5 (Quantities and units — Part 5: Thermodynamics)</i>
Code:	KGM
Name:	Kilogramm
Beschreibung:	<i>A unit of mass equal to one thousand grams.</i>
Code:	KHY
Name:	kilogram of hydrogen peroxide
Beschreibung:	<i>A unit of mass equal to one thousand grams of hydrogen peroxide.</i>
Code:	KIC
Name:	kilogram, including container
Beschreibung:	<i>A unit of mass defining the number of kilograms of a product, including its container.</i>
Code:	KIP
Name:	kilogram, including inner packaging
Beschreibung:	<i>A unit of mass defining the number of kilograms of a product, including its inner packaging materials.</i>
Code:	KJ
Name:	kilosegment
Beschreibung:	<i>A unit of information equal to 10 to the power of 3 (1000) segments.</i>
Code:	KLK
Name:	lactic dry material percentage
Beschreibung:	<i>A unit of proportion defining the percentage of dry lactic material in a product.</i>
Code:	KLX
Name:	kilolux
Beschreibung:	<i>A unit of illuminance equal to one thousand lux.</i>
Code:	KMA
Name:	kilogram of methylamine
Beschreibung:	<i>A unit of mass equal to one thousand grams of methylamine.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	KMQ
Name:	Kilogramm pro Kubikmeter
Beschreibung:	<i>A unit of weight expressed in kilograms of a substance that fills a volume of one cubic metre.</i>
Code:	KNI
Name:	kilogram of nitrogen
Beschreibung:	<i>A unit of mass equal to one thousand grams of nitrogen.</i>
Code:	KNM
Name:	kilonewton per square metre
Beschreibung:	<i>Pressure expressed in kN/m².</i>
Code:	KNS
Name:	kilogram named substance
Beschreibung:	<i>A unit of mass equal to one kilogram of a named substance.</i>
Code:	KO
Name:	milliequivalence caustic potash per gram of product
Beschreibung:	<i>A unit of count defining the number of milligrams of potassium hydroxide per gram of product as a measure of the concentration of potassium hydroxide in the product.</i>
Code:	KPH
Name:	kilogram of potassium hydroxide (caustic potash)
Beschreibung:	<i>A unit of mass equal to one thousand grams of potassium hydroxide (caustic potash).</i>
Code:	KPO
Name:	kilogram of potassium oxide
Beschreibung:	<i>A unit of mass equal to one thousand grams of potassium oxide.</i>
Code:	KPP
Name:	kilogram of phosphorus pentoxide (phosphoric anhydride)
Beschreibung:	<i>A unit of mass equal to one thousand grams of phosphorus pentoxide phosphoric anhydride.</i>
Code:	KSD
Name:	kilogram of substance 90 % dry
Beschreibung:	<i>A unit of mass equal to one thousand grams of a named substance that is 90% dry.</i>
Code:	KSH
Name:	kilogram of sodium hydroxide (caustic soda)
Beschreibung:	<i>A unit of mass equal to one thousand grams of sodium hydroxide (caustic soda).</i>
Code:	KT

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	kit
Beschreibung:	<i>A unit of count defining the number of kits (kit: tub, barrel or pail).</i>
Code:	KUR
Name:	kilogram of uranium
Beschreibung:	<i>A unit of mass equal to one thousand grams of uranium.</i>
Code:	KWN
Name:	Kilowatt hour per normalized cubic metre
Beschreibung:	<i>Kilowatt hour per normalized cubic metre (temperature 0°C and pressure 101325 millibars).</i>
Code:	KWO
Name:	kilogram of tungsten trioxide
Beschreibung:	<i>A unit of mass equal to one thousand grams of tungsten trioxide.</i>
Code:	KWS
Name:	Kilowatt hour per standard cubic metre
Beschreibung:	<i>Kilowatt hour per standard cubic metre (temperature 15°C and pressure 101325 millibars).</i>
Code:	LAC
Name:	lactose excess percentage
Beschreibung:	<i>A unit of proportion defining the percentage of lactose in a product that exceeds a defined percentage level.</i>
Code:	LEF
Name:	leaf
Beschreibung:	<i>A unit of count defining the number of leaves.</i>
Code:	LF
Name:	linear foot
Beschreibung:	<i>A unit of count defining the number of feet (12-inch) in length of a uniform width object.</i>
Code:	LH
Name:	labour hour
Beschreibung:	<i>A unit of time defining the number of labour hours.</i>
Code:	LK
Name:	link
Beschreibung:	<i>A unit of distance equal to 0.01 chain.</i>
Code:	LM
Name:	linear metre

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of count defining the number of metres in length of a uniform width object.</i>
Code:	LN
Name:	length
Beschreibung:	<i>A unit of distance defining the linear extent of an item measured from end to end.</i>
Code:	LO
Name:	lot [unit of procurement]
Beschreibung:	<i>A unit of count defining the number of lots (lot: a collection of associated items).</i>
Code:	LP
Name:	liquid pound
Beschreibung:	<i>A unit of mass defining the number of pounds of a liquid substance.</i>
Code:	LPA
Name:	litre of pure alcohol
Beschreibung:	<i>A unit of volume equal to one litre of pure alcohol.</i>
Code:	LR
Name:	layer
Beschreibung:	<i>A unit of count defining the number of layers.</i>
Code:	LS
Name:	lump sum
Beschreibung:	<i>A unit of count defining the number of whole or a complete monetary amounts.</i>
Code:	LTN
Name:	ton (UK) or long ton (US)
Beschreibung:	<i>Synonym: gross ton (2240 lb)</i>
Code:	LUB
Name:	metric ton, lubricating oil
Beschreibung:	<i>A unit of mass defining the number of metric tons of lubricating oil.</i>
Code:	LY
Name:	linear yard
Beschreibung:	<i>A unit of count defining the number of 36-inch units in length of a uniform width object.</i>
Code:	M19
Name:	Beaufort
Beschreibung:	<i>An empirical measure for describing wind speed based mainly on observed sea conditions. The Beaufort scale indicates the wind speed by numbers that typically range from 0 for calm, to 12 for hurricane.</i>
Code:	M25

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	percent per degree Celsius
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to a temperature of one degree.</i>
Code:	M36
Name:	30-day month
Beschreibung:	<i>A unit of count defining the number of months expressed in multiples of 30 days, one day equals 24 hours.</i>
Code:	M37
Name:	actual/360
Beschreibung:	<i>A unit of count defining the number of years expressed in multiples of 360 days, one day equals 24 hours.</i>
Code:	M38
Name:	kilometre per second squared
Beschreibung:	<i>1000-fold of the SI base unit metre divided by the power of the SI base unit second by exponent 2.</i>
Code:	M39
Name:	centimetre per second squared
Beschreibung:	<i>0,01-fold of the SI base unit metre divided by the power of the SI base unit second by exponent 2.</i>
Code:	M4
Name:	monetary value
Beschreibung:	<i>A unit of measure expressed as a monetary amount.</i>
Code:	M40
Name:	yard per second squared
Beschreibung:	<i>Unit of the length according to the Anglo-American and Imperial system of units divided by the power of the SI base unit second by exponent 2.</i>
Code:	M41
Name:	millimetre per second squared
Beschreibung:	<i>0,001-fold of the SI base unit metre divided by the power of the SI base unit second by exponent 2.</i>
Code:	M42
Name:	mile (statute mile) per second squared
Beschreibung:	<i>Unit of the length according to the Imperial system of units divided by the power of the SI base unit second by exponent 2.</i>
Code:	M43

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	mil
Beschreibung:	<i>Unit to indicate an angle at military zone, equal to the 6400th part of the full circle of the 360° or 2·p·rad.</i>
Code:	M44
Name:	revolution
Beschreibung:	<i>Unit to identify an angle of the full circle of 360° or 2·p·rad (Refer ISO/TC12 SI Guide).</i>
Code:	M45
Name:	degree [unit of angle] per second squared
Beschreibung:	<i>360 part of a full circle divided by the power of the SI base unit second and the exponent 2.</i>
Code:	M46
Name:	revolution per minute
Beschreibung:	<i>Unit of the angular velocity.</i>
Code:	M47
Name:	circular mil
Beschreibung:	<i>Unit of an area, of which the size is given by a diameter of length of 1 mm (0,001 in) based on the formula: $area = p \cdot (diameter/2)^2$.</i>
Code:	M48
Name:	square mile (based on U.S. survey foot)
Beschreibung:	<i>Unit of the area, which is mainly common in the agriculture and forestry.</i>
Code:	M49
Name:	chain (based on U.S. survey foot)
Beschreibung:	<i>Unit of the length according the Anglo-American system of units.</i>
Code:	M50
Name:	furlong
Beschreibung:	<i>Unit commonly used in Great Britain at rural distances: 1 furlong = 40 rods = 10 chains (UK) = 1/8 mile = 1/10 furlong = 220 yards = 660 foot.</i>
Code:	M51
Name:	foot (U.S. survey)
Beschreibung:	<i>Unit commonly used in the United States for ordnance survey.</i>
Code:	M52
Name:	mile (based on U.S. survey foot)
Beschreibung:	<i>Unit commonly used in the United States for ordnance survey.</i>
Code:	M53

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	metre per pascal
Beschreibung:	<i>SI base unit metre divided by the derived SI unit pascal.</i>
Code:	M55
Name:	metre per radiant
Beschreibung:	<i>Unit of the translation factor for implementation from rotation to linear movement.</i>
Code:	M56
Name:	shake
Beschreibung:	<i>Unit for a very short period.</i>
Code:	M57
Name:	mile per minute
Beschreibung:	<i>Unit of velocity from the Imperial system of units.</i>
Code:	M58
Name:	mile per second
Beschreibung:	<i>Unit of the velocity from the Imperial system of units.</i>
Code:	M59
Name:	metre per second pascal
Beschreibung:	<i>SI base unit meter divided by the product of SI base unit second and the derived SI unit pascal.</i>
Code:	M60
Name:	metre per hour
Beschreibung:	<i>SI base unit metre divided by the unit hour.</i>
Code:	M61
Name:	inch per year
Beschreibung:	<i>Unit of the length according to the Anglo-American and Imperial system of units divided by the unit common year with 365 days.</i>
Code:	M62
Name:	kilometre per second
Beschreibung:	<i>1000-fold of the SI base unit metre divided by the SI base unit second.</i>
Code:	M63
Name:	inch per minute
Beschreibung:	<i>Unit inch according to the Anglo-American and Imperial system of units divided by the unit minute.</i>
Code:	M64
Name:	yard per second

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>Unit yard according to the Anglo-American and Imperial system of units divided by the SI base unit second.</i>
Code:	M65
Name:	yard per minute
Beschreibung:	<i>Unit yard according to the Anglo-American and Imperial system of units divided by the unit minute.</i>
Code:	M66
Name:	yard per hour
Beschreibung:	<i>Unit yard according to the Anglo-American and Imperial system of units divided by the unit hour.</i>
Code:	M67
Name:	acre-foot (based on U.S. survey foot)
Beschreibung:	<i>Unit of the volume, which is used in the United States to measure/gauge the capacity of reservoirs.</i>
Code:	M68
Name:	cord (128 ft ³)
Beschreibung:	<i>Traditional unit of the volume of stacked firewood which has been measured with a cord.</i>
Code:	M69
Name:	cubic mile (UK statute)
Beschreibung:	<i>Unit of volume according to the Imperial system of units.</i>
Code:	M70
Name:	ton, register
Beschreibung:	<i>Traditional unit of the cargo capacity.</i>
Code:	M71
Name:	cubic metre per pascal
Beschreibung:	<i>Power of the SI base unit meter by exponent 3 divided by the derived SI base unit pascal.</i>
Code:	M72
Name:	bel
Beschreibung:	<i>Logarithmic relationship to base 10.</i>
Code:	M73
Name:	kilogram per cubic metre pascal
Beschreibung:	<i>SI base unit kilogram divided by the product of the power of the SI base unit metre with exponent 3 and the derived SI unit pascal.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Used Codes

Code:	M74
Name:	kilogram per pascal
Beschreibung:	<i>SI base unit kilogram divided by the derived SI unit pascal.</i>
Code:	M75
Name:	kilopound-force
Beschreibung:	<i>1000-fold of the unit of the force pound-force (lbf) according to the Anglo-American system of units with the relationship.</i>
Code:	M76
Name:	poundal
Beschreibung:	<i>Non SI-conforming unit of the power, which corresponds to a mass of a pound multiplied with the acceleration of a foot per square second.</i>
Code:	M77
Name:	kilogram metre per second squared
Beschreibung:	<i>Product of the SI base unit kilogram and the SI base unit metre divided by the power of the SI base unit second by exponent 2.</i>
Code:	M78
Name:	pond
Beschreibung:	<i>0,001-fold of the unit of the weight, defined as a mass of 1 kg which finds out about a weight strength from 1 kp by the gravitational force at sea level which corresponds to a strength of 9,806 65 newton.</i>
Code:	M79
Name:	square foot per hour
Beschreibung:	<i>Power of the unit foot according to the Anglo-American and Imperial system of units by exponent 2 divided by the unit of time hour.</i>
Code:	M80
Name:	stokes per pascal
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit stokes divided by the derived SI unit pascal.</i>
Code:	M81
Name:	square centimetre per second
Beschreibung:	<i>0,000 1-fold of the power of the SI base unit metre by exponent 2 divided by the SI base unit second.</i>
Code:	M82
Name:	square metre per second pascal
Beschreibung:	<i>Power of the SI base unit metre with the exponent 2 divided by the SI base unit second</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Used Codes

	<i>and the derived SI unit pascal.</i>
Code:	M83
Name:	denier
Beschreibung:	<i>Traditional unit for the indication of the linear mass of textile fibers and yarns.</i>
Code:	M84
Name:	pound per yard
Beschreibung:	<i>Unit for linear mass according to avoirdupois system of units.</i>
Code:	M85
Name:	ton, assay
Beschreibung:	<i>Non SI-conforming unit of the mass used in the mineralogy to determine the concentration of precious metals in ore according to the mass of the precious metal in milligrams in a sample of the mass of an assay sound (number of troy ounces in a short ton (1 000 lb)).</i>
Code:	M86
Name:	pfund
Beschreibung:	<i>Outdated unit of the mass used in Germany.</i>
Code:	M87
Name:	kilogram per second pascal
Beschreibung:	<i>SI base unit kilogram divided by the product of the SI base unit second and the derived SI unit pascal.</i>
Code:	M88
Name:	tonne per month
Beschreibung:	<i>Unit tonne divided by the unit month.</i>
Code:	M89
Name:	tonne per year
Beschreibung:	<i>Unit tonne divided by the unit year with 365 days.</i>
Code:	M90
Name:	kilopound per hour
Beschreibung:	<i>1000-fold of the unit of the mass avoirdupois pound according to the avoirdupois unit system divided by the unit hour.</i>
Code:	M91
Name:	pound per pound
Beschreibung:	<i>Proportion of the mass consisting of the avoirdupois pound according to the avoirdupois unit system divided by the avoirdupois pound according to the avoirdupois unit system.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	M92
Name:	pound-force foot
Beschreibung:	<i>Product of the unit pound-force according to the Anglo-American system of units and the unit foot according to the Anglo-American and the Imperial system of units.</i>
Code:	M93
Name:	newton metre per radian
Beschreibung:	<i>Product of the derived SI unit newton and the SI base unit metre divided by the unit radian.</i>
Code:	M94
Name:	kilogram metre
Beschreibung:	<i>Unit of imbalance as a product of the SI base unit kilogram and the SI base unit metre.</i>
Code:	M95
Name:	poundal foot
Beschreibung:	<i>Product of the non SI-conforming unit of the force poundal and the unit foot according to the Anglo-American and Imperial system of units .</i>
Code:	M96
Name:	poundal inch
Beschreibung:	<i>Product of the non SI-conforming unit of the force poundal and the unit inch according to the Anglo-American and Imperial system of units .</i>
Code:	M97
Name:	dyne metre
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of the rotational moment.</i>
Code:	M98
Name:	kilogram centimetre per second
Beschreibung:	<i>Product of the SI base unit kilogram and the 0,01-fold of the SI base unit metre divided by the SI base unit second.</i>
Code:	M99
Name:	gram centimetre per second
Beschreibung:	<i>Product of the 0,001-fold of the SI base unit kilogram and the 0,01-fold of the SI base unit metre divided by the SI base unit second.</i>
Code:	MAH
Name:	megavolt ampere reactive hour
Beschreibung:	<i>A unit of electrical reactive power defining the total amount of reactive power across a power system.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	MAR
Name:	megavar
Beschreibung:	<i>A unit of electrical reactive power represented by a current of one thousand amperes flowing due a potential difference of one thousand volts where the sine of the phase angle between them is 1.</i>
Code:	MAW
Name:	Megawatt
Beschreibung:	<i>A unit of power defining the rate of energy transferred or consumed when a current of 1000 amperes flows due to a potential of 1000 volts at unity power factor.</i>
Code:	MBE
Name:	thousand standard brick equivalent
Beschreibung:	<i>A unit of count defining the number of one thousand brick equivalent units.</i>
Code:	MBF
Name:	thousand board foot
Beschreibung:	<i>A unit of volume equal to one thousand board foot.</i>
Code:	MD
Name:	air dry metric ton
Beschreibung:	<i>A unit of count defining the number of metric tons of a product, disregarding the water content of the product.</i>
Code:	MIU
Name:	million international unit
Beschreibung:	<i>A unit of count defining the number of international units in multiples of 10 to the power of 6.</i>
Code:	MLD
Name:	milliard
Beschreibung:	<i>Synonym: billion (US)</i>
Code:	MND
Name:	kilogram, dry weight
Beschreibung:	<i>A unit of mass defining the number of kilograms of a product, disregarding the water content of the product.</i>
Code:	MON
Name:	Monat
Beschreibung:	<i>Unit of time equal to 1/12 of a year of 365,25 days.</i>
Code:	MTQ

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	Kubikmeter
Beschreibung:	<i>Synonym: metre cubed</i>
Code:	MWH
Name:	Megawatt Stunde (1000 KWh)
Beschreibung:	<i>A unit of power defining the total amount of bulk energy transferred or consumed.</i>
Code:	N1
Name:	pen calorie
Beschreibung:	<i>A unit of count defining the number of calories prescribed daily for parenteral/enteral therapy.</i>
Code:	N10
Name:	pound foot per second
Beschreibung:	<i>Product of the avoirdupois pound according to the avoirdupois unit system and the unit foot according to the Anglo-American and Imperial system of units divided by the SI base unit second.</i>
Code:	N11
Name:	pound inch per second
Beschreibung:	<i>Product of the avoirdupois pound according to the avoirdupois unit system and the unit inch according to the Anglo-American and Imperial system of units divided by the SI base unit second.</i>
Code:	N12
Name:	Pferdestaerke
Beschreibung:	<i>Obsolete unit of the power relating to DIN 1301-3:1979: 1 PS = 735,498 75 W.</i>
Code:	N13
Name:	centimetre of mercury (0 °C)
Beschreibung:	<i>Non SI-conforming unit of pressure, at which a value of 1 cmHg meets the static pressure, which is generated by a mercury at a temperature of 0 °C with a height of 1 centimetre .</i>
Code:	N14
Name:	centimetre of water (4 °C)
Beschreibung:	<i>Non SI-conforming unit of pressure, at which a value of 1 cmH2O meets the static pressure, which is generated by a head of water at a temperature of 4 °C with a height of 1 centimetre .</i>
Code:	N15
Name:	foot of water (39.2 °F)

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Used Codes

Beschreibung:	<i>Non SI-conforming unit of pressure according to the Anglo-American and Imperial system for units, whereas the value of 1 ftH2O is equivalent to the static pressure, which is generated by a head of water at a temperature 39,2°F with a height of 1 foot .</i>
Code:	N16
Name:	inch of mercury (32 °F)
Beschreibung:	<i>Non SI-conforming unit of pressure according to the Anglo-American and Imperial system for units, whereas the value of 1 inHg meets the static pressure, which is generated by a mercury at a temperature of 32°F with a height of 1 inch.</i>
Code:	N17
Name:	inch of mercury (60 °F)
Beschreibung:	<i>Non SI-conforming unit of pressure according to the Anglo-American and Imperial system for units, whereas the value of 1 inHg meets the static pressure, which is generated by a mercury at a temperature of 60°F with a height of 1 inch.</i>
Code:	N18
Name:	inch of water (39.2 °F)
Beschreibung:	<i>Non SI-conforming unit of pressure according to the Anglo-American and Imperial system for units, whereas the value of 1 inH2O meets the static pressure, which is generated by a head of water at a temperature of 39,2°F with a height of 1 inch .</i>
Code:	N19
Name:	inch of water (60 °F)
Beschreibung:	<i>Non SI-conforming unit of pressure according to the Anglo-American and Imperial system for units, whereas the value of 1 inH2O meets the static pressure, which is generated by a head of water at a temperature of 60°F with a height of 1 inch .</i>
Code:	N20
Name:	kip per square inch
Beschreibung:	<i>Non SI-conforming unit of the pressure according to the Anglo-American system of units as the 1000-fold of the unit of the force pound-force divided by the power of the unit inch by exponent 2.</i>
Code:	N21
Name:	poundal per square foot
Beschreibung:	<i>Non SI-conforming unit of pressure by the Imperial system of units according to NIST: 1 pdl/ft² = 1,488 164 Pa.</i>
Code:	N22
Name:	ounce (avoirdupois) per square inch

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Used Codes

Beschreibung:	<i>Unit of the surface specific mass (avoirdupois ounce according to the avoirdupois system of units according to the surface square inch according to the Anglo-American and Imperial system of units).</i>
Code:	N23
Name:	conventional metre of water
Beschreibung:	<i>Not SI-conforming unit of pressure, whereas a value of 1 mH2O is equivalent to the static pressure, which is produced by one metre high water column .</i>
Code:	N24
Name:	gram per square millimetre
Beschreibung:	<i>0,001-fold of the SI base unit kilogram divided by the 0.000 001-fold of the power of the SI base unit meter by exponent 2.</i>
Code:	N25
Name:	pound per square yard
Beschreibung:	<i>Unit for areal-related mass as a unit pound according to the avoirdupois unit system divided by the power of the unit yard according to the Anglo-American and Imperial system of units with exponent 2.</i>
Code:	N26
Name:	poundal per square inch
Beschreibung:	<i>Non SI-conforming unit of the pressure according to the Imperial system of units (poundal by square inch).</i>
Code:	N27
Name:	foot to the fourth power
Beschreibung:	<i>Power of the unit foot according to the Anglo-American and Imperial system of units by exponent 4 according to NIST: 1 ft⁴ = 8,630 975 m⁴.</i>
Code:	N28
Name:	cubic decimetre per kilogram
Beschreibung:	<i>0,001 fold of the power of the SI base unit meter by exponent 3 divided by the SI based unit kilogram.</i>
Code:	N29
Name:	cubic foot per pound
Beschreibung:	<i>Power of the unit foot according to the Anglo-American and Imperial system of units by exponent 3 divided by the unit avoirdupois pound according to the avoirdupois unit system.</i>
Code:	N30

Guideline**Used Codes**

Name:	cubic inch per pound
Beschreibung:	<i>Power of the unit inch according to the Anglo-American and Imperial system of units by exponent 3 divided by the avoirdupois pound according to the avoirdupois unit system .</i>
Code:	N31
Name:	kilonewton per metre
Beschreibung:	<i>1000-fold of the derived SI unit newton divided by the SI base unit metre.</i>
Code:	N32
Name:	poundal per inch
Beschreibung:	<i>Non SI-conforming unit of the surface tension according to the Imperial unit system as quotient poundal by inch.</i>
Code:	N33
Name:	pound-force per yard
Beschreibung:	<i>Unit of force per unit length based on the Anglo-American system of units.</i>
Code:	N34
Name:	poundal second per square foot
Beschreibung:	<i>Non SI-conforming unit of viscosity.</i>
Code:	N35
Name:	poise per pascal
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit poise divided by the derived SI unit pascal.</i>
Code:	N36
Name:	newton second per square metre
Beschreibung:	<i>Unit of the dynamic viscosity as a product of unit of the pressure (newton by square metre) multiplied with the SI base unit second.</i>
Code:	N37
Name:	kilogram per metre second
Beschreibung:	<i>Unit of the dynamic viscosity as a quotient SI base unit kilogram divided by the SI base unit metre and by the SI base unit second.</i>
Code:	N38
Name:	kilogram per metre minute
Beschreibung:	<i>Unit of the dynamic viscosity as a quotient SI base unit kilogram divided by the SI base unit metre and by the unit minute.</i>
Code:	N39
Name:	kilogram per metre day
Beschreibung:	<i>Unit of the dynamic viscosity as a quotient SI base unit kilogram divided by the SI base</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

	<i>unit metre and by the unit day.</i>
Code:	N40
Name:	kilogram per metre hour
Beschreibung:	<i>Unit of the dynamic viscosity as a quotient SI base unit kilogram divided by the SI base unit metre and by the unit hour.</i>
Code:	N41
Name:	gram per centimetre second
Beschreibung:	<i>Unit of the dynamic viscosity as a quotient of the 0,001-fold of the SI base unit kilogram divided by the 0,01-fold of the SI base unit metre and SI base unit second.</i>
Code:	N42
Name:	poundal second per square inch
Beschreibung:	<i>Non SI-conforming unit of dynamic viscosity according to the Imperial system of units as product unit of the pressure (poundal by square inch) multiplied by the SI base unit second.</i>
Code:	N43
Name:	pound per foot minute
Beschreibung:	<i>Unit of the dynamic viscosity according to the Anglo-American unit system.</i>
Code:	N44
Name:	pound per foot day
Beschreibung:	<i>Unit of the dynamic viscosity according to the Anglo-American unit system.</i>
Code:	N45
Name:	cubic metre per second pascal
Beschreibung:	<i>Power of the SI base unit meter by exponent 3 divided by the product of the SI base unit second and the derived SI base unit pascal.</i>
Code:	N46
Name:	foot poundal
Beschreibung:	<i>Unit of the work (force-path).</i>
Code:	N47
Name:	inch poundal
Beschreibung:	<i>Unit of work (force multiplied by path) according to the Imperial system of units as a product unit inch multiplied by poundal.</i>
Code:	N48
Name:	watt per square centimetre
Beschreibung:	<i>Derived SI unit watt divided by the power of the 0,01-fold the SI base unit metre by</i>

Guideline**Used Codes**

	<i>exponent 2.</i>
Code:	N49
Name:	watt per square inch
Beschreibung:	<i>Derived SI unit watt divided by the power of the unit inch according to the Anglo-American and Imperial system of units by exponent 2.</i>
Code:	N50
Name:	British thermal unit (international table) per square foot hour
Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>
Code:	N51
Name:	British thermal unit (thermochemical) per square foot hour
Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>
Code:	N52
Name:	British thermal unit (thermochemical) per square foot minute
Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>
Code:	N53
Name:	British thermal unit (international table) per square foot second
Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>
Code:	N54
Name:	British thermal unit (thermochemical) per square foot second
Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>
Code:	N55
Name:	British thermal unit (international table) per square inch second
Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>
Code:	N56
Name:	calorie (thermochemical) per square centimetre minute
Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>
Code:	N57
Name:	calorie (thermochemical) per square centimetre second
Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>
Code:	N58
Name:	British thermal unit (international table) per cubic foot
Beschreibung:	<i>Unit of the energy density according to the Imperial system of units.</i>
Code:	N59
Name:	British thermal unit (thermochemical) per cubic foot

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>Unit of the energy density according to the Imperial system of units.</i>
Code:	N60
Name:	British thermal unit (international table) per degree Fahrenheit
Beschreibung:	<i>Unit of the heat capacity according to the Imperial system of units.</i>
Code:	N61
Name:	British thermal unit (thermochemical) per degree Fahrenheit
Beschreibung:	<i>Unit of the heat capacity according to the Imperial system of units.</i>
Code:	N62
Name:	British thermal unit (international table) per degree Rankine
Beschreibung:	<i>Unit of the heat capacity according to the Imperial system of units.</i>
Code:	N63
Name:	British thermal unit (thermochemical) per degree Rankine
Beschreibung:	<i>Unit of the heat capacity according to the Imperial system of units.</i>
Code:	N64
Name:	British thermal unit (thermochemical) per pound degree Rankine
Beschreibung:	<i>Unit of the heat capacity (British thermal unit according to the international table according to the Rankine degree) according to the Imperial system of units divided by the unit avoirdupois pound according to the avoirdupois system of units.</i>
Code:	N65
Name:	kilocalorie (international table) per gram kelvin
Beschreibung:	<i>Unit of the mass-related heat capacity as quotient 1000-fold of the calorie (international table) divided by the product of the 0,001-fold of the SI base units kilogram and kelvin.</i>
Code:	N66
Name:	British thermal unit (39 °F)
Beschreibung:	<i>Unit of heat energy according to the Imperial system of units in a reference temperature of 39 °F.</i>
Code:	N67
Name:	British thermal unit (59 °F)
Beschreibung:	<i>Unit of heat energy according to the Imperial system of units in a reference temperature of 59 °F.</i>
Code:	N68
Name:	British thermal unit (60 °F)
Beschreibung:	<i>Unit of head energy according to the Imperial system of units at a reference temperature of 60 °F.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	N69
Name:	calorie (20 °C)
Beschreibung:	<i>Unit for quantity of heat, which is to be required for 1 g air free water at a constant pressure from 101,325 kPa, to warm up the pressure of standard atmosphere at sea level, from 19,5 °C on 20,5 °C.</i>
Code:	N70
Name:	quad (1015 BtuIT)
Beschreibung:	<i>Unit of heat energy according to the imperial system of units.</i>
Code:	N71
Name:	therm (EC)
Beschreibung:	<i>Unit of heat energy in commercial use, within the EU defined: 1 thm (EC) = 100 000 BtuIT.</i>
Code:	N72
Name:	therm (U.S.)
Beschreibung:	<i>Unit of heat energy in commercial use.</i>
Code:	N73
Name:	British thermal unit (thermochemical) per pound
Beschreibung:	<i>Unit of the heat energy according to the Imperial system of units divided the unit avoirdupois pound according to the avoirdupois system of units.</i>
Code:	N74
Name:	British thermal unit (international table) per hour square foot degree Fahrenheit
Beschreibung:	<i>Unit of the heat transition coefficient according to the Imperial system of units.</i>
Code:	N75
Name:	British thermal unit (thermochemical) per hour square foot degree Fahrenheit
Beschreibung:	<i>Unit of the heat transition coefficient according to the imperial system of units.</i>
Code:	N76
Name:	British thermal unit (international table) per second square foot degree Fahrenheit
Beschreibung:	<i>Unit of the heat transition coefficient according to the imperial system of units.</i>
Code:	N77
Name:	British thermal unit (thermochemical) per second square foot degree Fahrenheit
Beschreibung:	<i>Unit of the heat transition coefficient according to the imperial system of units.</i>
Code:	N78
Name:	kilowatt per square metre kelvin
Beschreibung:	<i>1000-fold of the derived SI unit watt divided by the product of the power of the SI base</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

	<i>unit metre by exponent 2 and the SI base unit kelvin.</i>
Code:	N79
Name:	kelvin per pascal
Beschreibung:	<i>SI base unit kelvin divided by the derived SI unit pascal.</i>
Code:	N80
Name:	watt per metre degree Celsius
Beschreibung:	<i>Derived SI unit watt divided by the product of the SI base unit metre and the unit for temperature degree Celsius.</i>
Code:	N81
Name:	kilowatt per metre kelvin
Beschreibung:	<i>1000-fold of the derived SI unit watt divided by the product of the SI base unit metre and the SI base unit kelvin.</i>
Code:	N82
Name:	kilowatt per metre degree Celsius
Beschreibung:	<i>1000-fold of the derived SI unit watt divided by the product of the SI base unit metre and the unit for temperature degree Celsius.</i>
Code:	N83
Name:	metre per degree Celcius metre
Beschreibung:	<i>SI base unit metre divided by the product of the unit degree Celsius and the SI base unit metre.</i>
Code:	N84
Name:	degree Fahrenheit hour per British thermal unit (international table)
Beschreibung:	<i>Non SI-conforming unit of the thermal resistance according to the Imperial system of units.</i>
Code:	N85
Name:	degree Fahrenheit hour per British thermal unit (thermochemical)
Beschreibung:	<i>Non SI-conforming unit of the thermal resistance according to the Imperial system of units.</i>
Code:	N86
Name:	degree Fahrenheit second per British thermal unit (international table)
Beschreibung:	<i>Non SI-conforming unit of the thermal resistance according to the Imperial system of units.</i>
Code:	N87
Name:	degree Fahrenheit second per British thermal unit (thermochemical)

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>Non SI-conforming unit of the thermal resistance according to the Imperial system of units.</i>
Code:	N88
Name:	degree Fahrenheit hour square foot per British thermal unit (international table) inch
Beschreibung:	<i>Unit of specific thermal resistance according to the Imperial system of units.</i>
Code:	N89
Name:	degree Fahrenheit hour square foot per British thermal unit (thermochemical) inch
Beschreibung:	<i>Unit of specific thermal resistance according to the Imperial system of units.</i>
Code:	N90
Name:	kilofarad
Beschreibung:	<i>1000-fold of the derived SI unit farad.</i>
Code:	N91
Name:	reciprocal joule
Beschreibung:	<i>Reciprocal of the derived SI unit joule.</i>
Code:	N92
Name:	picosiemens
Beschreibung:	<i>0,000 000 000 001-fold of the derived SI unit siemens.</i>
Code:	N93
Name:	ampere per pascal
Beschreibung:	<i>SI base unit ampere divided by the derived SI unit pascal.</i>
Code:	N94
Name:	franklin
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of the electrical charge, where the charge amounts to exactly 1 Fr where the force of 1 dyn on an equal load is performed at a distance of 1 cm.</i>
Code:	N95
Name:	ampere minute
Beschreibung:	<i>A unit of electric charge defining the amount of charge accumulated by a steady flow of one ampere for one minute..</i>
Code:	N96
Name:	biot
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of the electric power which is defined by a force of 2 dyn per cm between two parallel conductors of infinite length with negligible cross-section in the distance of 1 cm.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	N97
Name:	gilbert
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of the magnetomotive force, which is defined by the work to increase the magnetic potential of a positive common pol with 1 erg.</i>
Code:	N98
Name:	volt per pascal
Beschreibung:	<i>Derived SI unit volt divided by the derived SI unit pascal.</i>
Code:	N99
Name:	picovolt
Beschreibung:	<i>0,000 000 000 001-fold of the derived SI unit volt.</i>
Code:	NAR
Name:	Anzahl der Artikel
Beschreibung:	<i>A unit of count defining the number of articles (article: item).</i>
Code:	NCL
Name:	number of cells
Beschreibung:	<i>A unit of count defining the number of cells (cell: an enclosed or circumscribed space, cavity, or volume).</i>
Code:	NF
Name:	message
Beschreibung:	<i>A unit of count defining the number of messages.</i>
Code:	NIL
Name:	nil
Beschreibung:	<i>A unit of count defining the number of instances of nothing.</i>
Code:	NIU
Name:	Anzahl internationaler Einheiten
Beschreibung:	<i>A unit of count defining the number of international units.</i>
Code:	NL
Name:	load
Beschreibung:	<i>A unit of volume defining the number of loads (load: a quantity of items carried or processed at one time).</i>
Code:	NM3
Name:	Normalised cubic metre
Beschreibung:	<i>Normalised cubic metre (temperature 0°C and pressure 101325 millibars)</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	NMP
Name:	number of packs
Beschreibung:	<i>A unit of count defining the number of packs (pack: a collection of objects packaged together).</i>
Code:	NPR
Name:	number of pairs
Beschreibung:	<i>A unit of count defining the number of pairs (pair: item described by two's).</i>
Code:	NPT
Name:	number of parts
Beschreibung:	<i>A unit of count defining the number of parts (part: component of a larger entity).</i>
Code:	NT
Name:	net ton
Beschreibung:	<i>A unit of mass equal to 2000 pounds, see ton (US). Refer International Convention on tonnage measurement of Ships.</i>
Code:	NTT
Name:	net register ton
Beschreibung:	<i>A unit of mass equal to the total cubic footage after deductions, where 1 register ton is equal to 100 cubic feet. Refer International Convention on tonnage measurement of Ships.</i>
Code:	NX
Name:	part per thousand
Beschreibung:	<i>A unit of proportion equal to 10 to the power of -3. Synonym: per mille</i>
Code:	OA
Name:	panel
Beschreibung:	<i>A unit of count defining the number of panels (panel: a distinct, usually rectangular, section of a surface).</i>
Code:	ODE
Name:	ozone depletion equivalent
Beschreibung:	<i>A unit of mass defining the ozone depletion potential in kilograms of a product relative to the calculated depletion for the reference substance, Trichlorofluoromethane (CFC-11).</i>
Code:	ODG
Name:	ODS Grams
Beschreibung:	<i>A unit of measure calculated by multiplying the mass of the substance in grams and the</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

	<i>ozone-depleting potential for the substance.</i>
Code:	ODK
Name:	ODS Kilograms
Beschreibung:	<i>A unit of measure calculated by multiplying the mass of the substance in kilograms and the ozone-depleting potential for the substance.</i>
Code:	ODM
Name:	ODS Milligrams
Beschreibung:	<i>A unit of measure calculated by multiplying the mass of the substance in milligrams and the ozone-depleting potential for the substance.</i>
Code:	OPM
Name:	oscillations per minute
Beschreibung:	<i>The number of oscillations per minute.</i>
Code:	OT
Name:	overtime hour
Beschreibung:	<i>A unit of time defining the number of overtime hours.</i>
Code:	OZ
Name:	ounce av
Beschreibung:	<i>A unit of measure equal to 1/16 of a pound or about 28.3495 grams (av = avoirdupois). Use ounce (common code ONZ).</i>
Code:	P1
Name:	Prozent
Beschreibung:	<i>A unit of proportion equal to 0.01.</i>
Code:	P10
Name:	coulomb per metre
Beschreibung:	<i>Derived SI unit coulomb divided by the SI base unit metre.</i>
Code:	P11
Name:	kiloweber
Beschreibung:	<i>1000 fold of the derived SI unit weber.</i>
Code:	P12
Name:	gamma
Beschreibung:	<i>Unit of magnetic flow density.</i>
Code:	P13
Name:	kilotesla
Beschreibung:	<i>1000-fold of the derived SI unit tesla.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	P14
Name:	joule per second
Beschreibung:	<i>Quotient of the derived SI unit joule divided by the SI base unit second.</i>
Code:	P15
Name:	joule per minute
Beschreibung:	<i>Quotient from the derived SI unit joule divided by the unit minute.</i>
Code:	P16
Name:	joule per hour
Beschreibung:	<i>Quotient from the derived SI unit joule divided by the unit hour.</i>
Code:	P17
Name:	joule per day
Beschreibung:	<i>Quotient from the derived SI unit joule divided by the unit day.</i>
Code:	P18
Name:	kilojoule per second
Beschreibung:	<i>Quotient from the 1000-fold of the derived SI unit joule divided by the SI base unit second.</i>
Code:	P19
Name:	kilojoule per minute
Beschreibung:	<i>Quotient from the 1000-fold of the derived SI unit joule divided by the unit minute.</i>
Code:	P20
Name:	kilojoule per hour
Beschreibung:	<i>Quotient from the 1000-fold of the derived SI unit joule divided by the unit hour.</i>
Code:	P21
Name:	kilojoule per day
Beschreibung:	<i>Quotient from the 1000-fold of the derived SI unit joule divided by the unit day.</i>
Code:	P22
Name:	nanoohm
Beschreibung:	<i>0,000 000 001-fold of the derived SI unit ohm.</i>
Code:	P23
Name:	ohm circular-mil per foot
Beschreibung:	<i>Unit of resistivity.</i>
Code:	P24
Name:	kilohenry
Beschreibung:	<i>1000-fold of the derived SI unit henry.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	P25
Name:	lumen per square foot
Beschreibung:	<i>Derived SI unit lumen divided by the power of the unit foot according to the Anglo-American and Imperial system of units by exponent 2.</i>
Code:	P26
Name:	phot
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of luminance, defined as lumen by square centimetre.</i>
Code:	P27
Name:	footcandle
Beschreibung:	<i>Non SI conform traditional unit, defined as density of light which impinges on a surface which has a distance of one foot from a light source, which shines with an intensity of an international candle.</i>
Code:	P28
Name:	candela per square inch
Beschreibung:	<i>SI base unit candela divided by the power of unit inch according to the Anglo-American and Imperial system of units by exponent 2.</i>
Code:	P29
Name:	footlambert
Beschreibung:	<i>Unit of the luminance according to the Anglo-American system of units, defined as emitted or reflected luminance of a lm/ft².</i>
Code:	P30
Name:	lambert
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of luminance, defined as the emitted or reflected luminance by one lumen per square centimetre.</i>
Code:	P31
Name:	stilb
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of luminance, defined as emitted or reflected luminance by one lumen per square centimetre.</i>
Code:	P32
Name:	candela per square foot
Beschreibung:	<i>Base unit SI candela divided by the power of the unit foot according to the Anglo-American and Imperial system of units by exponent 2.</i>
Code:	P33

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	kilocandela
Beschreibung:	<i>1000-fold of the SI base unit candela.</i>
Code:	P34
Name:	millicandela
Beschreibung:	<i>0,001-fold of the SI base unit candela.</i>
Code:	P35
Name:	Hefner-Kerze
Beschreibung:	<i>Obsolete, non-legal unit of the power in Germany relating to DIN 1301-3:1979: 1 HK = 0,903 cd.</i>
Code:	P36
Name:	international candle
Beschreibung:	<i>Obsolete, non-legal unit of the power in Germany relating to DIN 1301-3:1979: 1 HK = 1,019 cd.</i>
Code:	P37
Name:	British thermal unit (international table) per square foot
Beschreibung:	<i>Unit of the areal-related energy transmission according to the Imperial system of units.</i>
Code:	P38
Name:	British thermal unit (thermochemical) per square foot
Beschreibung:	<i>Unit of the areal-related energy transmission according to the Imperial system of units.</i>
Code:	P39
Name:	calorie (thermochemical) per square centimetre
Beschreibung:	<i>Unit of the areal-related energy transmission according to the Imperial system of units.</i>
Code:	P40
Name:	langley
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of the areal-related energy transmission (as a measure of the incident quantity of heat of solar radiation on the earth's surface).</i>
Code:	P41
Name:	decade (logarithmic)
Beschreibung:	<i>1 Dec := $\log_2 10 \sim 3,32$ according to the logarithm for frequency range between f_1 and f_2, when $f_2/f_1 = 10$.</i>
Code:	P42
Name:	pascal squared second
Beschreibung:	<i>Unit of the set as a product of the power of derived SI unit pascal with exponent 2 and the SI base unit second.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	P43
Name:	bel per metre
Beschreibung:	<i>Unit bel divided by the SI base unit metre.</i>
Code:	P44
Name:	pound mole
Beschreibung:	<i>Non SI-conforming unit of quantity of a substance relating that one pound mole of a chemical composition corresponds to the same number of pounds as the molecular weight of one molecule of this composition in atomic mass units.</i>
Code:	P45
Name:	pound mole per second
Beschreibung:	<i>Non SI-conforming unit of the power of the amount of substance non-SI compliant unit of the molar flux relating that a pound mole of a chemical composition the same number of pound corresponds like the molecular weight of a molecule of this composition in atomic mass units.</i>
Code:	P46
Name:	pound mole per minute
Beschreibung:	<i>Non SI-conforming unit of the power of the amount of substance non-SI compliant unit of the molar flux relating that a pound mole of a chemical composition the same number of pound corresponds like the molecular weight of a molecule of this composition in atomic mass units.</i>
Code:	P47
Name:	kilomole per kilogram
Beschreibung:	<i>1000-fold of the SI base unit mol divided by the SI base unit kilogram.</i>
Code:	P48
Name:	pound mole per pound
Beschreibung:	<i>Non SI-conforming unit of the material molar flux divided by the avoirdupois pound for mass according to the avoirdupois unit system.</i>
Code:	P49
Name:	newton square metre per ampere
Beschreibung:	<i>Product of the derived SI unit newton and the power of SI base unit metre with exponent 2 divided by the SI base unit ampere.</i>
Code:	P5
Name:	five pack
Beschreibung:	<i>A unit of count defining the number of five-packs (five-pack: set of five items packaged)</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

	<i>together).</i>
Code:	P50
Name:	weber metre
Beschreibung:	<i>Product of the derived SI unit weber and SI base unit metre.</i>
Code:	P51
Name:	mol per kilogram pascal
Beschreibung:	<i>SI base unit mol divided by the product of the SI base unit kilogram and the derived SI unit pascal.</i>
Code:	P52
Name:	mol per cubic metre pascal
Beschreibung:	<i>SI base unit mol divided by the product of the power from the SI base unit metre with exponent 3 and the derived SI unit pascal.</i>
Code:	P53
Name:	unit pole
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit for magnetic flux of a magnetic pole (according to the interaction of identical poles of 1 dyn at a distance of a cm).</i>
Code:	P54
Name:	milligray per second
Beschreibung:	<i>0,001-fold of the derived SI unit gray divided by the SI base unit second.</i>
Code:	P55
Name:	microgray per second
Beschreibung:	<i>0,000 001-fold of the derived SI unit gray divided by the SI base unit second.</i>
Code:	P56
Name:	nanogray per second
Beschreibung:	<i>0,000 000 001-fold of the derived SI unit gray divided by the SI base unit second.</i>
Code:	P57
Name:	gray per minute
Beschreibung:	<i>SI derived unit gray divided by the unit minute.</i>
Code:	P58
Name:	milligray per minute
Beschreibung:	<i>0,001-fold of the derived SI unit gray divided by the unit minute.</i>
Code:	P59
Name:	microgray per minute
Beschreibung:	<i>0,000 001-fold of the derived SI unit gray divided by the unit minute.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	P60
Name:	nanogray per minute
Beschreibung:	<i>0,000 000 001-fold of the derived SI unit gray divided by the unit minute.</i>
Code:	P61
Name:	gray per hour
Beschreibung:	<i>SI derived unit gray divided by the unit hour.</i>
Code:	P62
Name:	milligray per hour
Beschreibung:	<i>0,001-fold of the derived SI unit gray divided by the unit hour.</i>
Code:	P63
Name:	microgray per hour
Beschreibung:	<i>0,000 001-fold of the derived SI unit gray divided by the unit hour.</i>
Code:	P64
Name:	nanogray per hour
Beschreibung:	<i>0,000 000 001-fold of the derived SI unit gray divided by the unit hour.</i>
Code:	P65
Name:	sievert per second
Beschreibung:	<i>Derived SI unit sievert divided by the SI base unit second.</i>
Code:	P66
Name:	millisievert per second
Beschreibung:	<i>0,001-fold of the derived SI unit sievert divided by the SI base unit second.</i>
Code:	P67
Name:	microsievert per second
Beschreibung:	<i>0,000 001-fold of the derived SI unit sievert divided by the SI base unit second.</i>
Code:	P68
Name:	nanosievert per second
Beschreibung:	<i>0,000 000 001-fold of the derived SI unit sievert divided by the SI base unit second.</i>
Code:	P69
Name:	rem per second
Beschreibung:	<i>Unit for the equivalent tin rate relating to DIN 1301-3:1979: 1 rem/s = 0,01 J/(kg·s) = 1 Sv/s.</i>
Code:	P70
Name:	sievert per hour
Beschreibung:	<i>Derived SI unit sievert divided by the unit hour.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	P71
Name:	millisievert per hour
Beschreibung:	<i>0,001-fold of the derived SI unit sievert divided by the unit hour.</i>
Code:	P72
Name:	microsievert per hour
Beschreibung:	<i>0,000 001-fold of the derived SI unit sievert divided by the unit hour.</i>
Code:	P73
Name:	nanosievert per hour
Beschreibung:	<i>0,000 000 001-fold of the derived SI unit sievert divided by the unit hour.</i>
Code:	P74
Name:	sievert per minute
Beschreibung:	<i>Derived SI unit sievert divided by the unit minute.</i>
Code:	P75
Name:	millisievert per minute
Beschreibung:	<i>0,001-fold of the derived SI unit sievert divided by the unit minute.</i>
Code:	P76
Name:	microsievert per minute
Beschreibung:	<i>0,000 001-fold of the derived SI unit sievert divided by the unit minute.</i>
Code:	P77
Name:	nanosievert per minute
Beschreibung:	<i>0,000 000 001-fold of the derived SI unit sievert divided by the unit minute.</i>
Code:	P78
Name:	reciprocal square inch
Beschreibung:	<i>Complement of the power of the unit inch according to the Anglo-American and Imperial system of units by exponent 2.</i>
Code:	P79
Name:	pascal square metre per kilogram
Beschreibung:	<i>Unit of the burst index as derived unit for pressure pascal related to the substance, represented as a quotient from the SI base unit kilogram divided by the power of the SI base unit metre by exponent 2.</i>
Code:	P80
Name:	millipascal per metre
Beschreibung:	<i>0,001-fold of the derived SI unit pascal divided by the SI base unit metre.</i>
Code:	P81

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	kilopascal per metre
Beschreibung:	<i>1000-fold of the derived SI unit pascal divided by the SI base unit metre.</i>
Code:	P82
Name:	hectopascal per metre
Beschreibung:	<i>100-fold of the derived SI unit pascal divided by the SI base unit metre.</i>
Code:	P83
Name:	standard atmosphere per metre
Beschreibung:	<i>Outdated unit of the pressure divided by the SI base unit metre.</i>
Code:	P84
Name:	technical atmosphere per metre
Beschreibung:	<i>Obsolete and non-legal unit of the pressure which is generated by a 10 metre water column divided by the SI base unit metre.</i>
Code:	P85
Name:	torr per metre
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of the pressure divided by the SI base unit metre.</i>
Code:	P86
Name:	psi per inch
Beschreibung:	<i>Compound unit for pressure (pound-force according to the Anglo-American unit system divided by the power of the unit inch according to the Anglo-American and Imperial system of units with the exponent 2) divided by the unit inch according to the Anglo-American and Imperial system of units .</i>
Code:	P87
Name:	cubic metre per second square metre
Beschreibung:	<i>Unit of volume flow cubic meters by second related to the transmission surface in square metres.</i>
Code:	P88
Name:	rhe
Beschreibung:	<i>Non SI-conforming unit of fluidity of dynamic viscosity.</i>
Code:	P89
Name:	pound-force foot per inch
Beschreibung:	<i>Unit for length-related rotational moment according to the Anglo-American and Imperial system of units.</i>
Code:	P90

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	pound-force inch per inch
Beschreibung:	<i>Unit for length-related rotational moment according to the Anglo-American and Imperial system of units.</i>
Code:	P91
Name:	perm (0 °C)
Beschreibung:	<i>Traditional unit for the ability of a material to allow the transition of the steam, defined at a temperature of 0 °C as steam transmittance, where the mass of one grain steam penetrates an area of one foot squared at a pressure from one inch mercury per hour.</i>
Code:	P92
Name:	perm (23 °C)
Beschreibung:	<i>Traditional unit for the ability of a material to allow the transition of the steam, defined at a temperature of 23 °C as steam transmittance at which the mass of one grain of steam penetrates an area of one square foot at a pressure of one inch mercury per hour.</i>
Code:	P93
Name:	byte per second
Beschreibung:	<i>Unit byte divided by the SI base unit second.</i>
Code:	P94
Name:	kilobyte per second
Beschreibung:	<i>1000-fold of the unit byte divided by the SI base unit second.</i>
Code:	P95
Name:	megabyte per second
Beschreibung:	<i>1 000 000-fold of the unit byte divided by the SI base unit second.</i>
Code:	P96
Name:	reciprocal volt
Beschreibung:	<i>Reciprocal of the derived SI unit volt.</i>
Code:	P97
Name:	reciprocal radian
Beschreibung:	<i>Reciprocal of the unit radian.</i>
Code:	P98
Name:	pascal to the power sum of stoichiometric numbers
Beschreibung:	<i>Unit of the equilibrium constant on the basis of the pressure(ISO 80000-9:2009, 9-35.a).</i>
Code:	P99
Name:	mole per cubiv metre to the power sum of stoichiometric numbers
Beschreibung:	<i>Unit of the equilibrium constant on the basis of the concentration (ISO 80000-9:2009,</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

	9-36.a).
Code:	PD
Name:	pad
Beschreibung:	<i>A unit of count defining the number of pads (pad: block of paper sheets fastened together at one end).</i>
Code:	PFL
Name:	proof litre
Beschreibung:	<i>A unit of volume equal to one litre of proof spirits, or the alcohol equivalent thereof. Used for measuring the strength of distilled alcoholic liquors, expressed as a percentage of the alcohol content of a standard mixture at a specific temperature.</i>
Code:	PGL
Name:	proof gallon
Beschreibung:	<i>A unit of volume equal to one gallon of proof spirits, or the alcohol equivalent thereof. Used for measuring the strength of distilled alcoholic liquors, expressed as a percentage of the alcohol content of a standard mixture at a specific temperature.</i>
Code:	PI
Name:	pitch
Beschreibung:	<i>A unit of count defining the number of characters that fit in a horizontal inch.</i>
Code:	PLA
Name:	degree Plato
Beschreibung:	<i>A unit of proportion defining the sugar content of a product, especially in relation to beer.</i>
Code:	PQ
Name:	page per inch
Beschreibung:	<i>A unit of quantity defining the degree of thickness of a bound publication, expressed as the number of pages per inch of thickness.</i>
Code:	PR
Name:	Paar
Beschreibung:	<i>A unit of count defining the number of pairs (pair: item described by two's).</i>
Code:	PT
Name:	pint (US)
Beschreibung:	<i>Use liquid pint (common code PTL)</i>
Code:	PTN
Name:	Portion
Beschreibung:	<i>A quantity of allowance of food allotted to, or enough for, one person.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	Q10
Name:	joule per tesla
Beschreibung:	<i>Unit of the magnetic dipole moment of the molecule as derived SI unit joule divided by the derived SI unit tesla.</i>
Code:	Q11
Name:	erlang
Beschreibung:	<i>Unit of the market value according to the feature of a single feature as a statistical measurement of the existing utilization.</i>
Code:	Q12
Name:	octet
Beschreibung:	<i>Synonym for byte: 1 octet = 8 bit = 1 byte.</i>
Code:	Q13
Name:	octet per second
Beschreibung:	<i>Unit octet divided by the SI base unit second.</i>
Code:	Q14
Name:	shannon
Beschreibung:	<i>Logarithmic unit for information equal to the content of decision of a sentence of two mutually exclusive events, expressed as a logarithm to base 2.</i>
Code:	Q15
Name:	hartley
Beschreibung:	<i>Logarithmic unit for information equal to the content of decision of a sentence of ten mutually exclusive events, expressed as a logarithm to base 10.</i>
Code:	Q16
Name:	natural unit of information
Beschreibung:	<i>Logarithmic unit for information equal to the content of decision of a sentence of ,718 281 828 459 mutually exclusive events, expressed as a logarithm to base Euler value e.</i>
Code:	Q17
Name:	shannon per second
Beschreibung:	<i>Time related logarithmic unit for information equal to the content of decision of a sentence of two mutually exclusive events, expressed as a logarithm to base 2.</i>
Code:	Q18
Name:	hartley per second
Beschreibung:	<i>Time related logarithmic unit for information equal to the content of decision of a sentence of ten mutually exclusive events, expressed as a logarithm to base 10.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	Q19
Name:	natural unit of information per second
Beschreibung:	<i>Time related logarithmic unit for information equal to the content of decision of a sentence of 2,718 281 828 459 mutually exclusive events, expressed as a logarithm to base of the Euler value e.</i>
Code:	Q20
Name:	second per kilogramm
Beschreibung:	<i>Unit of the Einstein transition probability for spontaneous or inducing emissions and absorption according to ISO 80000-7:2008, expressed as SI base unit second divided by the SI base unit kilogram.</i>
Code:	Q21
Name:	watt square metre
Beschreibung:	<i>Unit of the first radiation constants $c_1 = 2 \cdot p \cdot h \cdot c_0$ to the power of 2, the value of which is 3,741 771 18 · 10¹⁶-fold that of the comparative value of the product of the derived SI unit watt multiplied with the power of the SI base unit metre with the exponent 2.</i>
Code:	Q22
Name:	second per radian cubic metre
Beschreibung:	<i>Unit of the density of states as an expression of angular frequency as complement of the product of hertz and radiant and the power of SI base unit metre by exponent 3 .</i>
Code:	Q23
Name:	weber to the power minus one
Beschreibung:	<i>Complement of the derived SI unit weber as unit of the Josephson constant, which value is equal to the 384 597,891-fold of the reference value gigahertz divided by volt.</i>
Code:	Q24
Name:	reciprocal inch
Beschreibung:	<i>Complement of the unit inch according to the Anglo-American and Imperial system of units.</i>
Code:	Q25
Name:	dioptre
Beschreibung:	<i>Unit used at the statement of relative refractive indexes of optical systems as complement of the focal length with correspondence to: 1 dpt = 1/m.</i>
Code:	Q26
Name:	one per one
Beschreibung:	<i>Value of the quotient from two physical units of the same kind as a numerator and</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

	<i>denominator whereas the units are shortened mutually.</i>
Code:	Q27
Name:	newton metre per metre
Beschreibung:	<i>Unit for length-related rotational moment as product of the derived SI unit newton and the SI base unit metre divided by the SI base unit metre.</i>
Code:	Q28
Name:	kilogram per square metre pascal second
Beschreibung:	<i>Unit for the ability of a material to allow the transition of steam.</i>
Code:	Q29
Name:	microgram per hectogram
Beschreibung:	<i>Microgram per hectogram.</i>
Code:	Q3
Name:	meal
Beschreibung:	<i>A unit of count defining the number of meals (meal: an amount of food to be eaten on a single occasion).</i>
Code:	Q30
Name:	pH (potential of Hydrogen)
Beschreibung:	<i>The activity of the (solvated) hydrogen ion (a logarithmic measure used to state the acidity or alkalinity of a chemical solution).</i>
Code:	Q35
Name:	megawatts per minute
Beschreibung:	<i>A unit of power defining the total amount of bulk energy transferred or consumer per minute.</i>
Code:	Q36
Name:	square metre per cubic metre
Beschreibung:	<i>A unit of the amount of surface area per unit volume of an object or collection of objects.</i>
Code:	Q37
Name:	Standard cubic metre per day
Beschreibung:	<i>Standard cubic metre (temperature 15°C and pressure 101325 millibars) per day</i>
Code:	Q38
Name:	Standard cubic metre per hour
Beschreibung:	<i>Standard cubic metre (temperature 15°C and pressure 101325 millibars) per hour</i>
Code:	Q39
Name:	Normalized cubic metre per day

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>Normalized cubic metre (temperature 0°C and pressure 101325 millibars) per day</i>
Code:	Q40
Name:	Normalized cubic metre per hour
Beschreibung:	<i>Normalized cubic metre (temperature 0°C and pressure 101325 millibars) per hour</i>
Code:	Q41
Name:	Joule per normalised cubic metre
Beschreibung:	<i>Joule per normalised cubic metre (temperature 0°C and pressure 101325 millibars).</i>
Code:	Q42
Name:	Joule per standard cubic metre
Beschreibung:	<i>Joule per standard cubic metre (temperature 15°C and pressure 101325 millibars).</i>
Code:	QA
Name:	page - facsimile
Beschreibung:	<i>A unit of count defining the number of facsimile pages.</i>
Code:	QAN
Name:	Viertel (jahr)
Beschreibung:	<i>A unit of time defining the number of quarters (3 months).</i>
Code:	QB
Name:	page - hardcopy
Beschreibung:	<i>A unit of count defining the number of hardcopy pages (hardcopy page: a page rendered as printed or written output on paper, film, or other permanent medium).</i>
Code:	QR
Name:	quire
Beschreibung:	<i>A unit of count for paper, expressed as the number of quires (quire: a number of paper sheets, typically 25).</i>
Code:	QT
Name:	quart (US)
Beschreibung:	<i>Use liquid quart (common code QTL)</i>
Code:	QTR
Name:	quarter (UK)
Beschreibung:	<i>A traditional unit of weight equal to 1/4 hundredweight. In the United Kingdom, one quarter equals 28 pounds.</i>
Code:	R1
Name:	pica
Beschreibung:	<i>A unit of count defining the number of picas. (pica: typographical length equal to 12</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

	<i>points or 4.22 mm (approx.)).</i>
Code:	R9
Name:	thousand cubic metre
Beschreibung:	<i>A unit of volume equal to one thousand cubic metres.</i>
Code:	RH
Name:	running or operating hour
Beschreibung:	<i>A unit of time defining the number of hours of operation.</i>
Code:	RM
Name:	ream
Beschreibung:	<i>A unit of count for paper, expressed as the number of reams (ream: a large quantity of paper sheets, typically 500).</i>
Code:	ROM
Name:	room
Beschreibung:	<i>A unit of count defining the number of rooms.</i>
Code:	RP
Name:	pound per ream
Beschreibung:	<i>A unit of mass for paper, expressed as pounds per ream. (ream: a large quantity of paper, typically 500 sheets).</i>
Code:	RPM
Name:	Umdrehung pro Minute
Beschreibung:	<i>Refer ISO/TC12 SI Guide</i>
Code:	RPS
Name:	revolutions per second
Beschreibung:	<i>Refer ISO/TC12 SI Guide</i>
Code:	RT
Name:	revenue ton mile
Beschreibung:	<i>A unit of information typically used for billing purposes, expressed as the number of revenue tons (revenue ton: either a metric ton or a cubic metres, whichever is the larger), moved over a distance of one mile.</i>
Code:	S3
Name:	square foot per second
Beschreibung:	<i>Synonym: foot squared per second</i>
Code:	S4
Name:	square metre per second

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>Synonym: metre squared per second (square metres/second US)</i>
Code:	SAN
Name:	half year (6 months)
Beschreibung:	<i>'A unit of time defining the number of half years (6 months).</i>
Code:	SCO
Name:	score
Beschreibung:	<i>A unit of count defining the number of units in multiples of 20.</i>
Code:	SET
Name:	set
Beschreibung:	<i>A unit of count defining the number of sets (set: a number of objects grouped together).</i>
Code:	SG
Name:	segment
Beschreibung:	<i>A unit of information equal to 64000 bytes.</i>
Code:	SHT
Name:	shipping ton
Beschreibung:	<i>A unit of mass defining the number of tons for shipping.</i>
Code:	SM3
Name:	Standard cubic metre
Beschreibung:	<i>Standard cubic metre (temperature 15°C and pressure 101325 millibars)</i>
Code:	SQ
Name:	square
Beschreibung:	<i>A unit of count defining the number of squares (square: rectangular shape).</i>
Code:	SQR
Name:	square, roofing
Beschreibung:	<i>A unit of count defining the number of squares of roofing materials, measured in multiples of 100 square feet.</i>
Code:	SR
Name:	strip
Beschreibung:	<i>A unit of count defining the number of strips (strip: long narrow piece of an object).</i>
Code:	STC
Name:	stick
Beschreibung:	<i>A unit of count defining the number of sticks (stick: slender and often cylindrical piece of a substance).</i>
Code:	STK

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	stick, cigarette
Beschreibung:	<i>A unit of count defining the number of cigarettes in the smallest unit for stock-taking and/or duty computation.</i>
Code:	STL
Name:	standard litre
Beschreibung:	<i>A unit of volume defining the number of litres of a product at a temperature of 15 degrees Celsius, especially in relation to hydrocarbon oils.</i>
Code:	STN
Name:	ton (US) or short ton (UK/US)
Beschreibung:	<i>Synonym: net ton (2000 lb)</i>
Code:	STW
Name:	straw
Beschreibung:	<i>A unit of count defining the number of straws (straw: a slender tube used for sucking up liquids).</i>
Code:	SW
Name:	skein
Beschreibung:	<i>A unit of count defining the number of skeins (skein: a loosely-coiled bundle of yarn or thread).</i>
Code:	SX
Name:	shipment
Beschreibung:	<i>A unit of count defining the number of shipments (shipment: an amount of goods shipped or transported).</i>
Code:	SYR
Name:	syringe
Beschreibung:	<i>A unit of count defining the number of syringes (syringe: a small device for pumping, spraying and/or injecting liquids through a small aperture).</i>
Code:	T0
Name:	telecommunication line in service
Beschreibung:	<i>A unit of count defining the number of lines in service.</i>
Code:	T3
Name:	thousand piece
Beschreibung:	<i>A unit of count defining the number of pieces in multiples of 1000 (piece: a single item, article or exemplar).</i>
Code:	TAN

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	total acid number
Beschreibung:	<i>A unit of chemistry defining the amount of potassium hydroxide (KOH) in milligrams that is needed to neutralize the acids in one gram of oil. It is an important quality measurement of crude oil.</i>
Code:	TIC
Name:	metric ton, including container
Beschreibung:	<i>A unit of mass defining the number of metric tons of a product, including its container.</i>
Code:	TIP
Name:	metric ton, including inner packaging
Beschreibung:	<i>A unit of mass defining the number of metric tons of a product, including its inner packaging materials.</i>
Code:	TKM
Name:	tonne kilometre
Beschreibung:	<i>A unit of information typically used for billing purposes, expressed as the number of tonnes (metric tons) moved over a distance of one kilometre.</i>
Code:	TMS
Name:	kilogram of imported meat, less offal
Beschreibung:	<i>A unit of mass equal to one thousand grams of imported meat, disregarding less valuable by-products such as the entrails.</i>
Code:	TNE
Name:	Tonne (metrische Tonne)
Beschreibung:	<i>Synonym: metric ton</i>
Code:	TP
Name:	ten pack
Beschreibung:	<i>A unit of count defining the number of items in multiples of 10.</i>
Code:	TPI
Name:	teeth per inch
Beschreibung:	<i>The number of teeth per inch.</i>
Code:	TPR
Name:	ten pair
Beschreibung:	<i>A unit of count defining the number of pairs in multiples of 10 (pair: item described by two's).</i>
Code:	TQD
Name:	thousand cubic metre per day

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of volume equal to one thousand cubic metres per day.</i>
Code:	TST
Name:	ten set
Beschreibung:	<i>A unit of count defining the number of sets in multiples of 10 (set: a number of objects grouped together).</i>
Code:	TTS
Name:	ten thousand sticks
Beschreibung:	<i>A unit of count defining the number of sticks in multiples of 10000 (stick: slender and often cylindrical piece of a substance).</i>
Code:	U1
Name:	treatment
Beschreibung:	<i>A unit of count defining the number of treatments (treatment: subjection to the action of a chemical, physical or biological agent).</i>
Code:	U2
Name:	Tablette
Beschreibung:	<i>A unit of count defining the number of tablets (tablet: a small flat or compressed solid object).</i>
Code:	UB
Name:	telecommunication line in service average
Beschreibung:	<i>A unit of count defining the average number of lines in service.</i>
Code:	UC
Name:	telecommunication port
Beschreibung:	<i>A unit of count defining the number of network access ports.</i>
Code:	UIG
Name:	international unit per gram
Beschreibung:	<i>A unit of count defining the number of international units per gram.</i>
Code:	VP
Name:	percent volume
Beschreibung:	<i>A measure of concentration, typically expressed as the percentage volume of a solute in a solution.</i>
Code:	W2
Name:	wet kilo
Beschreibung:	<i>A unit of mass defining the number of kilograms of a product, including the water content of the product.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	WB
Name:	wet pound
Beschreibung:	<i>A unit of mass defining the number of pounds of a material, including the water content of the material.</i>
Code:	WCD
Name:	cord
Beschreibung:	<i>A unit of volume used for measuring lumber. One board foot equals 1/12 of a cubic foot.</i>
Code:	WE
Name:	wet ton
Beschreibung:	<i>A unit of mass defining the number of tons of a material, including the water content of the material.</i>
Code:	WG
Name:	wine gallon
Beschreibung:	<i>A unit of volume equal to 231 cubic inches.</i>
Code:	WM
Name:	working month
Beschreibung:	<i>A unit of time defining the number of working months.</i>
Code:	WSD
Name:	standard
Beschreibung:	<i>A unit of volume of finished lumber equal to 165 cubic feet. Synonym: standard cubic foot</i>
Code:	WW
Name:	millilitre of water
Beschreibung:	<i>A unit of volume equal to the number of millilitres of water.</i>
Code:	X1
Name:	Gunter's chain
Beschreibung:	<i>A unit of distance used or formerly used by British surveyors.</i>
Code:	Z11
Name:	hanging container
Beschreibung:	<i>A unit of count defining the number of hanging containers.</i>
Code:	ZP
Name:	Seite
Beschreibung:	<i>A unit of count defining the number of pages.</i>
Code:	ZZ

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	Used Codes
tradeItemWaste	<p>Name: mutually defined</p> <p>Beschreibung: <i>A unit of measure as agreed in common between two or more parties.</i></p> <p>Wiederholung: 0 .. unbounded</p> <p>Schema-Status: O</p> <p>Typ: ecom_common:WasteDetailsType</p> <p>Fachbegriff: Registrierungsnummer gem. ElektroG</p> <p>Status: O</p> <p>Beispiel: WEEE DE 13345678</p> <p>Bemerkung: In diesem Element kann die Registrierungsnummer folgen, die einen Hersteller gem. Elektro- und Elektronikgerätegesetz identifiziert.</p> <p>Definition: Stellt die Identifizierung und Art der Abfälle nach dem erforderlichen Klassifizierungssystem zur Verfügung.</p> <p>EANCOM®: INVOIC.SG30[D_1153="XA"].1154</p>
xs:sequence	<p>Wiederholung: 1 .. 1</p> <p>Schema-Status: M</p>
wasteIdentification	<p>Wiederholung: 0 .. 1</p> <p>Schema-Status: O</p> <p>Typ: shared_common:GTINType</p> <p>Definition: Das GS1 Ident dient zur eindeutigen Identifikation von Artikeln. Es besteht aus der Basisnummer, einer fortlaufenden Artikelnummer und einer Prüfziffer.</p> <p>Fachbegriff: Abfallart-ID (GTIN)</p> <p>Status: O</p> <p>Beispiel: 04098765000119</p> <p>EANCOM®: INVOIC.SG26.PIA[D_7143="EWC"].7140</p>
typeOfWaste	<p>Wiederholung: 0 .. unbounded</p> <p>Schema-Status: O</p> <p>Typ: shared_common:CodeType</p> <p>Definition: Code und Beschreibung der Abfallart nach dem erforderlichen Klassifizierungsschema.</p> <p>Fachbegriff: Abfallart</p> <p>Status: O</p> <p>Bemerkung: Es wird die Codeliste der EU-Kommission (für Abfall Kommission 11) verwendet, z.B. 91201 = Verpackungsmaterial u. Kartonagen.</p>
transactionalItemOrganicInformation	<p>Wiederholung: 0 .. 1</p> <p>Schema-Status: O</p>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	Typ:	ecom_common:TransactionalItemOrganicInformationType
	Fachbegriff:	Organische Transaktions Artikel Informationen
	Status:	O
	Definition:	Bietet Informationen darüber, ob der Artikel organisch ist oder nicht, mit optionalen organischen Zertifizierungsinformationen.
<i>xs:sequence</i>	Wiederholung:	1 .. 1
	Schema-Status:	M
isTradeItemOrganic	Wiederholung:	1 .. 1
	Schema-Status:	M
	Typ:	xs:boolean
	Fachbegriff:	Trade Item Organic
	Status:	R
	Beispiel:	TRUE
	Definition:	Information, ob der Handelsartikel organisch ist oder nicht.
organicCertification	Wiederholung:	0 .. 1
	Schema-Status:	O
	Typ:	ecom_common:TransactionalItemCertificationType
	Definition:	Informationen über Zertifizierungsstandards, auf die sich den Transaktionsartikel stützt.
	Fachbegriff:	Transaktionsartikel Zertifizierungstyp
	Status:	O
<i>xs:sequence</i>	Wiederholung:	1 .. 1
	Schema-Status:	M
ItemCertificationAgency	Wiederholung:	0 .. 1
	Schema-Status:	O
	Typ:	restriction (xs:string)
	Definition:	Name der Organisation, die den Zertifizierungsstandard oder eine andere Anforderung erteilt hat.
	Fachbegriff:	ECO controlling agency
	Status:	R
	Beispiel:	AT-N-01-BIO
	Bemerkung:	Artikel Zertifizierungsstelle. Erfüllung der Forderungen aus EC 834/2007.
	EANCOM®:	INVOIC.SG30[D_1153="XC1"].1154
colour	Wiederholung:	0 .. unbounded
	Schema-Status:	O
	Typ:	shared_common:ColourType

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	<p>Definition: Angabe einer Farbe als Text oder in codierter Form. Fachbegriff: Farbe Status: O</p>
xs:sequence	<p>Wiederholung: 1 .. 1 Schema-Status: M</p>
colourCode	<p>Wiederholung: 0 .. 1 Schema-Status: O Typ: shared_common:ColourCodeType Definition: Angabe des Farbcodes eines Objektes aus der zugeordneten Codeliste. Jede Branche sollte für sich die zu verwendende Codeliste definieren. Fachbegriff: Farbcode Status: D EANCOM®: INVOIC.SG26[D_7077_"B" AND C_C272.7081 IN ["35"]].IMD.C273.7009</p>
colourCodeListCode	<p>Schema-Status: M Type: restriction (xs:string) GDD URN: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ColourCodeListCode Definition: Typ, der die Art der Farbcodeliste beschreibt. Erlaubte Codes können der GS1 Codeliste ColourCodeListCode entnommen werden. Fachbegriff: Art der Farbcodeliste (Code) Status: R Beispiel: 1 EANCOM®: INVOIC.SG26[D_7077_"B" AND C_C272.7081 IN ["35"]].IMD.C273.3055</p> <p>Used Codes</p> <p>Code: 1 Name: National Retail Federation Beschreibung: <i>Standardfarben- u. Größen-Codes Dieses Handbuch enthält Richtlinien für den Einsatz in Handelswaren und Anbietern für Merchandising- und Kommunikationssysteme.</i></p> <p>Code: 2 Name: PANTONE MATCHING SYSTEM Beschreibung: <i>Die internationale Referenz für das Auswählen, Spezifizieren, Anpassen und Steuern von Farben. Der PANTONE-Formelführer, ein Dreiset-Guide bestehend aus 1.114 festen PANTONE-Farben auf gestrichenem, unbeschichtetem und mattem Material, zeigt für jede Farbe entsprechende Druckfarbenformeln und der 3-bündige Satz von festen Chips bietet</i></p>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

	<i>beschichtete, unbeschichtete und matte perforierte Risse Chips, die für die Qualitätskontrolle verwendet werden können. Pantone® Inc</i>
Code:	3
Name:	PANTONE Process Colour System®
Beschreibung:	<i>Stellt eine umfassende Palette von mehr als 3.000 Farben zur Verfügung, die im Vierfarben- (CMYK) -Verfahren druckbar sind. Die PANTONE-Solid-to-Prozessführung vergleicht eine feste PANTONE-Farbe mit dem CMYK-Vierfarbenprozess, der auf einem Computermonitor, einem Ausgabegerät oder einer Druckmaschine erreicht werden kann. Andere PANTONE Color Reference Guides für die grafische Kunst umfassen Metallic, Pastelle, Tönungen, Duotone, Folie und Folie. Das PANTONE Hexachrome® Farbsystem. Pantone® Inc</i>
Code:	4
Name:	The PANTONE Hexachrome® Color System
Beschreibung:	<i>Ein Sechsfarben-Ultra-Qualität-Druckprozess, reproduziert einen dynamischen Bereich von brillanter Dauer-Ton-Bildern und simuliert heller, lebendigere Farben als Standard-Vier-Farben-Druck. Pantone® Inc</i>
Code:	5
Name:	PANTONE TEXTILE Colour System®
Beschreibung:	<i>Ein wichtiges Werkzeug für Designer im Bekleidungssektor, für Heimtextilien und der Innenarchitektur für die Auswahl und Spezifizierung der Farbe bei der Herstellung von Textilien und Mode verwendet. Das System - bestehend aus 1.932 Farben im Baumwoll- oder Papierformat - eignet sich ideal für die Zusammenstellung von kreativen Paletten und konzeptionellen Farbschemata sowie für die Farbkommunikation und -kontrolle im Fertigungsprozess. Im Januar 2001 umfasste Pantone Inc. die NRF-Farbcodes in das Farbsystem PANTONE TEXTILE</i>
Code:	6
Name:	Vom Käufer zugewiesen
Beschreibung:	<i>Vom Käufer zugewiesen</i>
Code:	7
Name:	Vom Verkäufer zugewiesen
Beschreibung:	<i>Vom Verkäufer zugewiesen</i>
Code:	8
Name:	WWS Colour Codes
Beschreibung:	<i>Ein Farbsystem, das in Deutschland für die Standardisierung von Farben im Bereich</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	Used Codes
	<i>Mode/Bekleidung verwendet wird.</i>
	Code: 9
	Name: RAL
	Beschreibung: <i>Das RAL-Farbsystem ist ein internationaler Farbstandard für professionelle Farbnutzer in Industrie, Gewerbe und Design seit 1927. RAL ist ein unabhängiger und neutraler Partner für Industrie und Handel. http://www.ral.de</i>
	Code: 10
	Name: NCS
	Beschreibung: <i>NCS: Natural Color System (natürliches Farbsystem) ist ein nationaler Farbstandard in Schweden, Norwegen, Spanien und Südafrika, ist international weit verbreitet. http://www.ncscolour.com</i>
	Code: 11
	Name: IFPS
	Beschreibung: <i>IFPS: The International Federation for Produce Standards. Die IFPS besteht aus nationalen Verbänden für Frischeerzeugnisse auf der ganzen Welt. Das langfristige Ziel der Assoziation besteht darin, die Effizienz der Supplychain in der Branche der Frischeindustrie durch die Entwicklung, Implementierung und Verwaltung von vereinheitlichten internationalen Standards zu erreichen. http://www.ifpsglobal.com/ProductIdentification.aspx</i>
ColourDescription	Wiederholung: 0 .. unbounded
	Schema-Status: O
	Type: shared_common:Description80Type
	Definition: Angabe einer Farbe eines Objektes als Freitext.
	Fachbegriff: Farbe (Freitext)
	Status: R
	Beispiel: Rot
	EANCOM®: INVOIC.SG26[[D_7077_"B" AND C_C272.7081 IN ["35"]].IMD.C273.7008
languageCode	Schema-Status: M
	Type: restriction (xs:string)
	Fachbegriff: Sprachcode
	Status: R
	Beispiel: en
	Bemerkung: Siehe ISO-Sprachcode unter www.iso.org
	Definition: Code, der die Sprache in der Beschreibung definiert.

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

size	EANCOM®:	INVOIC.SG26[[D_7077_"B" AND C_C272.7081 IN ["35"]].IMD.C273.3453
	Wiederholung:	0 .. unbounded
xs:sequence	Schema-Status:	O
	Typ:	shared_common:SizeType
descriptiveSize	Definition:	Angabe der physikalischen Dimensionen oder Proportionen eines Objektes über einen Code oder eine Beschreibung.
	Fachbegriff:	Größe
languageCode	Status:	O
	Wiederholung:	1 .. 1
SizeCode	Schema-Status:	M
	Wiederholung:	0 .. 1
sizeCode	Schema-Status:	O
	Typ:	shared_common:Description80Type
languageCode	Definition:	Bezeichnung einer Größe in Textform.
	Fachbegriff:	Größenbezeichnung
sizeCode	Status:	R
	Beispiel:	MEDIUM
sizeCode	EANCOM®:	INVOIC.SG26[[D_7077_"B" AND C_C272.7081 IN ["SGR", "98"]].IMD.C273.7008
	Schema-Status:	M
sizeCode	Type:	restriction (xs:string)
	Fachbegriff:	Sprachcode
sizeCode	Status:	R
	Beispiel:	en
sizeCode	Bemerkung:	Siehe ISO-Sprachcode unter www.iso.org
	Definition:	Code, der die Sprache in der Beschreibung definiert.
sizeCode	EANCOM®:	INVOIC.SG26[[D_7077_"B" AND C_C272.7081 IN ["SGR", "98"]].IMD.C273.3453
	Wiederholung:	0 .. 1
sizeCode	Schema-Status:	O
	Typ:	shared_common:SizeCodeType
sizeCode	Definition:	Codierte Größenangabe eines Objektes. Zusätzlich kann die zugrundeliegende Codeliste angegeben werden.
	Fachbegriff:	Größenangabe (Code)
sizeCode	Status:	D
	Beispiel:	42
sizeCode	EANCOM®:	INVOIC.SG26[D_7077_"B" AND C_C272.7081 IN ["SGR", "98"]].IMD.C273.7009

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

↳ sizeCodeListCode

Schema-Status:	M
Type:	restriction (xs:string)
GDD URN:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:SizeCodeListCode
Definition:	Codierte Angabe der zugrundeliegenden Größencodierliste. Erlaubte Werte können der GS1 Codierliste SizeCodeListCode entnommen werden.
Fachbegriff:	Größencodierliste (Code)
Status:	R
Beispiel:	NRF
EANCOM®:	INVOIC.SG26[D_7077_"B" AND C_C272.7081 IN ["SGR", "98"]].IMD.C273.3055
Used Codes	
Code:	1
Name:	Nationaler Einzelhandelsverband
Beschreibung:	<i>National Retail Federation - Standard-Farb- und Größencodes Dieses Handbuch enthält Richtlinien für die Verwendung in Merchandising- und Kommunikationssystemen von Einzelhändlern und Händlern.</i>
Code:	2
Name:	Vom Käufer zugewiesen
Beschreibung:	<i>Vom Käufer zugewiesen</i>
Code:	3
Name:	Vom Verkäufer zugewiesen
Beschreibung:	<i>Vom Verkäufer zugewiesen</i>
Code:	4
Name:	EU Windel / Windel Größe
Beschreibung:	<i>EU Windel / Windel Größe</i>
Code:	5
Name:	Nordamerikanische Windelgröße
Beschreibung:	<i>Liefert die vom Hersteller angegebene Windelgröße für den nordamerikanischen Markt</i>
Code:	6
Name:	AFNOR
Beschreibung:	<i>Größencode der Association Française de NORMALisation (AFNOR)</i>
Code:	7
Name:	DIN
Beschreibung:	<i>Größencode des Deutschen Instituts für Normung (DIN)</i>
Code:	8

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Used Codes	
	Name: UNI
	Beschreibung: <i>Größencode der nationalen italienischen Vereinheitlichungsbehörde (UNI)</i>
	Code: 9
	Name: BSI
	Beschreibung: <i>Größencode der British Standards Institution (BSI)</i>
	Code: 10
	Name: ISO
	Beschreibung: <i>Größencode der Internationalen Organisation für Normung (ISO)</i>
	Code: 11
	Name: CEN
	Beschreibung: <i>Size code of the European Committee for Standardisation (Comité Européen de Normalisation (CEN))</i>
tradeItemClassification	Wiederholung: 0 .. 1
	Schema-Status: O
	Typ: shared_common:TradeItemClassificationType
	Definition: Spezifikation einer Artikelkategorisierung inklusive der zugrundeliegenden Klassifikation.
	Fachbegriff: Artikelklassifikation
	Status: O
xs:sequence	Wiederholung: 1 .. 1
	Schema-Status: M
gpcCategoryCode	Wiederholung: 1 .. 1
	Schema-Status: M
	Typ: restriction (xs:string)
	Definition: Brick-Code der Produktklassifikation gemäß dem GS1 Global Product Classification (GPC) Standard.
	Fachbegriff: Brick
	Status: R
	Beispiel: 10000276
	EANCOM®: DESADV.SG17.PIA[D_7143="BRI"].7140
AdditionalTradeItemClassificationCode	Wiederholung: 0 .. unbounded
	Schema-Status: O
	Typ: shared_common:AdditionalTradeItemClassificationCodeType
	Definition: Code, über den eine zusätzliche Warenklassifikation zur GPC angegeben werden kann. Neben dem Wert wird in den Attributen auch die verwendete Klassifikation spezifiziert.

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

additionalTradeItemClassificationCodeListCode

Fachbegriff:	Zusätzliche Warenklassifikation (Code)
Status:	O
Beispiel:	CCG STWK
Schema-Status:	M
Type:	restriction (xs:string)
GDD URN:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalTradeItemClassificationCodeListCode
Definition:	Code, der die Art der zusätzlichen Warenklassifikation beschreibt. Erlaubte Werte können der Codeliste AdditionalTradeItemClassificationCodeListCode entnommen werden.
Fachbegriff:	Art der zusätzlichen Warenklassifikation (Code)
Status:	R
Beispiel:	1
Used Codes	
Code:	1
Name:	GXS Product Data Quality
Beschreibung:	<i>GXS Product Data Quality (Formerly UDEX LTD).</i>
Code:	2
Name:	IRI
Beschreibung:	<i>IRI</i>
Code:	3
Name:	AC Nielsen
Beschreibung:	<i>AC Nielsen</i>
Code:	4
Name:	ECCC Interim Klassencodes
Beschreibung:	<i>ECCC Interim Klassencodes</i>
Code:	5
Name:	UNSPSC
Beschreibung:	<i>United Nations Standard Products and Services Code</i>
Code:	6
Name:	ECCMA
Beschreibung:	<i>ECCMA - e-Commerce Code Management Association</i>
Code:	7
Name:	EAN Norges Multibransje Varegruppestandard
Beschreibung:	<i>EAN Norges Multibransje Varegruppestandard - ENVA-Code dient zur Klassifizierung und Kategorisierung von Waren, Er dient als Alternative zu den GPC-Codes auf dem</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

	<i>norwegischen Markt</i>
Code:	8
Name:	Vom Lieferant zugewiesen
Beschreibung:	<i>Ein Klassifikationssystem des Herstellers</i>
Code:	9
Name:	AMECE
Beschreibung:	<i>AMECE - Klassifikationssystem der GS1 Mexiko</i>
Code:	10
Name:	Von GS1 Germany vergeben
Beschreibung:	<i>In Deutschland verwendetes Klassifikationssystem. Wird durch die GPC ersetzt.</i>
Code:	11
Name:	EANFIN
Beschreibung:	<i>Klassifikationssystem in Finnland.</i>
Code:	13
Name:	IPLS5
Beschreibung:	<i>Klassifikationssystem in Frankreich.</i>
Code:	14
Name:	CBL
Beschreibung:	<i>Klassifikationssystem in den Niederlanden.</i>
Code:	15
Name:	JICFS
Beschreibung:	<i>Klassifikationssystem in Japan.</i>
Code:	16
Name:	European Union
Beschreibung:	<i>Produktklassifikation bei bestimmten EU-Subventionen Milchprodukte mit spezifischen Fettgehalt).</i> <i>1 Kategorie I - Vollmilch (> 3,5% Fett)</i> <i>2 Kategorie II - Standardmilch (3,0 - 3,5% Fett)</i> <i>5 Kategorie V - mittel fettarme Milch (1,5 - 1,8% Fett)</i> <i>7 Kategorie VII - fettarme Milch (<0,5% Fett)</i> <i>9 Kategorie IX - andere</i>
Code:	17
Name:	GS1 Spain
Beschreibung:	<i>Klassifikationssystem in Spanien.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	18
Name:	GS1 Poland
Beschreibung:	<i>Klassifikationssystem in Polen.</i>
Code:	19
Name:	Federal Agency on Technical Regulating and Metrology of the Russia Federation
Beschreibung:	<i>Eine russische Regierungsbehörde, die als ein nationales Normungsgremium der Russischen Föderation dient.</i>
Code:	20
Name:	ECR
Beschreibung:	<i>Efficient Consumer Response (ECR) Österreich</i>
Code:	21
Name:	GS1 Italy
Beschreibung:	<i>GS1 Italy/Italien</i>
Code:	22
Name:	CPV
Beschreibung:	<i>Common Procurement Vocabulary (CPV) wurde 1996 als Mittel zur Erhöhung der Transparenz und Effizienz im Bereich der öffentlichen Beschaffung eingeführt. Die Verwendung von standardisierten Bezeichnungen erleichtert die Abwicklung öffentlicher Aufträge. CPV erleichtert darüber hinaus die rasche und genaue Übersetzung der Vertragsinformationen für die Veröffentlichung in den offiziellen EU-Bekanntmachungen sowie die Erstellung von Beschaffungsstatistiken. Der CPV-Code besteht aus acht Zeichen sowie einem Steuerzeichen. Es wird verwaltet vom Office for Official Publications of the European Communities (OPOCE).</i>
Code:	23
Name:	IFDA
Beschreibung:	<i>International Foodservice Distributors Association (IFDA)</i>
Code:	24
Name:	AHF
Beschreibung:	<i>American Hospital Formulary Service AHFS Pharmacologic - Therapeutic Classification® (AHFS)</i>
Code:	25
Name:	ATC
Beschreibung:	<i>Anatomical Therapeutic Chemical classification (ATC)</i>
Code:	26

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	ClDiMed
Beschreibung:	<i>Classification des Dispositifs Médicaux (ClDiMed)</i>
Code:	27
Name:	CMDR
Beschreibung:	<i>Canadian Medical Device Regulations (CMDR)</i>
Code:	28
Name:	CND
Beschreibung:	<i>Classificazione Nazionale dei Dispositivi Medici (CND)</i>
Code:	30
Name:	UKDM&D
Beschreibung:	<i>UK Dictionary of Medicines & Devices(DM&D) Standard Coding Scheme</i>
Code:	31
Name:	eCI@ss
Beschreibung:	<i>Standardized Material and Service Classification and Dictionary</i>
Code:	32
Name:	EDMA
Beschreibung:	<i>Classification for in vitro diagnostics medical devices (EDMA)</i>
Code:	33
Name:	EGAR
Beschreibung:	<i>European Generic Article Register Classification (EGAR) standard for medical devices</i>
Code:	34
Name:	IMS
Beschreibung:	<i>IMS Healthcare Generic Product Classification</i>
Code:	35
Name:	GMDN
Beschreibung:	<i>Global Medical Devices Nomenclature (GMDN)</i>
Code:	36
Name:	GPI
Beschreibung:	<i>Generische Produkt-ID (GPI). Eine Arznei-Codeliste, die von Medi-Span verwaltet wird.</i>
Code:	37
Name:	HCPCS
Beschreibung:	<i>Healthcare Common Procedure Coding System (HCPCS): Ausgesprochen als Hick Picks.</i>
Code:	38
Name:	ICPS

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>Internationale Klassifikation für Patientensicherheit (ICPS). Für den Einsatz in Feldtests in 2007-2008 (WHO).</i>
Code:	39
Name:	MedDRA
Beschreibung:	<i>Medizinisches Wörterbuch für Regulatory Activities (MedDRA): eine internationale Terminologie durch die pharmazeutische Industrie, Medizinprodukte-Industrie und Aufsichtsbehörden im gesamten Arzneimittelentwicklungsprozess bis hin zu Post Marketing-Aktivitäten. Die aktuelle Version von MedDRA (Version 10.0) verfügt über insgesamt 84.906 eindeutige Begriffe. Die MedDRA-Terminologie wurde unter der Schirmherrschaft International Conference on Harmonization (ICH) of Technical Requirements for Registration of Pharmaceuticals for Human Use entwickelt und ist ein eingetragenes Warenzeichen von the International Federation of Pharmaceutical Manufacturers Associations (IFPMA).</i>
Code:	40
Name:	Medical Columbus
Beschreibung:	<i>Deutsches medizinisches Klassifikationssystem.</i>
Code:	41
Name:	NAPCS
Beschreibung:	<i>North American Classification System (NAPCS)</i>
Code:	42
Name:	NHS-eClass
Beschreibung:	<i>National Health Service (NHS) eClass: NHS-eClass ist ein maßgeschneidertes Klassifikationssystem für Produkte und Dienstleistungen wird von English National Health Service (NHS) verwaltet. Die NHS-eClass soll die genaue Analyse von Ausgaben erleichtern.</i>
Code:	43
Name:	US FDA PCCD
Beschreibung:	<i>Die Datenbank zur Produktklassifizierung enthält medizinische Gerätenamen und zugehörige Informationen des Center for Devices and Radiological Health (CDRH). Diese Datenbank enthält Gerätenamen und ihre zugehörigen Produktcodes. Der Name und Produktcode identifiziert die allgemeinte Art eines Geräts für die FDA. Der einem Gerät zugewiesene Produktcode basiert auf dem Medizinprodukt-Produktklassifizierung nach 21 CFR Parts 862-892.</i>
Code:	44

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	SHPA
Beschreibung:	<i>The Society of Hospital Pharmacists of Australia (SHPA)</i>
Code:	45
Name:	SNOMED CT
Beschreibung:	<i>Systematized Nomenclature of Medicine-Clinical Terms (SNOMED CT®)</i>
Code:	46
Name:	UMDNS
Beschreibung:	<i>Universal Medical Device Nomenclature System (UMDNS)</i>
Code:	47
Name:	DTB
Beschreibung:	<i>DTB (Mode) Dialog Textil-Bekleidung (DTB) ist eine Gruppe deutscher Unternehmen der Textilbranche. Als Mitglied können Sie die Produktklassifikation auf der Webseite http://www.dialog-dtb.de herunterladen.</i>
Code:	48
Name:	FEDAS
Beschreibung:	<i>FEDAS (Sport) vertritt die grenzübergreifenden Interessen spezialisierter Sporthändler. FEDAS hat einen einheitlichen und eindeutigen sechsstelligen Klassifikationsschlüssel für den Sport-Einzelhandel (Händler, Lieferanten und Dienstleister) entwickelt. Weitere Informationen finden Sie unter www.fedas.com.</i>
Code:	49
Name:	EAS
Beschreibung:	<i>EAS (Schuhe) Europäisches Artikel-System: ein harmonisiertes System zur Klassifizierung und Merkmalsbestimmung von Schuhen in ganz Europa.</i>
Code:	50
Name:	TGA
Beschreibung:	<i>Die Australian Therapeutic Goods Administration (TGA) klassifiziert und autorisiert Produkte für den Verkauf in Australien.</i>
Code:	51
Name:	SUSMP
Beschreibung:	<i>Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP): Australische Klassifikation und Kennzeichnung von Arzneimitteln und Giften.</i>
Code:	52
Name:	Australian Pharmaceutical Benefits Scheme
Beschreibung:	<i>Australian Pharmaceutical Benefits Scheme: In Australien kann Medizin durch das</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

	<i>Australian Pharmaceutical Benefits Scheme (PBS) subventioniert werden.</i>
Code:	53
Name:	Australische TGA Risikoklassifizierung
Beschreibung:	<i>Der Pharmaceutical Benefits Schedule listet alle Medikamente und die zugehörigen Regelungen und Bedingungen auf, unter denen sie eingesetzt werden können.</i>
Code:	54
Name:	MIV-C
Beschreibung:	<i>Das PBS ist eine Möglichkeit der australischen Regierung ie Kosten für bestimmte Arzneimittel erschwinglicher für die Gemeinschaft machen.</i>
Code:	55
Name:	MIV-D
Beschreibung:	<i>Beispiel: Ein Verbraucher ist nach dieser Regelung zum Kauf von 100 Tabletten Aspirin berechtigt. Der Verkaufspreis beträgt \$13,00. Die Regierung subventioniert \$9,50, so dass der Verbraucher den Unterschied von \$3,50 für die Medikamente bezahlt.</i>
Code:	56
Name:	BTE
Beschreibung:	<i>Das Repatriation Pharmaceutical Benefits Scheme ist ein vergleichbares Modell für Kriegsveteranen, Kriegswitwen und deren Angehörige.</i>
Code:	57
Name:	REV
Beschreibung:	<i>Australische TGA Risikoklassifizierung</i>
Code:	58
Name:	FDA 510k Premarket Notification
Beschreibung:	<i>Diese Klassifizierung soll das potenzielle Risiko eines Geräts festlegen indem die Zweckbestimmung des Produkts mithilfe eines Satzes von Klassifizierungsregeln untersucht wird.</i>
Code:	59
Name:	ETIM
Beschreibung:	<i>ETIM - (Europees Technisch Informatie Model or European Technical Information Model in English) ist eine internationale Organisation, die eine Klassifikation für technische Produkte entwickelt, verwaltet und veröffentlicht. Weitere Informationen: http://www.etim-international.com/.</i>
Code:	60
Name:	G-DRG

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>G-DRG (German - Diagnosis Related Groups). [DRG-Entgeltkatalog] Liste der Gebühren für die Behandlung in deutschen Krankenhäusern.</i>
Code:	61
Name:	ICD-GM
Beschreibung:	<i>ICD-GM (internationale Klassifikation der Krankheiten – deutsche Änderung)</i>
Code:	62
Name:	OPS-G
Beschreibung:	<i>OPS-G [Operationen-Und Prozedurenschlüssel] Liste der Codes für chirurgische und andere medizinische Verfahren, abgeleitet aus der ICPM (internationale Klassifikation der Prozeduren in der Medizin).</i>
Code:	63
Name:	NCM
Beschreibung:	<i>Nomenclatura Comum MERCOSUL</i>
Code:	64
Name:	CORE-DIY
Beschreibung:	<i>CORE DIY ist ein System zur Produktklassifizierung DIY Branche. Es wird von der GS1 Niederlande verwaltet.</i>
Code:	65
Name:	FDA Preferred Term Code (FDA Code bevorzugte Benennung)
Beschreibung:	<i>FDA Code Bevorzugte Benennung. Eindeutiger vierstelliger Wert, der von der FDA zugewiesen wird, um eine GMDN bevorzugte Benennung anzugeben, ohne den GMDN PT Code zu exponieren.</i>
Code:	66
Name:	Medsafe Risk Classification
Beschreibung:	<i>Medsafe Risk Classification Die Neuseeländische Medical Devices Safety Authority (Sicherheitsbehörde für Medizinprodukte)</i>
Code:	67
Name:	Medsafe Regulatory Classification
Beschreibung:	<i>Medsafe Regulatory Classification Die Neuseeländische Medicines Safety Authority (Behörde für Arzneimittelsicherheit)</i>
Code:	68
Name:	LPPR
Beschreibung:	<i>LPPR (Liste mit erstattungsfähigen Produkten und Gesundheitsdienstleistungen) wird von der französischen Sozialversicherung definiert und ist im Sinne des Article L-165-1</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Used Codes

des Code of Social Security eine Nomenklatur , die medizinische Geräte für die Diagnose, Behandlung von Krankheiten (z.B. Diabetes) oder Verletzungen (Bandagen), Hardware-Support für das tägliche Leben, Orthotik und externe Prothesen, implantierbare Geräte oder Fahrzeuge für Menschen mit körperlichen Behinderungen auflistet. Für jedes Produkt wird im LPPR der Rückerstattungsbetrag, die Rückzahlungsrate und ggf. das letzte Datum der Rückzahlung eingetragen.

Code: 69

Name: INN

Beschreibung: *International Non-proprietary Names (INN) (internationale Freinamen) erleichtern die Identifikation von pharmazeutischen Substanzen oder Pharmawirkstoffe. Jede INN ist ein eindeutiger Name, der weltweit anerkannt ist und öffentliches Eigentum ist. Ein internationaler Freiname ist auch als Gattungsbezeichnung bekannt.*

Code: 70

Name: VBM

Beschreibung: *Vereiniging van Bloemenveilingen in den Nederlanden, Dutch Flower Auction Association. <http://www.vbn.nl/en-US/Pages/default.aspx>.*

Code: 71

Name: Groupement d'Etude des Marchés en Restauration Collective et de Nutrition

Beschreibung: *Groupement d'Etude des Marchés en Restauration Collective et de Nutrition - Französische Regierungsbehörde, die verantwortlich ist für die Nahrungsmittelqualität von Mahlzeiten, die im Social-Catering serviert werden.*

Code: 72

Name: Europäische Gemeinschaft Schulumilch

Beschreibung: *Programm der Europäischen Gemeinschaft, das Milchkonsum in Schulen sicherstellen will.*

Code: 73

Name: OKPD2 Russische Produktklassifizierung nach Wirtschaftszweigen.

Beschreibung: *OKPD2 Russische Produktklassifizierung nach Wirtschaftszweigen.*

Code: 74

Name: Französisches Gesundheitsministerium

Beschreibung: *Das französische Gesundheitsministerium ist für die Codeliste zuständig, in der der Inhalt von Gesundheitsprodukten (und die damit verbundenen möglichen Risiken) für den französischen Markt festgelegt sind.*

Code: 75

Name: GS1 Sweden Alkoholische Getränke

Guideline**Used Codes**

Beschreibung:	<i>Produktklassifizierungssystem für alkoholische Getränke, verwaltet von GS1 Sweden.</i>
Code:	76
Name:	EU-Klassifikation für Medizinprodukte
Beschreibung:	<i>Das europäische Klassifizierungssystem für Medizinprodukte wird von der Europäischen Kommission, dem Europäischen Parlament und dem Ministerrat verwaltet.</i>
Code:	80
Name:	Valvira Verpackungs Code
Beschreibung:	<i>"Valvira (Finnische Aufsichtsbehörde für Wohlbefinden und Gesundheit) Klassifizierung von Verpackungen für alkoholische Produkte. https://www.valvira.fi/en/web/en/valvira</i>
	<i>Finnish: https://www.valvira.fi/documents/14444/0/tuoterekisteriohje.pdf/658d1652-e648-4ecf-86bc-07b6b3a9a699</i>
	<i>Schwedisch: https://www.valvira.fi/documents/14444/0/tuoterekisteriohje_sve.pdf/b11e69cd-0f97-4ad4-af4a-76c2cd87b8a4</i>
Code:	81
Name:	Valvira Produktkategorie Code
Beschreibung:	<i>"Valvira (Finnische Aufsichtsbehörde für Wohlbefinden und Gesundheit) Klassifizierung von Verpackungen für alkoholische Produkte. https://www.valvira.fi/en/web/en/valvira</i>
	<i>Finnish: https://www.valvira.fi/documents/14444/0/tuoterekisteriohje.pdf/658d1652-e648-4ecf-86bc-07b6b3a9a699</i>
	<i>Schwedisch: https://www.valvira.fi/documents/14444/0/tuoterekisteriohje_sve.pdf/b11e69cd-0f97-4ad4-af4a-76c2cd87b8a4</i>
Code:	82
Name:	Valvira Qualitätsklassen Code für Weine
Beschreibung:	<i>"Valvira (Finnische Aufsichtsbehörde für Wohlbefinden und Gesundheit) Klassifizierung von Verpackungen für alkoholische Produkte. https://www.valvira.fi/en/web/en/valvira</i>
	<i>Finnish: https://www.valvira.fi/documents/14444/0/tuoterekisteriohje.pdf/658d1652-e648-4ecf-86bc-07b6b3a9a699</i>
	<i>Schwedisch: https://www.valvira.fi/documents/14444/0/tuoterekisteriohje_sve.pdf/</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	Used Codes
	<i>b11e69cd-0f97-4ad4-af4a-76c2cd87b8a4</i>
	Code: 83
	Name: BNN
	Beschreibung: <i>Klassifizierungsschlüssel des Bundesverbandes Naturkost Naturwaren (BNN)</i>
gpcCategoryName	Wiederholung: 0 .. 1
	Schema-Status: O
	Typ: restriction (xs:string)
	Definition: Bezeichnung der GPC Klassifikation.
	Fachbegriff: Brick-Name
	Status: O
	Beispiel: Ente
gpcAttribute	Wiederholung: 0 .. unbounded
	Schema-Status: O
	Typ: shared_common:GPCAttributeType
	Definition: Typ und Wert eines Attributes der Global Product Classification (GPC).
	Fachbegriff: GPC-Attribut
	Status: O
xs:sequence	Wiederholung: 1 .. 1
	Schema-Status: M
gpcAttributeTypeCode	Wiederholung: 1 .. 1
	Schema-Status: M
	Typ: restriction (xs:string)
	Definition: Typ, der die Art des GPC-Attributes beinhaltet.
	Fachbegriff: Art des GPC-Attributes
	Status: R
	Beispiel: 20000081
	EANCOM®: <i>DESADV.SG17.PIA[D_7143="GAT"].7140</i>
gpcAttributeValueCode	Wiederholung: 1 .. 1
	Schema-Status: M
	Typ: restriction (xs:string)
	Definition: Wert des Attributes entsprechend den GS1-Spezifikationen.
	Fachbegriff: Attribut-Wert
	Status: R
	Beispiel: 30002018

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

InvoiceAllowanceCharge	<p>EANCOM®: DESADV.SG17.PIA[D_7143="GAV"].7140</p> <p>Wiederholung: 0 .. unbounded Schema-Status: O Typ: invoice:InvoiceAllowanceChargeType Fachbegriff: Positionszu- oder Abschläge Status: O Definition: Angabe von Zuschlägen oder Abschlägen, die sich auf die Belegposition bezieht.</p>
xs:sequence	<p>Wiederholung: 1 .. 1 Schema-Status: M</p>
allowanceChargeType	<p>Wiederholung: 1 .. 1 Schema-Status: M Typ: shared_common:AllowanceChargeTypeCodeType Definition: Definition der Art des Zu- oder Abschlags. Erlaubte Codewerte können der GS1 Codeliste AllowanceChargeTypeCode entnommen werden.</p> <p>Fachbegriff: Art der Zu- und Abschläge (Code) Status: R Beispiel: ADR GDD URN: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AllowanceChargeTypeCode</p>
	<p>EANCOM®: INVOIC.SG26.SG39.ALC.C214.7161</p>
	<p>Used Codes</p>
	<p>Code: 1 Name: Qualitätskontrolle noch nicht abgeschlossen (GS1-Code) Beschreibung: <i>Der Lagerhalter wird angewiesen, mit der Verteilung der Waren zu warten, bis der Hersteller eine Qualitätskontrolle abgeschlossen hat.</i></p>
	<p>Code: 2 Name: Sperre nach Qualitätskontrolle (GS1-Code) Beschreibung: <i>Der Lagerhalter wird angewiesen, die Waren, die bei der Qualitätskontrolle durchgefallen sind, zurückzuhalten.</i></p>
	<p>Code: 3 Name: Akzeptprovision Beschreibung: <i>Gebühr für die Annahme des Entwurfs eines Dokumentenakkreditivs (eine Art ""Garantieprovision"").</i></p>
	<p>Code: 4 Name: Provision für den Erhalt der Akzeptanz</p>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>Gebühr für die Erteilung einer Akzeptanz auf der Grundlage ""Dokumente gegen Akzeptanz"".</i>
Code:	5
Name:	Lieferprovision
Beschreibung:	<i>Gebühr für die Zustellung von Dokumenten ohne entsprechende Bezahlung.</i>
Code:	6
Name:	Beratungsprovision
Beschreibung:	<i>Gebühr für die Beratung von Dokumentenakkreditiven (kann auch im Falle eines bestätigten Kredite berechnet werden).</i>
Code:	7
Name:	Bestätigungsprovision
Beschreibung:	<i>Gebühr für die Bestätigung des Kredits.</i>
Code:	8
Name:	Ratenzahlungsprovision
Beschreibung:	<i>Gebühr für Ratenzahlung bei Dokumentenakkreditiven, die durch die Bank bestätigt wurden. Diese Gebühr sind die Gebühren für den Zeitraum von der Ausstellung des Dokuments bis zur tatsächlichen Fälligkeit.</i>
Code:	9
Name:	Provision für die Aufnahme der Dokumente
Beschreibung:	<i>Der Fremdbank berechnete Gebühr für die Bearbeitung von Dokumentenakkreditiven.</i>
Code:	10
Name:	Eröffnungsprovision
Beschreibung:	<i>Gebühr für die Eröffnung widerrufbarer Dokumentenakkreditive</i>
Code:	11
Name:	Gebühr für die Eröffnung eines widerruflichen Dokumentenakkreditivs
Beschreibung:	<i>Dem Kunden berechnete Gebühr für Unstimmigkeiten in den Kreditbelegen, bei denen die Bank die Zahlung unter Vorbehalt vorsehen muss.</i>
Code:	12
Name:	Gebühr für Unstimmigkeiten
Beschreibung:	<i>An die Fremdbank berechnete Gebühr für Unstimmigkeiten in den Kreditbriefen</i>
Code:	13
Name:	Zahlbarstellungsprovision
Beschreibung:	<i>Gebühr für die Zahlbarstellung von Rechnungen durch die Bank.</i>
Code:	14

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	Provision für die Freigabe von Waren
Beschreibung:	<i>Provision für die Freigabe von Waren</i>
Code:	15
Name:	Sammlungsprovision
Beschreibung:	<i>Gebühr für die Zusammenstellung auf der Grundlage ""Dokumente gegen Zahlung"".</i>
Code:	16
Name:	Verhandlungsprovision
Beschreibung:	<i>Gebühr für den Erwerb von Dokumenten eines Kontokorrentkredits für die ersten zehn Tage.</i>
Code:	17
Name:	Rückgabeprovision
Beschreibung:	<i>Gebühr für unbezahlte oder zurückgerufene Schecks, Rechnungen und Sammlungen.</i>
Code:	18
Name:	Gebühren für die Aufteilung des Frachtbriefs
Beschreibung:	<i>Gebühr für die Aufteilung der Frachtbriefe.</i>
Code:	19
Name:	Treuhandgebühren
Beschreibung:	<i>Gebühr für die Bearbeitung importierter Güter auf einer treuhänderischen Basis.</i>
Code:	20
Name:	Weitergabeprovision
Beschreibung:	<i>Gebühr für die Übertragung von übertragbaren Dokumentenakkreditiven.</i>
Code:	21
Name:	Kommission für die Eröffnung unwiderruflicher Dokumentenakkreditive
Beschreibung:	<i>Gebühr für die Eröffnung unwiderruflicher Dokumentenakkreditive. Diese Gebühr ist eine Art ""Garantieprovision"" als Ausgleich für die Verpflichtung der Bank im Kundenauftrag.</i>
Code:	22
Name:	Provision für Vorankündigung
Beschreibung:	<i>Gebühr für die Vorankündigung eines dokumentarischen Kredits.</i>
Code:	23
Name:	Betreuungsprovision
Beschreibung:	<i>Gebühr für die Betreuung unbestätigter Dokumentenakkreditive mit späterer Bezahlung.</i>
Code:	24
Name:	Modell-Gebühren
Beschreibung:	<i>Gebühr für Verarbeitung von Telex-Nachrichten.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	25
Name:	Risikoprovision
Beschreibung:	<i>Provision zusätzlich zur Bestätigungsprovision für Dokumentenakkreditive aus bestimmten Ländern.</i>
Code:	26
Name:	Garantieprovision
Beschreibung:	<i>Provision für die Erstellung von Garantien.</i>
Code:	27
Name:	Kostenerstattungsprovision
Beschreibung:	<i>Gebühr für die Kostenerstattung, z.B. bei Dokumentenakkreditiven.</i>
Code:	28
Name:	Stempelsteuer
Beschreibung:	<i>Auf Rechnungen nach dem nationalen Wechselrecht zu zahlende Steuer.</i>
Code:	29
Name:	Vermittlung
Beschreibung:	<i>Maklerprovision beim Handel mit ausländischen Währungen.</i>
Code:	30
Name:	Bankgebühren
Beschreibung:	<i>Von beteiligten Banken geforderte Gebühren für eine Transaktion.</i>
Code:	31
Name:	Informationen zu Bankgebühren
Beschreibung:	<i>Gebühren, die im Gesamtbetrag nicht enthalten sind. Diese werden nur zu Informationszwecken dargestellt.</i>
Code:	32
Name:	Gebühr für Kurierdienst
Beschreibung:	<i>Gebühr für die Nutzung der Kurierdienst.</i>
Code:	33
Name:	Telefongebühr
Beschreibung:	<i>Gebühr für die Nutzung des Telefons.</i>
Code:	34
Name:	Portogebühr
Beschreibung:	<i>Gebühr für Porto.</i>
Code:	35
Name:	S.W.I.F.T. .-Gebühr

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>Gebühr für die Nutzung von S.W.I.F.T.</i>
Code:	36
Name:	Telex-Gebühr
Beschreibung:	<i>Gebühr für Telex.</i>
Code:	37
Name:	Gebühr für die verspätete Lieferung von Dokumenten
Beschreibung:	<i>Gebühr, wenn Dokumente zu spät geliefert werden.</i>
Code:	38
Name:	Gebühr für die verspätete Lieferung der Bewertung der Leistungen
Beschreibung:	<i>Gebühr für die verspätete Lieferung der Bewertung der Leistungen</i>
Code:	39
Name:	Gebühr für die Ausführung der Arbeiten hinter dem Zeitplan
Beschreibung:	<i>Gebühr für die Ausführung der Arbeiten hinter dem Zeitplan</i>
Code:	40
Name:	Andere Gebühren
Beschreibung:	<i>Sanktion aus anderen Gründen.</i>
Code:	41
Name:	Bonus für Werke vor dem Zeitplan
Beschreibung:	<i>Bonus für das Abschließen der Arbeit vor dem Zeitplan</i>
Code:	42
Name:	Andere Boni
Beschreibung:	<i>Prämie aus anderen Gründen</i>
Code:	44
Name:	Projektmanagementkosten
Beschreibung:	<i>Kosten für das Projektmanagement.</i>
Code:	45
Name:	Pro-Rata Aufbewahrung
Beschreibung:	<i>Anteilige Aufbewahrungsgebühr</i>
Code:	46
Name:	Vertragliche Aufbewahrung
Beschreibung:	<i>Gebühr für vertragliche Aufbewahrung</i>
Code:	47
Name:	Andere Einbehalte
Beschreibung:	<i>Andere Gebühren für Einbehalte</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	48
Name:	Verzugszinsen
Beschreibung:	<i>Verzugszinsen.</i>
Code:	49
Name:	Zinsen
Beschreibung:	<i>Kosten für die Verwendung von Geld</i>
Code:	50
Name:	Kosten pro Kreditdeckung
Beschreibung:	<i>Gebühr je Kreditdeckung</i>
Code:	51
Name:	Gebühr je ungenutzter Kreditdeckung
Beschreibung:	<i>Gebühr je ungenutzter Kreditdeckung</i>
Code:	52
Name:	Minimalprovision
Beschreibung:	<i>Minimalprovision</i>
Code:	53
Name:	Factoringsprovision
Beschreibung:	<i>Provision für Factoring Dienstleistungen.</i>
Code:	54
Name:	Handelskammergebühr
Beschreibung:	<i>Gebühren der Handelskammer.</i>
Code:	55
Name:	Transfergebühren
Beschreibung:	<i>Gebühren für die Übertragung.</i>
Code:	56
Name:	Rückführungsgebühren
Beschreibung:	<i>Gebühren für die Rückführung.</i>
Code:	57
Name:	Sonstige Zuschläge
Beschreibung:	<i>Nicht genau definierte Gebühren.</i>
Code:	58
Name:	Devisengebühren
Beschreibung:	<i>Gebühren für Devisen.</i>
Code:	59

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	Gebühr für vereinbarte Sollzinsen
Beschreibung:	<i>Gebühr für vereinbarte Sollzinsen</i>
Code:	60
Name:	Verbraucherrabatt des Herstellers
Beschreibung:	<i>Durch den Hersteller gewährter Rabatt, der an den Endverbraucher weitergegeben werden soll.</i>
Code:	61
Name:	Gebühr für Beratung per Fax
Beschreibung:	<i>Gebühr für Beratung per Fax</i>
Code:	62
Name:	Aufgrund militärischem Status
Beschreibung:	<i>Rabatt wegen des militärischen Status.</i>
Code:	63
Name:	Aufgrund Arbeitsunfall
Beschreibung:	<i>Rabatt wegen Arbeitsunfall.</i>
Code:	64
Name:	Besondere Vereinbarung
Beschreibung:	<i>Zu-/Abschlag gemäß besonderer Vereinbarung.</i>
Code:	65
Name:	Rabatt wegen Produktionsfehlers
Beschreibung:	<i>Rabatt für den Kauf eines Produkts mit einem Produktionsfehler</i>
Code:	66
Name:	Neueröffnungsrabatt
Beschreibung:	<i>Rabatt anlässlich der Eröffnung einer neuen Verkaufsstelle</i>
Code:	67
Name:	Musterrabatt
Beschreibung:	<i>Rabatt für den Kauf einer Probe eines Produktes.</i>
Code:	68
Name:	Rabatt für Auslaufware
Beschreibung:	<i>Rabatt für den Kauf eines auslaufenden Produkts</i>
Code:	69
Name:	Zuschlag für Kundenspezifische Veredelung
Beschreibung:	<i>Zuschlag für Kundenspezifische Veredelung</i>
Code:	70

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Used Codes

Name:	Incoterm-Rabatt
Beschreibung:	<i>Rabatt für einen angegebenen Incoterm.</i>
Code:	71
Name:	Abschlag für Umsatzschwelle am POS
Beschreibung:	<i>Rabatt bei Erreichen oder Überschreiten einer vereinbarten Umsatzschwelle am Verkaufspunkt.</i>
Code:	72
Name:	Kosten für technische Änderungen
Beschreibung:	<i>Kosten für technische Änderungen an einem Produkt.</i>
Code:	73
Name:	Kosten für Arbeitsauftrag
Beschreibung:	<i>Kosten für Arbeitsauftrag</i>
Code:	74
Name:	Kosten für Tätigkeiten außerhab der Geschäftsräume
Beschreibung:	<i>Kosten für Tätigkeiten außerhab der Geschäftsräume</i>
Code:	75
Name:	Zusätzliche Bearbeitungsgebühren
Beschreibung:	<i>Kosten für zusätzliche Verarbeitung.</i>
Code:	76
Name:	Gebühr für eine Bescheinigung
Beschreibung:	<i>Kosten für amtliche Bescheinigung.</i>
Code:	77
Name:	Eillieferungszuschlag
Beschreibung:	<i>Gebühr für erhöhte Liefergeschwindigkeit.</i>
Code:	78
Name:	Spezielle Baukosten
Beschreibung:	<i>Gebühren für Kostenm die durch Spezialkonstruktionen entstehen.</i>
Code:	79
Name:	Frachtkosten
Beschreibung:	<i>Gebühr für Warenbeförderungen</i>
Code:	80
Name:	Verpackungskosten
Beschreibung:	<i>Kosten für Verpackung.</i>
Code:	81

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	Reparaturkosten
Beschreibung:	<i>Kosten für Reparatur.</i>
Code:	82
Name:	Ladekosten
Beschreibung:	<i>Kosten für die Beladung</i>
Code:	83
Name:	Setupgebühr
Beschreibung:	<i>Kosten für die Einrichtung.</i>
Code:	84
Name:	Testgebühr
Beschreibung:	<i>Kosten für die Durchführung von Tests.</i>
Code:	85
Name:	Lagerhaltungskosten
Beschreibung:	<i>Kosten für Lagerung und Handhabung.</i>
Code:	86
Name:	Goldzuschlag
Beschreibung:	<i>Differenz zwischen aktuellem Preis und Grundpreis des im Produktpreis enthaltenen Goldanteils.</i>
Code:	87
Name:	Kupferzuschlag
Beschreibung:	<i>Differenz zwischen aktuellem Preis und Grundpreis des im Produktpreis enthaltenen Kupferanteils.</i>
Code:	88
Name:	Material Zu-/Abschlag
Beschreibung:	<i>Aufschlag/Abzug für höhern oder niedrigeren Materialverbrauch</i>
Code:	89
Name:	Bleizuschlag
Beschreibung:	<i>Differenz zwischen aktuellem Preis und Grundpreis des im Produktpreis enthaltenen Bleianteils.</i>
Code:	90
Name:	Preisindex-Zuschlag
Beschreibung:	<i>Höher/niedrigerer Preis infolge der Änderung der Kosten zwischen den Angebot und Lieferung.</i>
Code:	91

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	Platinzuschlag
Beschreibung:	<i>Differenz zwischen aktuellem Preis und Grundpreis des im Produktpreis enthaltenen Platinanteils.</i>
Code:	92
Name:	Silberzuschlag
Beschreibung:	<i>Differenz zwischen aktuellem Preis und Grundpreis des im Produktpreis enthaltenen Silberanteils.</i>
Code:	93
Name:	Wolframzuschlag
Beschreibung:	<i>Differenz zwischen aktuellem Preis und Grundpreis des im Produktpreis enthaltenen Wolframanteils.</i>
Code:	94
Name:	Aluminiumzuschlag
Beschreibung:	<i>Differenz zwischen aktuellem Preis und Grundpreis des im Produktpreis enthaltenen Aluminiumanteils.</i>
Code:	95
Name:	Rabatt
Beschreibung:	<i>Eine Reduzierung von einem üblichen oder Listenpreis.</i>
Code:	96
Name:	Versicherung
Beschreibung:	<i>Gebühr für die Versicherung.</i>
Code:	97
Name:	Gebühr für Mindestbestellwert
Beschreibung:	<i>Gebühr für die Mindestbestellmenge.</i>
Code:	98
Name:	Materialzuschlag (Sondermaterialien)
Beschreibung:	<i>Zuschlag für Sondermaterialien.</i>
Code:	99
Name:	Zuschlag
Beschreibung:	<i>Ein zusätzlicher Betrag zur üblichen Gebühr.</i>
Code:	100
Name:	Spezialrabatt
Beschreibung:	<i>Eine Rückzahlung eines Teils des für Waren oder Dienstleistungen bezahlten Betrags.</i>
Code:	101

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	Gebühr für CO2-Fußabdruck
Beschreibung:	<i>Gebühr für CO2-Fußabdruck</i>
Code:	60E
Name:	Fixierte Langzeitabmachung (GS1-Code)
Beschreibung:	<i>Temporärer GS1-Code. Ein fixer langfristiger Zu- oder Abschlag.</i>
Code:	61E
Name:	Temporär (GS1-Code)
Beschreibung:	<i>Temporäre GS1-Code. Eine befristeter Zu- oder Abschlag.</i>
Code:	62E
Name:	Standard (GS1-Code)
Beschreibung:	<i>Temporäre GS1-Code. Standard Zu-/ oder Abschlag.</i>
Code:	64E
Name:	Zu-/Abschlag für Jahresumsatz (GS1-Code)
Beschreibung:	<i>Temporärer GS1-Code. Zu-/Abschlag für erreichten Jahresumsatz</i>
Code:	AA
Name:	Werbekostenzuschuss
Beschreibung:	<i>Beschreibung folgt.</i>
Code:	AAB
Name:	Rücksendungsgebühren
Beschreibung:	<i>Gebühren für Rücksendungen</i>
Code:	AAJ
Name:	Kupferzuschlag
Beschreibung:	<i>Unterschied zwischen dem Marktpreis und dem Basis-Kupferpreis enthalten im Produktpreis.</i>
Code:	AAM
Name:	Gummizuschlag
Beschreibung:	<i>Unterschied zwischen dem Marktpreis und dem Basis-Gummipreis enthalten im Produktpreis.</i>
Code:	AAT
Name:	Eillieferung
Beschreibung:	<i>Zuschlag für höhere Liefergeschwindigkeit.</i>
Code:	AAX
Name:	Wolframzuschlag
Beschreibung:	<i>Unterschied zwischen dem Marktpreis und dem Basispreis enthalten im Produktpreis.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	AAY
Name:	Flughafengebühr
Beschreibung:	<i>Zuschlag für die Inanspruchnahme von Flughafeneinrichtungen.</i>
Code:	ABA
Name:	Obligatorische Lagerungsgebühr
Beschreibung:	<i>Gebühr, die für das Führen einer bestimmten, obligatorischen Lagermenge erhoben wird (festgelegt von einer Durchführungsbehörde).</i>
Code:	ABH
Name:	Absatzvergütung
Beschreibung:	<i>Abschlag für das Erreichen oder Überschreiten einer vereinbarten Durchsatzmenge.</i>
Code:	ABL
Name:	Verpackungsaufschlag
Beschreibung:	<i>Zuschlag für das Verpacken von Gegenständen.</i>
Code:	ABZ
Name:	Verschiedene Rabatte/Rückvergütungen
Beschreibung:	<i>Nicht definierte Rabatte oder Rückvergütungen.</i>
Code:	ACQ
Name:	Tantiemenzuschlag
Beschreibung:	<i>Zusätzlicher Zuschlag auf einen Positionspreis für Tantiemen.</i>
Code:	ACY
Name:	Pfand auf Verpackung
Beschreibung:	<i>Die Gebühr im Bezug auf die Verpackung eines Produktes in einem Behälter, wenn erwartet wird, daß die Verpackung zurückgegeben wird und erneut verwendet werden kann.</i>
Code:	ACZ
Name:	Beschädigte Ware
Beschreibung:	<i>Abschlag oder Gutschrift wegen beschädigter und unverkäuflicher Produkte.</i>
Code:	ADM
Name:	Bindeauftrag
Beschreibung:	<i>Ein Code, der Bindungsdienstleistungen für Einbände anzeigt.</i>
Code:	ADO
Name:	Effiziente Logistik
Beschreibung:	<i>Ein Code, der effiziente Logistikdienstleistungen anzeigt.</i>
Code:	ADP

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Used Codes

Name:	Absatzförderung
Beschreibung:	<i>Ein Code, der angibt, daß die absatzfördernden Dienstleistungen gegenwärtig durchgeführt werden.</i>
Code:	ADQ
Name:	Produktmix
Beschreibung:	<i>Ein Code, der angibt, daß die Produktmischdienstleistungen gegenwärtig durchgeführt werden.</i>
Code:	ADR
Name:	Andere Dienste
Beschreibung:	<i>Ein Code, der angibt, daß andere nicht näher bezeichnete Dienstleistungen gegenwärtig durchgeführt werden.</i>
Code:	ADS
Name:	Palettenweise Bestellung
Beschreibung:	<i>Palettenweise Bestellung eines Produktes.</i>
Code:	ADT
Name:	Aufnahme
Beschreibung:	<i>Für das Aufnehmen oder Abholen von Waren.</i>
Code:	ADZ
Name:	Direktlieferung
Beschreibung:	<i>Angabe direkter Anlieferung als spezielle Dienstleistung.</i>
Code:	AEK
Name:	Lieferung per Nachnahme
Beschreibung:	<i>Zu- oder Abschlag bezüglich der speziellen Dienstleistung Barzahlung bei Lieferung.</i>
Code:	AEM
Name:	Büro- und Verwaltungsdienste
Beschreibung:	<i>Die Bereitstellung von Büro- und Verwaltungsdiensten.</i>
Code:	AEN
Name:	Garantieservice
Beschreibung:	<i>Die Bereitstellung von Garantieservice.</i>
Code:	AEO
Name:	Sammel- und Recyclingservice
Beschreibung:	<i>Sammeln und recyceln von Produkten als Dienstleistung.</i>
Code:	AEP
Name:	Inkasso für Copyright-Gebühr

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>Inkasso für Copyright-Gebühr als Dienstleistung.</i>
Code:	AEQ
Name:	Übermengenzuschlag
Beschreibung:	<i>Zuschlag, der dann zum Tragen kommt, wenn die bestellte Menge die vorher vereinbarte Menge überschreitet.</i>
Code:	AES
Name:	Tierärztlicher Untersuchungsservice
Beschreibung:	<i>Zu- oder Abschlag im Bezug auf einen tierärztlichen Untersuchungsservice.</i>
Code:	AEV
Name:	Umweltschutz-Dienstleistung
Beschreibung:	<i>Ein Zu-oder Abschlag im Bezug auf die Bereitstellung von Umweltschutz als Dienstleistung.</i>
Code:	AEX
Name:	Inlandsscheckverarbeitung ausserhalb des Einzugsbereiches
Beschreibung:	<i>Bearbeitung eines Inlandsschecks außerhalb des Gebiets, wo der auftragserteilende Kunde sein Konto hat.</i>
Code:	AEY
Name:	Inlandszahlungsverarbeitung ausserhalb des Einzugsbereiches
Beschreibung:	<i>Bearbeitung einer Inlandszahlung für einen Begünstigten außerhalb des Gebiets, wo der auftragserteilende Kunde sein Konto hat.</i>
Code:	AEZ
Name:	Inlandszahlungsverarbeitung innerhalb des Einzugsbereiches
Beschreibung:	<i>Bearbeitung einer Inlandszahlung für einen Begünstigten innerhalb des Gebiets, wo der auftragserteilende Kunde sein Konto hat.</i>
Code:	AG
Name:	Silberzuschlag
Beschreibung:	<i>Unterschied zwischen dem aktuellen Preis und dem Basispreis enthalten im Produktpreis.</i>
Code:	AJ
Name:	Berichtigungen
Beschreibung:	<i>Beschreibung folgt.</i>
Code:	AND
Name:	Reparatur oder Ersatz von kaputten Mehrwegverpackungen
Beschreibung:	<i>Reparatur oder Ersatz von kaputten Mehrwegverpackungen</i>
Code:	ASS

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	Sortimentsabschlag (GS1-Code)
Beschreibung:	<i>Abschlag, der gewährt wird, wenn ein bestimmtes Teil aus dem Sortiment des Lieferanten vom Käufer bestellt wird.</i>
Code:	CA
Name:	Katalogisierungsdienstleistungen
Beschreibung:	<i>Beschreibung folgt.</i>
Code:	CAC
Name:	Barzahlungsrabatt
Beschreibung:	<i>Rabatt im Zusammenhang mit Barzahlung.</i>
Code:	CAG
Name:	Wettbewerbsabschlag
Beschreibung:	<i>Preisberichtigung zulässig bei entsprechenden Marktbedingungen.</i>
Code:	CAI
Name:	Zuschnittzuschlag
Beschreibung:	<i>Beschreibung folgt.</i>
Code:	CAL
Name:	Lohnlistenbearbeitung
Beschreibung:	<i>Gebühr für die Bearbeitung einer Lohnliste.</i>
Code:	CAM
Name:	Bargeldtransport
Beschreibung:	<i>Gebühr für den Service des Bargeldtransportes.</i>
Code:	CAN
Name:	Home Banking
Beschreibung:	<i>Gebühr für den Service des Home Bankings.</i>
Code:	CAP
Name:	Versicherungsvermittlung
Beschreibung:	<i>Gebühr für die Vermittlung von Versicherungs-Dienstleistungen.</i>
Code:	CAQ
Name:	Scheckerstellung
Beschreibung:	<i>Gebühr für die Erstellung von Schecks.</i>
Code:	CAR
Name:	Bevorzugter Absatzort
Beschreibung:	<i>Zuordnung eines präferierten Absatzortes.</i>
Code:	CAS

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	Kran Service
Beschreibung:	<i>Bereitstellung von Kran Service.</i>
Code:	CAT
Name:	Spezieller Farb-Service
Beschreibung:	<i>Bereitstellung einer Farbe, die sich von der Standardfarbe unterscheidet.</i>
Code:	CP
Name:	Wettbewerbspreis
Beschreibung:	<i>Beschreibung folgt.</i>
Code:	DAE
Name:	Distributorsabzug/-abschlag
Beschreibung:	<i>Spezieller Abzug (Rabatt)/Abschlag für Distributeure.</i>
Code:	DBD
Name:	Schuldner gebunden (GS1-Code)
Beschreibung:	<i>Ein spezieller Zu- oder Abschlag, der auf einen bestimmten Schuldner zutrifft.</i>
Code:	DDA
Name:	Händlerabzug/-abschlag
Beschreibung:	<i>Abzug oder Abschlag, angeboten von einer Partei, die mit einer bestimmten Marke oder mit Markenprodukten handelt.</i>
Code:	DI
Name:	Abzug (Rabatt)
Beschreibung:	<i>Eine Reduktion des üblichen Preises oder Listenpreises.</i>
Code:	DTC
Name:	Endverbraucherrabatt (GS1-Code)
Beschreibung:	<i>Ein vom Hersteller gewährter Rabatt, der an den Konsumenten weitergegeben werden sollte.</i>
Code:	EAA
Name:	Frühbezugs-Abschlag
Beschreibung:	<i>Abschlag, der Kunden, die früh kaufen, gewährt wird.</i>
Code:	EAB
Name:	Skonto
Beschreibung:	<i>Abschlag, der bei einer frühzeitigen Bezahlung durch den Kunden gewährt wird.</i>
Code:	FA
Name:	Frachtabschlag
Beschreibung:	<i>Beschreibung folgt.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Used Codes

Code:	FC
Name:	Frachtgebühren
Beschreibung:	<i>Betrag, der für die Bewegung von Waren, durch jegliche Verkehrsmittel, von einem Ort zu einem anderen, bezahlt werden muß, inklusive Abzüge, Abschläge, Rabatte, Berichtigungsfaktoren und zusätzlichen Kosten die zu den Frachtkosten gehören (UN/ECE Empfehlung Nummer 23).</i>
Code:	FG
Name:	Naturalrabatt
Beschreibung:	<i>Abschlag oder Rabatt, der in Form einer Lieferung von Gratisware gewährt wird.</i>
Code:	FI
Name:	Finanzierungsgebühr
Beschreibung:	<i>Beschreibung folgt.</i>
Code:	FR
Name:	Flat Rate (GS1-Code)
Beschreibung:	<i>Pauschaltarif</i>
Code:	GRB
Name:	Geschäftsentwicklung (GS1-Code)
Beschreibung:	<i>Zu- oder Abschlag, bezogen auf die Geschäftsentwicklung während eines vorher festgelegten Zeitabschnittes.</i>
Code:	HD
Name:	Handhabung
Beschreibung:	<i>Gebühr für die Handhabung einer Ware.</i>
Code:	IN
Name:	Versicherung
Beschreibung:	<i>Versicherungsgebühr.</i>
Code:	INT
Name:	Einführungsabschlag (GS1-Code)
Beschreibung:	<i>Abschlag, der für die Einführung eines neuen Produkts zur existierenden Produktpalette eines Einzelhändlers gewährt wird.</i>
Code:	IS
Name:	Fakturierdienstleistung
Beschreibung:	<i>Beschreibung folgt.</i>
Code:	LA
Name:	Etikettieren

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>Etikettieren (Labelling) von Gegenständen als Dienstleistung.</i>
Code:	MAC
Name:	Mindermengenzuschlag
Beschreibung:	<i>Beschreibung folgt.</i>
Code:	MB
Name:	Kombiwerbung (GS1-Code)
Beschreibung:	<i>Ein Code, der spezielle Konditionen bezüglich einer multi-buy-Verkaufsförderungsaktion angibt.</i>
Code:	MC
Name:	Materialzuschlag (spezielle Materialien)
Beschreibung:	<i>Beschreibung folgt.</i>
Code:	NAA
Name:	Einwegbehälter
Beschreibung:	<i>Beschreibung folgt.</i>
Code:	PAD
Name:	Verkaufsförderungsabschlag
Beschreibung:	<i>Beschreibung folgt.</i>
Code:	PAE
Name:	Verkaufsförderungsabzug
Beschreibung:	<i>Beschreibung folgt.</i>
Code:	PAR
Name:	Partnerschafts-Abschlag (GS1-Code)
Beschreibung:	<i>Zu- oder Abschlag zwecks Aufnahme und Aufrechterhaltung einer langfristigen Geschäftsbeziehung.</i>
Code:	PC
Name:	Verpacken
Beschreibung:	<i>Verpackungszuschlag.</i>
Code:	PI
Name:	Abholabschlag
Beschreibung:	<i>Beschreibung folgt.</i>
Code:	PL
Name:	Palettierung
Beschreibung:	<i>Beschreibung folgt.</i>
Code:	PN

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	Palettengebühr
Beschreibung:	<i>Beschreibung folgt.</i>
Code:	QAA
Name:	Mengenaufschlag
Beschreibung:	<i>Gebühr in Verbindung mit der Bereitstellung von Gütern ausserhalb normaler"" Mengenbegrenzungen.""</i>
Code:	QD
Name:	Mengenrabatt
Beschreibung:	<i>Beschreibung folgt.</i>
Code:	RAA
Name:	Rückvergütung
Beschreibung:	<i>Beschreibung folgt.</i>
Code:	RAD
Name:	Mehrwegbehälter
Beschreibung:	<i>Beschreibung folgt.</i>
Code:	RAE
Name:	Wiederverkäuferabzug
Beschreibung:	<i>Beschreibung folgt.</i>
Code:	RCH
Name:	Rücksendungsbehandlung (GS1-Code)
Beschreibung:	<i>Zu- oder Abschlag bezüglich der Handhabung von Rücksendungen.</i>
Code:	SER
Name:	Dienstleistungsgebühren (GS1-Code)
Beschreibung:	<i>Zuschlag für die Erbringung einer Dienstleistung.</i>
Code:	SH
Name:	Spezielle Handhabungsdienstleistungen
Beschreibung:	<i>Beschreibung folgt.</i>
Code:	SOR
Name:	Sortieren (GS1-Code)
Beschreibung:	<i>Die Bereitstellung von Sortier-Services.</i>
Code:	TAE
Name:	LKW-Rabatt
Beschreibung:	<i>Beschreibung folgt.</i>
Code:	TD

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	Handelsrabatt
Beschreibung:	<i>Beschreibung folgt.</i>
Code:	TX
Name:	Steuer
Beschreibung:	<i>Abgabe, die von einer Behörde erhoben wurde.</i>
Code:	TZ
Name:	Temporärer Abschlag
Beschreibung:	<i>Beschreibung folgt.</i>
Code:	VAB
Name:	Volumenrabatt
Beschreibung:	<i>Abzug, der aufgrund des Bestellwertes angeboten wird.</i>
Code:	WHE
Name:	Großhändlerrabatt (GS1-Code)
Beschreibung:	<i>Ein spezieller Rabatt für die Beschaffung von Produkten durch einen Großhändler.</i>
Code:	X01
Name:	Globaler Abschlag (GS1-Code)
Beschreibung:	<i>Globaler Abschlag</i>
Code:	X02
Name:	Globaler Zuschlag (GS1-Code)
Beschreibung:	<i>Globaler Zuschlag</i>
Code:	X03
Name:	Konsolidiert (GS1-Code)
Beschreibung:	<i>Konsolidiert</i>
Code:	X04
Name:	Pauschale (GS1-Code)
Beschreibung:	<i>Pauschale</i>
Code:	X05
Name:	Aufschlag für kleinvolumigen Erwerb (GS1-Code)
Beschreibung:	<i>Aufschlag für kleinvolumigen Erwerb</i>
Code:	X21
Name:	Spezielle Vereinbarung (GS1-Code)
Beschreibung:	<i>Zu- oder Abschlag in Bezug auf eine spezielle Vereinbarung.</i>
Code:	X22
Name:	Bank berechnet Informationen (GS1-Code)

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>Zuschläge, die nicht im Gesamtzuschlagsbetrag enthalten sind.</i>
Code:	X23
Name:	Transfergebühr (GS1-Code)
Beschreibung:	<i>Gebühr für den Transfer übertragbarer Dokumentenakkreditive.</i>
Code:	X29
Name:	Zuschlag wegen Nichterfüllung der Mindestbestellung (GS1-Code)
Beschreibung:	<i>Zuschlag erhoben, weil minimale Bestellmenge nicht erfüllt werden konnte.</i>
Code:	X30
Name:	Verkaufsstellen-Abschlag (GS1-Code)
Beschreibung:	<i>Abschlag für das Erreichen oder Überschreiten von grenzwerten am Verkaufsort.</i>
Code:	X31
Name:	Überweisung (GS1-Code)
Beschreibung:	<i>Zu- oder Abschlag für die Zahlung mit einem Scheck an einem Ort, der unterschiedlich ist von dem, wo der Begünstigte sein Konto hat.</i>
Code:	X32
Name:	Inlandsüberweisung (GS1-Code)
Beschreibung:	<i>Zu- oder Abschlag für eine Zahlung ausgeführt an einem Ort, der unterschiedlich ist von dem, wo das Konto eröffnet wurde.</i>
Code:	X33
Name:	Regionale Überweisung (GS1-Code)
Beschreibung:	<i>Zu- oder Abschlag für eine Zahlung ausgeführt an dem Ort, wo das Konto eröffnet wurde.</i>
Code:	X34
Name:	Geschenkverpackungszuschlag (GS1-Code)
Beschreibung:	<i>Temporäre GS1-Code. Aufpreis für die Verpackung der Ware in Geschenkpapier</i>
Code:	X35
Name:	Mengenrabatt (GS1 Code)
Beschreibung:	<i>Temporärer GS1-Code. Preisnachlass auf Basis der bestellten Menge</i>
Code:	X36
Name:	WEEE Zuschlag (GS1-Code)
Beschreibung:	<i>Temporäre GS1-Code. Abfallgebühren auf Basis der Elektro- und Elektronik-Altgeräte-Richtlinie der Europäischen Gemeinschaft. Berechnet zusätzlich zum Basispreis.</i>
Code:	X37
Name:	Enthaltene WEEE Gebühr (GS1-Code)
Beschreibung:	<i>Temporäre GS1-Code. Abfallgebühren auf Basis der Elektro- und Elektronik-Altgeräte-</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Richtlinie der Europäischen Gemeinschaft. Bereits im Basispreis inbegriffen.

Code: X38

Name: Gravurzuschlag (GS1-Code)

Beschreibung: *Temporärer GS1-Code. Aufpreis für spezielle angeforderte Gravuren*

Code: X39

Name: Zuschlag für Urheberrecht (GS1-Code)

Beschreibung: *Temporärer GS1-Code. Zusätzliche Kosten für Urheberrechte zusätzlich zum Produktpreis.*

Code: X40

Name: Enthaltener Urheberrechtszuschlag (GS1-Code)

Beschreibung: *Temporärer GS1-Code. Zusätzliche Kosten für Urheberrechte, die bereits im Produktpreis enthalten sind.*

Code: X41

Name: Werbekostenzuschuss (GS1-Code)

Beschreibung: *Temporärer GS1-Code. Preisnachlass auf Basis von Werbung*

Code: X42

Name: Kombirabatt (GS1-Code)

Beschreibung: *Temporärer GS1-Code. Rabatt auf Basis der Kombination der bestellten Produkte (manchmal bei einer festgelegten Kombination)*

Code: X43

Name: Batteriesteuer (GS1-Code)

Beschreibung: *Temporärer GS1-Code. Steuern für Batterien, zusätzlich zum Produktpreis.*

Code: X44

Name: Enthaltene Batteriesteuer (GS1-Code)

Beschreibung: *Temporärer GS1-Code. Steuern für Batterien, bereits im Produktpreis enthalten.*

Code: X45

Name: WEEE Gebühr (GS1 Code)

Beschreibung: *GS1 temporärer Code. Abfallgebühren auf der Grundlage der Richtlinie über Elektro- und Elektronik-Altgeräte der Europäischen Gemeinschaft, die zum (Grund-) Preis hinzuzurechnen sind.*

allowanceOrChargeType

Wiederholung: 1 .. 1

Schema-Status: M

Typ: shared_common:AllowanceOrChargeEnumerationType

Fachbegriff: **Zu-/Abschlag (Schalter)**

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Status: **R**
 Beispiel: CHARGE
 Definition: Code für Zu- oder Abschläge
 EANCOM®: **INVOIC.SG26.SG39.ALC.5463**

Used Codes

Code: ALLOWANCE
 Name: Abschlag
 Beschreibung: *Code zur Angabe eines Abschlags.*
 Code: CHARGE
 Name: Zuschlag
 Beschreibung: *Code zur Angabe eines Zuschlags.*

settlementType

Wiederholung: 1 .. 1
 Schema-Status: M
 Typ: ecom_common:SettlementTypeCodeType
 Definition: Angabe der Art der Regulierung über einen Code. Erlaubte Codewerte können der GS1 Codelise SettlementTypeCode entnommen werden.
 Fachbegriff: **Art der Regulierung**
 Status: **R**
 Beispiel: 6
 GDD URN: <http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:SettlementTypeCode>

Used Codes

Code: 1
 Name: Rückverrechnung
 Beschreibung: *Bezieht sich auf einen Zu- oder Abschlag für den Käufer, der Käufer wird dem Verkäufer rückverrechnen.*
 Code: 2
 Name: Nicht in der Rechnung
 Beschreibung: *Der Zu- oder Abschlag wird in der Rechnung verrechnet.*
 Code: 3
 Name: Verkäuferscheck an Kunden
 Beschreibung: *Der Lieferant gewährt dem Kunden einen Abschlag in Form eines Schecks .*
 Code: 4
 Name: Kundenkreditkonto
 Beschreibung: *Dem Kunden wird ein Abschlag durch eine Gutschrift auf sein Konto gewährt.*

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	<p>Used Codes</p> <p>Code: 5 Name: Gebühr, zahlbar durch Verkäufer Beschreibung: <i>Eine Gebühr, die der Verkäufer bezahlt.</i></p> <p>Code: 6 Name: Gebühr, zahlbar durch Kunden Beschreibung: <i>Eine Gebühr, die der Kunde bezahlt.</i></p> <p>Code: 1X Name: Artikel-Rückstellungen Beschreibung: <i>Aufwendungen im Zusammenhang mit einem Artikel für den die Rechnungen zum Ende des aktuellen Abrechnungszeitraums noch nicht eingegangen sind.</i></p> <p>Code: 2X Name: Kreditor-Rückstellungen Beschreibung: <i>Aufwendungen eines Lieferanten, dessen Rechnungen am Ende des aktuellen Abrechnungszeitraums noch nicht eingegangen sind.</i></p>
allowanceChargeAmount	<p>Wiederholung: 0 .. 1 Schema-Status: O Typ: shared_common:AmountType Fachbegriff: Zu-Abschlagsbetrag Status: O Beispiel: 300 Definition: Angabe des Betrags des angewendeten Zu- oder Abschlags. EANCOM®: INVOIC.SG26.SG39.SG42[D_5025="8"].MOA.5004</p>
currencyCode	<p>Schema-Status: M Type: restriction (xs:string) Fachbegriff: Währungscode Status: R Beispiel: EUR Definition: Code, der die Währung einer Wertangabe spezifiziert.</p> <p>Used Codes</p> <p>Code: RON Name: Romanian Leu Beschreibung: <i>This currency code is effective from 1 July 2005</i></p> <p>Code: ZWL Name: Zimbabwe Dollar</p>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

allowanceChargePercentage	Used Codes	Beschreibung: <i>(effective 1 February 2009)</i>
		Wiederholung: 0 .. 1
		Schema-Status: O
		Typ: xs:float
		Definition: Angabe eines prozentualen Zu- oder Abschlags.
		Fachbegriff: Zu-Abschlagsprozent
		Status: O
		Beispiel: 5
		EANCOM®: <i>INVOIC.SG26.SG39.SG41[D_5245="3"].PCD.5482</i>
baseAmount		Wiederholung: 0 .. 1
		Schema-Status: O
		Typ: shared_common:AmountType
		Fachbegriff: Basisbetrag
		Status: O
		Beispiel: 60000
		Definition: Betrag, auf dem die Zu- oder Abschlagsrechnung basiert.
		EANCOM®: <i>INVOIC.SG26.SG39.SG42[D_5025="25"].MOA.5004</i>
currencyCode		Schema-Status: M
		Type: restriction (xs:string)
		Fachbegriff: Währungscode
		Status: R
		Beispiel: EUR
		Definition: Code, der die Währung einer Wertangabe spezifiziert.
	Used Codes	
		Code: RON
		Name: Romanian Leu
		Beschreibung: <i>This currency code is effective from 1 July 2005</i>
		Code: ZWL
		Name: Zimbabwe Dollar
		Beschreibung: <i>(effective 1 February 2009)</i>
baseNumberOfUnits		Wiederholung: 0 .. 1
		Schema-Status: O
		Typ: shared_common:MeasurementType
		Fachbegriff: Basisanzahl von Einheiten

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

measurementUnitCode	Status:	O
	Beispiel:	300
	Definition:	Menge von Einheiten, auf dem die Zu- oder Abschlagsrechnung basiert.
	EANCOM®:	INVOIC.SG26.SG39.SG40[D_6063="1"].QTY.6060
	Schema-Status:	M
	Type:	restriction (xs:string)
	Fachbegriff:	Einheit
	Status:	D
	Beispiel:	MM
	Definition:	Eine standardisierte, reproduzierbare Einheit, die zur Messung physikalischer Größen dient. Erlaubte Codewerte sind in der UN / ECE Empfehlung 20 - vollständig von GS1 adaptiert - spezifiziert.
EANCOM®:	INVOIC.SG26.SG39.SG40[D_6063="1"].QTY.6411	
Used Codes		
Code:	10	
Name:	group	
Beschreibung:	<i>A unit of count defining the number of groups (group: set of items classified together).</i>	
Code:	11	
Name:	outfit	
Beschreibung:	<i>A unit of count defining the number of outfits (outfit: a complete set of equipment / materials / objects used for a specific purpose).</i>	
Code:	13	
Name:	ration	
Beschreibung:	<i>A unit of count defining the number of rations (ration: a single portion of provisions).</i>	
Code:	14	
Name:	shot	
Beschreibung:	<i>A unit of liquid measure, especially related to spirits.</i>	
Code:	15	
Name:	stick, military	
Beschreibung:	<i>A unit of count defining the number of military sticks (military stick: bombs or paratroops released in rapid succession from an aircraft).</i>	
Code:	20	
Name:	twenty foot container	
Beschreibung:	<i>A unit of count defining the number of shipping containers that measure 20 foot in length.</i>	
Code:	21	

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	forty foot container
Beschreibung:	<i>A unit of count defining the number of shipping containers that measure 40 foot in length.</i>
Code:	24
Name:	theoretical pound
Beschreibung:	<i>A unit of mass defining the expected mass of material expressed as the number of pounds.</i>
Code:	27
Name:	theoretical ton
Beschreibung:	<i>A unit of mass defining the expected mass of material, expressed as the number of tons.</i>
Code:	56
Name:	sitas
Beschreibung:	<i>A unit of area for tin plate equal to a surface area of 100 square metres.</i>
Code:	57
Name:	mesh
Beschreibung:	<i>A unit of count defining the number of strands per inch as a measure of the fineness of a woven product.</i>
Code:	58
Name:	net kilogram
Beschreibung:	<i>A unit of mass defining the total number of kilograms after deductions.</i>
Code:	59
Name:	Teile pro Million (ppm)
Beschreibung:	<i>A unit of proportion equal to 10 to the power of -6.</i>
Code:	60
Name:	percent weight
Beschreibung:	<i>A unit of proportion equal to 10 to the power of -2.</i>
Code:	61
Name:	part per billion (US)
Beschreibung:	<i>A unit of proportion equal to 10 to the power of -9.</i>
Code:	84
Name:	kilopound-force per square inch
Beschreibung:	<i>A unit of pressure defining the number of kilopounds force per square inch. Use kip per square inch (common code N20).</i>
Code:	1I
Name:	fixed rate

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Used Codes

Beschreibung:	<i>A unit of quantity expressed as a predetermined or set rate for usage of a facility or service.</i>
Code:	2A
Name:	radian per second
Beschreibung:	<i>Refer ISO/TC12 SI Guide</i>
Code:	2B
Name:	radian per second squared
Beschreibung:	<i>Refer ISO/TC12 SI Guide</i>
Code:	2G
Name:	volt AC
Beschreibung:	<i>A unit of electric potential in relation to alternating current (AC).</i>
Code:	2H
Name:	volt DC
Beschreibung:	<i>A unit of electric potential in relation to direct current (DC).</i>
Code:	2P
Name:	kilobyte
Beschreibung:	<i>A unit of information equal to 10 to the power of 3 (1000) bytes.</i>
Code:	3C
Name:	manmonth
Beschreibung:	<i>A unit of count defining the number of months for a person or persons to perform an undertaking.</i>
Code:	4L
Name:	Megabyte
Beschreibung:	<i>A unit of information equal to 10 to the power of 6 (1000000) bytes.</i>
Code:	5B
Name:	batch
Beschreibung:	<i>A unit of count defining the number of batches (batch: quantity of material produced in one operation or number of animals or persons coming at once).</i>
Code:	5E
Name:	MMSCF/day
Beschreibung:	<i>A unit of volume equal to one million (1000000) cubic feet of gas per day.</i>
Code:	5J
Name:	hydraulic horse power
Beschreibung:	<i>A unit of power defining the hydraulic horse power delivered by a fluid pump depending</i>

Guideline**Used Codes**

	<i>on the viscosity of the fluid.</i>
Code:	A25
Name:	Pferdestärken (PS)
Beschreibung:	<i>Synonym: metric horse power</i>
Code:	A43
Name:	deadweight tonnage
Beschreibung:	<i>A unit of mass defining the difference between the weight of a ship when completely empty and its weight when completely loaded, expressed as the number of tons.</i>
Code:	A47
Name:	decitex
Beschreibung:	<i>A unit of yarn density. One decitex equals a mass of 1 gram per 10 kilometres of length.</i>
Code:	A48
Name:	degree Rankine
Beschreibung:	<i>Refer ISO 80000-5 (Quantities and units — Part 5: Thermodynamics)</i>
Code:	A49
Name:	denier
Beschreibung:	<i>A unit of yarn density. One denier equals a mass of 1 gram per 9 kilometres of length.</i>
Code:	A59
Name:	8-part cloud cover
Beschreibung:	<i>A unit of count defining the number of eighth-parts as a measure of the celestial dome cloud coverage. Synonym: OKTA , OCTA</i>
Code:	A75
Name:	freight ton
Beschreibung:	<i>A unit of information typically used for billing purposes, defined as either the number of metric tons or the number of cubic metres, whichever is the larger.</i>
Code:	A9
Name:	rate
Beschreibung:	<i>A unit of quantity expressed as a rate for usage of a facility or service.</i>
Code:	A91
Name:	gon
Beschreibung:	<i>Synonym: grade</i>
Code:	A99
Name:	Bit

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of information equal to one binary digit.</i>
Code:	AA
Name:	ball
Beschreibung:	<i>A unit of count defining the number of balls (ball: object formed in the shape of sphere).</i>
Code:	AB
Name:	bulk pack
Beschreibung:	<i>A unit of count defining the number of items per bulk pack.</i>
Code:	ACT
Name:	activity
Beschreibung:	<i>A unit of count defining the number of activities (activity: a unit of work or action).</i>
Code:	AD
Name:	Byte
Beschreibung:	<i>A unit of information equal to 8 bits.</i>
Code:	AH
Name:	additional minute
Beschreibung:	<i>A unit of time defining the number of minutes in addition to the referenced minutes.</i>
Code:	AI
Name:	average minute per call
Beschreibung:	<i>A unit of count defining the number of minutes for the average interval of a call.</i>
Code:	AL
Name:	access line
Beschreibung:	<i>A unit of count defining the number of telephone access lines.</i>
Code:	AMH
Name:	Amperestunde
Beschreibung:	<i>A unit of electric charge defining the amount of charge accumulated by a steady flow of one ampere for one hour.</i>
Code:	ANN
Name:	Jahr
Beschreibung:	<i>Unit of time equal to 365,25 days. Synonym: Julian year</i>
Code:	AQ
Name:	anti-hemophilic factor (AHF) unit
Beschreibung:	<i>A unit of measure for blood potency (US).</i>
Code:	ARE

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	are
Beschreibung:	<i>Synonym: square decametre</i>
Code:	AS
Name:	assortment
Beschreibung:	<i>A unit of count defining the number of assortments (assortment: set of items grouped in a mixed collection).</i>
Code:	ASM
Name:	Alkoholgehalt pro Masse
Beschreibung:	<i>A unit of mass defining the alcoholic strength of a liquid.</i>
Code:	ASU
Name:	Alkoholgehalt pro Volumen
Beschreibung:	<i>A unit of volume defining the alcoholic strength of a liquid (e.g. spirit, wine, beer, etc), often at a specific temperature.</i>
Code:	AWG
Name:	american wire gauge
Beschreibung:	<i>A unit of distance used for measuring the diameter of small tubes or wires such as the outer diameter of hypotermic or suture needles.</i>
Code:	AY
Name:	assembly
Beschreibung:	<i>A unit of count defining the number of assemblies (assembly: items that consist of component parts).</i>
Code:	B10
Name:	bit per second
Beschreibung:	<i>A unit of information equal to one binary digit per second.</i>
Code:	B13
Name:	Joule pro Quadratmeter
Beschreibung:	<i>Synonym: joule per metre squared</i>
Code:	B17
Name:	Soll-Buchungen
Beschreibung:	<i>A unit of count defining the number of entries made to the credit side of an account.</i>
Code:	B19
Name:	digit
Beschreibung:	<i>A unit of information defining the quantity of numerals used to form a number.</i>
Code:	B3

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	batting pound
Beschreibung:	<i>A unit of mass defining the number of pounds of wadded fibre.</i>
Code:	B30
Name:	gibibit
Beschreibung:	<i>A unit of information equal to 2³⁰ bits (binary digits).</i>
Code:	B4
Name:	barrel, imperial
Beschreibung:	<i>A unit of volume used to measure beer. One beer barrel equals 36 imperial gallons.</i>
Code:	B51
Name:	kilopond
Beschreibung:	<i>Synonym: kilogram-force</i>
Code:	B57
Name:	light year
Beschreibung:	<i>A unit of length defining the distance that light travels in a vacuum in one year.</i>
Code:	B68
Name:	gigabit
Beschreibung:	<i>A unit of information equal to 10 to the power of 9 bits (binary digits).</i>
Code:	B7
Name:	cycle
Beschreibung:	<i>A unit of count defining the number of cycles (cycle: a recurrent period of definite duration).</i>
Code:	B80
Name:	gigabit per second
Beschreibung:	<i>A unit of information equal to 10 to the power of 9 bits (binary digits) per second.</i>
Code:	B82
Name:	inch per linear foot
Beschreibung:	<i>A unit of length defining the number of inches per linear foot.</i>
Code:	BB
Name:	base box
Beschreibung:	<i>A unit of area of 112 sheets of tin mil products (tin plate, tin free steel or black plate) 14 by 20 inches, or 31,360 square inches.</i>
Code:	BFT
Name:	board foot
Beschreibung:	<i>A unit of volume defining the number of cords (cord: a stack of firewood of 128 cubic</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Used Codes

	<i>feet).</i>
Code:	BIL
Name:	billion (EUR)
Beschreibung:	<i>Synonym: trillion (US)</i>
Code:	BP
Name:	hundred board foot
Beschreibung:	<i>A unit of volume equal to one hundred board foot.</i>
Code:	BPM
Name:	beats per minute
Beschreibung:	<i>The number of beats per minute.</i>
Code:	C0
Name:	Telefoneinheit
Beschreibung:	<i>A unit of count defining the number of calls (call: communication session or visitation).</i>
Code:	C21
Name:	kibibit
Beschreibung:	<i>A unit of information equal to 2 to the power of 10 (1024) bits (binary digits).</i>
Code:	C37
Name:	kilobit
Beschreibung:	<i>A unit of information equal to 10 to the power of 3 (1000) bits (binary digits).</i>
Code:	C59
Name:	octave
Beschreibung:	<i>A unit used in music to describe the ratio in frequency between notes.</i>
Code:	C62
Name:	one
Beschreibung:	<i>Synonym: unit</i>
Code:	C69
Name:	phon
Beschreibung:	<i>A unit of subjective sound loudness. A sound has loudness p phons if it seems to the listener to be equal in loudness to the sound of a pure tone of frequency 1 kilohertz and strength p decibels.</i>
Code:	C74
Name:	kilobit per second
Beschreibung:	<i>A unit of information equal to 10 to the power of 3 (1000) bits (binary digits) per second.</i>
Code:	C79

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	kilovolt ampere hour
Beschreibung:	<i>A unit of accumulated energy of 1000 volt amperes over a period of one hour.</i>
Code:	C87
Name:	reciprocal cubic metre per second
Beschreibung:	<i>Synonym: reciprocal second per cubic metre</i>
Code:	C9
Name:	coil group
Beschreibung:	<i>A unit of count defining the number of coil groups (coil group: groups of items arranged by lengths of those items placed in a joined sequence of concentric circles).</i>
Code:	C93
Name:	reciprocal square metre
Beschreibung:	<i>Synonym: reciprocal metre squared</i>
Code:	CCT
Name:	carrying capacity in metric ton
Beschreibung:	<i>A unit of mass defining the carrying capacity, expressed as the number of metric tons.</i>
Code:	CEL
Name:	Grad Celsius
Beschreibung:	<i>Refer ISO 80000-5 (Quantities and units — Part 5: Thermodynamics)</i>
Code:	CEN
Name:	hundred
Beschreibung:	<i>A unit of count defining the number of units in multiples of 100.</i>
Code:	CG
Name:	card
Beschreibung:	<i>A unit of count defining the number of units of card (card: thick stiff paper or cardboard).</i>
Code:	CLF
Name:	hundred leave
Beschreibung:	<i>A unit of count defining the number of leaves, expressed in units of one hundred leaves.</i>
Code:	CNP
Name:	hundred pack
Beschreibung:	<i>A unit of count defining the number of hundred-packs (hundred-pack: set of one hundred items packaged together).</i>
Code:	CNT
Name:	cental (UK)
Beschreibung:	<i>A unit of mass equal to one hundred weight (US).</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	CTG
Name:	content gram
Beschreibung:	<i>A unit of mass defining the number of grams of a named item in a product.</i>
Code:	CTN
Name:	content ton (metric)
Beschreibung:	<i>A unit of mass defining the number of metric tons of a named item in a product.</i>
Code:	D03
Name:	kilowatt hour per hour
Beschreibung:	<i>A unit of accumulated energy of a thousand watts over a period of one hour.</i>
Code:	D04
Name:	lot [unit of weight]
Beschreibung:	<i>A unit of weight equal to about 1/2 ounce or 15 grams.</i>
Code:	D11
Name:	mebibit
Beschreibung:	<i>A unit of information equal to 2 to the power of 20 (1048576) bits (binary digits).</i>
Code:	D15
Name:	sonne
Beschreibung:	<i>A unit of subjective sound loudness. One sone is the loudness of a pure tone of frequency one kilohertz and strength 40 decibels.</i>
Code:	D23
Name:	pen gram (protein)
Beschreibung:	<i>A unit of count defining the number of grams of amino acid prescribed for parenteral/ enteral therapy.</i>
Code:	D34
Name:	tex
Beschreibung:	<i>A unit of yarn density. One decitex equals a mass of 1 gram per 1 kilometre of length.</i>
Code:	D36
Name:	megabit
Beschreibung:	<i>A unit of information equal to 10 to the power of 6 (1000000) bits (binary digits).</i>
Code:	D44
Name:	var
Beschreibung:	<i>The name of the unit is an acronym for volt-ampere-reactive.</i>
Code:	D63
Name:	book

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of count defining the number of books (book: set of items bound together or written document of a material whole).</i>
Code:	D65
Name:	round
Beschreibung:	<i>A unit of count defining the number of rounds (round: A circular or cylindrical object).</i>
Code:	D68
Name:	number of words
Beschreibung:	<i>A unit of count defining the number of words.</i>
Code:	D78
Name:	megajoule per second
Beschreibung:	<i>A unit of accumulated energy equal to one million joules per second.</i>
Code:	DAD
Name:	ten day
Beschreibung:	<i>A unit of time defining the number of days in multiples of 10.</i>
Code:	DB
Name:	dry pound
Beschreibung:	<i>A unit of mass defining the number of pounds of a product, disregarding the water content of the product.</i>
Code:	DEC
Name:	decade
Beschreibung:	<i>A unit of count defining the number of decades (decade: quantity equal to 10 or time equal to 10 years).</i>
Code:	DMO
Name:	standard kilolitre
Beschreibung:	<i>A unit of volume defining the number of kilolitres of a product at a temperature of 15 degrees Celsius, especially in relation to hydrocarbon oils.</i>
Code:	DPC
Name:	dozen piece
Beschreibung:	<i>A unit of count defining the number of pieces in multiples of 12 (piece: a single item, article or exemplar).</i>
Code:	DPR
Name:	dozen pair
Beschreibung:	<i>A unit of count defining the number of pairs in multiples of 12 (pair: item described by two's).</i>

Guideline**Used Codes**

Code:	DPT
Name:	displacement tonnage
Beschreibung:	<i>A unit of mass defining the volume of sea water a ship displaces, expressed as the number of tons.</i>
Code:	DRA
Name:	dram (US)
Beschreibung:	<i>Synonym: drachm (UK), troy dram</i>
Code:	DRI
Name:	dram (UK)
Beschreibung:	<i>Synonym: avoirdupois dram</i>
Code:	DRL
Name:	dozen roll
Beschreibung:	<i>A unit of count defining the number of rolls, expressed in twelve roll units.</i>
Code:	DT
Name:	dry ton
Beschreibung:	<i>A unit of mass defining the number of tons of a product, disregarding the water content of the product.</i>
Code:	DTN
Name:	decitonne
Beschreibung:	<i>Synonym: centner, metric 100 kg, quintal, metric 100 kg</i>
Code:	DZN
Name:	Dutzend
Beschreibung:	<i>A unit of count defining the number of units in multiples of 12.</i>
Code:	DZP
Name:	dozen pack
Beschreibung:	<i>A unit of count defining the number of packs in multiples of 12 (pack: standard packaging unit).</i>
Code:	E01
Name:	newton per square centimetre
Beschreibung:	<i>A measure of pressure expressed in newtons per square centimetre.</i>
Code:	E07
Name:	megawatt hour per hour
Beschreibung:	<i>A unit of accumulated energy of a million watts over a period of one hour.</i>
Code:	E08

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	megawatt per hertz
Beschreibung:	<i>A unit of energy expressed as the load change in million watts that will cause a frequency shift of one hertz.</i>
Code:	E09
Name:	milliampere hour
Beschreibung:	<i>A unit of power load delivered at the rate of one thousandth of an ampere over a period of one hour.</i>
Code:	E10
Name:	degree day
Beschreibung:	<i>A unit of measure used in meteorology and engineering to measure the demand for heating or cooling over a given period of days.</i>
Code:	E11
Name:	gigacalorie
Beschreibung:	<i>A unit of heat energy equal to one thousand million calories.</i>
Code:	E12
Name:	mille
Beschreibung:	<i>A unit of count defining the number of cigarettes in units of 1000.</i>
Code:	E14
Name:	kilocalorie (international table)
Beschreibung:	<i>A unit of heat energy equal to one thousand calories.</i>
Code:	E15
Name:	kilocalorie (thermochemical) per hour
Beschreibung:	<i>A unit of energy equal to one thousand calories per hour.</i>
Code:	E16
Name:	million Btu(IT) per hour
Beschreibung:	<i>A unit of power equal to one million British thermal units per hour.</i>
Code:	E17
Name:	cubic foot per second
Beschreibung:	<i>A unit of volume equal to one cubic foot passing a given point in a period of one second.</i>
Code:	E18
Name:	tonne per hour
Beschreibung:	<i>A unit of weight or mass equal to one tonne per hour.</i>
Code:	E19
Name:	ping

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of area equal to 3.3 square metres.</i>
Code:	E20
Name:	megabit per second
Beschreibung:	<i>A unit of information equal to 10 to the power of 6 (1000000) bits (binary digits) per second.</i>
Code:	E21
Name:	shares
Beschreibung:	<i>A unit of count defining the number of shares (share: a total or portion of the parts into which a business entity's capital is divided).</i>
Code:	E22
Name:	TEU
Beschreibung:	<i>A unit of count defining the number of twenty-foot equivalent units (TEUs) as a measure of containerized cargo capacity.</i>
Code:	E23
Name:	tyre
Beschreibung:	<i>A unit of count defining the number of tyres (a solid or air-filled covering placed around a wheel rim to form a soft contact with the road, absorb shock and provide traction).</i>
Code:	E25
Name:	active unit
Beschreibung:	<i>A unit of count defining the number of active units within a substance.</i>
Code:	E27
Name:	dose
Beschreibung:	<i>A unit of count defining the number of doses (dose: a definite quantity of a medicine or drug).</i>
Code:	E28
Name:	air dry ton
Beschreibung:	<i>A unit of mass defining the number of tons of a product, disregarding the water content of the product.</i>
Code:	E30
Name:	strand
Beschreibung:	<i>A unit of count defining the number of strands (strand: long, thin, flexible, single thread, strip of fibre, constituent filament or multiples of the same, twisted together).</i>
Code:	E31
Name:	square metre per litre

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of count defining the number of square metres per litre.</i>
Code:	E32
Name:	litre per hour
Beschreibung:	<i>A unit of count defining the number of litres per hour.</i>
Code:	E33
Name:	foot per thousand
Beschreibung:	<i>A unit of count defining the number of feet per thousand units.</i>
Code:	E34
Name:	Gigabyte
Beschreibung:	<i>A unit of information equal to 10 to the power of 9 bytes.</i>
Code:	E35
Name:	terabyte
Beschreibung:	<i>A unit of information equal to 10 to the power of 12 bytes.</i>
Code:	E36
Name:	petabyte
Beschreibung:	<i>A unit of information equal to 10 to the power of 15 bytes.</i>
Code:	E37
Name:	Pixel
Beschreibung:	<i>A unit of count defining the number of pixels (pixel: picture element).</i>
Code:	E38
Name:	Megapixel
Beschreibung:	<i>A unit of count equal to 10 to the power of 6 (1000000) pixels (picture elements).</i>
Code:	E39
Name:	DPI, Dots per inch
Beschreibung:	<i>A unit of information defining the number of dots per linear inch as a measure of the resolution or sharpness of a graphic image.</i>
Code:	E4
Name:	gross kilogram
Beschreibung:	<i>A unit of mass defining the total number of kilograms before deductions.</i>
Code:	E40
Name:	part per hundred thousand
Beschreibung:	<i>A unit of proportion equal to 10 to the power of -5.</i>
Code:	E41
Name:	kilogram-force per square millimetre

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of pressure defining the number of kilograms force per square millimetre.</i>
Code:	E42
Name:	kilogram-force per square centimetre
Beschreibung:	<i>A unit of pressure defining the number of kilograms force per square centimetre.</i>
Code:	E43
Name:	joule per square centimetre
Beschreibung:	<i>A unit of energy defining the number of joules per square centimetre.</i>
Code:	E44
Name:	kilogram-force metre per square centimetre
Beschreibung:	<i>A unit of torsion defining the torque kilogram-force metre per square centimetre.</i>
Code:	E46
Name:	kilowatt hour per cubic metre
Beschreibung:	<i>A unit of energy consumption expressed as kilowatt hour per cubic metre.</i>
Code:	E47
Name:	kilowatt hour per kelvin
Beschreibung:	<i>A unit of energy consumption expressed as kilowatt hour per kelvin.</i>
Code:	E48
Name:	service unit
Beschreibung:	<i>A unit of count defining the number of service units (service unit: defined period / property / facility / utility of supply).</i>
Code:	E49
Name:	working day
Beschreibung:	<i>A unit of count defining the number of working days (working day: a day on which work is ordinarily performed).</i>
Code:	E50
Name:	accounting unit
Beschreibung:	<i>A unit of count defining the number of accounting units.</i>
Code:	E51
Name:	job
Beschreibung:	<i>A unit of count defining the number of jobs.</i>
Code:	E52
Name:	run foot
Beschreibung:	<i>A unit of count defining the number feet per run.</i>
Code:	E53

Guideline**Used Codes**

Name:	test
Beschreibung:	<i>A unit of count defining the number of tests.</i>
Code:	E54
Name:	trip
Beschreibung:	<i>A unit of count defining the number of trips.</i>
Code:	E55
Name:	use
Beschreibung:	<i>A unit of count defining the number of times an object is used.</i>
Code:	E56
Name:	well
Beschreibung:	<i>A unit of count defining the number of wells.</i>
Code:	E57
Name:	zone
Beschreibung:	<i>A unit of count defining the number of zones.</i>
Code:	E58
Name:	exabit per second
Beschreibung:	<i>A unit of information equal to 10 to the power of 18 bits (binary digits) per second.</i>
Code:	E59
Name:	exbibyte
Beschreibung:	<i>A unit of information equal to 2 to the power of 60 bytes.</i>
Code:	E60
Name:	pebibyte
Beschreibung:	<i>A unit of information equal to 2 to the power of 50 bytes.</i>
Code:	E61
Name:	tebibyte
Beschreibung:	<i>A unit of information equal to 2 to the power of 40 bytes.</i>
Code:	E62
Name:	gibibyte
Beschreibung:	<i>A unit of information equal to 2 to the power of 30 bytes.</i>
Code:	E63
Name:	mebibyte
Beschreibung:	<i>A unit of information equal to 2 to the power of 20 bytes.</i>
Code:	E64
Name:	kibibyte

Guideline**Used Codes**

Beschreibung:	<i>A unit of information equal to 2 to the power of 10 bytes.</i>
Code:	E65
Name:	exbibit per metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 60 bits (binary digits) per metre.</i>
Code:	E66
Name:	exbibit per square metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 60 bits (binary digits) per square metre.</i>
Code:	E67
Name:	exbibit per cubic metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 60 bits (binary digits) per cubic metre.</i>
Code:	E68
Name:	gigabyte per second
Beschreibung:	<i>A unit of information equal to 10 to the power of 9 bytes per second.</i>
Code:	E69
Name:	gibibit per metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 30 bits (binary digits) per metre.</i>
Code:	E70
Name:	gibibit per square metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 30 bits (binary digits) per square metre.</i>
Code:	E71
Name:	gibibit per cubic metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 30 bits (binary digits) per cubic metre.</i>
Code:	E72
Name:	kibibit per metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 10 bits (binary digits) per metre.</i>
Code:	E73
Name:	kibibit per square metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 10 bits (binary digits) per square metre.</i>
Code:	E74
Name:	kibibit per cubic metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 10 bits (binary digits) per cubic metre.</i>
Code:	E75
Name:	mebibit per metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 20 bits (binary digits) per metre.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	E76
Name:	mebibit per square metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 20 bits (binary digits) per square metre.</i>
Code:	E77
Name:	mebibit per cubic metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 20 bits (binary digits) per cubic metre.</i>
Code:	E78
Name:	petabit
Beschreibung:	<i>A unit of information equal to 10 to the power of 15 bits (binary digits).</i>
Code:	E79
Name:	petabit per second
Beschreibung:	<i>A unit of information equal to 10 to the power of 15 bits (binary digits) per second.</i>
Code:	E80
Name:	pebibit per metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 50 bits (binary digits) per metre.</i>
Code:	E81
Name:	pebibit per square metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 50 bits (binary digits) per square metre.</i>
Code:	E82
Name:	pebibit per cubic metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 50 bits (binary digits) per cubic metre.</i>
Code:	E83
Name:	terabit
Beschreibung:	<i>A unit of information equal to 10 to the power of 12 bits (binary digits).</i>
Code:	E84
Name:	terabit per second
Beschreibung:	<i>A unit of information equal to 10 to the power of 12 bits (binary digits) per second.</i>
Code:	E85
Name:	tebibit per metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 40 bits (binary digits) per metre.</i>
Code:	E86
Name:	tebibit per cubic metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 40 bits (binary digits) per cubic metre.</i>
Code:	E87

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	tebibit per square metre
Beschreibung:	<i>A unit of information equal to 2 to the power of 40 bits (binary digits) per square metre.</i>
Code:	E88
Name:	bit per metre
Beschreibung:	<i>A unit of information equal to 1 bit (binary digit) per metre.</i>
Code:	E89
Name:	bit per square metre
Beschreibung:	<i>A unit of information equal to 1 bit (binary digit) per square metre.</i>
Code:	EA
Name:	Jedes einzelne (Eines)
Beschreibung:	<i>A unit of count defining the number of items regarded as separate units.</i>
Code:	EB
Name:	electronic mail box
Beschreibung:	<i>A unit of count defining the number of electronic mail boxes.</i>
Code:	EQ
Name:	equivalent gallon
Beschreibung:	<i>A unit of volume defining the number of gallons of product produced from concentrate.</i>
Code:	F01
Name:	bit per cubic metre
Beschreibung:	<i>A unit of information equal to 1 bit (binary digit) per cubic metre.</i>
Code:	F13
Name:	slug
Beschreibung:	<i>A unit of mass. One slug is the mass accelerated at 1 foot per second per second by a force of 1 pound.</i>
Code:	F49
Name:	rod [unit of distance]
Beschreibung:	<i>A unit of distance equal to 5.5 yards (16 feet 6 inches).</i>
Code:	F80
Name:	water horse power
Beschreibung:	<i>A unit of power defining the amount of power required to move a given volume of water against acceleration of gravity to a specified elevation (pressure head).</i>
Code:	FAH
Name:	Grad Fahrenheit
Beschreibung:	<i>Refer ISO 80000-5 (Quantities and units — Part 5: Thermodynamics)</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	FBM
Name:	fibre metre
Beschreibung:	<i>A unit of length defining the number of metres of individual fibre.</i>
Code:	FC
Name:	thousand cubic foot
Beschreibung:	<i>A unit of volume equal to one thousand cubic foot.</i>
Code:	FF
Name:	hundred cubic metre
Beschreibung:	<i>A unit of volume equal to one hundred cubic metres.</i>
Code:	FIT
Name:	failures in time
Beschreibung:	<i>A unit of count defining the number of failures that can be expected over a specified time interval. Failure rates of semiconductor components are often specified as FIT (failures in time unit) where 1 FIT = 10 to the power of -9 /h.</i>
Code:	FL
Name:	flake ton
Beschreibung:	<i>A unit of mass defining the number of tons of a flaked substance (flake: a small flattish fragment).</i>
Code:	GDW
Name:	gram, dry weight
Beschreibung:	<i>A unit of mass defining the number of grams of a product, disregarding the water content of the product.</i>
Code:	GFI
Name:	gram of fissile isotope
Beschreibung:	<i>A unit of mass defining the number of grams of a fissile isotope (fissile isotope: an isotope whose nucleus is able to be split when irradiated with low energy neutrons).</i>
Code:	GGR
Name:	great gross
Beschreibung:	<i>A unit of count defining the number of units in multiples of 1728 (12 x 12 x 12).</i>
Code:	GIC
Name:	gram, including container
Beschreibung:	<i>A unit of mass defining the number of grams of a product, including its container.</i>
Code:	GIP
Name:	gram, including inner packaging

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of mass defining the number of grams of a product, including its inner packaging materials.</i>
Code:	GRO
Name:	Gross
Beschreibung:	<i>A unit of count defining the number of units in multiples of 144 (12 x 12).</i>
Code:	GRT
Name:	gross register ton
Beschreibung:	<i>A unit of mass equal to the total cubic footage before deductions, where 1 register ton is equal to 100 cubic feet. Refer International Convention on tonnage measurement of ships.</i>
Code:	GT
Name:	gross ton
Beschreibung:	<i>A unit of mass equal to 2240 pounds. Refer International Convention on Tonnage measurement of Ships. Synonym: ton (UK) or long ton (US) (common code LTN)</i>
Code:	H16
Name:	square decametre
Beschreibung:	<i>Synonym: are</i>
Code:	H18
Name:	square hectometre
Beschreibung:	<i>Synonym: hectare</i>
Code:	H21
Name:	blank
Beschreibung:	<i>A unit of count defining the number of blanks.</i>
Code:	H25
Name:	percent per kelvin
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to the SI base unit Kelvin.</i>
Code:	H71
Name:	percent per month
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to a month.</i>
Code:	H72
Name:	percent per hectobar
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to 100-fold of the unit bar.</i>
Code:	H73

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	percent per decakelvin
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to 10-fold of the SI base unit Kelvin.</i>
Code:	H77
Name:	module width
Beschreibung:	<i>A unit of measure used to describe the breadth of electronic assemblies as an installation standard or mounting dimension.</i>
Code:	H79
Name:	Charrière
Beschreibung:	<i>A unit of distance used for measuring the diameter of small tubes such as urological instruments and catheters.</i> <i>Synonym: French, French gauge, Charrière gauge</i>
Code:	H80
Name:	rack unit
Beschreibung:	<i>A unit of measure used to describe the height in rack units of equipment intended for mounting in a 19-inch rack or a 23-inch rack. One rack unit is 1.75 inches (44.45 mm) high.</i>
Code:	H82
Name:	big point
Beschreibung:	<i>A unit of length defining the number of big points (big point: Adobe software(US) defines the big point to be exactly 1/72 inch (0.013 888 9 inch or 0.352 777 8 millimeters))</i>
Code:	H87
Name:	piece
Beschreibung:	<i>A unit of count defining the number of pieces (piece: a single item, article or exemplar).</i>
Code:	H89
Name:	percent per ohm
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to the SI derived unit ohm.</i>
Code:	H90
Name:	percent per degree
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to an angle of one degree.</i>
Code:	H91
Name:	percent per ten thousand
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to multiples of ten thousand.</i>
Code:	H92
Name:	percent per one hundred thousand

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to multiples of one hundred thousand.</i>
Code:	H93
Name:	percent per hundred
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to multiples of one hundred.</i>
Code:	H94
Name:	percent per thousand
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to multiples of one thousand.</i>
Code:	H95
Name:	percent per volt
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to the SI derived unit volt.</i>
Code:	H96
Name:	percent per bar
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to an atmospheric pressure of one bar.</i>
Code:	H98
Name:	percent per inch
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to an inch.</i>
Code:	H99
Name:	percent per metre
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to a metre.</i>
Code:	HA
Name:	hank
Beschreibung:	<i>A unit of length, typically for yarn.</i>
Code:	HAR
Name:	hectare
Beschreibung:	<i>Synonym: square hectometre</i>
Code:	HBX
Name:	hundred boxes
Beschreibung:	<i>A unit of count defining the number of boxes in multiples of one hundred box units.</i>
Code:	HC
Name:	hundred count
Beschreibung:	<i>A unit of count defining the number of units counted in multiples of 100.</i>
Code:	HDW
Name:	hundred kilogram, dry weight
Beschreibung:	<i>A unit of mass defining the number of hundred kilograms of a product, disregarding the</i>

Guideline**Used Codes**

	<i>water content of the product.</i>
Code:	HEA
Name:	head
Beschreibung:	<i>A unit of count defining the number of heads (head: a person or animal considered as one of a number).</i>
Code:	HH
Name:	hundred cubic foot
Beschreibung:	<i>A unit of volume equal to one hundred cubic foot.</i>
Code:	HIU
Name:	hundred international unit
Beschreibung:	<i>A unit of count defining the number of international units in multiples of 100.</i>
Code:	HKM
Name:	hundred kilogram, net mass
Beschreibung:	<i>A unit of mass defining the number of hundred kilograms of a product, after deductions.</i>
Code:	HMQ
Name:	million cubic metre
Beschreibung:	<i>A unit of volume equal to one million cubic metres.</i>
Code:	HPA
Name:	hectolitre of pure alcohol
Beschreibung:	<i>A unit of volume equal to one hundred litres of pure alcohol.</i>
Code:	IE
Name:	person
Beschreibung:	<i>A unit of count defining the number of persons.</i>
Code:	INQ
Name:	Square inch
Beschreibung:	<i>Synonym: inch cubed</i>
Code:	ISD
Name:	international sugar degree
Beschreibung:	<i>A unit of measure defining the sugar content of a solution, expressed in degrees.</i>
Code:	J10
Name:	percent per millimetre
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to a millimetre.</i>
Code:	J12
Name:	per mille per psi

Guideline**Used Codes**

Beschreibung:	<i>A unit of pressure equal to one thousandth of a psi (pound-force per square inch).</i>
Code:	J13
Name:	degree API
Beschreibung:	<i>A unit of relative density as a measure of how heavy or light a petroleum liquid is compared to water (API: American Petroleum Institute).</i>
Code:	J14
Name:	degree Baume (origin scale)
Beschreibung:	<i>A traditional unit of relative density for liquids. Named after Antoine Baumé.</i>
Code:	J15
Name:	degree Baume (US heavy)
Beschreibung:	<i>A unit of relative density for liquids heavier than water.</i>
Code:	J16
Name:	degree Baume (US light)
Beschreibung:	<i>A unit of relative density for liquids lighter than water.</i>
Code:	J17
Name:	degree Balling
Beschreibung:	<i>A unit of density as a measure of sugar content, especially of beer wort. Named after Karl Balling.</i>
Code:	J18
Name:	degree Brix
Beschreibung:	<i>A unit of proportion used in measuring the dissolved sugar-to-water mass ratio of a liquid. Named after Adolf Brix.</i>
Code:	J27
Name:	degree Oechsle
Beschreibung:	<i>A unit of density as a measure of sugar content of must, the unfermented liqueur from which wine is made. Named after Ferdinand Oechsle.</i>
Code:	J31
Name:	degree Twaddell
Beschreibung:	<i>A unit of density for liquids that are heavier than water. 1 degree Twaddle represents a difference in specific gravity of 0.005.</i>
Code:	J38
Name:	baud
Beschreibung:	<i>A unit of signal transmission speed equal to one signalling event per second.</i>
Code:	J54

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	megabaud
Beschreibung:	<i>A unit of signal transmission speed equal to 10 to the power of 6 (1000000) signaling events per second.</i>
Code:	JNT
Name:	pipeline joint
Beschreibung:	<i>A count of the number of pipeline joints.</i>
Code:	JPS
Name:	hundred metre
Beschreibung:	<i>A unit of count defining the number of 100 metre lengths.</i>
Code:	JWL
Name:	number of jewels
Beschreibung:	<i>A unit of count defining the number of jewels (jewel: precious stone).</i>
Code:	K1
Name:	kilowatt demand
Beschreibung:	<i>A unit of measure defining the power load measured at predetermined intervals.</i>
Code:	K2
Name:	kilovolt ampere reactive demand
Beschreibung:	<i>A unit of measure defining the reactive power demand equal to one kilovolt ampere of reactive power.</i>
Code:	K3
Name:	kilovolt ampere reactive hour
Beschreibung:	<i>A unit of measure defining the accumulated reactive energy equal to one kilovolt ampere of reactive power per hour.</i>
Code:	K5
Name:	kilovolt ampere (reactive)
Beschreibung:	<i>Use kilovar (common code KVR)</i>
Code:	K50
Name:	kilobaud
Beschreibung:	<i>A unit of signal transmission speed equal to 10 to the power of 3 (1000) signaling events per second.</i>
Code:	KA
Name:	cake
Beschreibung:	<i>A unit of count defining the number of cakes (cake: object shaped into a flat, compact mass).</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	KAT
Name:	katal
Beschreibung:	<i>A unit of catalytic activity defining the catalytic activity of enzymes and other catalysts.</i>
Code:	KB
Name:	Kilobyte
Beschreibung:	<i>A unit of information equal to 10 to the power of 3 (1000) characters.</i>
Code:	KCC
Name:	kilogram of choline chloride
Beschreibung:	<i>A unit of mass equal to one thousand grams of choline chloride.</i>
Code:	KDW
Name:	kilogram drained net weight
Beschreibung:	<i>A unit of mass defining the net number of kilograms of a product, disregarding the liquid content of the product.</i>
Code:	KEL
Name:	Kelvin
Beschreibung:	<i>Refer ISO 80000-5 (Quantities and units — Part 5: Thermodynamics)</i>
Code:	KGM
Name:	Kilogramm
Beschreibung:	<i>A unit of mass equal to one thousand grams.</i>
Code:	KHY
Name:	kilogram of hydrogen peroxide
Beschreibung:	<i>A unit of mass equal to one thousand grams of hydrogen peroxide.</i>
Code:	KIC
Name:	kilogram, including container
Beschreibung:	<i>A unit of mass defining the number of kilograms of a product, including its container.</i>
Code:	KIP
Name:	kilogram, including inner packaging
Beschreibung:	<i>A unit of mass defining the number of kilograms of a product, including its inner packaging materials.</i>
Code:	KJ
Name:	kilosegment
Beschreibung:	<i>A unit of information equal to 10 to the power of 3 (1000) segments.</i>
Code:	KLK
Name:	lactic dry material percentage

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of proportion defining the percentage of dry lactic material in a product.</i>
Code:	KLX
Name:	kilolux
Beschreibung:	<i>A unit of illuminance equal to one thousand lux.</i>
Code:	KMA
Name:	kilogram of methylamine
Beschreibung:	<i>A unit of mass equal to one thousand grams of methylamine.</i>
Code:	KMQ
Name:	Kilogramm pro Kubikmeter
Beschreibung:	<i>A unit of weight expressed in kilograms of a substance that fills a volume of one cubic metre.</i>
Code:	KNI
Name:	kilogram of nitrogen
Beschreibung:	<i>A unit of mass equal to one thousand grams of nitrogen.</i>
Code:	KNM
Name:	kilonewton per square metre
Beschreibung:	<i>Pressure expressed in kN/m².</i>
Code:	KNS
Name:	kilogram named substance
Beschreibung:	<i>A unit of mass equal to one kilogram of a named substance.</i>
Code:	KO
Name:	milliequivalence caustic potash per gram of product
Beschreibung:	<i>A unit of count defining the number of milligrams of potassium hydroxide per gram of product as a measure of the concentration of potassium hydroxide in the product.</i>
Code:	KPH
Name:	kilogram of potassium hydroxide (caustic potash)
Beschreibung:	<i>A unit of mass equal to one thousand grams of potassium hydroxide (caustic potash).</i>
Code:	KPO
Name:	kilogram of potassium oxide
Beschreibung:	<i>A unit of mass equal to one thousand grams of potassium oxide.</i>
Code:	KPP
Name:	kilogram of phosphorus pentoxide (phosphoric anhydride)
Beschreibung:	<i>A unit of mass equal to one thousand grams of phosphorus pentoxide phosphoric anhydride.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	KSD
Name:	kilogram of substance 90 % dry
Beschreibung:	<i>A unit of mass equal to one thousand grams of a named substance that is 90% dry.</i>
Code:	KSH
Name:	kilogram of sodium hydroxide (caustic soda)
Beschreibung:	<i>A unit of mass equal to one thousand grams of sodium hydroxide (caustic soda).</i>
Code:	KT
Name:	kit
Beschreibung:	<i>A unit of count defining the number of kits (kit: tub, barrel or pail).</i>
Code:	KUR
Name:	kilogram of uranium
Beschreibung:	<i>A unit of mass equal to one thousand grams of uranium.</i>
Code:	KWN
Name:	Kilowatt hour per normalized cubic metre
Beschreibung:	<i>Kilowatt hour per normalized cubic metre (temperature 0°C and pressure 101325 millibars).</i>
Code:	KWO
Name:	kilogram of tungsten trioxide
Beschreibung:	<i>A unit of mass equal to one thousand grams of tungsten trioxide.</i>
Code:	KWS
Name:	Kilowatt hour per standard cubic metre
Beschreibung:	<i>Kilowatt hour per standard cubic metre (temperature 15°C and pressure 101325 millibars).</i>
Code:	LAC
Name:	lactose excess percentage
Beschreibung:	<i>A unit of proportion defining the percentage of lactose in a product that exceeds a defined percentage level.</i>
Code:	LEF
Name:	leaf
Beschreibung:	<i>A unit of count defining the number of leaves.</i>
Code:	LF
Name:	linear foot
Beschreibung:	<i>A unit of count defining the number of feet (12-inch) in length of a uniform width object.</i>
Code:	LH

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	labour hour
Beschreibung:	<i>A unit of time defining the number of labour hours.</i>
Code:	LK
Name:	link
Beschreibung:	<i>A unit of distance equal to 0.01 chain.</i>
Code:	LM
Name:	linear metre
Beschreibung:	<i>A unit of count defining the number of metres in length of a uniform width object.</i>
Code:	LN
Name:	length
Beschreibung:	<i>A unit of distance defining the linear extent of an item measured from end to end.</i>
Code:	LO
Name:	lot [unit of procurement]
Beschreibung:	<i>A unit of count defining the number of lots (lot: a collection of associated items).</i>
Code:	LP
Name:	liquid pound
Beschreibung:	<i>A unit of mass defining the number of pounds of a liquid substance.</i>
Code:	LPA
Name:	litre of pure alcohol
Beschreibung:	<i>A unit of volume equal to one litre of pure alcohol.</i>
Code:	LR
Name:	layer
Beschreibung:	<i>A unit of count defining the number of layers.</i>
Code:	LS
Name:	lump sum
Beschreibung:	<i>A unit of count defining the number of whole or a complete monetary amounts.</i>
Code:	LTN
Name:	ton (UK) or long ton (US)
Beschreibung:	<i>Synonym: gross ton (2240 lb)</i>
Code:	LUB
Name:	metric ton, lubricating oil
Beschreibung:	<i>A unit of mass defining the number of metric tons of lubricating oil.</i>
Code:	LY
Name:	linear yard

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of count defining the number of 36-inch units in length of a uniform width object.</i>
Code:	M19
Name:	Beaufort
Beschreibung:	<i>An empirical measure for describing wind speed based mainly on observed sea conditions. The Beaufort scale indicates the wind speed by numbers that typically range from 0 for calm, to 12 for hurricane.</i>
Code:	M25
Name:	percent per degree Celsius
Beschreibung:	<i>A unit of proportion, equal to 0.01, in relation to a temperature of one degree.</i>
Code:	M36
Name:	30-day month
Beschreibung:	<i>A unit of count defining the number of months expressed in multiples of 30 days, one day equals 24 hours.</i>
Code:	M37
Name:	actual/360
Beschreibung:	<i>A unit of count defining the number of years expressed in multiples of 360 days, one day equals 24 hours.</i>
Code:	M38
Name:	kilometre per second squared
Beschreibung:	<i>1000-fold of the SI base unit metre divided by the power of the SI base unit second by exponent 2.</i>
Code:	M39
Name:	centimetre per second squared
Beschreibung:	<i>0,01-fold of the SI base unit metre divided by the power of the SI base unit second by exponent 2.</i>
Code:	M4
Name:	monetary value
Beschreibung:	<i>A unit of measure expressed as a monetary amount.</i>
Code:	M40
Name:	yard per second squared
Beschreibung:	<i>Unit of the length according to the Anglo-American and Imperial system of units divided by the power of the SI base unit second by exponent 2.</i>
Code:	M41
Name:	millimetre per second squared

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>0,001-fold of the SI base unit metre divided by the power of the SI base unit second by exponent 2.</i>
Code:	M42
Name:	mile (statute mile) per second squared
Beschreibung:	<i>Unit of the length according to the Imperial system of units divided by the power of the SI base unit second by exponent 2.</i>
Code:	M43
Name:	mil
Beschreibung:	<i>Unit to indicate an angle at military zone, equal to the 6400th part of the full circle of the 360° or 2·p·rad.</i>
Code:	M44
Name:	revolution
Beschreibung:	<i>Unit to identify an angle of the full circle of 360° or 2·p·rad (Refer ISO/TC12 SI Guide).</i>
Code:	M45
Name:	degree [unit of angle] per second squared
Beschreibung:	<i>360 part of a full circle divided by the power of the SI base unit second and the exponent 2.</i>
Code:	M46
Name:	revolution per minute
Beschreibung:	<i>Unit of the angular velocity.</i>
Code:	M47
Name:	circular mil
Beschreibung:	<i>Unit of an area, of which the size is given by a diameter of length of 1 mm (0,001 in) based on the formula: $area = p \cdot (diameter/2)^2$.</i>
Code:	M48
Name:	square mile (based on U.S. survey foot)
Beschreibung:	<i>Unit of the area, which is mainly common in the agriculture and forestry.</i>
Code:	M49
Name:	chain (based on U.S. survey foot)
Beschreibung:	<i>Unit of the length according the Anglo-American system of units.</i>
Code:	M50
Name:	furlong
Beschreibung:	<i>Unit commonly used in Great Britain at rural distances: 1 furlong = 40 rods = 10 chains (UK) = 1/8 mile = 1/10 furlong = 220 yards = 660 foot.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	M51
Name:	foot (U.S. survey)
Beschreibung:	<i>Unit commonly used in the United States for ordnance survey.</i>
Code:	M52
Name:	mile (based on U.S. survey foot)
Beschreibung:	<i>Unit commonly used in the United States for ordnance survey.</i>
Code:	M53
Name:	metre per pascal
Beschreibung:	<i>SI base unit metre divided by the derived SI unit pascal.</i>
Code:	M55
Name:	metre per radian
Beschreibung:	<i>Unit of the translation factor for implementation from rotation to linear movement.</i>
Code:	M56
Name:	shake
Beschreibung:	<i>Unit for a very short period.</i>
Code:	M57
Name:	mile per minute
Beschreibung:	<i>Unit of velocity from the Imperial system of units.</i>
Code:	M58
Name:	mile per second
Beschreibung:	<i>Unit of the velocity from the Imperial system of units.</i>
Code:	M59
Name:	metre per second pascal
Beschreibung:	<i>SI base unit meter divided by the product of SI base unit second and the derived SI unit pascal.</i>
Code:	M60
Name:	metre per hour
Beschreibung:	<i>SI base unit metre divided by the unit hour.</i>
Code:	M61
Name:	inch per year
Beschreibung:	<i>Unit of the length according to the Anglo-American and Imperial system of units divided by the unit common year with 365 days.</i>
Code:	M62
Name:	kilometre per second

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>1000-fold of the SI base unit metre divided by the SI base unit second.</i>
Code:	M63
Name:	inch per minute
Beschreibung:	<i>Unit inch according to the Anglo-American and Imperial system of units divided by the unit minute.</i>
Code:	M64
Name:	yard per second
Beschreibung:	<i>Unit yard according to the Anglo-American and Imperial system of units divided by the SI base unit second.</i>
Code:	M65
Name:	yard per minute
Beschreibung:	<i>Unit yard according to the Anglo-American and Imperial system of units divided by the unit minute.</i>
Code:	M66
Name:	yard per hour
Beschreibung:	<i>Unit yard according to the Anglo-American and Imperial system of units divided by the unit hour.</i>
Code:	M67
Name:	acre-foot (based on U.S. survey foot)
Beschreibung:	<i>Unit of the volume, which is used in the United States to measure/gauge the capacity of reservoirs.</i>
Code:	M68
Name:	cord (128 ft ³)
Beschreibung:	<i>Traditional unit of the volume of stacked firewood which has been measured with a cord.</i>
Code:	M69
Name:	cubic mile (UK statute)
Beschreibung:	<i>Unit of volume according to the Imperial system of units.</i>
Code:	M70
Name:	ton, register
Beschreibung:	<i>Traditional unit of the cargo capacity.</i>
Code:	M71
Name:	cubic metre per pascal
Beschreibung:	<i>Power of the SI base unit meter by exponent 3 divided by the derived SI base unit pascal.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	M72
Name:	bel
Beschreibung:	<i>Logarithmic relationship to base 10.</i>
Code:	M73
Name:	kilogram per cubic metre pascal
Beschreibung:	<i>SI base unit kilogram divided by the product of the power of the SI base unit metre with exponent 3 and the derived SI unit pascal.</i>
Code:	M74
Name:	kilogram per pascal
Beschreibung:	<i>SI base unit kilogram divided by the derived SI unit pascal.</i>
Code:	M75
Name:	kilopound-force
Beschreibung:	<i>1000-fold of the unit of the force pound-force (lbf) according to the Anglo-American system of units with the relationship.</i>
Code:	M76
Name:	poundal
Beschreibung:	<i>Non SI-conforming unit of the power, which corresponds to a mass of a pound multiplied with the acceleration of a foot per square second.</i>
Code:	M77
Name:	kilogram metre per second squared
Beschreibung:	<i>Product of the SI base unit kilogram and the SI base unit metre divided by the power of the SI base unit second by exponent 2.</i>
Code:	M78
Name:	pond
Beschreibung:	<i>0,001-fold of the unit of the weight, defined as a mass of 1 kg which finds out about a weight strength from 1 kp by the gravitational force at sea level which corresponds to a strength of 9,806 65 newton.</i>
Code:	M79
Name:	square foot per hour
Beschreibung:	<i>Power of the unit foot according to the Anglo-American and Imperial system of units by exponent 2 divided by the unit of time hour.</i>
Code:	M80
Name:	stokes per pascal
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit stokes divided by the derived SI unit pascal.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	M81
Name:	square centimetre per second
Beschreibung:	<i>0,000 1-fold of the power of the SI base unit metre by exponent 2 divided by the SI base unit second.</i>
Code:	M82
Name:	square metre per second pascal
Beschreibung:	<i>Power of the SI base unit metre with the exponent 2 divided by the SI base unit second and the derived SI unit pascal.</i>
Code:	M83
Name:	denier
Beschreibung:	<i>Traditional unit for the indication of the linear mass of textile fibers and yarns.</i>
Code:	M84
Name:	pound per yard
Beschreibung:	<i>Unit for linear mass according to avoirdupois system of units.</i>
Code:	M85
Name:	ton, assay
Beschreibung:	<i>Non SI-conforming unit of the mass used in the mineralogy to determine the concentration of precious metals in ore according to the mass of the precious metal in milligrams in a sample of the mass of an assay sound (number of troy ounces in a short ton (1 000 lb)).</i>
Code:	M86
Name:	pfund
Beschreibung:	<i>Outdated unit of the mass used in Germany.</i>
Code:	M87
Name:	kilogram per second pascal
Beschreibung:	<i>SI base unit kilogram divided by the product of the SI base unit second and the derived SI unit pascal.</i>
Code:	M88
Name:	tonne per month
Beschreibung:	<i>Unit tonne divided by the unit month.</i>
Code:	M89
Name:	tonne per year
Beschreibung:	<i>Unit tonne divided by the unit year with 365 days.</i>
Code:	M90

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	kilopound per hour
Beschreibung:	<i>1000-fold of the unit of the mass avoirdupois pound according to the avoirdupois unit system divided by the unit hour.</i>
Code:	M91
Name:	pound per pound
Beschreibung:	<i>Proportion of the mass consisting of the avoirdupois pound according to the avoirdupois unit system divided by the avoirdupois pound according to the avoirdupois unit system.</i>
Code:	M92
Name:	pound-force foot
Beschreibung:	<i>Product of the unit pound-force according to the Anglo-American system of units and the unit foot according to the Anglo-American and the Imperial system of units.</i>
Code:	M93
Name:	newton metre per radian
Beschreibung:	<i>Product of the derived SI unit newton and the SI base unit metre divided by the unit radian.</i>
Code:	M94
Name:	kilogram metre
Beschreibung:	<i>Unit of imbalance as a product of the SI base unit kilogram and the SI base unit metre.</i>
Code:	M95
Name:	poundal foot
Beschreibung:	<i>Product of the non SI-conforming unit of the force poundal and the unit foot according to the Anglo-American and Imperial system of units .</i>
Code:	M96
Name:	poundal inch
Beschreibung:	<i>Product of the non SI-conforming unit of the force poundal and the unit inch according to the Anglo-American and Imperial system of units .</i>
Code:	M97
Name:	dyne metre
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of the rotational moment.</i>
Code:	M98
Name:	kilogram centimetre per second
Beschreibung:	<i>Product of the SI base unit kilogram and the 0,01-fold of the SI base unit metre divided by the SI base unit second.</i>
Code:	M99

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	gram centimetre per second
Beschreibung:	<i>Product of the 0,001-fold of the SI base unit kilogram and the 0,01-fold of the SI base unit metre divided by the SI base unit second.</i>
Code:	MAH
Name:	megavolt ampere reactive hour
Beschreibung:	<i>A unit of electrical reactive power defining the total amount of reactive power across a power system.</i>
Code:	MAR
Name:	megavar
Beschreibung:	<i>A unit of electrical reactive power represented by a current of one thousand amperes flowing due a potential difference of one thousand volts where the sine of the phase angle between them is 1.</i>
Code:	MAW
Name:	Megawatt
Beschreibung:	<i>A unit of power defining the rate of energy transferred or consumed when a current of 1000 amperes flows due to a potential of 1000 volts at unity power factor.</i>
Code:	MBE
Name:	thousand standard brick equivalent
Beschreibung:	<i>A unit of count defining the number of one thousand brick equivalent units.</i>
Code:	MBF
Name:	thousand board foot
Beschreibung:	<i>A unit of volume equal to one thousand board foot.</i>
Code:	MD
Name:	air dry metric ton
Beschreibung:	<i>A unit of count defining the number of metric tons of a product, disregarding the water content of the product.</i>
Code:	MIU
Name:	million international unit
Beschreibung:	<i>A unit of count defining the number of international units in multiples of 10 to the power of 6.</i>
Code:	MLD
Name:	milliard
Beschreibung:	<i>Synonym: billion (US)</i>
Code:	MND

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	kilogram, dry weight
Beschreibung:	<i>A unit of mass defining the number of kilograms of a product, disregarding the water content of the product.</i>
Code:	MON
Name:	Monat
Beschreibung:	<i>Unit of time equal to 1/12 of a year of 365,25 days.</i>
Code:	MTQ
Name:	Kubikmeter
Beschreibung:	<i>Synonym: metre cubed</i>
Code:	MWH
Name:	Megawatt Stunde (1000 kWh)
Beschreibung:	<i>A unit of power defining the total amount of bulk energy transferred or consumed.</i>
Code:	N1
Name:	pen calorie
Beschreibung:	<i>A unit of count defining the number of calories prescribed daily for parenteral/enteral therapy.</i>
Code:	N10
Name:	pound foot per second
Beschreibung:	<i>Product of the avoirdupois pound according to the avoirdupois unit system and the unit foot according to the Anglo-American and Imperial system of units divided by the SI base unit second.</i>
Code:	N11
Name:	pound inch per second
Beschreibung:	<i>Product of the avoirdupois pound according to the avoirdupois unit system and the unit inch according to the Anglo-American and Imperial system of units divided by the SI base unit second.</i>
Code:	N12
Name:	Pferdestaerke
Beschreibung:	<i>Obsolete unit of the power relating to DIN 1301-3:1979: 1 PS = 735,498 75 W.</i>
Code:	N13
Name:	centimetre of mercury (0 °C)
Beschreibung:	<i>Non SI-conforming unit of pressure, at which a value of 1 cmHg meets the static pressure, which is generated by a mercury at a temperature of 0 °C with a height of 1 centimetre .</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	N14
Name:	centimetre of water (4 °C)
Beschreibung:	<i>Non SI-conforming unit of pressure, at which a value of 1 cmH2O meets the static pressure, which is generated by a head of water at a temperature of 4 °C with a height of 1 centimetre .</i>
Code:	N15
Name:	foot of water (39.2 °F)
Beschreibung:	<i>Non SI-conforming unit of pressure according to the Anglo-American and Imperial system for units, whereas the value of 1 ftH2O is equivalent to the static pressure, which is generated by a head of water at a temperature 39,2°F with a height of 1 foot .</i>
Code:	N16
Name:	inch of mercury (32 °F)
Beschreibung:	<i>Non SI-conforming unit of pressure according to the Anglo-American and Imperial system for units, whereas the value of 1 inHg meets the static pressure, which is generated by a mercury at a temperature of 32°F with a height of 1 inch.</i>
Code:	N17
Name:	inch of mercury (60 °F)
Beschreibung:	<i>Non SI-conforming unit of pressure according to the Anglo-American and Imperial system for units, whereas the value of 1 inHg meets the static pressure, which is generated by a mercury at a temperature of 60°F with a height of 1 inch.</i>
Code:	N18
Name:	inch of water (39.2 °F)
Beschreibung:	<i>Non SI-conforming unit of pressure according to the Anglo-American and Imperial system for units, whereas the value of 1 inH2O meets the static pressure, which is generated by a head of water at a temperature of 39,2°F with a height of 1 inch .</i>
Code:	N19
Name:	inch of water (60 °F)
Beschreibung:	<i>Non SI-conforming unit of pressure according to the Anglo-American and Imperial system for units, whereas the value of 1 inH2O meets the static pressure, which is generated by a head of water at a temperature of 60°F with a height of 1 inch .</i>
Code:	N20
Name:	kip per square inch
Beschreibung:	<i>Non SI-conforming unit of the pressure according to the Anglo-American system of units as the 1000-fold of the unit of the force pound-force divided by the power of the unit inch</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

	<i>by exponent 2.</i>
Code:	N21
Name:	poundal per square foot
Beschreibung:	<i>Non SI-conforming unit of pressure by the Imperial system of units according to NIST: 1 pdl/ft² = 1,488 164 Pa.</i>
Code:	N22
Name:	ounce (avoirdupois) per square inch
Beschreibung:	<i>Unit of the surface specific mass (avoirdupois ounce according to the avoirdupois system of units according to the surface square inch according to the Anglo-American and Imperial system of units).</i>
Code:	N23
Name:	conventional metre of water
Beschreibung:	<i>Not SI-conforming unit of pressure, whereas a value of 1 mH₂O is equivalent to the static pressure, which is produced by one metre high water column .</i>
Code:	N24
Name:	gram per square millimetre
Beschreibung:	<i>0,001-fold of the SI base unit kilogram divided by the 0.000 001-fold of the power of the SI base unit meter by exponent 2.</i>
Code:	N25
Name:	pound per square yard
Beschreibung:	<i>Unit for areal-related mass as a unit pound according to the avoirdupois unit system divided by the power of the unit yard according to the Anglo-American and Imperial system of units with exponent 2.</i>
Code:	N26
Name:	poundal per square inch
Beschreibung:	<i>Non SI-conforming unit of the pressure according to the Imperial system of units (poundal by square inch).</i>
Code:	N27
Name:	foot to the fourth power
Beschreibung:	<i>Power of the unit foot according to the Anglo-American and Imperial system of units by exponent 4 according to NIST: 1 ft⁴ = 8,630 975 m⁴.</i>
Code:	N28
Name:	cubic decimetre per kilogram
Beschreibung:	<i>0,001 fold of the power of the SI base unit meter by exponent 3 divided by the SI based</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

	<i>unit kilogram.</i>
Code:	N29
Name:	cubic foot per pound
Beschreibung:	<i>Power of the unit foot according to the Anglo-American and Imperial system of units by exponent 3 divided by the unit avoirdupois pound according to the avoirdupois unit system.</i>
Code:	N30
Name:	cubic inch per pound
Beschreibung:	<i>Power of the unit inch according to the Anglo-American and Imperial system of units by exponent 3 divided by the avoirdupois pound according to the avoirdupois unit system .</i>
Code:	N31
Name:	kilonewton per metre
Beschreibung:	<i>1000-fold of the derived SI unit newton divided by the SI base unit metre.</i>
Code:	N32
Name:	poundal per inch
Beschreibung:	<i>Non SI-conforming unit of the surface tension according to the Imperial unit system as quotient poundal by inch.</i>
Code:	N33
Name:	pound-force per yard
Beschreibung:	<i>Unit of force per unit length based on the Anglo-American system of units.</i>
Code:	N34
Name:	poundal second per square foot
Beschreibung:	<i>Non SI-conforming unit of viscosity.</i>
Code:	N35
Name:	poise per pascal
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit poise divided by the derived SI unit pascal.</i>
Code:	N36
Name:	newton second per square metre
Beschreibung:	<i>Unit of the dynamic viscosity as a product of unit of the pressure (newton by square metre) multiplied with the SI base unit second.</i>
Code:	N37
Name:	kilogram per metre second
Beschreibung:	<i>Unit of the dynamic viscosity as a quotient SI base unit kilogram divided by the SI base unit metre and by the SI base unit second.</i>

Guideline**Used Codes**

Code:	N38
Name:	kilogram per metre minute
Beschreibung:	<i>Unit of the dynamic viscosity as a quotient SI base unit kilogram divided by the SI base unit metre and by the unit minute.</i>
Code:	N39
Name:	kilogram per metre day
Beschreibung:	<i>Unit of the dynamic viscosity as a quotient SI base unit kilogram divided by the SI base unit metre and by the unit day.</i>
Code:	N40
Name:	kilogram per metre hour
Beschreibung:	<i>Unit of the dynamic viscosity as a quotient SI base unit kilogram divided by the SI base unit metre and by the unit hour.</i>
Code:	N41
Name:	gram per centimetre second
Beschreibung:	<i>Unit of the dynamic viscosity as a quotient of the 0,001-fold of the SI base unit kilogram divided by the 0,01-fold of the SI base unit metre and SI base unit second.</i>
Code:	N42
Name:	poundal second per square inch
Beschreibung:	<i>Non SI-conforming unit of dynamic viscosity according to the Imperial system of units as product unit of the pressure (poundal by square inch) multiplied by the SI base unit second.</i>
Code:	N43
Name:	pound per foot minute
Beschreibung:	<i>Unit of the dynamic viscosity according to the Anglo-American unit system.</i>
Code:	N44
Name:	pound per foot day
Beschreibung:	<i>Unit of the dynamic viscosity according to the Anglo-American unit system.</i>
Code:	N45
Name:	cubic metre per second pascal
Beschreibung:	<i>Power of the SI base unit meter by exponent 3 divided by the product of the SI base unit second and the derived SI base unit pascal.</i>
Code:	N46
Name:	foot poundal
Beschreibung:	<i>Unit of the work (force-path).</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	N47
Name:	inch poundal
Beschreibung:	<i>Unit of work (force multiplied by path) according to the Imperial system of units as a product unit inch multiplied by poundal.</i>
Code:	N48
Name:	watt per square centimetre
Beschreibung:	<i>Derived SI unit watt divided by the power of the 0,01-fold the SI base unit metre by exponent 2.</i>
Code:	N49
Name:	watt per square inch
Beschreibung:	<i>Derived SI unit watt divided by the power of the unit inch according to the Anglo-American and Imperial system of units by exponent 2.</i>
Code:	N50
Name:	British thermal unit (international table) per square foot hour
Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>
Code:	N51
Name:	British thermal unit (thermochemical) per square foot hour
Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>
Code:	N52
Name:	British thermal unit (thermochemical) per square foot minute
Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>
Code:	N53
Name:	British thermal unit (international table) per square foot second
Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>
Code:	N54
Name:	British thermal unit (thermochemical) per square foot second
Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>
Code:	N55
Name:	British thermal unit (international table) per square inch second
Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>
Code:	N56
Name:	calorie (thermochemical) per square centimetre minute
Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>
Code:	N57

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	calorie (thermochemical) per square centimetre second
Beschreibung:	<i>Unit of the surface heat flux according to the Imperial system of units.</i>
Code:	N58
Name:	British thermal unit (international table) per cubic foot
Beschreibung:	<i>Unit of the energy density according to the Imperial system of units.</i>
Code:	N59
Name:	British thermal unit (thermochemical) per cubic foot
Beschreibung:	<i>Unit of the energy density according to the Imperial system of units.</i>
Code:	N60
Name:	British thermal unit (international table) per degree Fahrenheit
Beschreibung:	<i>Unit of the heat capacity according to the Imperial system of units.</i>
Code:	N61
Name:	British thermal unit (thermochemical) per degree Fahrenheit
Beschreibung:	<i>Unit of the heat capacity according to the Imperial system of units.</i>
Code:	N62
Name:	British thermal unit (international table) per degree Rankine
Beschreibung:	<i>Unit of the heat capacity according to the Imperial system of units.</i>
Code:	N63
Name:	British thermal unit (thermochemical) per degree Rankine
Beschreibung:	<i>Unit of the heat capacity according to the Imperial system of units.</i>
Code:	N64
Name:	British thermal unit (thermochemical) per pound degree Rankine
Beschreibung:	<i>Unit of the heat capacity (British thermal unit according to the international table according to the Rankine degree) according to the Imperial system of units divided by the unit avoirdupois pound according to the avoirdupois system of units.</i>
Code:	N65
Name:	kilocalorie (international table) per gram kelvin
Beschreibung:	<i>Unit of the mass-related heat capacity as quotient 1000-fold of the calorie (international table) divided by the product of the 0,001-fold of the SI base units kilogram and kelvin.</i>
Code:	N66
Name:	British thermal unit (39 °F)
Beschreibung:	<i>Unit of heat energy according to the Imperial system of units in a reference temperature of 39 °F.</i>
Code:	N67

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	British thermal unit (59 °F)
Beschreibung:	<i>Unit of heat energy according to the Imperial system of units in a reference temperature of 59 °F.</i>
Code:	N68
Name:	British thermal unit (60 °F)
Beschreibung:	<i>Unit of head energy according to the Imperial system of units at a reference temperature of 60 °F.</i>
Code:	N69
Name:	calorie (20 °C)
Beschreibung:	<i>Unit for quantity of heat, which is to be required for 1 g air free water at a constant pressure from 101,325 kPa, to warm up the pressure of standard atmosphere at sea level, from 19,5 °C on 20,5 °C.</i>
Code:	N70
Name:	quad (1015 BtuIT)
Beschreibung:	<i>Unit of heat energy according to the imperial system of units.</i>
Code:	N71
Name:	therm (EC)
Beschreibung:	<i>Unit of heat energy in commercial use, within the EU defined: 1 thm (EC) = 100 000 BtuIT.</i>
Code:	N72
Name:	therm (U.S.)
Beschreibung:	<i>Unit of heat energy in commercial use.</i>
Code:	N73
Name:	British thermal unit (thermochemical) per pound
Beschreibung:	<i>Unit of the heat energy according to the Imperial system of units divided the unit avoirdupois pound according to the avoirdupois system of units.</i>
Code:	N74
Name:	British thermal unit (international table) per hour square foot degree Fahrenheit
Beschreibung:	<i>Unit of the heat transition coefficient according to the Imperial system of units.</i>
Code:	N75
Name:	British thermal unit (thermochemical) per hour square foot degree Fahrenheit
Beschreibung:	<i>Unit of the heat transition coefficient according to the imperial system of units.</i>
Code:	N76
Name:	British thermal unit (international table) per second square foot degree Fahrenheit

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>Unit of the heat transition coefficient according to the imperial system of units.</i>
Code:	N77
Name:	British thermal unit (thermochemical) per second square foot degree Fahrenheit
Beschreibung:	<i>Unit of the heat transition coefficient according to the imperial system of units.</i>
Code:	N78
Name:	kilowatt per square metre kelvin
Beschreibung:	<i>1000-fold of the derived SI unit watt divided by the product of the power of the SI base unit metre by exponent 2 and the SI base unit kelvin.</i>
Code:	N79
Name:	kelvin per pascal
Beschreibung:	<i>SI base unit kelvin divided by the derived SI unit pascal.</i>
Code:	N80
Name:	watt per metre degree Celsius
Beschreibung:	<i>Derived SI unit watt divided by the product of the SI base unit metre and the unit for temperature degree Celsius.</i>
Code:	N81
Name:	kilowatt per metre kelvin
Beschreibung:	<i>1000-fold of the derived SI unit watt divided by the product of the SI base unit metre and the SI base unit kelvin.</i>
Code:	N82
Name:	kilowatt per metre degree Celsius
Beschreibung:	<i>1000-fold of the derived SI unit watt divided by the product of the SI base unit metre and the unit for temperature degree Celsius.</i>
Code:	N83
Name:	metre per degree Celcius metre
Beschreibung:	<i>SI base unit metre divided by the product of the unit degree Celsius and the SI base unit metre.</i>
Code:	N84
Name:	degree Fahrenheit hour per British thermal unit (international table)
Beschreibung:	<i>Non SI-conforming unit of the thermal resistance according to the Imperial system of units.</i>
Code:	N85
Name:	degree Fahrenheit hour per British thermal unit (thermochemical)
Beschreibung:	<i>Non SI-conforming unit of the thermal resistance according to the Imperial system of</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

	<i>units.</i>
Code:	N86
Name:	degree Fahrenheit second per British thermal unit (international table)
Beschreibung:	<i>Non SI-conforming unit of the thermal resistance according to the Imperial system of units.</i>
Code:	N87
Name:	degree Fahrenheit second per British thermal unit (thermochemical)
Beschreibung:	<i>Non SI-conforming unit of the thermal resistance according to the Imperial system of units.</i>
Code:	N88
Name:	degree Fahrenheit hour square foot per British thermal unit (international table) inch
Beschreibung:	<i>Unit of specific thermal resistance according to the Imperial system of units.</i>
Code:	N89
Name:	degree Fahrenheit hour square foot per British thermal unit (thermochemical) inch
Beschreibung:	<i>Unit of specific thermal resistance according to the Imperial system of units.</i>
Code:	N90
Name:	kilofarad
Beschreibung:	<i>1000-fold of the derived SI unit farad.</i>
Code:	N91
Name:	reciprocal joule
Beschreibung:	<i>Reciprocal of the derived SI unit joule.</i>
Code:	N92
Name:	picosiemens
Beschreibung:	<i>0,000 000 000 001-fold of the derived SI unit siemens.</i>
Code:	N93
Name:	ampere per pascal
Beschreibung:	<i>SI base unit ampere divided by the derived SI unit pascal.</i>
Code:	N94
Name:	franklin
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of the electrical charge, where the charge amounts to exactly 1 Fr where the force of 1 dyn on an equal load is performed at a distance of 1 cm.</i>
Code:	N95
Name:	ampere minute

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of electric charge defining the amount of charge accumulated by a steady flow of one ampere for one minute..</i>
Code:	N96
Name:	biot
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of the electric power which is defined by a force of 2 dyn per cm between two parallel conductors of infinite length with negligible cross-section in the distance of 1 cm.</i>
Code:	N97
Name:	gilbert
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of the magnetomotive force, which is defined by the work to increase the magnetic potential of a positive common pole with 1 erg.</i>
Code:	N98
Name:	volt per pascal
Beschreibung:	<i>Derived SI unit volt divided by the derived SI unit pascal.</i>
Code:	N99
Name:	picovolt
Beschreibung:	<i>0,000 000 000 001-fold of the derived SI unit volt.</i>
Code:	NAR
Name:	Anzahl der Artikel
Beschreibung:	<i>A unit of count defining the number of articles (article: item).</i>
Code:	NCL
Name:	number of cells
Beschreibung:	<i>A unit of count defining the number of cells (cell: an enclosed or circumscribed space, cavity, or volume).</i>
Code:	NF
Name:	message
Beschreibung:	<i>A unit of count defining the number of messages.</i>
Code:	NIL
Name:	nil
Beschreibung:	<i>A unit of count defining the number of instances of nothing.</i>
Code:	NIU
Name:	Anzahl internationaler Einheiten
Beschreibung:	<i>A unit of count defining the number of international units.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	NL
Name:	load
Beschreibung:	<i>A unit of volume defining the number of loads (load: a quantity of items carried or processed at one time).</i>
Code:	NM3
Name:	Normalised cubic metre
Beschreibung:	<i>Normalised cubic metre (temperature 0°C and pressure 101325 millibars)</i>
Code:	NMP
Name:	number of packs
Beschreibung:	<i>A unit of count defining the number of packs (pack: a collection of objects packaged together).</i>
Code:	NPR
Name:	number of pairs
Beschreibung:	<i>A unit of count defining the number of pairs (pair: item described by two's).</i>
Code:	NPT
Name:	number of parts
Beschreibung:	<i>A unit of count defining the number of parts (part: component of a larger entity).</i>
Code:	NT
Name:	net ton
Beschreibung:	<i>A unit of mass equal to 2000 pounds, see ton (US). Refer International Convention on tonnage measurement of Ships.</i>
Code:	NTT
Name:	net register ton
Beschreibung:	<i>A unit of mass equal to the total cubic footage after deductions, where 1 register ton is equal to 100 cubic feet. Refer International Convention on tonnage measurement of Ships.</i>
Code:	NX
Name:	part per thousand
Beschreibung:	<i>A unit of proportion equal to 10 to the power of -3. Synonym: per mille</i>
Code:	OA
Name:	panel
Beschreibung:	<i>A unit of count defining the number of panels (panel: a distinct, usually rectangular, section of a surface).</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	ODE
Name:	ozone depletion equivalent
Beschreibung:	<i>A unit of mass defining the ozone depletion potential in kilograms of a product relative to the calculated depletion for the reference substance, Trichlorofluoromethane (CFC-11).</i>
Code:	ODG
Name:	ODS Grams
Beschreibung:	<i>A unit of measure calculated by multiplying the mass of the substance in grams and the ozone-depleting potential for the substance.</i>
Code:	ODK
Name:	ODS Kilograms
Beschreibung:	<i>A unit of measure calculated by multiplying the mass of the substance in kilograms and the ozone-depleting potential for the substance.</i>
Code:	ODM
Name:	ODS Milligrams
Beschreibung:	<i>A unit of measure calculated by multiplying the mass of the substance in milligrams and the ozone-depleting potential for the substance.</i>
Code:	OPM
Name:	oscillations per minute
Beschreibung:	<i>The number of oscillations per minute.</i>
Code:	OT
Name:	overtime hour
Beschreibung:	<i>A unit of time defining the number of overtime hours.</i>
Code:	OZ
Name:	ounce av
Beschreibung:	<i>A unit of measure equal to 1/16 of a pound or about 28.3495 grams (av = avoirdupois). Use ounce (common code ONZ).</i>
Code:	P1
Name:	Prozent
Beschreibung:	<i>A unit of proportion equal to 0.01.</i>
Code:	P10
Name:	coulomb per metre
Beschreibung:	<i>Derived SI unit coulomb divided by the SI base unit metre.</i>
Code:	P11
Name:	kiloweber

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>1000 fold of the derived SI unit weber.</i>
Code:	P12
Name:	gamma
Beschreibung:	<i>Unit of magnetic flow density.</i>
Code:	P13
Name:	kilotesla
Beschreibung:	<i>1000-fold of the derived SI unit tesla.</i>
Code:	P14
Name:	joule per second
Beschreibung:	<i>Quotient of the derived SI unit joule divided by the SI base unit second.</i>
Code:	P15
Name:	joule per minute
Beschreibung:	<i>Quotient from the derived SI unit joule divided by the unit minute.</i>
Code:	P16
Name:	joule per hour
Beschreibung:	<i>Quotient from the derived SI unit joule divided by the unit hour.</i>
Code:	P17
Name:	joule per day
Beschreibung:	<i>Quotient from the derived SI unit joule divided by the unit day.</i>
Code:	P18
Name:	kilojoule per second
Beschreibung:	<i>Quotient from the 1000-fold of the derived SI unit joule divided by the SI base unit second.</i>
Code:	P19
Name:	kilojoule per minute
Beschreibung:	<i>Quotient from the 1000-fold of the derived SI unit joule divided by the unit minute.</i>
Code:	P20
Name:	kilojoule per hour
Beschreibung:	<i>Quotient from the 1000-fold of the derived SI unit joule divided by the unit hour.</i>
Code:	P21
Name:	kilojoule per day
Beschreibung:	<i>Quotient from the 1000-fold of the derived SI unit joule divided by the unit day.</i>
Code:	P22
Name:	nanoohm

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>0,000 000 001-fold of the derived SI unit ohm.</i>
Code:	P23
Name:	ohm circular-mil per foot
Beschreibung:	<i>Unit of resistivity.</i>
Code:	P24
Name:	kilohenry
Beschreibung:	<i>1000-fold of the derived SI unit henry.</i>
Code:	P25
Name:	lumen per square foot
Beschreibung:	<i>Derived SI unit lumen divided by the power of the unit foot according to the Anglo-American and Imperial system of units by exponent 2.</i>
Code:	P26
Name:	phot
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of luminance, defined as lumen by square centimetre.</i>
Code:	P27
Name:	footcandle
Beschreibung:	<i>Non SI conform traditional unit, defined as density of light which impinges on a surface which has a distance of one foot from a light source, which shines with an intensity of an international candle.</i>
Code:	P28
Name:	candela per square inch
Beschreibung:	<i>SI base unit candela divided by the power of unit inch according to the Anglo-American and Imperial system of units by exponent 2.</i>
Code:	P29
Name:	footlambert
Beschreibung:	<i>Unit of the luminance according to the Anglo-American system of units, defined as emitted or reflected luminance of a lm/ft².</i>
Code:	P30
Name:	lambert
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of luminance, defined as the emitted or reflected luminance by one lumen per square centimetre.</i>
Code:	P31
Name:	stilb

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of luminance, defined as emitted or reflected luminance by one lumen per square centimetre.</i>
Code:	P32
Name:	candela per square foot
Beschreibung:	<i>Base unit SI candela divided by the power of the unit foot according to the Anglo-American and Imperial system of units by exponent 2.</i>
Code:	P33
Name:	kilocandela
Beschreibung:	<i>1000-fold of the SI base unit candela.</i>
Code:	P34
Name:	millicandela
Beschreibung:	<i>0,001-fold of the SI base unit candela.</i>
Code:	P35
Name:	Hefner-Kerze
Beschreibung:	<i>Obsolete, non-legal unit of the power in Germany relating to DIN 1301-3:1979: 1 HK = 0,903 cd.</i>
Code:	P36
Name:	international candle
Beschreibung:	<i>Obsolete, non-legal unit of the power in Germany relating to DIN 1301-3:1979: 1 HK = 1,019 cd.</i>
Code:	P37
Name:	British thermal unit (international table) per square foot
Beschreibung:	<i>Unit of the areal-related energy transmission according to the Imperial system of units.</i>
Code:	P38
Name:	British thermal unit (thermochemical) per square foot
Beschreibung:	<i>Unit of the areal-related energy transmission according to the Imperial system of units.</i>
Code:	P39
Name:	calorie (thermochemical) per square centimetre
Beschreibung:	<i>Unit of the areal-related energy transmission according to the Imperial system of units.</i>
Code:	P40
Name:	langley
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of the areal-related energy transmission (as a measure of the incident quantity of heat of solar radiation on the earth's surface).</i>
Code:	P41

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	decade (logarithmic)
Beschreibung:	<i>1 Dec := log₂ 10 ~ 3,32 according to the logarithm for frequency range between f1 and f2, when f2/f1 = 10.</i>
Code:	P42
Name:	pascal squared second
Beschreibung:	<i>Unit of the set as a product of the power of derived SI unit pascal with exponent 2 and the SI base unit second.</i>
Code:	P43
Name:	bel per metre
Beschreibung:	<i>Unit bel divided by the SI base unit metre.</i>
Code:	P44
Name:	pound mole
Beschreibung:	<i>Non SI-conforming unit of quantity of a substance relating that one pound mole of a chemical composition corresponds to the same number of pounds as the molecular weight of one molecule of this composition in atomic mass units.</i>
Code:	P45
Name:	pound mole per second
Beschreibung:	<i>Non SI-conforming unit of the power of the amount of substance non-SI compliant unit of the molar flux relating that a pound mole of a chemical composition the same number of pound corresponds like the molecular weight of a molecule of this composition in atomic mass units.</i>
Code:	P46
Name:	pound mole per minute
Beschreibung:	<i>Non SI-conforming unit of the power of the amount of substance non-SI compliant unit of the molar flux relating that a pound mole of a chemical composition the same number of pound corresponds like the molecular weight of a molecule of this composition in atomic mass units.</i>
Code:	P47
Name:	kilomole per kilogram
Beschreibung:	<i>1000-fold of the SI base unit mol divided by the SI base unit kilogram.</i>
Code:	P48
Name:	pound mole per pound
Beschreibung:	<i>Non SI-conforming unit of the material molar flux divided by the avoirdupois pound for mass according to the avoirdupois unit system.</i>

Guideline**Used Codes**

Code:	P49
Name:	newton square metre per ampere
Beschreibung:	<i>Product of the derived SI unit newton and the power of SI base unit metre with exponent 2 divided by the SI base unit ampere.</i>
Code:	P5
Name:	five pack
Beschreibung:	<i>A unit of count defining the number of five-packs (five-pack: set of five items packaged together).</i>
Code:	P50
Name:	weber metre
Beschreibung:	<i>Product of the derived SI unit weber and SI base unit metre.</i>
Code:	P51
Name:	mol per kilogram pascal
Beschreibung:	<i>SI base unit mol divided by the product of the SI base unit kilogram and the derived SI unit pascal.</i>
Code:	P52
Name:	mol per cubic metre pascal
Beschreibung:	<i>SI base unit mol divided by the product of the power from the SI base unit metre with exponent 3 and the derived SI unit pascal.</i>
Code:	P53
Name:	unit pole
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit for magnetic flux of a magnetic pole (according to the interaction of identical poles of 1 dyn at a distance of a cm).</i>
Code:	P54
Name:	milligray per second
Beschreibung:	<i>0,001-fold of the derived SI unit gray divided by the SI base unit second.</i>
Code:	P55
Name:	microgray per second
Beschreibung:	<i>0,000 001-fold of the derived SI unit gray divided by the SI base unit second.</i>
Code:	P56
Name:	nanogray per second
Beschreibung:	<i>0,000 000 001-fold of the derived SI unit gray divided by the SI base unit second.</i>
Code:	P57
Name:	gray per minute

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>SI derived unit gray divided by the unit minute.</i>
Code:	P58
Name:	milligray per minute
Beschreibung:	<i>0,001-fold of the derived SI unit gray divided by the unit minute.</i>
Code:	P59
Name:	microgray per minute
Beschreibung:	<i>0,000 001-fold of the derived SI unit gray divided by the unit minute.</i>
Code:	P60
Name:	nanogray per minute
Beschreibung:	<i>0,000 000 001-fold of the derived SI unit gray divided by the unit minute.</i>
Code:	P61
Name:	gray per hour
Beschreibung:	<i>SI derived unit gray divided by the unit hour.</i>
Code:	P62
Name:	milligray per hour
Beschreibung:	<i>0,001-fold of the derived SI unit gray divided by the unit hour.</i>
Code:	P63
Name:	microgray per hour
Beschreibung:	<i>0,000 001-fold of the derived SI unit gray divided by the unit hour.</i>
Code:	P64
Name:	nanogray per hour
Beschreibung:	<i>0,000 000 001-fold of the derived SI unit gray divided by the unit hour.</i>
Code:	P65
Name:	sievert per second
Beschreibung:	<i>Derived SI unit sievert divided by the SI base unit second.</i>
Code:	P66
Name:	millisievert per second
Beschreibung:	<i>0,001-fold of the derived SI unit sievert divided by the SI base unit second.</i>
Code:	P67
Name:	microsievert per second
Beschreibung:	<i>0,000 001-fold of the derived SI unit sievert divided by the SI base unit second.</i>
Code:	P68
Name:	nanosievert per second
Beschreibung:	<i>0,000 000 001-fold of the derived SI unit sievert divided by the SI base unit second.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	P69
Name:	rem per second
Beschreibung:	<i>Unit for the equivalent tin rate relating to DIN 1301-3:1979: 1 rem/s = 0,01 J/(kg·s) = 1 Sv/s.</i>
Code:	P70
Name:	sievert per hour
Beschreibung:	<i>Derived SI unit sievert divided by the unit hour.</i>
Code:	P71
Name:	millisievert per hour
Beschreibung:	<i>0,001-fold of the derived SI unit sievert divided by the unit hour.</i>
Code:	P72
Name:	microsievert per hour
Beschreibung:	<i>0,000 001-fold of the derived SI unit sievert divided by the unit hour.</i>
Code:	P73
Name:	nanosievert per hour
Beschreibung:	<i>0,000 000 001-fold of the derived SI unit sievert divided by the unit hour.</i>
Code:	P74
Name:	sievert per minute
Beschreibung:	<i>Derived SI unit sievert divided by the unit minute.</i>
Code:	P75
Name:	millisievert per minute
Beschreibung:	<i>0,001-fold of the derived SI unit sievert divided by the unit minute.</i>
Code:	P76
Name:	microsievert per minute
Beschreibung:	<i>0,000 001-fold of the derived SI unit sievert divided by the unit minute.</i>
Code:	P77
Name:	nanosievert per minute
Beschreibung:	<i>0,000 000 001-fold of the derived SI unit sievert divided by the unit minute.</i>
Code:	P78
Name:	reciprocal square inch
Beschreibung:	<i>Complement of the power of the unit inch according to the Anglo-American and Imperial system of units by exponent 2.</i>
Code:	P79
Name:	pascal square metre per kilogram

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>Unit of the burst index as derived unit for pressure pascal related to the substance, represented as a quotient from the SI base unit kilogram divided by the power of the SI base unit metre by exponent 2.</i>
Code:	P80
Name:	millipascal per metre
Beschreibung:	<i>0,001-fold of the derived SI unit pascal divided by the SI base unit metre.</i>
Code:	P81
Name:	kilopascal per metre
Beschreibung:	<i>1000-fold of the derived SI unit pascal divided by the SI base unit metre.</i>
Code:	P82
Name:	hectopascal per metre
Beschreibung:	<i>100-fold of the derived SI unit pascal divided by the SI base unit metre.</i>
Code:	P83
Name:	standard atmosphere per metre
Beschreibung:	<i>Outdated unit of the pressure divided by the SI base unit metre.</i>
Code:	P84
Name:	technical atmosphere per metre
Beschreibung:	<i>Obsolete and non-legal unit of the pressure which is generated by a 10 metre water column divided by the SI base unit metre.</i>
Code:	P85
Name:	torr per metre
Beschreibung:	<i>CGS (Centimetre-Gram-Second system) unit of the pressure divided by the SI base unit metre.</i>
Code:	P86
Name:	psi per inch
Beschreibung:	<i>Compound unit for pressure (pound-force according to the Anglo-American unit system divided by the power of the unit inch according to the Anglo-American and Imperial system of units with the exponent 2) divided by the unit inch according to the Anglo-American and Imperial system of units .</i>
Code:	P87
Name:	cubic metre per second square metre
Beschreibung:	<i>Unit of volume flow cubic meters by second related to the transmission surface in square metres.</i>
Code:	P88

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	rhe
Beschreibung:	<i>Non SI-conforming unit of fluidity of dynamic viscosity.</i>
Code:	P89
Name:	pound-force foot per inch
Beschreibung:	<i>Unit for length-related rotational moment according to the Anglo-American and Imperial system of units.</i>
Code:	P90
Name:	pound-force inch per inch
Beschreibung:	<i>Unit for length-related rotational moment according to the Anglo-American and Imperial system of units.</i>
Code:	P91
Name:	perm (0 °C)
Beschreibung:	<i>Traditional unit for the ability of a material to allow the transition of the steam, defined at a temperature of 0 °C as steam transmittance, where the mass of one grain steam penetrates an area of one foot squared at a pressure from one inch mercury per hour.</i>
Code:	P92
Name:	perm (23 °C)
Beschreibung:	<i>Traditional unit for the ability of a material to allow the transition of the steam, defined at a temperature of 23 °C as steam transmittance at which the mass of one grain of steam penetrates an area of one square foot at a pressure of one inch mercury per hour.</i>
Code:	P93
Name:	byte per second
Beschreibung:	<i>Unit byte divided by the SI base unit second.</i>
Code:	P94
Name:	kilobyte per second
Beschreibung:	<i>1000-fold of the unit byte divided by the SI base unit second.</i>
Code:	P95
Name:	megabyte per second
Beschreibung:	<i>1 000 000-fold of the unit byte divided by the SI base unit second.</i>
Code:	P96
Name:	reciprocal volt
Beschreibung:	<i>Reciprocal of the derived SI unit volt.</i>
Code:	P97
Name:	reciprocal radian

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>Reciprocal of the unit radian.</i>
Code:	P98
Name:	pascal to the power sum of stoichiometric numbers
Beschreibung:	<i>Unit of the equilibrium constant on the basis of the pressure(ISO 80000-9:2009, 9-35.a).</i>
Code:	P99
Name:	mole per cubiv metre to the power sum of stoichiometric numbers
Beschreibung:	<i>Unit of the equilibrium constant on the basis of the concentration (ISO 80000-9:2009, 9-36.a).</i>
Code:	PD
Name:	pad
Beschreibung:	<i>A unit of count defining the number of pads (pad: block of paper sheets fastened together at one end).</i>
Code:	PFL
Name:	proof litre
Beschreibung:	<i>A unit of volume equal to one litre of proof spirits, or the alcohol equivalent thereof. Used for measuring the strength of distilled alcoholic liquors, expressed as a percentage of the alcohol content of a standard mixture at a specific temperature.</i>
Code:	PGL
Name:	proof gallon
Beschreibung:	<i>A unit of volume equal to one gallon of proof spirits, or the alcohol equivalent thereof. Used for measuring the strength of distilled alcoholic liquors, expressed as a percentage of the alcohol content of a standard mixture at a specific temperature.</i>
Code:	PI
Name:	pitch
Beschreibung:	<i>A unit of count defining the number of characters that fit in a horizontal inch.</i>
Code:	PLA
Name:	degree Plato
Beschreibung:	<i>A unit of proportion defining the sugar content of a product, especially in relation to beer.</i>
Code:	PQ
Name:	page per inch
Beschreibung:	<i>A unit of quantity defining the degree of thickness of a bound publication, expressed as the number of pages per inch of thickness.</i>
Code:	PR
Name:	Paar

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>A unit of count defining the number of pairs (pair: item described by two's).</i>
Code:	PT
Name:	pint (US)
Beschreibung:	<i>Use liquid pint (common code PTL)</i>
Code:	PTN
Name:	Portion
Beschreibung:	<i>A quantity of allowance of food allotted to, or enough for, one person.</i>
Code:	Q10
Name:	joule per tesla
Beschreibung:	<i>Unit of the magnetic dipole moment of the molecule as derived SI unit joule divided by the derived SI unit tesla.</i>
Code:	Q11
Name:	erlang
Beschreibung:	<i>Unit of the market value according to the feature of a single feature as a statistical measurement of the existing utilization.</i>
Code:	Q12
Name:	octet
Beschreibung:	<i>Synonym for byte: 1 octet = 8 bit = 1 byte.</i>
Code:	Q13
Name:	octet per second
Beschreibung:	<i>Unit octet divided by the SI base unit second.</i>
Code:	Q14
Name:	shannon
Beschreibung:	<i>Logarithmic unit for information equal to the content of decision of a sentence of two mutually exclusive events, expressed as a logarithm to base 2.</i>
Code:	Q15
Name:	hartley
Beschreibung:	<i>Logarithmic unit for information equal to the content of decision of a sentence of ten mutually exclusive events, expressed as a logarithm to base 10.</i>
Code:	Q16
Name:	natural unit of information
Beschreibung:	<i>Logarithmic unit for information equal to the content of decision of a sentence of ,718 281 828 459 mutually exclusive events, expressed as a logarithm to base Euler value e.</i>
Code:	Q17

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Used Codes

Name:	shannon per second
Beschreibung:	<i>Time related logarithmic unit for information equal to the content of decision of a sentence of two mutually exclusive events, expressed as a logarithm to base 2.</i>
Code:	Q18
Name:	hartley per second
Beschreibung:	<i>Time related logarithmic unit for information equal to the content of decision of a sentence of ten mutually exclusive events, expressed as a logarithm to base 10.</i>
Code:	Q19
Name:	natural unit of information per second
Beschreibung:	<i>Time related logarithmic unit for information equal to the content of decision of a sentence of 2,718 281 828 459 mutually exclusive events, expressed as a logarithm to base of the Euler value e.</i>
Code:	Q20
Name:	second per kilogramm
Beschreibung:	<i>Unit of the Einstein transition probability for spontaneous or inducing emissions and absorption according to ISO 80000-7:2008, expressed as SI base unit second divided by the SI base unit kilogram.</i>
Code:	Q21
Name:	watt square metre
Beschreibung:	<i>Unit of the first radiation constants $c_1 = 2 \cdot p \cdot h \cdot c_0$ to the power of 2, the value of which is 3,741 771 18 · 10¹⁶-fold that of the comparative value of the product of the derived SI unit watt multiplied with the power of the SI base unit metre with the exponent 2.</i>
Code:	Q22
Name:	second per radian cubic metre
Beschreibung:	<i>Unit of the density of states as an expression of angular frequency as complement of the product of hertz and radiant and the power of SI base unit metre by exponent 3 .</i>
Code:	Q23
Name:	weber to the power minus one
Beschreibung:	<i>Complement of the derived SI unit weber as unit of the Josephson constant, which value is equal to the 384 597,891-fold of the reference value gigahertz divided by volt.</i>
Code:	Q24
Name:	reciprocal inch
Beschreibung:	<i>Complement of the unit inch according to the Anglo-American and Imperial system of units.</i>

Guideline**Used Codes**

Code:	Q25
Name:	dioptre
Beschreibung:	<i>Unit used at the statement of relative refractive indexes of optical systems as complement of the focal length with correspondence to: 1 dpt = 1/m.</i>
Code:	Q26
Name:	one per one
Beschreibung:	<i>Value of the quotient from two physical units of the same kind as a numerator and denominator whereas the units are shortened mutually.</i>
Code:	Q27
Name:	newton metre per metre
Beschreibung:	<i>Unit for length-related rotational moment as product of the derived SI unit newton and the SI base unit metre divided by the SI base unit metre.</i>
Code:	Q28
Name:	kilogram per square metre pascal second
Beschreibung:	<i>Unit for the ability of a material to allow the transition of steam.</i>
Code:	Q29
Name:	microgram per hectogram
Beschreibung:	<i>Microgram per hectogram.</i>
Code:	Q3
Name:	meal
Beschreibung:	<i>A unit of count defining the number of meals (meal: an amount of food to be eaten on a single occasion).</i>
Code:	Q30
Name:	pH (potential of Hydrogen)
Beschreibung:	<i>The activity of the (solvated) hydrogen ion (a logarithmic measure used to state the acidity or alkalinity of a chemical solution).</i>
Code:	Q35
Name:	megawatts per minute
Beschreibung:	<i>A unit of power defining the total amount of bulk energy transferred or consumer per minute.</i>
Code:	Q36
Name:	square metre per cubic metre
Beschreibung:	<i>A unit of the amount of surface area per unit volume of an object or collection of objects.</i>
Code:	Q37

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	Standard cubic metre per day
Beschreibung:	<i>Standard cubic metre (temperature 15°C and pressure 101325 millibars) per day</i>
Code:	Q38
Name:	Standard cubic metre per hour
Beschreibung:	<i>Standard cubic metre (temperature 15°C and pressure 101325 millibars) per hour</i>
Code:	Q39
Name:	Normalized cubic metre per day
Beschreibung:	<i>Normalized cubic metre (temperature 0°C and pressure 101325 millibars) per day</i>
Code:	Q40
Name:	Normalized cubic metre per hour
Beschreibung:	<i>Normalized cubic metre (temperature 0°C and pressure 101325 millibars) per hour</i>
Code:	Q41
Name:	Joule per normalised cubic metre
Beschreibung:	<i>Joule per normalised cubic metre (temperature 0°C and pressure 101325 millibars).</i>
Code:	Q42
Name:	Joule per standard cubic metre
Beschreibung:	<i>Joule per standard cubic metre (temperature 15°C and pressure 101325 millibars).</i>
Code:	QA
Name:	page - facsimile
Beschreibung:	<i>A unit of count defining the number of facsimile pages.</i>
Code:	QAN
Name:	Viertel (jahr)
Beschreibung:	<i>A unit of time defining the number of quarters (3 months).</i>
Code:	QB
Name:	page - hardcopy
Beschreibung:	<i>A unit of count defining the number of hardcopy pages (hardcopy page: a page rendered as printed or written output on paper, film, or other permanent medium).</i>
Code:	QR
Name:	quire
Beschreibung:	<i>A unit of count for paper, expressed as the number of quires (quire: a number of paper sheets, typically 25).</i>
Code:	QT
Name:	quart (US)
Beschreibung:	<i>Use liquid quart (common code QTL)</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	QTR
Name:	quarter (UK)
Beschreibung:	<i>A traditional unit of weight equal to 1/4 hundredweight. In the United Kingdom, one quarter equals 28 pounds.</i>
Code:	R1
Name:	pica
Beschreibung:	<i>A unit of count defining the number of picas. (pica: typographical length equal to 12 points or 4.22 mm (approx.)).</i>
Code:	R9
Name:	thousand cubic metre
Beschreibung:	<i>A unit of volume equal to one thousand cubic metres.</i>
Code:	RH
Name:	running or operating hour
Beschreibung:	<i>A unit of time defining the number of hours of operation.</i>
Code:	RM
Name:	ream
Beschreibung:	<i>A unit of count for paper, expressed as the number of reams (ream: a large quantity of paper sheets, typically 500).</i>
Code:	ROM
Name:	room
Beschreibung:	<i>A unit of count defining the number of rooms.</i>
Code:	RP
Name:	pound per ream
Beschreibung:	<i>A unit of mass for paper, expressed as pounds per ream. (ream: a large quantity of paper, typically 500 sheets).</i>
Code:	RPM
Name:	Umdrehung pro Minute
Beschreibung:	<i>Refer ISO/TC12 SI Guide</i>
Code:	RPS
Name:	revolutions per second
Beschreibung:	<i>Refer ISO/TC12 SI Guide</i>
Code:	RT
Name:	revenue ton mile
Beschreibung:	<i>A unit of information typically used for billing purposes, expressed as the number of</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

	<i>revenue tons (revenue ton: either a metric ton or a cubic metres, whichever is the larger), moved over a distance of one mile.</i>
Code:	S3
Name:	square foot per second
Beschreibung:	<i>Synonym: foot squared per second</i>
Code:	S4
Name:	square metre per second
Beschreibung:	<i>Synonym: metre squared per second (square metres/second US)</i>
Code:	SAN
Name:	half year (6 months)
Beschreibung:	<i>'A unit of time defining the number of half years (6 months).</i>
Code:	SCO
Name:	score
Beschreibung:	<i>A unit of count defining the number of units in multiples of 20.</i>
Code:	SET
Name:	set
Beschreibung:	<i>A unit of count defining the number of sets (set: a number of objects grouped together).</i>
Code:	SG
Name:	segment
Beschreibung:	<i>A unit of information equal to 64000 bytes.</i>
Code:	SHT
Name:	shipping ton
Beschreibung:	<i>A unit of mass defining the number of tons for shipping.</i>
Code:	SM3
Name:	Standard cubic metre
Beschreibung:	<i>Standard cubic metre (temperature 15°C and pressure 101325 millibars)</i>
Code:	SQ
Name:	square
Beschreibung:	<i>A unit of count defining the number of squares (square: rectangular shape).</i>
Code:	SQR
Name:	square, roofing
Beschreibung:	<i>A unit of count defining the number of squares of roofing materials, measured in multiples of 100 square feet.</i>
Code:	SR

Guideline**Used Codes**

Name:	strip
Beschreibung:	<i>A unit of count defining the number of strips (strip: long narrow piece of an object).</i>
Code:	STC
Name:	stick
Beschreibung:	<i>A unit of count defining the number of sticks (stick: slender and often cylindrical piece of a substance).</i>
Code:	STK
Name:	stick, cigarette
Beschreibung:	<i>A unit of count defining the number of cigarettes in the smallest unit for stock-taking and/or duty computation.</i>
Code:	STL
Name:	standard litre
Beschreibung:	<i>A unit of volume defining the number of litres of a product at a temperature of 15 degrees Celsius, especially in relation to hydrocarbon oils.</i>
Code:	STN
Name:	ton (US) or short ton (UK/US)
Beschreibung:	<i>Synonym: net ton (2000 lb)</i>
Code:	STW
Name:	straw
Beschreibung:	<i>A unit of count defining the number of straws (straw: a slender tube used for sucking up liquids).</i>
Code:	SW
Name:	skein
Beschreibung:	<i>A unit of count defining the number of skeins (skein: a loosely-coiled bundle of yarn or thread).</i>
Code:	SX
Name:	shipment
Beschreibung:	<i>A unit of count defining the number of shipments (shipment: an amount of goods shipped or transported).</i>
Code:	SYR
Name:	syringe
Beschreibung:	<i>A unit of count defining the number of syringes (syringe: a small device for pumping, spraying and/or injecting liquids through a small aperture).</i>
Code:	T0

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	telecommunication line in service
Beschreibung:	<i>A unit of count defining the number of lines in service.</i>
Code:	T3
Name:	thousand piece
Beschreibung:	<i>A unit of count defining the number of pieces in multiples of 1000 (piece: a single item, article or exemplar).</i>
Code:	TAN
Name:	total acid number
Beschreibung:	<i>A unit of chemistry defining the amount of potassium hydroxide (KOH) in milligrams that is needed to neutralize the acids in one gram of oil. It is an important quality measurement of crude oil.</i>
Code:	TIC
Name:	metric ton, including container
Beschreibung:	<i>A unit of mass defining the number of metric tons of a product, including its container.</i>
Code:	TIP
Name:	metric ton, including inner packaging
Beschreibung:	<i>A unit of mass defining the number of metric tons of a product, including its inner packaging materials.</i>
Code:	TKM
Name:	tonne kilometre
Beschreibung:	<i>A unit of information typically used for billing purposes, expressed as the number of tonnes (metric tons) moved over a distance of one kilometre.</i>
Code:	TMS
Name:	kilogram of imported meat, less offal
Beschreibung:	<i>A unit of mass equal to one thousand grams of imported meat, disregarding less valuable by-products such as the entrails.</i>
Code:	TNE
Name:	Tonne (metrische Tonne)
Beschreibung:	<i>Synonym: metric ton</i>
Code:	TP
Name:	ten pack
Beschreibung:	<i>A unit of count defining the number of items in multiples of 10.</i>
Code:	TPI
Name:	teeth per inch

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>The number of teeth per inch.</i>
Code:	TPR
Name:	ten pair
Beschreibung:	<i>A unit of count defining the number of pairs in multiples of 10 (pair: item described by two's).</i>
Code:	TQD
Name:	thousand cubic metre per day
Beschreibung:	<i>A unit of volume equal to one thousand cubic metres per day.</i>
Code:	TST
Name:	ten set
Beschreibung:	<i>A unit of count defining the number of sets in multiples of 10 (set: a number of objects grouped together).</i>
Code:	TTS
Name:	ten thousand sticks
Beschreibung:	<i>A unit of count defining the number of sticks in multiples of 10000 (stick: slender and often cylindrical piece of a substance).</i>
Code:	U1
Name:	treatment
Beschreibung:	<i>A unit of count defining the number of treatments (treatment: subjection to the action of a chemical, physical or biological agent).</i>
Code:	U2
Name:	Tablette
Beschreibung:	<i>A unit of count defining the number of tablets (tablet: a small flat or compressed solid object).</i>
Code:	UB
Name:	telecommunication line in service average
Beschreibung:	<i>A unit of count defining the average number of lines in service.</i>
Code:	UC
Name:	telecommunication port
Beschreibung:	<i>A unit of count defining the number of network access ports.</i>
Code:	UIG
Name:	international unit per gram
Beschreibung:	<i>A unit of count defining the number of international units per gram.</i>
Code:	VP

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	percent volume
Beschreibung:	<i>A measure of concentration, typically expressed as the percentage volume of a solute in a solution.</i>
Code:	W2
Name:	wet kilo
Beschreibung:	<i>A unit of mass defining the number of kilograms of a product, including the water content of the product.</i>
Code:	WB
Name:	wet pound
Beschreibung:	<i>A unit of mass defining the number of pounds of a material, including the water content of the material.</i>
Code:	WCD
Name:	cord
Beschreibung:	<i>A unit of volume used for measuring lumber. One board foot equals 1/12 of a cubic foot.</i>
Code:	WE
Name:	wet ton
Beschreibung:	<i>A unit of mass defining the number of tons of a material, including the water content of the material.</i>
Code:	WG
Name:	wine gallon
Beschreibung:	<i>A unit of volume equal to 231 cubic inches.</i>
Code:	WM
Name:	working month
Beschreibung:	<i>A unit of time defining the number of working months.</i>
Code:	WSD
Name:	standard
Beschreibung:	<i>A unit of volume of finished lumber equal to 165 cubic feet. Synonym: standard cubic foot</i>
Code:	WW
Name:	millilitre of water
Beschreibung:	<i>A unit of volume equal to the number of millilitres of water.</i>
Code:	X1
Name:	Gunter's chain
Beschreibung:	<i>A unit of distance used or formerly used by British surveyors.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	Used Codes
	Code: Z11
	Name: hanging container
	Beschreibung: <i>A unit of count defining the number of hanging containers.</i>
	Code: ZP
	Name: Seite
	Beschreibung: <i>A unit of count defining the number of pages.</i>
	Code: ZZ
	Name: mutually defined
	Beschreibung: <i>A unit of measure as agreed in common between two or more parties.</i>
sequenceNumber	Wiederholung: 0 .. 1
	Schema-Status: O
	Typ: xs:nonNegativeInteger
	Definition: Angabe der Berechnungsreihenfolge der angegebenen Zu- oder Abschläge.
	Fachbegriff: Sequenznummer
	Status: D
	Beispiel: 1
	EANCOM®: INVOIC.SG26.SG39.ALC.1227
allowanceChargeDescription	Wiederholung: 0 .. 1
	Schema-Status: O
	Typ: shared_common:MultiDescription70Type
	Fachbegriff: Zu- oder Abschlag Beschreibung
	Status: O
	Beispiel: Freitext
	Definition: Beschreibung des Zu- oder Abschlag
xs:sequence	Wiederholung: 1 .. 1
	Schema-Status: M
description	Wiederholung: 1 .. unbounded
	Schema-Status: M
	Typ: shared_common:Description70Type
	Definition: Textinhalt der Beschreibung.
	Fachbegriff: Beschreibung
	Status: R
	EANCOM®: INVOIC.SG26.SG39.ALC.C552.1230
languageCode	Schema-Status: M

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	Type:	restriction (xs:string)
	Fachbegriff:	Sprachcode
	Status:	R
	Beispiel:	en
	Bemerkung:	Siehe ISO-Sprachcode unter www.iso.org
	Definition:	Code, der die Sprache in der Beschreibung definiert.
invoiceLineTaxInformation	Wiederholung:	0 .. unbounded
	Schema-Status:	O
	Typ:	ecom_common:LeviedDutyFeeTaxType
	Fachbegriff:	Erhobene Abgaben, Gebühren oder Steuern der Belegposition
	Status:	D
	Definition:	Angabe der in der zugehörigen Belegposition erhobenen Abgaben, Gebühren oder Steuern.
xs:sequence	Wiederholung:	1 .. 1
	Schema-Status:	M
dutyFeeTaxCategoryCode	Wiederholung:	0 .. 1
	Schema-Status:	O
	Typ:	shared_common:TaxCategoryCodeType
	Definition:	Typ, der den zutreffenden Steuerfall beschreibt. Anwendbare Werte können der GS1 Codeliste TaxCategoryCode entnommen werden.
	Fachbegriff:	Steuerkategorie der Abgaben, Gebühren oder Steuern (Code)
	Status:	R
	Beispiel:	STANDARD
	GDD URN:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TaxCategoryCode
	EANCOM®:	INVOIC.SG26.SG34[D_5283="7"].5305
	Used Codes	
	Code:	APPLICABLE
	Name:	Anwendbar
	Beschreibung:	<i>Die Steuer gilt für das Produkt oder die Dienstleistung im Zielmarkt mit dem in TradeItemTaxAmount oder TradeItemTaxRate definierten Wert.</i>
	Code:	DOMESTIC_REVERSE_CHARGE
	Name:	Nationaler Reverse Charge
	Beschreibung:	<i>Er gilt das nationale Reverse Charge Verfahren. Dieser Codewert ist besonders relevant für den UK-Kontext.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Used Codes

Code:	EXEMPT
Name:	Befreit
Beschreibung:	<i>Das Produkt oder eine Dienstleistung unterliegt keiner Besteuerung.</i>
Code:	FOOD
Name:	Lebensmittel
Beschreibung:	<i>Handelsartikel ist als Lebensmittel steuerpflichtig.</i>
Code:	FREE_EXPORT_ITEM
Name:	Export
Beschreibung:	<i>Aufgrund des Exports fallen keine Steuern an.</i>
Code:	HIGH
Name:	Erhöhter Satz
Beschreibung:	<i>Der Artikel unterliegt dem erhöhten Steuersatz. Die Definition hängt von den gesetzlichen Regelungen des Zielmarktes ab.</i>
Code:	HOTEL
Name:	Hotel
Beschreibung:	<i>Die Ware ist steuerpflichtig als Übernachtungsdienstleistung in einem Hotel, auf einem Campingplatz oder in einer anderen Einrichtung.</i>
Code:	LIMITED_RIGHT_FOR_DEDUCTION
Name:	Begrenztes Recht auf Abzug
Beschreibung:	<i>Gewerbliche Gegenstände sind steuerpflichtig mit eingeschränktem Recht auf Steuerabzug.</i>
Code:	LOCAL_GOVERNMENT_ACTIVITIES
Name:	Aktivitäten der lokalen Regierung
Beschreibung:	<i>Handelsware ist steuerpflichtig für Aktivitäten der lokalen Regierung.</i>
Code:	LOW
Name:	Ermäßigter Satz
Beschreibung:	<i>Das Produkt oder die Dienstleistung wird mit einem ermäßigten Steuersatz (nicht Null) besteuert, dessen Höhe von den gesetzlichen Regelungen des Zielmarktes abhängen.</i>
Code:	MEDIUM
Name:	Mittlerer Satz
Beschreibung:	<i>Das Produkt oder die Dienstleistung unterliegt einem Steuersatz, der zwischen den niedrigeren und höheren Steuersätzen liegt. Die Höhe hängt von den gesetzlichen Regelungen des Zielmarktes ab.</i>
Code:	MIXED

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	Gemischt
Beschreibung:	<i>Es liegt ein gemischter Steuersatz vor.</i>
Code:	NOT_APPLICABLE
Name:	Nicht anwendbar
Beschreibung:	<i>Die Steuer ist im Zielmarkt nicht anwendbar.</i>
Code:	PAPER_MAGAZINE_BOOK
Name:	Papier-Magazin-Buch
Beschreibung:	<i>Der Handelsgegenstand ist als Papier, Zeitschrift oder Buch steuerpflichtig.</i>
Code:	PREPAID
Name:	Bereits bezahlt
Beschreibung:	<i>Die Steuern, Gebühren oder Abgabe wurde bereits vom Lieferanten des Artikels bezahlt.</i>
Code:	REDUCTION_IN_BASE
Name:	Basisreduktion
Beschreibung:	<i>In BR angewandte Besteuerung.</i>
Code:	REDUCTION_IN_TAX_RATE
Name:	Reduzierter Steuersatz
Beschreibung:	<i>In BR angewandte Besteuerung.</i>
Code:	RESTAURANT_SERVICE
Name:	Restaurant-Service
Beschreibung:	<i>Gewerblicher Gegenstand ist als Restaurantdienstleistung steuerpflichtig.</i>
Code:	SERVICES_OUTSIDE_SCOPE_OF_TAX
Name:	Nicht steuerbar
Beschreibung:	<i>Die Besteuerung ist bei dieser Dienstleistung nicht anwendbar.</i>
Code:	STANDARD
Name:	Normalsatz
Beschreibung:	<i>Normalsatz der Besteuerung. Die Höhe hängt von der gesetzlichen Regelung des Zielmarktes ab.</i>
Code:	TRAVEL_SERVICE
Name:	Reisedienst
Beschreibung:	<i>Der Handelsgegenstand ist als Reisedienstleistung steuerpflichtig.</i>
Code:	VALUE_ADDED
Name:	Mehrwert
Beschreibung:	<i>In Brasilien verwendete Besteuerung</i>
Code:	VALUE_ADDED_MARGIN

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Used Codes	
	Name: Mehrwertmarge
	Beschreibung: <i>In Brasilien verwendete Besteuerung.</i>
	Code: VALUE_ADDED_TAX_NOT_NOW_DUE_FOR_PAYMENT
	Name: Umsatzsteuer nicht zahlen
	Beschreibung: <i>Die in der Rechnung ausgewiesene Umsatzsteuer ist nicht sofort zu zahlen, sondern erst nach Eingang einer separaten Umsatzsteuerzahlaufforderung</i>
	Code: VAT_REVERSE_CHARGE
	Name: Reverse Charge Verfahren
	Beschreibung: <i>Es wird das Reverse Charge Verfahren angewandt</i>
	Code: ZERO
	Name: Null
	Beschreibung: <i>Das Produkt oder eine Dienstleistung hat einen Steuersatz gleich NULL, aber noch weitere Anforderungen an die Rechnungsstellung. Dieser Wert kann durch die Gesetzgebung jederzeit geändert werden.</i>
dutyFeeTaxPercentage	Wiederholung: 0 .. 1
	Schema-Status: O
	Typ: xs:float
	Definition: Prozentsatz, mit dem die Gebühr berechnet wird.
	Fachbegriff: Abgabenprozent der Abgaben, Gebühren oder Steuern
	Status: R
	Beispiel: 21
	EANCOM®: INVOIC.SG26.SG34[D_5283="7"].C243.5278
dutyFeeTaxTypeCode	Wiederholung: 0 .. 1
	Schema-Status: O
	Typ: ecom_common:DutyFeeTaxTypeCodeType
	Definition: Typ, der die Art der Abgabe, Gebühr oder Steuer beschreibt. Erlaubte Werte können der GS1 Codeliste DutyFeeTaxTypeCode entnommen werden.
	Fachbegriff: Art der Steuer, Abgabe oder Gebühr
	Status: D
	Beispiel: VAT
	GDD URN: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode
	EANCOM®: INVOIC.SG26.SG34[D_5283="7"].C241.5153

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	AAD
Name:	Tabaksteuer
Beschreibung:	<i>Steuer auf Tabakprodukte.</i>
Code:	AAF
Name:	Kaffeesteuer
Beschreibung:	<i>Eine Steuer, die speziell für Kaffeeprodukte erhoben wird.</i>
Code:	AAJ
Name:	Steuer auf Austauschteile
Beschreibung:	<i>Eine Steuer, die auf Austauschteile erhoben wird, wenn das Originalteil zurückgegeben wird.</i>
Code:	ACT
Name:	Alkoholsteuer (GS1-Code)
Beschreibung:	<i>Eine Steuer speziell für alkoholische Produkte.</i>
Code:	CAR
Name:	Kraftfahrzeugsteuer
Beschreibung:	<i>Eine Steuer, die auf den Wert eines Autos erhoben wird.</i>
Code:	ENV
Name:	Ökosteuer
Beschreibung:	<i>Steuer, die zur Bildung von Versicherungen oder Fonds zum Schutz oder zur Regenerierung der Umwelt erhoben wird.</i>
Code:	EXC
Name:	Verbrauchssteuer
Beschreibung:	<i>Zoll- oder Finanzbehördencode zur Identifikation einer speziellen oder zusätzlichen Abgabe einer speziellen Ware im Inland oder zum Zeitpunkt des Imports.</i>
Code:	GST
Name:	Waren- und Dienstleistungssteuer
Beschreibung:	<i>Steuer auf den Endverbrauch von Waren und Dienstleistungen über den Produktions- und Absatzweg.</i>
Code:	IMP
Name:	Importsteuer
Beschreibung:	<i>Steuer auf Importe.</i>
Code:	OIL
Name:	Ölsteuer
Beschreibung:	<i>Ölsteuer</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

		Used Codes	
		Code:	OTH
		Name:	Andere Steuern
		Beschreibung:	<i>Unspezifizierte, verschiedene Steuerabgaben.</i>
		Code:	VAT
		Name:	Mehrwertsteuer
		Beschreibung:	<i>Eine Steuer auf inländische oder importierte Waren, die für den Mehrwert des Produkts auf jeder Stufe des Produktions-/Distributionszyklus gilt.</i>
despatchInformation		Wiederholung:	0 .. 1
		Schema-Status:	O
		Typ:	ecom_common:DespatchInformationType
		Definition:	Informationen bezüglich Versand oder Sendung von Waren.
		Fachbegriff:	Versandinformationen
		Status:	D
xs:sequence		Wiederholung:	1 .. 1
		Schema-Status:	M
pickUpDateTime		Wiederholung:	0 .. 1
		Schema-Status:	O
		Typ:	xs:dateTime
		Definition:	Zeitpunkt, an dem die Ladung abgeholt wird.
		Fachbegriff:	Abholzeitpunkt
		Status:	D
		Beispiel:	2023-06-05T11:00:00.000
		Bemerkung:	Alternativ kann als Leistungsdatum direkt (transferOfOwnershipDate) oder der Abrechnungszeitraum (invoicePeriod) auf Belegebene angegeben werden.
shipTo		Wiederholung:	0 .. 1
		Schema-Status:	O
		Typ:	ecom_common:TransactionalPartyType
		Fachbegriff:	Lieferadresse
		Status:	O
		Definition:	Angabe des Ortes zu dem die Waren gesendet wurden oder gesendet werden sollen.
		EANCOM®:	INVOIC.SG26.SG35[D_3035 = "DP"].NAD
xs:sequence		Wiederholung:	1 .. 1
		Schema-Status:	M
gln		Wiederholung:	0 .. 1

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	<p>Schema-Status: O Typ: shared_common:GLNType Fachbegriff: Globale Lokationsnummer (GLN) Status: D Beispiel: 4000001000005 Regel: Die Lieferanschrift wird durch eine GLN identifiziert. Name und Anschrift des Warenempfängers in Klartext dürfen nur dann eingestellt werden, wenn (noch) keine GLN vorhanden ist.</p> <p>Definition: Die Globale Lokationsnummer (GLN) ist ein GS1 Identifikationsschlüssel um physikalische Orte oder Geschäftspartner zu identifizieren. Er besteht aus der Basisnummer, dem eigengenerierten Nummerenteil und der Prüfziffer.</p>
AdditionalPartyIdentification	<p>Wiederholung: 0 .. unbounded Schema-Status: O Typ: shared_common:AdditionalPartyIdentificationType Definition: Typ, der eine zusätzliche Identifikation (keine GLN) eines Geschäftspartners ermöglicht. Fachbegriff: Zusatzidentifikation Lieferanschrift (Position) Status: O Beispiel: MNP687 Bemerkung: Typ, der eine zusätzliche Identifikation eines Geschäftspartners ermöglicht. Regel: If no functional or organisational differences are necessary within one company only the GLN is used for communication purposes, if applicable the receiver links within the inhouse system. Additional identifications should be agreed only in those cases when different functional entities need to be distinguished at one location.</p> <p>Fachbegriff: Kundennummer im Lieferantensystem (Position) Status: O Beispiel: MNP687 Regel: If no functional or organisational differences are necessary within one company only the GLN is used for communication purposes, if applicable the receiver links within the inhouse system. Additional identifications should be agreed only in those cases when different functional entities need to be distinguished at one location.</p>
additionalPartyIdentificationTypeCode	<p>Schema-Status: M Type: restriction (xs:string) GDD URN: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode Fachbegriff: Art der zusätzlichen Identifikation des Geschäftspartners (Code) Status: R</p>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	Beispiel:	SELLER_ASSIGNED_IDENTIFIER_FOR_A_PARTY
	Definition:	Code, der die Art der zusätzlichen Identifikation des Geschäftspartners definiert.
	Used Codes	
	Code:	SELLER_ASSIGNED_IDENTIFIER_FOR_A_PARTY
	Name:	Vom Verkäufer vergeben
	Beschreibung:	<i>Interne Identifikation vom Verkäufer vergeben.</i>
address	Wiederholung:	0 .. 1
	Schema-Status:	O
	Typ:	shared_common:AddressType
	Fachbegriff:	Adresse der Firma oder Person
	Status:	O
	Definition:	Der Ort, an dem eine bestimmte Firma oder Person sitzt oder erreicht werden kann.
xs:sequence	Wiederholung:	1 .. 1
	Schema-Status:	M
city	Wiederholung:	0 .. 1
	Schema-Status:	O
	Typ:	restriction (xs:string)
	Fachbegriff:	Stadt
	Status:	O
	Beispiel:	Köln
	Definition:	Text, der den Namen einer Stadt enthält.
countryCode	Wiederholung:	0 .. 1
	Schema-Status:	O
	Typ:	shared_common:CountryCodeType
	Definition:	Code der das Land der Adresse festlegt.
	Fachbegriff:	Land
	Status:	O
	Beispiel:	DE
	Bemerkung:	Ländercode nach www.iso.org
	Used Codes	
	Code:	097
	Name:	Europäische Union
	Beschreibung:	<i>Europäische Union</i>
	Code:	D_A
	Name:	Entwicklungshilfe

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

		Used Codes
		<p>Beschreibung: <i>Entwicklungshilfeagenturen wie USAID, UNFPA und Global Fund, die Ländern Auslandshilfe in Form von Waren und Dienstleistungen zur Unterstützung von Entwicklungsprogrammen zur Verfügung stellen, einschließlich, aber nicht beschränkt auf globale Gesundheits-, Infrastruktur- und Nahrungsmittelhilfe. Beachten Sie, dass dieser Codewert nur für das Attribut targetMarketCountryCode verwendet werden kann.</i></p>
		<p>Code: NON_EU Name: Nicht EU Beschreibung: <i>Land, das nicht zur Europäischen Union gehört. Nur GDSN.</i></p>
name		<p>Wiederholung: 0 .. 1 Schema-Status: O Typ: restriction (xs:string) Fachbegriff: Name Status: O Beispiel: GS1 Germany GmbH Definition: Name des Geschäftspartners.</p>
postalCode		<p>Wiederholung: 0 .. 1 Schema-Status: O Typ: restriction (xs:string) Fachbegriff: Postleitzahl Status: O Beispiel: 50825 Definition: Postleitzahl der Adresse</p>
state		<p>Wiederholung: 0 .. 1 Schema-Status: O Typ: restriction (xs:string) Fachbegriff: Bundesland Status: O Beispiel: NRW Definition: Eine eigenständige Einheit mit eigener Regierung einer Nation.</p>
streetAddressOne		<p>Wiederholung: 0 .. 1 Schema-Status: O Typ: restriction (xs:string) Fachbegriff: Adresszeile 1 Status: O</p>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	Beispiel:	Maarweg 133
	Definition:	Die erste Zeile einer Anschrift als Freitext. Sie wird in einem Adresskopf als erste Zeile unterhalb des Namens angedruckt. Typische Inhalte sind die Straße mit Hausnummer oder der Gebäudename.
returnableAssetIdentification	Wiederholung:	0 .. 1
	Schema-Status:	O
	Typ:	ecom_common:Ecom_ReturnableAssetIdentificationType
	Fachbegriff:	Mehrwegtransportverpackungs-ID Typ
	Status:	O
	Bemerkung:	Dieses Element wird zur Angabe der Containernummer in einer Entsorgungsrechnung benutzt.
	Definition:	Informationen zur Identifikation von Mehrwegtransportverpackungen.
xs:sequence	Wiederholung:	1 .. 1
	Schema-Status:	M
grai	Wiederholung:	0 .. 1
	Schema-Status:	O
	Typ:	shared_common:GRAIType
	Fachbegriff:	Global Returnable Asset Identifier (GRAI)
	Status:	O
	Beispiel:	0987567256473787654
	Definition:	Identifikation von Mehrwegtransportverpackungen (Global Returnable Asset Identifier). Die GRAI besteht aus der Basisnummer, dem MTV-Typ, einer Prüfziffer und einer optionalen Seriennummer.
	EANCOM®:	INVOIC.SG26.SG45:TDT[D_2005="35"].C222.8212
additionalReturnableAssetIdentification	Wiederholung:	0 .. unbounded
	Schema-Status:	O
	Typ:	shared_common:AdditionalReturnableAssetIdentificationType
	Definition:	Ein zusätzlich zum GS1-Key angegebene Identifikation einer Mehrwegtransportverpackung im Eigentum einer Firma, die für Transport- oder Lagerzwecke von Waren verwendet wird.
	Fachbegriff:	Zusätzliche MTV-ID
	Status:	O
	Beispiel:	KLJ258KFAJc-7
additionalReturnableAssetIdentificationTypeCode	Schema-Status:	M
	Type:	restriction (xs:string)
	GDD URN:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	<p>Fachbegriff: AdditionalReturnableAssetIdentificationTypeCode Art der zusätzlichen Identifikation einer Mehrwegtransportverpackung (Code) R Status: OWNER_ASSIGNED Beispiel: OWNER_ASSIGNED Definition: Code, der die Art der zusätzlichen Identifikation einer Mehrwegtransportverpackung definiert.</p>
	<p>Used Codes</p> <p>Code: INDUSTRY_ASSIGNED Name: Von der Branche vergeben Beschreibung: <i>Von einer branchenspezifischen Vergabestelle ausgegebene Identifikation für einen Mehrwegtransportbehälter.</i></p> <p>Code: OWNER_ASSIGNED Name: Vom Eigentümer vergeben Beschreibung: <i>Vom Eigentümer vergebene Identifikation eines Mehrwegtransportbehälters.</i></p>
actualDeliveryDate	<p>Wiederholung: 0 .. 1 Schema-Status: O Typ: shared_common:DateOptionalTimeType Fachbegriff: Tatsächliches Lieferdatum Status: D Regel: Abhängig, entweder Liefer- oder Abholdatum und/oder der Abrechnungszeitraum müssen angegeben werden. Definition: Typ, der eine Datumsangabe mit optionaler Zeitangabe ermöglicht.</p>
xs:sequence	<p>Wiederholung: 1 .. 1 Schema-Status: M</p>
date	<p>Wiederholung: 1 .. 1 Schema-Status: M Typ: xs:date Fachbegriff: Tatsächliches Lieferdatum Status: R Beispiel: 2017-06-05 Bemerkung: Das tatsächliche Lieferdatum entspricht im steuerrechtlichen Sinne dem Leistungsdatum. Definition: Angabe eines Tages als Kalenderdatum. EANCOM®: INVOIC.SG26.DTM[D_2005="35"].C507.2380</p>
tradeItemStatisticalClassification	<p>Wiederholung: 0 .. unbounded Schema-Status: O</p>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	<p>Typ: ecom_common:TradeStatisticClassificationType Definition: Angabe von Handelsklassifizierungssystemen, die für statistische Zwecke verwendet werden. Fachbegriff: Handelsklassifizierung Status: O</p>
xs:sequence	<p>Wiederholung: 1 .. 1 Schema-Status: M</p>
classificationSystemName	<p>Wiederholung: 0 .. 1 Schema-Status: O Typ: restriction (xs:string) Definition: Name des verwendeten Handelsklassifizierungssystems. Fachbegriff: Name der Handelsstatistikklassifikation Status: O</p>
classificationSystemVersion	<p>Wiederholung: 0 .. 1 Schema-Status: O Typ: restriction (xs:string) Definition: Version des verwendeten Handelsklassifizierungssystems. Fachbegriff: Version der Handelsstatistikklassifikation Status: O Beispiel: INTRASTAT Bemerkung: Außenwirtschaftsmeldung (Vereinbarer Textschlüssel) EANCOM®: INVOIC.FTX[D_4451="AAZ"].C107[D_4441="AWV"] EANCOM®: INVOIC.FTX[D_4451="AAZ"].C107[D_4441="INTRASTAT"]</p>
classificationSystemCode	<p>Wiederholung: 1 .. 1 Schema-Status: M Typ: restriction (xs:string) Definition: Code des verwendeten Handelsklassifizierungssystems. Fachbegriff: Code der Handelsstatistikklassifikation Status: R Beispiel: E Bemerkung: Leistungskennzahl Außenhandel (Code) EANCOM®: INVOIC.FTX[D_4451="AAZ"].C107[D_4441="AWV"]</p>
invoiceLineItemContact	<p>Wiederholung: 0 .. unbounded Schema-Status: O Typ: shared_common:ContactType</p>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	<p>Fachbegriff: Kontakt oder Abteilung einer Firma Status: O Definition: Information zu einer Person oder Abteilung als Ansprechpartner einer Firma.</p>
xs:sequence	<p>Wiederholung: 1 .. 1 Schema-Status: M</p>
contactTypeCode	<p>Wiederholung: 0 .. 1 Schema-Status: O Typ: shared_common:ContactTypeCodeType Definition: Code, der die Art des Kontaktes spezifiziert. Erlaubte Werte können der GS1 Codeliste ContactTypeCode entnommen werden.</p> <p>Fachbegriff: Art des Kontaktes Status: R Beispiel: IC GDD URN: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode</p> <p>Used Codes</p> <p>Code: AA Name: Versicherungsabteilung Beschreibung: <i>Abteilung/Person, die in Versicherungsangelegenheiten anzusprechen ist.</i></p> <p>Code: AD Name: Buchhaltung Beschreibung: <i>Der Ansprechpartner für Buchhaltungsangelegenheiten.</i></p> <p>Code: AE Name: Vertragskontakt Beschreibung: <i>Abteilung/Person, die bei Vertragsangelegenheiten anzusprechen ist.</i></p> <p>Code: AG Name: Vertreter Beschreibung: <i>Person oder Organisation, die befugt ist, im Namen einer oder mehrerer Parteien zu handeln, um das Produkt oder die Dienstleistung zu verkaufen. Zum Beispiel ein Weinmakler.</i></p> <p>Code: AM Name: Reklamationsabteilung Beschreibung: <i>Abteilung/Person, die bei Forderungen anzusprechen ist.</i></p> <p>Code: AP Name: Kreditorenbuchhaltung</p>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Used Codes

Beschreibung:	<i>Abteilung/Person, die für die Kreditorenbuchhaltung verantwortlich ist.</i>
Code:	AR
Name:	Debitorenbuchhaltung
Beschreibung:	<i>Abteilung/Person, die für die Debitorenbuchhaltung verantwortlich ist.</i>
Code:	BC
Name:	Bank-Kontakt
Beschreibung:	<i>Ansprechpartner für die Bank.</i>
Code:	BJ
Name:	Abteilung/Person, die für die Abwicklung von Bestellungen verantwortlich ist.
Beschreibung:	<i>Identifikation der Abteilung oder Person, welche für die Auftragsbearbeitung verantwortlich ist.</i>
Code:	BO
Name:	Ansprechpartner nach Geschäftsschluss
Beschreibung:	<i>Ansprechpartner oder Organisation, die nach der normalen Arbeitszeit kontaktiert werden kann.</i>
Code:	BVP
Name:	Produktionsstätte (GS1-Code)
Beschreibung:	<i>Allgemeine Beschreibung der Ansprechpartner für den Artikel z. B. Production Facility 3</i>
Code:	BXA
Name:	Administratiion (GS1-Code)
Beschreibung:	<i>Der Kontakt gehört zur Administrations</i>
Code:	BYF
Name:	Finanzbereich (GS1-Code)
Beschreibung:	<i>Dieser Code legt fest, dass dieser Kontakt zum Bereich ""Finanzen"" gehört.</i>
Code:	BZL
Name:	Lizenznehmer Registrar (GS1-Code)
Beschreibung:	<i>Geschäftspartner mit rechtlicher Verantwortung für das Produkt im Zielmarkt. Dieser Partner ist verantwortlich für die Lizenzierung und Regelungen innerhalb des Zielmarktes und kann der Hersteller, Importeur, Handelsvertreter oder Makler sein.</i>
Code:	CB
Name:	Verändert von
Beschreibung:	<i>Person, die die Änderung vornahm.</i>
Code:	CKE
Name:	Koch (GS1-Code)

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>Person, die für das Kochen verantwortlich ist.</i>
Code:	CP
Name:	Verantwortliche Person für Computerdatenverarbeitung
Beschreibung:	<i>Verantwortliche Person, die für Dinge zu kontaktieren ist, die sich auf Computer Datenverarbeitung beziehen.</i>
Code:	CR
Name:	Kundenkontakt
Beschreibung:	<i>Individuelle Verantwortlichkeit für Kundenbeziehungen.</i>
Code:	CXC
Name:	Kundensupport (GS1-Code)
Beschreibung:	<i>Ansprechpartner für den Support des Konsumenten.</i>
Code:	CYC
Name:	Kunden-Support (GS1-Code)
Beschreibung:	<i>Ansprechpartner für den Support des Kunden.</i>
Code:	CZL
Name:	Logistik (GS1-Code)
Beschreibung:	<i>Logistik-Kontakt</i>
Code:	DE
Name:	Abteilung/Mitarbeiter zur Exportabwicklung
Beschreibung:	<i>Abteilung/Mitarbeiter, welche die Exportabwicklung ausführt.</i>
Code:	DI
Name:	Abteilung/Mitarbeiter zur Importabwicklung
Beschreibung:	<i>Abteilung/Mitarbeiter, welche die Importabwicklung ausführt.</i>
Code:	DIS
Name:	Distributor
Beschreibung:	<i>Distributor: Eine Person, ein Unternehmen, etc. das am allgemeinen Vertrieb von einigen Artikeln oder Warenklassen beteiligt ist.</i>
Code:	DL
Name:	Lieferkontakt
Beschreibung:	<i>Abteilung/Person, die für die Lieferung zuständig ist.</i>
Code:	DMO
Name:	Geschäftsbetrieb (GS1-Code)
Beschreibung:	<i>Für den Geschäftsbetrieb verantwortlicher Ansprechpartner</i>
Code:	DNR

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	Support für Rückrufe (GS1-Code)
Beschreibung:	<i>Anprechpartner, der Support für Warenrückrufe übernimmt.</i>
Code:	DOG
Name:	GDS-Kontakt (GS1-Code)
Beschreibung:	<i>Kontakt für Stammdatenmanagement</i>
Code:	DPP
Name:	Verpackungsingenieur (GS1-Code)
Beschreibung:	<i>Ansprechpartner zur Produktverpackung</i>
Code:	DQT
Name:	Zielmarkt-Informationsanbieter (GS1-Code)
Beschreibung:	<i>Zum Artikel gehöriger Bereitsteller der Informationen zum Zielmarkt.</i>
Code:	DSU
Name:	Nicht spezifiziert (GS1-Code)
Beschreibung:	<i>Wert nicht angegeben.</i>
Code:	ED
Name:	Technische Abteilung
Beschreibung:	<i>Abteilung/Person, die für die technischen Angelegenheiten zuständig ist.</i>
Code:	EXP
Name:	Exporteur
Beschreibung:	<i>Exporteur: Ein Unternehmer, der Waren oder Dienstleistungen zur Verfügung stellt, die an ein fremdes Land/fremde Länder verkauft werden.</i>
Code:	GR
Name:	Wareneingang
Beschreibung:	<i>Abteilung/Person, die für den Erhalt der Waren am Lieferort verantwortlich ist.</i>
Code:	HE
Name:	Kontakt bei Notfall mit Gefahrgut
Beschreibung:	<i>Partner, der zu kontaktieren ist, um im Notfall einzugreifen.</i>
Code:	HG
Name:	Kontakt bei Gefahrgütern
Beschreibung:	<i>Abteilung/Person, die für Details des Transports von Gefahrgütern und Gefahrstoffen zu kontaktieren ist.</i>
Code:	IC
Name:	Informationsstelle
Beschreibung:	<i>Abteilung/Person, die bei Fragen bezüglich der Übertragung anzusprechen ist.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	IMP
Name:	Importeur
Beschreibung:	<i>Importeur: Ein Unternehmer, der Waren oder Dienstleistungen aus einem fremden Land/ fremden Ländern importiert.</i>
Code:	LO
Name:	Kontakt am Standort der Warenaufnahme
Beschreibung:	<i>Abteilung/Mitarbeiter, der am Warenaufnahmeort zu kontaktieren ist.</i>
Code:	MAN
Name:	Hersteller
Beschreibung:	<i>Gibt das Unternehmen an, das das Produkt hergestellt hat.</i>
Code:	MGR
Name:	Manager (GS1-Code)
Beschreibung:	<i>Person, die für das Management in einer Abteilung oder einem Unternehmen verantwortlich ist.</i>
Code:	NT
Name:	Meldestelle
Beschreibung:	<i>Abteilung/Mitarbeiter, der zu unterrichten ist.</i>
Code:	OC
Name:	Auftragskontakt
Beschreibung:	<i>Individuelle Ansprechstelle bei Fragen zu dieser Bestellung.</i>
Code:	PAC
Name:	Verpacker
Beschreibung:	<i>Ein Unternehmen, das den Artikel nicht herstellt, sondern nur verpackt. Informationen zum Unternehmen sind auf dem Etikett zu finden.</i>
Code:	PD
Name:	Einkaufsabteilung
Beschreibung:	<i>Abteilung/Person, die für die Vergabe dieser Bestellung verantwortlich ist.</i>
Code:	PM
Name:	Produktmanager
Beschreibung:	<i>Abteilung/Person, die bei Fragen zu dieser Bestellung zu kontaktieren ist.</i>
Code:	PRC
Name:	Ansprechpartner Produktrückrufbenachrichtigung
Beschreibung:	<i>Kontakt für die Erstellung, Versand und Aktualisierung der Produktrückrufbenachrichtigung,</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	PRF
Name:	Produziert für
Beschreibung:	<i>Ein Unternehmen, das nicht selbst produziert, sondern Produkte mit einer anderen Partei herstellt, zum Beispiel unter seiner eigenen Marke.</i>
Code:	PRM
Name:	Ansprechpartner Presse Produktrückruf
Beschreibung:	<i>Presseansprechpartner für Produktrückrufe.</i>
Code:	PRO
Name:	Product Recall Consumer Contact (Produktrückruf Kundenkontakt)
Beschreibung:	<i>Der Kontakt, der dafür zuständig ist, dem Kunden Informationen zum Produktrückruf zur Verfügung zu stellen.</i>
Code:	PRR
Name:	Ansprechpartner für die Nachricht zur Bestätigung eines entfernten Produktes nach dessen Rückruf
Beschreibung:	<i>Kontakt verantwortlich für Erstellung und Versand der Nachricht zur Bestätigung der Entfernung eines Produktes nach dessen Rückruf.</i>
Code:	QC
Name:	Qualitätskoordinator
Beschreibung:	<i>Qualitätskoordinationstelle innerhalb eines Unternehmens.</i>
Code:	REA
Name:	Rückgabe-Stelle
Beschreibung:	<i>Für die Warenrückgabeabwicklung verantwortliche Person/Abteilung.</i>
Code:	SA
Name:	Verkaufsverwaltung
Beschreibung:	<i>Name der Kontaktperson innerhalb eines Unternehmens.</i>
Code:	SD
Name:	Versandabteilung
Beschreibung:	<i>Kontakt in der Versandabteilung innerhalb eines Unternehmens.</i>
Code:	SR
Name:	Verkaufsrepräsentant oder Verkaufsabteilung
Beschreibung:	<i>Der Verkaufsrepräsentant oder die Verkaufsabteilung eines Unternehmens.</i>
Code:	TA
Name:	Fuhrparkverwalter
Beschreibung:	<i>Kontaktperson in der Fuhrparkverwaltung innerhalb eines Unternehmens.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Used Codes

Code:	TD
Name:	Testkontakt
Beschreibung:	<i>Abteilung/Person, die für den Test verantwortlich ist.</i>
Code:	TR
Name:	Transportabteilung
Beschreibung:	<i>Abteilung/Person, zuständig für den Transport.</i>
Code:	WAC
Name:	Garantie Kontakt
Beschreibung:	<i>Für die Garantieabwicklung verantwortliche Person/Abteilung.</i>
Code:	WH
Name:	Lagerhaus
Beschreibung:	<i>Kontaktperson im Lagerhaus eines Unternehmens.</i>
Code:	WLS
Name:	Großhändler
Beschreibung:	<i>Großhändler: Unternehmer, der Waren in größeren Mengen an Einzelhändler verkauft als sie an Endkunden verkauft werden, aber in kleineren Mengen als sie von den Herstellern eingekauft werden.</i>
Code:	XY1
Name:	Kostenstellenleiter (GS1 Temporary Code)
Beschreibung:	<i>Eine Person, die für die Kosten der Kostenstelle verantwortlich ist, jedoch nicht für Einnahmen oder Investitionsentscheidungen.</i>
Code:	ZZZ
Name:	Bilateral abgestimmt
Beschreibung:	<i>Zwischen den Handelspartnern abgestimmter Kontakt</i>
Wiederholung:	0 .. 1
Schema-Status:	O
Typ:	restriction (xs:string)
Fachbegriff:	Name
Status:	O
Beispiel:	Max Mustermann
Definition:	Der Name der Person, die für weitere Informationen kontaktiert werden kann.
Wiederholung:	0 .. 1
Schema-Status:	O
Typ:	restriction (xs:string)

personName

departmentName

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	<p>Fachbegriff: Abteilung Status: O Beispiel: Logistik Bemerkung: This element is used to indicate a department reference relevant for the invoice line. Definition: Name der Abteilung, die für weitere Informationen kontaktiert werden kann. EANCOM®: INVOIC.SG26.SG30.RFF[D_1153="SD"].1154</p>
communicationChannel	<p>Wiederholung: 0 .. unbounded Schema-Status: O Typ: shared_common:CommunicationChannelType Fachbegriff: Kontaktmöglichkeit, wie z. B. Telefon oder Email Status: O Definition: Der Kommunikationskanal, über den die Kommunikation stattfinden kann, wie z.B. Telefon oder Email.</p>
xs:sequence	<p>Wiederholung: 1 .. 1 Schema-Status: M</p>
communicationChannelCode	<p>Wiederholung: 1 .. 1 Schema-Status: M Typ: shared_common:CommunicationChannelCodeType Definition: Typ, der die Art des Kommunikationskanals beschreibt. Erlaubte Codewerte können der GS1 Codeliste CommunicationChannelCode entnommen werden.</p> <p>Fachbegriff: Art des Kommunikationskanals Status: R Beispiel: EMAIL GDD URN: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</p> <p>Used Codes</p> <p>Code: EMAIL Name: Email Beschreibung: <i>Erzeugung/Versendung/Erhalt von unstrukturierten Freitext-Nachrichten oder Dokumenten durch die Verwendung von Computer-Netzwerken, einem Mini-Computer oder einem angeschlossenen Modem und einem regulären Telefonanschluss oder anderen elektronischen Übertragungsmedien.</i></p> <p>Code: MOBILE_WEBSITE Name: Mobile Webseite Beschreibung: <i>Die URL einer Mobile-Commerce-Seite (oder WAP-Seite) zu einer Art von Website, die</i></p>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	Used Codes
	<p>von einem Smartphone oder anderen mobilen Geräten aufgerufen werden kann. Sie unterscheidet sich für gewöhnlich von einer normalen Website wegen der unterschiedlichen Technologien, die für die Implementierung verwendet werden.</p>
	<p>Code: SOCIAL_MEDIA Name: Social Media Beschreibung: Eine Social-Media-Adresse.</p>
	<p>Code: TELEFAX Name: Telefax Beschreibung: Gerät, das für die Übertragung und Reproduktion von vorgegebenem grafischen Material verwendet wird (wie beispielsweise Ausdrucke); Gerät arbeitet mit Signalen durch Telefonleitungen oder anderen elektronischen Übertragungsmedien.</p>
	<p>Code: TELEPHONE Name: Telefon Beschreibung: Sprach-/Datenübertragung per Telefon.</p>
	<p>Code: TELEPHONE_FREE_NUMBER Name: Gebührenfreie Telefonnummer Beschreibung: Eine Telefonnummer, die für alle ankommenden Anrufe in Rechnung gestellt wird, anstatt dem ursprünglichen Telefonteilnehmer Gebühren in Rechnung zu stellen. Für den anrufenden Teilnehmer ist ein Anruf zu einer gebührenfreien Nummer in der Regel gebührenfrei, abhängig vom geografischen Standort des Anrufers und der Art des Anrufs (z.B. Festnetz, Mobilfunk oder Internet).</p>
	<p>Code: WEBSITE Name: Webseite Beschreibung: Die Identifikation einer www-Adresse.</p>
communicationValue	<p>Wiederholung: 1 .. 1 Schema-Status: M Typ: restriction (xs:string) Fachbegriff: Kommunikationsadresse Status: R Beispiel: max.mustermann@gs1-germany.de Definition: Endpunkt des Kommunikationskanals, wie zum Beispiel eine Telefonnummer oder Emailadresse.</p>
administrativeUnit	<p>Wiederholung: 0 .. unbounded Schema-Status: O</p>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	<p>Typ: ecom_common:AdministrativeUnitType Fachbegriff: Kostenstelle (Position) Status: O Definition: Identifikation der Kostenstelle eines Beteiligten auf Positionsebene.</p>
xs:sequence	<p>Wiederholung: 1 .. 1 Schema-Status: M</p>
administrativeUnitTypeCode	<p>Wiederholung: 1 .. 1 Schema-Status: M Typ: ecom_common:AdministrativeUnitTypeCodeType Definition: Dieser Code spezifiziert den Typ der Verwaltungseinheit. Fachbegriff: Typ der Verwaltungseinheit Status: R Beispiel: COST_CENTER GDD URN: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdministrativeUnitTypeCode</p> <p>Used Codes</p> <p>Code: BUSINESS_UNIT Name: Geschäftsbereich Beschreibung: <i>Unterscheidung für administrative Zwecke um Ressourcen einem Geschäftsbereich zuzuordnen.</i></p> <p>Code: COST_CENTER Name: Kostenstelle Beschreibung: <i>Unterscheidung für administrative Zwecke um Ressourcen einer Kostenstelle zuzuordnen.</i></p> <p>Code: DISTRIBUTION_CHANNEL Name: Vertriebskanal Beschreibung: <i>Unterscheidung für administrative Zwecke um Ressourcen einem Vertriebskanal zuzuordnen.</i></p> <p>Code: DIVISION Name: Abteilung Beschreibung: <i>Unterscheidung für administrative Zwecke um Ressourcen einer Abteilung zuzuordnen.</i></p> <p>Code: FOR_INTERNAL_USE_1 Name: Für den internen Gebrauch 1 Beschreibung: <i>Kennung für die interne Zuordnung.</i></p> <p>Code: FOR_INTERNAL_USE_10 Name: Für den internen Gebrauch 10</p>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Beschreibung:	<i>Kennung für die interne Zuordnung.</i>
Code:	FOR_INTERNAL_USE_2
Name:	Für die interne Verwendung 2
Beschreibung:	<i>Kennung für die interne Zuordnung.</i>
Code:	FOR_INTERNAL_USE_3
Name:	Für den internen Gebrauch 3
Beschreibung:	<i>Kennung für die interne Zuordnung.</i>
Code:	FOR_INTERNAL_USE_4
Name:	Für den internen Gebrauch 4
Beschreibung:	<i>Kennung für die interne Zuordnung.</i>
Code:	FOR_INTERNAL_USE_5
Name:	Für den internen Gebrauch 5
Beschreibung:	<i>Kennung für die interne Zuordnung.</i>
Code:	FOR_INTERNAL_USE_6
Name:	Für den internen Gebrauch 6
Beschreibung:	<i>Kennung für die interne Zuordnung.</i>
Code:	FOR_INTERNAL_USE_7
Name:	Für den internen Gebrauch 7
Beschreibung:	<i>Kennung für die interne Zuordnung.</i>
Code:	FOR_INTERNAL_USE_8
Name:	Für den internen Gebrauch 8
Beschreibung:	<i>Kennung für die interne Zuordnung.</i>
Code:	FOR_INTERNAL_USE_9
Name:	Für den internen Gebrauch 9
Beschreibung:	<i>Kennung für die interne Zuordnung.</i>
Code:	INVENTORY_OWNER
Name:	Inventar-Besitzer
Beschreibung:	<i>Unterscheidung für administrative Zwecke, wo das Lager in Gewahrsam gehalten wird, aber im Besitz eines anderen Geschäftspartners ist.</i>
Code:	OPERATING_UNIT
Name:	Bedieneinheit
Beschreibung:	<i>Unterscheidung für administrative Zwecke um Ressourcen einer Bedieneinheit zuzuordnen.</i>
Code:	PROFIT_CENTRE

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

Used Codes	
	Name: Profit-Center Beschreibung: Unterscheidung, die zu administrativen Zwecken getroffen wird, um Unternehmensressourcen einem Profit-Center zuzuweisen.
	Code: SALES_ORGANIZATION Name: Verkaufsbereich Beschreibung: Unterscheidung für administrative Zwecke um Ressourcen einem Verkaufsbereich Abteilung zuzuordnen.
	Code: SUB_CONTRACTOR Name: Sub-Auftragnehmer Beschreibung: Unterscheidung für administrative Zwecke um Ressourcen einem Subunternehmer zuzuordnen.
gln	Wiederholung: 0 .. 1 Schema-Status: O Typ: shared_common:GLNType Fachbegriff: Referenz-ID (GLN) Status: R Beispiel: 4000001000005 Bemerkung: An dieser Stelle muss die GLN des zugehörigen Beteiligten (z. B. des Käufers/ Rechnungsempfängers, des Leistungsnehmers, des Bestellers, des Rechnungsempfängers, der Lieferanschrift oder des Kostenstellen-Inhabers angegeben werden, damit eine eindeutige Zuordnung zwischen dem Beteiligten und der Kostenstellenreferenz gewährleistet ist. Definition: Die Globale Lokationsnummer (GLN) ist ein GS1 Identifikationsschlüssel um physikalische Orte oder Geschäftspartner zu identifizieren. Er besteht aus der Basisnummer, dem eigengenerierten Nummerenteil und der Prüfziffer. In diesem Fall dient die Nummer zur Identifikation der verwaltenden Organisation. EANCOM®: INVOIC.SG2.NAD[D_3035="BY"].C082.3039 EANCOM®: INVOIC.SG2.NAD[D_3035="AP"].C082.3039 EANCOM®: INVOIC.SG2.NAD[D_3035="OB"].C082.3039 EANCOM®: INVOIC.SG2[D_3035="IV"].NAD.C082.3039 EANCOM®: INVOIC.SG2.NAD[D_3035="DP"].C082.3039 EANCOM®: INVOIC.SG2[D_3035="DM"].NAD.C082.3039
InternalAdministrativeUnitIdentification	Wiederholung: 0 .. 1 Schema-Status: O

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	<p>Typ: restriction (xs:string) Definition: Interne Nummer der Verwaltungseinheit Fachbegriff: Entsprechende Kostenstellenummer Status: R Beispiel: 1236 Bemerkung: Hinweis: Temporäre Lösung, solange ein neuer Code in der richtigen Codeliste (AdditionalPartyIdentificationTypeCode) verfügbar ist.</p>
deliveryNote	<p>EANCOM®: INVOIC.SG36.RFF.1154 AND 1153 ="ADE" Wiederholung: 0 .. 1 Schema-Status: O Typ: ecom_common:Ecom_DocumentReferenceType Fachbegriff: Lieferschein Status: O Beispiel: Definition: Referenz auf den zugehörigen Lieferschein.</p>
xs:sequence	<p>Wiederholung: 1 .. 1 Schema-Status: M</p>
entityIdentification	<p>Wiederholung: 1 .. 1 Schema-Status: M Typ: restriction (xs:string) Fachbegriff: Lieferscheinnummer Status: R Definition: Eindeutige Identifikation des Lieferscheins. EANCOM®: INVOIC.SG26.SG30[D_1153="DQ"].C506.1154</p>
creationDateTime	<p>Wiederholung: 0 .. 1 Schema-Status: O Typ: xs:dateTime Definition: Date and time of creation of the referenced document. Fachbegriff: Lieferscheindatum Status: O Beispiel: 2023-06-05T11:00:00.000 Bemerkung: zusätzlich erlaubtes Format: 2023-06-05T11:00:00.000+05.00 Definition: Datum und Uhrzeit der Erstellung des referenzierten Dokuments. EANCOM®: INVOIC.SG26.SG30[D_2005="171" AND D_1153="DQ"].DTM.C507.2380</p>
lineItemNumber	<p>Wiederholung: 0 .. 1</p>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	<p>Schema-Status: O Typ: xs:positiveInteger Fachbegriff: Zeilennummer Status: O Beispiel: 1 Definition: Nummer, die eine Zeile im referenzierten Dokument angibt. EANCOM®: INVOIC.SG26.SG30[D_1153="DQ"].C506.1156</p>
purchaseOrder	<p>Wiederholung: 0 .. 1 Schema-Status: O Typ: ecom_common:Ecom_DocumentReferenceType Fachbegriff: Bestellung Status: O Beispiel: Definition: Referenz auf die zugehörige Bestellung.</p>
xs:sequence	<p>Wiederholung: 1 .. 1 Schema-Status: M</p>
entityIdentification	<p>Wiederholung: 1 .. 1 Schema-Status: M Typ: restriction (xs:string) Fachbegriff: Bestellnummer Status: R Definition: Eindeutige Identifikation der Bestellung. EANCOM®: INVOIC.SG26.SG30[D_1153="ON"].C506.1154</p>
creationDateTime	<p>Wiederholung: 0 .. 1 Schema-Status: O Typ: xs:dateTime Definition: Date and time of creation of the referenced document. Fachbegriff: Bestelldatum Status: O Beispiel: 2023-06-05T11:00:00.000 Bemerkung: zusätzlich erlaubtes Format: 2023-06-05T11:00:00.000+05.00 Definition: Datum und Uhrzeit der Erstellung des referenzierten Dokuments. EANCOM®: INVOIC.SG26.SG30[D_2005="171" AND D_1153="ON"].DTM.C507.2380</p>
lineItemNumber	<p>Wiederholung: 0 .. 1 Schema-Status: O</p>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	<p>Typ: xs:positiveInteger Fachbegriff: Zeilennummer Status: O Beispiel: 1 Definition: Nummer, die eine Zeile im referenzierten Dokument angibt. EANCOM®: INVOIC.SG26.SG30[D_1153="ON"].C506.1156</p>
salesOrder	<p>Wiederholung: 0 .. 1 Schema-Status: O Typ: ecom_common:Ecom_DocumentReferenceType Fachbegriff: Kundenauftrag Status: O Beispiel: Definition: Referenznummer, die vom Lieferanten der Bestellung eines Käufers zugewiesen wurde.</p>
xs:sequence	<p>Wiederholung: 1 .. 1 Schema-Status: M</p>
entityIdentification	<p>Wiederholung: 1 .. 1 Schema-Status: M Typ: restriction (xs:string) Fachbegriff: Kundenauftragsnummer Status: R Definition: Eindeutige Identifikation des Kundenauftrag. EANCOM®: INVOIC.SG26.SG30[D_1153="VN"].C506.1154</p>
creationDateTime	<p>Wiederholung: 0 .. 1 Schema-Status: O Typ: xs:dateTime Definition: Date and time of creation of the referenced document. Fachbegriff: Kundenauftragsdatum Status: O Beispiel: 2023-06-05T11:00:00.000 Bemerkung: zusätzlich erlaubtes Format: 2023-06-05T11:00:00.000+05.00 Definition: Datum und Uhrzeit der Erstellung des referenzierten Dokuments. EANCOM®: INVOIC.SG26.SG30[D_2005="171" AND D_1153="VN"].DTM.C507.2380</p>
promotionalDeal	<p>Wiederholung: 0 .. 1 Schema-Status: O Typ: ecom_common:Ecom_DocumentReferenceType</p>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	Fachbegriff:	Werbeaktion
	Status:	O
	Beispiel:	
	Definition:	Referenz auf die zugehörige Werbeaktion.
<i>xs:sequence</i>	Wiederholung:	1 .. 1
	Schema-Status:	M
entityIdentification	Wiederholung:	1 .. 1
	Schema-Status:	M
	Typ:	restriction (xs:string)
	Fachbegriff:	Werbeaktionsnummer
	Status:	R
	Definition:	Eindeutige Identifikation der Werbeaktion.
	EANCOM®:	INVOIC.SG26.SG30[D_1153="PD"].C506.1154
despatchAdvice	Wiederholung:	0 .. 1
	Schema-Status:	O
	Typ:	ecom_common:Ecom_DocumentReferenceType
	Fachbegriff:	Lieferavis
	Status:	O
	Beispiel:	
	Definition:	Referenz auf den zugehörigen Lieferavis.
<i>xs:sequence</i>	Wiederholung:	1 .. 1
	Schema-Status:	M
entityIdentification	Wiederholung:	1 .. 1
	Schema-Status:	M
	Typ:	restriction (xs:string)
	Fachbegriff:	Lieferavisnummer
	Status:	R
	Definition:	Eindeutige Identifikation des Lieferavis.
	EANCOM®:	INVOIC.SG26.SG30[D_1153="AAK"].C506.1154
creationDateTime	Wiederholung:	0 .. 1
	Schema-Status:	O
	Typ:	xs:dateTime
	Definition:	Date and time of creation of the referenced document.
	Fachbegriff:	Lieferavisdatum
	Status:	O

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	Beispiel:	2023-06-05T11:00:00.000
	Bemerkung:	zusätzlich erlaubtes Format: 2023-06-05T11:00:00.000+05.00
	Definition:	Datum und Uhrzeit der Erstellung des referenzierten Dokuments.
	EANCOM®:	INVOIC.SG26.SG30[D_2005="171" AND D_1153="AAK"].DTM.C507.2380
lineItemNumber	Wiederholung:	0 .. 1
	Schema-Status:	O
	Typ:	xs:positiveInteger
	Fachbegriff:	Zeilennummer
	Status:	O
	Beispiel:	1
	Definition:	Nummer, die eine Zeile im referenzierten Dokument angibt.
	EANCOM®:	INVOIC.SG26.SG30[D_1153="AAK"].C506.1156
contract	Wiederholung:	0 .. 1
	Schema-Status:	O
	Typ:	ecom_common:Ecom_DocumentReferenceType
	Fachbegriff:	Vertrag
	Status:	O
	Bemerkung:	Dieses Element wird nur dann benutzt, wenn Kaufvertragsnummern mitgeteilt werden.
	Definition:	Referenz auf einen Vertrag.
xs:sequence	Wiederholung:	1 .. 1
	Schema-Status:	M
entityIdentification	Wiederholung:	1 .. 1
	Schema-Status:	M
	Typ:	restriction (xs:string)
	Fachbegriff:	Vertragsnummer
	Status:	R
	Definition:	Eindeutige Identifikation des Vertrags.
	EANCOM®:	INVOIC.SG26.SG30[D_1153="AGB"]
creationDateTime	Wiederholung:	0 .. 1
	Schema-Status:	O
	Typ:	xs:dateTime
	Definition:	Date and time of creation of the referenced document.
	Fachbegriff:	Vertragsdatum
	Status:	O
	Beispiel:	2023-06-05T11:00:00.000
	Bemerkung:	zusätzlich erlaubtes Format: 2023-06-05T11:00:00.000+05.00

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

energyQuantity	<p>Definition: Datum und Uhrzeit der Erstellung des referenzierten Dokuments. Wiederholung: 0 .. 1 Schema-Status: O Typ: ecom_common:EnergyQuantityCalculationConditionsType Fachbegriff: Energiemengenberechnungsangaben Status: O Definition: Gibt zusätzliche Informationen zur Preisberechnung von Energieprodukten an, z. B. von Gas oder Brennstoffen.</p>
xs:sequence	<p>EANCOM®: INVOIC.SG26[D_7077="B"].IMD[C_C7009 in ("FA", "ZU", "BW")].C273.7008 Wiederholung: 1 .. 1 Schema-Status: M</p>
countedMeasureandFactor	<p>Wiederholung: 0 .. 1 Schema-Status: O Typ: xs:integer Fachbegriff: Preiskalkulationsfaktor Status: O Beispiel: 2 Definition: Faktor für Preisberechnung.</p>
standardConditionConversion	<p>Wiederholung: 0 .. 1 Schema-Status: O Typ: xs:decimal Fachbegriff: Umwandlungsverhältnis Status: O Beispiel: 1.2 Definition: Das Verhältnis eines Produktvolumens (z. B. Gas) unter Standardbedingungen zu dem Volumen im Betriebszustand.</p>
calorificValue	<p>Wiederholung: 0 .. 1 Schema-Status: O Typ: xs:decimal Fachbegriff: Brennwert Status: O Beispiel: 25.5 Definition: Das Verhältnis eines Produktvolumens (z. B. Gas) unter Standardbedingungen zu dem Volumen im Betriebszustand.</p>
paymentMethod	<p>Wiederholung: 0 .. 1</p>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	Schema-Status: O Typ: ecom_common:PaymentMethodType Definition: Angabe zur verwendeten Zahlungsmethode. Fachbegriff: Zahlungsmethode Status: O
xs:sequence	Wiederholung: 1 .. 1 Schema-Status: M
paymentMethodCode	Wiederholung: 1 .. 1 Schema-Status: M Typ: shared_common:PaymentMethodCodeType Definition: Angabe der Art der Zahlungsmethode. Beispiel: Check, Überweisung, Kreditkarte. Erlaubte Werte können der GS1 Codeliste PaymentMethodCode entnommen werden. Fachbegriff: Zahlungsmethode (Code) Status: R Beispiel: FUEL_CARD GDD URN: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:PaymentMethodCode
	Used Codes
	Code: BANKERS_DRAFT Name: Zahlung Bankwechsel Beschreibung: <i>Ausstellung eines Bankwechsels zur Zahlung der Mittel.</i>
	Code: BANK_CHEQUE Name: Bankscheck Beschreibung: <i>Zahlung mit einem vorgedruckten Formblatt, bei dem die Zahlungsinformationen für die Überweisung durch das Finanzinstitut vorgegeben werden. Dabei wird ein festgelegter Betrag an einen benannten Empfänger zur Zahlung angewiesen.</i>
	Code: BANK_GIRO Name: Zahlung Girokonto Beschreibung: <i>Zahlung mit dem Girokonto.</i>
	Code: BOOKENTRY_CREDIT Name: Interne Habenbuchung Beschreibung: <i>Eine Habenbuchung zwischen zwei Konten bei der gleichen Bank-Filiale.</i>
	Code: BOOKENTRY_DEBIT Name: Interne Lastschrift Beschreibung: <i>Eine Lastschrift zwischen zwei Konten bei der gleichen Bank-Filiale.</i>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Code:	BOP
Name:	Bop
Beschreibung:	<i>Bop</i>
Code:	CASH
Name:	Bar
Beschreibung:	<i>Zahlung nach der jeweiligen Wahrung (einschlielich Geldscheinen und Munzen) in sich in Umlauf befinden, einschlielich der Prufung des Girokonto Guthabens.</i>
Code:	CERTIFIED_CHEQUE
Name:	Bestatigter Scheck
Beschreibung:	<i>Zahlung mit einem vorgedruckten Formblatt bei dem die Zahlungsanweisungen an den Kontoinhaber (eine Bank oder Bausparkasse) aufgestempelt werden, einen festgelegten Betrag an einen benannten Empfanger auszuzahlen/zu berweisen.</i>
Code:	CHEQUE
Name:	Scheck
Beschreibung:	<i>Zahlung mit einem vorgedruckten Formblatt mit den Zahlungsanweisungen an den Kontoinhaber (eine Bank oder Bausparkasse), einen festgelegten Betrag an einen benannten Empfanger auszuzahlen/zu berweisen.</i>
Code:	CREDIT_CARD
Name:	Kreditkarte
Beschreibung:	<i>Zahlung mittels einer Karte, die von einer Bank oder einem Finanzinstitut ausgestellt wurde und einen Kreditrahmen aufweist.</i>
Code:	DEBIT_CARD
Name:	Bankkarte
Beschreibung:	<i>Zahlung mittels einer Karte, die von einer Bank oder einem Finanzinstitut ausgestellt wurde und den Betrag direkt vom Bankkonto abbucht.</i>
Code:	ELECTRONIC_CREDIT_ACH
Name:	Elektronisches Kreditverfahren
Beschreibung:	<i>Eine Kredit-Transaktion, die ber ein automatisiertes Zahlungssystem (ACH - Automated Clearing House) durchgefuhrt wird.</i>
Code:	ELECTRONIC_DEBIT_ACH
Name:	Elektronisches Lastschriftverfahren
Beschreibung:	<i>Eine Debit-Transaktion, die ber ein automatisiertes Zahlungssystem (ACH - Automated Clearing House) durchgefuhrt wird.</i>
Code:	FED_WIRE_NON_REPETITIVE

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhangig von, A=Empfohlen, N=Nicht benutzt

Guideline**Used Codes**

Name:	Fed Wire nicht wiederholend
Beschreibung:	<i>Nicht wiederholende Zahlungen. Fedwire ist ein Clearinghaus in Form eines Real-Time-Gross-Settlement-Systems für den elektronischen Zahlungsverkehr auf Basis des US-Dollar in den USA. Das System wird von dem Federal Reserve System betrieben und verbindet Kreditinstitute, das US-Schatzamt und andere Regierungsstellen miteinander.</i>
Code:	FED_WIRE_REPETITIVE
Name:	Fed Wire wiederholend
Beschreibung:	<i>Wiederholende Zahlungen. Fedwire ist ein Clearinghaus in Form eines Real-Time-Gross-Settlement-Systems für den elektronischen Zahlungsverkehr auf Basis des US-Dollar in den USA. Das System wird von dem Federal Reserve System betrieben und verbindet Kreditinstitute, das US-Schatzamt und andere Regierungsstellen miteinander.</i>
Code:	FUEL_CARD
Name:	Tankkarte
Beschreibung:	<i>Eine Zahlungskarte, die am häufigsten für Benzin, Diesel und andere Kraftstoffe an Tankstellen verwendet wird.</i>
Code:	INTERNATIONAL_WIRE
Name:	International wire
Beschreibung:	<i>Nicht verfügbar</i>
Code:	LETTER_OF_CREDIT
Name:	Kreditbrief
Beschreibung:	<i>Die finanzielle Transaktion/Zusammenarbeit wird über ein Akkreditiv abgedeckt.</i>
Code:	OTHER
Name:	Andere
Beschreibung:	<i>Zahlungsart nicht anders angegeben.</i>
Code:	POSTGIRO
Name:	Postgiro
Beschreibung:	<i>Die finanzielle Transaktion/Zusammenarbeit wird über ein Postgiro-System abgedeckt.</i>
Code:	WIRE_TRANSFER_CREDIT
Name:	Überweisungsguthaben
Beschreibung:	<i>Nicht verfügbar</i>
Code:	WIRE_TRANSFER_DEBIT
Name:	Lastschrift per Überweisung
Beschreibung:	<i>Nicht verfügbar</i>
Wiederholung:	0 .. 1

paymentMethodIdentification

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	<p>Schema-Status: O Typ: restriction (xs:string) Fachbegriff: Zahlungsmethode-ID Status: R Definition: Die Identifizierung der Zahlungsmethode, z.B. Kredit- oder Tankkartennummer. EANCOM®: INVOIC.SG26.SG30.[D_1153="XA8"].RFF.C506.1154</p>
euUniqueID	<p>Wiederholung: 0 .. 1 Schema-Status: O Typ: ecom_common:EuUniqueIDType Definition: Attributgruppe in Bezug auf die eindeutigen EU-IDs. Fachbegriff: Eindeutige EU-ID Status: O</p>
xs:sequence	<p>Wiederholung: 1 .. 1 Schema-Status: M</p>
euUniqueIDTypeCode	<p>Wiederholung: 1 .. 1 Schema-Status: M Typ: ecom_common:EuUniqueIDTypeCodeType Definition: Identifizierung der von der Bestellung abgedeckten Benutzeroberflächentypen (auf der höchsten verfügbaren Aggregationsebene erfasst). Zulässige Codewerte werden in GS1 Code List EuUniqueIDTypeCode angegeben. Fachbegriff: Eindeutige EU-ID (Code) Status: R GDD URN: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:EuUniqueIDTypeCode</p> <p>Used Codes</p> <p>Code: 1 Name: 1 Beschreibung: <i>Nur Einheitspaketebene</i></p> <p>Code: 2 Name: 2 Beschreibung: <i>Nur Einheit aggregierte Ebene</i></p> <p>Code: 3 Name: 3 Beschreibung: <i>Einheitspaket und aggregierte Ebene</i></p>
unitPacketLevelUniqueIdentifier	<p>Wiederholung: 0 .. unbounded</p>

Status: M=Muss, C=Conditional, R=Erforderlich, O=Optional, D=Abhängig von, A=Empfohlen, N=Nicht benutzt

Guideline

	<p>Schema-Status: O Typ: shared_common:String500Type Definition: Mit diesem Element kann das individuelle Erkennungsmerkmal auf Packungsebene (upUI), z. B. bei der Tabakrückverfolgbarkeit, referenziert werden. Fachbegriff: Individuelles Erkennungsmerkmal auf Packungsebene (upUI) Status: O</p>
aggregatedLevelUniqueIdentifier	<p>Wiederholung: 0 .. unbounded Schema-Status: O Typ: shared_common:String500Type Definition: Mit diesem Element kann auf den aggregierten eindeutiger Identifikator (aUI), z. B. bei der Tabakrückverfolgbarkeit, referenziert werden. Fachbegriff: Aggregierter eindeutiger Identifikator (aUI)</p>

Beispiel

```

<?xml version="1.0" encoding="UTF-8"?>
<invoice:invoiceMessage xmlns:invoice="urn:gs1:ecom:invoice:xsd:3"
  xmlns:sh="http://www.unece.org/cefact/namespaces/StandardBusinessDocumentHeader">
  <sh:StandardBusinessDocumentHeader>
    <sh:HeaderVersion>1.0</sh:HeaderVersion>
    <sh:Sender>
      <sh:Identifier Authority="GS1">4000010000003</sh:Identifier>
    </sh:Sender>
    <sh:Receiver>
      <sh:Identifier Authority="GS1">4000010000010</sh:Identifier>
    </sh:Receiver>
    <sh:DocumentIdentification>
      <sh:Standard>GS1</sh:Standard>
      <sh:TypeVersion>3.4.1</sh:TypeVersion>
      <sh:InstanceIdentifier>MSG-1645000099</sh:InstanceIdentifier>
      <sh:Type>Invoice</sh:Type>
      <sh:CreationDateAndTime>2019-06-15T11:00:00.000</sh:CreationDateAndTime>
    </sh:DocumentIdentification>
    <sh:BusinessScope>
      <sh:Scope>
        <sh:Type>SCHEMA_GUIDE</sh:Type>
        <sh:InstanceIdentifier>Dutch Fruit & Vegetable Industry Reference Model
1.1</sh:InstanceIdentifier>
        <sh:BusinessService>
          <sh:BusinessServiceName>KOSTENRECHNUNG-001</sh:BusinessServiceName>
        </sh:BusinessService>
      </sh:Scope>
    </sh:BusinessScope>
  </sh:StandardBusinessDocumentHeader>
</invoice>
<creationDateTime>2019-06-05T11:00:00.000</creationDateTime>
<documentStatusCode>ORIGINAL</documentStatusCode>
<documentStructureVersion>3.4.1</documentStructureVersion>
<documentEffectiveDate>
  <date>2017-06-15</date>
</documentEffectiveDate>
<invoiceIdentification>
  <entityIdentification>ABCDE00001</entityIdentification>
</invoiceIdentification>
<invoiceType>INVOICE</invoiceType>
<invoiceCurrencyCode>EUR</invoiceCurrencyCode>
<countryOfSupplyOfGoods>DE</countryOfSupplyOfGoods>
<note languageCode="en">Free text</note>
<discountAgreementTerms>BONUS_AGREEMENT</discountAgreementTerms>
<buyer>
  <gln>4000001000005</gln>
  <additionalPartyIdentification
additionalPartyIdentificationTypeCode="SELLER_ASSIGNED_IDENTIFIER_FOR_A_PARTY">0815</
additionalPartyIdentification>
  <dutyFeeTaxRegistration>
    <dutyFeeTaxRegistrationID>DE122775856</dutyFeeTaxRegistrationID>
    <dutyFeeTaxTypeCode>VAT</dutyFeeTaxTypeCode>
  </dutyFeeTaxRegistration>
  <organisationDetails>
    <organisationName>GS1 Germany GmbH</organisationName>
  </organisationDetails>

```

Beispiel

```

</buyer>
<seller>
  <gln>4000001000005</gln>
  <additionalPartyIdentification
additionalPartyIdentificationTypeCode="SELLER_ASSIGNED_IDENTIFIER_FOR_A_PARTY">0817</
additionalPartyIdentification>
  <contact>
    <contactTypeCode>IC</contactTypeCode>
    <departmentName>Transportation Department</departmentName>
  </contact>
  <dutyFeeTaxRegistration>
    <dutyFeeTaxRegistrationID>DE122775856</dutyFeeTaxRegistrationID>
    <dutyFeeTaxTypeCode>VAT</dutyFeeTaxTypeCode>
  </dutyFeeTaxRegistration>
  <organisationDetails>
    <organisationName>GS1 Germany GmbH</organisationName>
    <legalRegistration>
      <legalRegistrationNumber>DHTO43578842</legalRegistrationNumber>
</legalRegistrationType>CHAMBER_OF_COMMERCE_REGISTRATION</legalRegistrationType>
    <legalRegistrationAdditionalInformation>John Smith,
CEO</legalRegistrationAdditionalInformation>
  </legalRegistration>
  </organisationDetails>
</seller>
<payer>
  <gln>4000001000005</gln>
  <additionalPartyIdentification
additionalPartyIdentificationTypeCode="SELLER_ASSIGNED_IDENTIFIER_FOR_A_PARTY">0815</
additionalPartyIdentification>
  <dutyFeeTaxRegistration>
    <dutyFeeTaxRegistrationID>DE122775856</dutyFeeTaxRegistrationID>
    <dutyFeeTaxTypeCode>VAT</dutyFeeTaxTypeCode>
  </dutyFeeTaxRegistration>
</payer>
<payee>
  <gln>4000001000005</gln>
  <additionalPartyIdentification
additionalPartyIdentificationTypeCode="BUYER_ASSIGNED_IDENTIFIER_FOR_A_PARTY">0817</a
dditionalPartyIdentification>
  <dutyFeeTaxRegistration>
    <dutyFeeTaxRegistrationID>DE122775856</dutyFeeTaxRegistrationID>
    <dutyFeeTaxTypeCode>VAT</dutyFeeTaxTypeCode>
  </dutyFeeTaxRegistration>
</payee>
<ultimateConsignee>
  <gln>4000001000005</gln>
  <additionalPartyIdentification
additionalPartyIdentificationTypeCode="BUYER_ASSIGNED_IDENTIFIER_FOR_A_PARTY">0816</a
dditionalPartyIdentification>
  <address>
    <city>Köln</city>
    <countryCode>DE</countryCode>
    <name>GS1 Germany GmbH</name>
    <postalCode>50825</postalCode>
    <state>NRW</state>
    <streetAddressOne>Maarweg 133</streetAddressOne>
  </address>
</ultimateConsignee>
<shipFrom>

```

Beispiel

```

    <gln>4000001000005</gln>
  </shipFrom>
  <shipTo>
    <gln>4000001000005</gln>
    <additionalPartyIdentification
additionalPartyIdentificationTypeCode="SELLER_ASSIGNED_IDENTIFIER_FOR_A_PARTY">0816</
additionalPartyIdentification>
    <address>
      <city>Köln</city>
      <countryCode>DE</countryCode>
      <name>GS1 Germany GmbH</name>
      <postalCode>50825</postalCode>
      <state>NRW</state>
      <streetAddressOne>Maarweg 133</streetAddressOne>
    </address>
    <contact>
      <contactTypeCode>IC</contactTypeCode>
      <personName>John Brown</personName>
      <departmentName>Transportation Department</departmentName>
    </contact>
  </shipTo>
  <pickupFrom>
    <gln>4000001000005</gln>
    <additionalPartyIdentification
additionalPartyIdentificationTypeCode="SELLER_ASSIGNED_IDENTIFIER_FOR_A_PARTY">MNP687
</additionalPartyIdentification>
    <address>
      <city>Köln</city>
      <countryCode>DE</countryCode>
      <name>GS1 Germany GmbH</name>
      <postalCode>50825</postalCode>
      <state>NRW</state>
      <streetAddressOne>Maarweg 133</streetAddressOne>
    </address>
  </pickupFrom>
  <invoiceTotals>
    <totalInvoiceAmount currencyCode="EUR">6000</totalInvoiceAmount>
    <totalAmountInvoiceCharges
currencyCode="EUR">2000</totalAmountInvoiceCharges>
    <totalInvoiceAmountPayable currencyCode="EUR">5500</totalInvoiceAmountPayable>
    <totalLineAmountInclusiveAllowancesCharges
currencyCode="EUR">1200</totalLineAmountInclusiveAllowancesCharges>
    <totalTaxAmount currencyCode="EUR">1200</totalTaxAmount>
    <totalTaxBasisAmount currencyCode="EUR">2000</totalTaxBasisAmount>
    <totalEconomicValue currencyCode="EUR">23</totalEconomicValue>
    <totalGoodsValue currencyCode="EUR">23</totalGoodsValue>
    <totalRetailValue currencyCode="EUR">23</totalRetailValue>
    <taxSubtotal>
      <dutyFeeTaxAmount currencyCode="EUR">25200</dutyFeeTaxAmount>
      <dutyFeeTaxBasisAmount currencyCode="EUR">120000</dutyFeeTaxBasisAmount>
      <dutyFeeTaxCategoryCode>STANDARD</dutyFeeTaxCategoryCode>
      <dutyFeeTaxPercentage>21</dutyFeeTaxPercentage>
      <dutyFeeTaxTypeCode>VAT</dutyFeeTaxTypeCode>
    </taxSubtotal>
  </invoiceTotals>
  <invoiceAllowanceCharge>
    <allowanceChargeType>ADR</allowanceChargeType>
    <allowanceOrChargeType>CHARGE</allowanceOrChargeType>
    <settlementType>6</settlementType>
    <allowanceChargeAmount currencyCode="EUR">300</allowanceChargeAmount>

```

Beispiel

```

<allowanceChargePercentage>5</allowanceChargePercentage>
<baseAmount currencyCode="EUR">60000</baseAmount>
<baseNumberOfUnits measurementUnitCode="EA">300</baseNumberOfUnits>
<sequenceNumber>1</sequenceNumber>
<allowanceChargeDescription>
  <description languageCode="en">Describe Charge or Allowance</description>
</allowanceChargeDescription>
<leviedDutyFeeTax>
  <dutyFeeTaxCategoryCode>STANDARD</dutyFeeTaxCategoryCode>
<dutyFeeTaxExemptionReason>INTRA_COMMUNITY_DELIVERY</dutyFeeTaxExemptionReason>
  <dutyFeeTaxPercentage>21</dutyFeeTaxPercentage>
  <dutyFeeTaxTypeCode>VAT</dutyFeeTaxTypeCode>
</leviedDutyFeeTax>
</invoiceAllowanceCharge>
<taxCurrencyInformation>
  <currencyConversionFromCode>USD</currencyConversionFromCode>
  <currencyConversionToCode>EUR</currencyConversionToCode>
  <exchangeRate>0.755106</exchangeRate>
</taxCurrencyInformation>
<paymentTerms>
  <paymentTermsEventCode>AFTER_DATE_OF_DELIVERY</paymentTermsEventCode>
  <paymentTermsTypeCode>22</paymentTermsTypeCode>
  <netPaymentDue>
    <dateDue>2019-06-05</dateDue>
  </netPaymentDue>
  <paymentTermsDiscount>
    <discountType>2 percent in 10 days</discountType>
    <discountAmount currencyCode="EUR">200</discountAmount>
    <discountPercent>2</discountPercent>
    <paymentTimePeriod>
      <dateDue>2019-06-05</dateDue>
    </paymentTimePeriod>
  </paymentTermsDiscount>
  <SEPAREference>
    <transactionalReferenceTypeCode>ACK</transactionalReferenceTypeCode>
    <transactionalReferenceValue>123</transactionalReferenceValue>
  </SEPAREference>
</paymentTerms>
<endCustomerRelatedDetails>
  <ultimateCustomer>
    <gln>4000001000005</gln>
    <additionalPartyIdentification
additionalPartyIdentificationTypeCode="SELLER_ASSIGNED_IDENTIFIER_FOR_A_PARTY">MNP687
</additionalPartyIdentification>
  </ultimateCustomer>
</endCustomerRelatedDetails>
<administrativeUnit>
  <administrativeUnitTypeCode>COST_CENTER</administrativeUnitTypeCode>
  <gln>4000001000005</gln>
</administrativeUnit>
<internalAdministrativeUnitIdentification>1236</internalAdministrativeUnitIdentification>
</administrativeUnit>
<promotionalDeal>
  <entityIdentification>ABCDE00001</entityIdentification>
</promotionalDeal>
<purchaseOrder>
  <entityIdentification>ABCDE00001</entityIdentification>
  <creationDateTime>2019-06-05T11:00:00.000</creationDateTime>

```

Beispiel

```
</purchaseOrder>
<manifest>
  <entityIdentification>ABCDE00001</entityIdentification>
</manifest>
<invoice>
  <entityIdentification>ABCDE00001</entityIdentification>
  <creationDateTime>2019-06-05T11:00:00.000</creationDateTime>
</invoice>
<salesOrder>
  <entityIdentification>ABCDE00001</entityIdentification>
  <creationDateTime>2019-06-05T11:00:00.000</creationDateTime>
</salesOrder>
<despatchAdvice>
  <entityIdentification>ABCDE00001</entityIdentification>
  <creationDateTime>2019-06-05T11:00:00.000</creationDateTime>
</despatchAdvice>
<orderResponse>
  <entityIdentification>ABCDE00001</entityIdentification>
  <creationDateTime>2019-06-05T11:00:00.000</creationDateTime>
</orderResponse>
<deliveryNote>
  <entityIdentification>ABCDE00001</entityIdentification>
  <creationDateTime>2019-06-05T11:00:00.000</creationDateTime>
</deliveryNote>
<receivingAdvice>
  <entityIdentification>ABCDE00001</entityIdentification>
  <creationDateTime>2019-06-05T11:00:00.000</creationDateTime>
</receivingAdvice>
<contract>
  <entityIdentification>ABCDE00001</entityIdentification>
  <creationDateTime>2019-06-05T11:00:00.000</creationDateTime>
</contract>
<tradeAgreement>
  <entityIdentification>ABCDE00001</entityIdentification>
</tradeAgreement>
<blanketOrder>
  <entityIdentification>ABCDE00001</entityIdentification>
</blanketOrder>
<disputeNotice>
  <entityIdentification>ABCDE00001</entityIdentification>
  <creationDateTime>2019-06-05T11:00:00.000</creationDateTime>
</disputeNotice>
<salesReport>
  <entityIdentification>ABCDE00001</entityIdentification>
  <creationDateTime>2019-06-05T11:00:00.000</creationDateTime>
</salesReport>
<inventoryReport>
  <entityIdentification>ABCDE00001</entityIdentification>
  <creationDateTime>2019-06-05T11:00:00.000</creationDateTime>
</inventoryReport>
<returnsNotice>
  <entityIdentification>ABCDE00001</entityIdentification>
  <creationDateTime>2019-06-05T11:00:00.000</creationDateTime>
</returnsNotice>
<invoicingPeriod>
  <beginDate>2019-05-05</beginDate>
  <endDate>2019-06-05</endDate>
</invoicingPeriod>
<despatchInformation>
  <actualShipDateTime>2019-06-05T11:00:00.000</actualShipDateTime>
```

Beispiel

```

    <pickUpDateTime>2019-06-05T11:00:00.000</pickUpDateTime>
    <releaseDateTimeOfSupplier>2019-06-05T11:00:00.000</releaseDateTimeOfSupplier>
  </dispatchInformation>
  <shipmentTransportationInformation>
    <handlingInstructionCode>1</handlingInstructionCode>
  </shipmentTransportationInformation>
  <actualDeliveryDate>
    <date>2017-06-05</date>
  </actualDeliveryDate>
  <transactionalGenericReference>
    <transactionalReferenceTypeCode>AJS</transactionalReferenceTypeCode>
    <transactionalReferenceValue>123</transactionalReferenceValue>
  </transactionalGenericReference>
  <invoiceLineItem>
    <lineItemNumber>1</lineItemNumber>
    <invoicedQuantity measurementUnitCode="KGM">500</invoicedQuantity>
    <amountExclusiveAllowancesCharges
currencyCode="EUR">4000</amountExclusiveAllowancesCharges>
    <amountInclusiveAllowancesCharges
currencyCode="EUR">6000</amountInclusiveAllowancesCharges>
    <deliveredQuantity measurementUnitCode="KGM">500</deliveredQuantity>

  <excludedFromPaymentDiscountIndicator>False</excludedFromPaymentDiscountIndicator>
    <itemPriceBaseQuantity measurementUnitCode="KGM">100</itemPriceBaseQuantity>
    <itemPriceExclusiveAllowancesCharges
currencyCode="EUR">200</itemPriceExclusiveAllowancesCharges>
    <itemPriceInclusiveAllowancesCharges
currencyCode="EUR">240</itemPriceInclusiveAllowancesCharges>
    <transferOfOwnershipDate>2019-06-05</transferOfOwnershipDate>
    <parentLineItemNumber>1</parentLineItemNumber>
    <ownershipPriorToPayment>FULL_PAYMENT</ownershipPriorToPayment>
    <legallyFixedRetailPrice currencyCode="EUR">12.50</legallyFixedRetailPrice>
    <recommendedRetailPrice currencyCode="EUR">12.50</recommendedRetailPrice>
    <retailPriceExcludingExcise
currencyCode="EUR">12.50</retailPriceExcludingExcise>
    <totalOrderedQuantity measurementUnitCode="KGM">150</totalOrderedQuantity>
    <freeGoodsQuantity measurementUnitCode="KGM">12</freeGoodsQuantity>
    <note languageCode="en">Make sure that items are correctly marked</note>
  <extension/>
  <transactionalTradeItem>
    <gtin>04098765000119</gtin>
    <additionalTradeItemIdentification
additionalTradeItemIdentificationTypeCode="BUYER_ASSIGNED">3833411279</additionalTradeItemIdentification>
    <tradeItemDescription languageCode="en">Describe trade
item</tradeItemDescription>
    <productVariantIdentifier>4012368259753</productVariantIdentifier>
    <itemTypeCode>CONSUMER_UNIT</itemTypeCode>
    <butterFatReference>005-691-06</butterFatReference>
    <transactionalItemData>
      <batchNumber>XYZHD867354</batchNumber>
      <itemExpirationDate>2019-09-05</itemExpirationDate>
      <productQualityIndication>A</productQualityIndication>
      <serialNumber>987654321WE</serialNumber>
      <transactionalItemWeight>
        <measurementType>TOTAL_GROSS_WEIGHT</measurementType>
        <measurementValue measurementUnitCode="KGM">3000</measurementValue>
      </transactionalItemWeight>
      <serialNumberRange>
        <maximumValue>987654321WE</maximumValue>

```

Beispiel

```

    <minimumValue>987654300AB</minimumValue>
  </serialNumberRange>
  <transactionalItemDimensions>
    <depth measurementUnitCode="MM">700</depth>
    <height measurementUnitCode="MM">700</height>
    <width measurementUnitCode="MM">700</width>
  </transactionalItemDimensions>
  <tradeItemWaste>
    <wasteIdentification>04098765000119</wasteIdentification>
    <typeOfWaste>Pink waste</typeOfWaste>
  </tradeItemWaste>
  <transactionalItemOrganicInformation>
    <isTradeItemOrganic>TRUE</isTradeItemOrganic>
    <organicCertification>
      <itemCertificationAgency>General Universal Certifying
Agency</itemCertificationAgency>
    </organicCertification>
  </transactionalItemOrganicInformation>
</transactionalItemData>
<colour>
  <colourCode colourCodeListCode="1">38df</colourCode>
  <colourDescription languageCode="en">Green</colourDescription>
</colour>
<size>
  <descriptiveSize languageCode="en">MEDIUM</descriptiveSize>
  <sizeCode sizeCodeListCode="NRF">42</sizeCode>
</size>
<tradeItemClassification>
  <gpcCategoryCode>10000276</gpcCategoryCode>
  <additionalTradeItemClassificationCode
additionalTradeItemClassificationCodeListCode="1">CCG
STWK</additionalTradeItemClassificationCode>
  <gpcCategoryName>Duck</gpcCategoryName>
  <gpcAttribute>
    <gpcAttributeTypeCode>20000081</gpcAttributeTypeCode>
    <gpcAttributeValueCode>30002018</gpcAttributeValueCode>
  </gpcAttribute>
</tradeItemClassification>
</transactionalTradeItem>
<invoiceAllowanceCharge>
  <allowanceChargeType>ADR</allowanceChargeType>
  <allowanceOrChargeType>CHARGE</allowanceOrChargeType>
  <settlementType>6</settlementType>
  <allowanceChargeAmount currencyCode="EUR">300</allowanceChargeAmount>
  <allowanceChargePercentage>5</allowanceChargePercentage>
  <baseAmount currencyCode="EUR">60000</baseAmount>
  <baseNumberOfUnits measurementUnitCode="EA">300</baseNumberOfUnits>
  <sequenceNumber>1</sequenceNumber>
  <allowanceChargeDescription>
    <description languageCode="en">Describe Charge or Allowance</description>
  </allowanceChargeDescription>
</invoiceAllowanceCharge>
<invoiceLineTaxInformation>
  <dutyFeeTaxCategoryCode>STANDARD</dutyFeeTaxCategoryCode>
  <dutyFeeTaxPercentage>21</dutyFeeTaxPercentage>
  <dutyFeeTaxTypeCode>VAT</dutyFeeTaxTypeCode>
</invoiceLineTaxInformation>
<despatchInformation>
  <pickUpDateTime>2019-06-05T11:00:00.000</pickUpDateTime>
</despatchInformation>

```

Beispiel

```

<shipTo>
  <gln>4000001000005</gln>
  <additionalPartyIdentification
additionalPartyIdentificationTypeCode="SELLER_ASSIGNED_IDENTIFIER_FOR_A_PARTY">MNP687
</additionalPartyIdentification>
  <address>
    <city>Köln</city>
    <countryCode>DE</countryCode>
    <name>GS1 Germany GmbH</name>
    <postalCode>50825</postalCode>
    <state>NRW</state>
    <streetAddressOne>Maarweg 133</streetAddressOne>
  </address>
</shipTo>
<returnableAssetIdentification>
  <grai>0987567256473787654</grai>
  <additionalReturnableAssetIdentification
additionalReturnableAssetIdentificationTypeCode="OWNER_ASSIGNED">KLJ258KFAJc-
7</additionalReturnableAssetIdentification>
</returnableAssetIdentification>
<actualDeliveryDate>
  <date>2017-06-05</date>
</actualDeliveryDate>
<tradeItemStatisticalClassification>
  <classificationSystemName>National business
Classification</classificationSystemName>
  <classificationSystemVersion>INTRASTAT</classificationSystemVersion>
  <classificationSystemCode>XYZ-17</classificationSystemCode>
</tradeItemStatisticalClassification>
<invoiceLineItemContact>
  <contactTypeCode>IC</contactTypeCode>
  <personName>John Brown</personName>
  <departmentName>Transportation Department</departmentName>
  <communicationChannel>
    <communicationChannelCode>EMAIL</communicationChannelCode>
    <communicationValue>john.doe@gs1-germany.de</communicationValue>
  </communicationChannel>
</invoiceLineItemContact>
<administrativeUnit>
  <administrativeUnitTypeCode>COST_CENTER</administrativeUnitTypeCode>
  <gln>4000001000005</gln>

<internalAdministrativeUnitIdentification>1236</internalAdministrativeUnitIdentificat
ion>
</administrativeUnit>
<deliveryNote>
  <entityIdentification>ABCDE00001</entityIdentification>
  <creationDateTime>2019-06-05T11:00:00.000</creationDateTime>
  <lineItemNumber>1</lineItemNumber>
</deliveryNote>
<purchaseOrder>
  <entityIdentification>ABCDE00001</entityIdentification>
  <creationDateTime>2019-06-05T11:00:00.000</creationDateTime>
  <lineItemNumber>1</lineItemNumber>
</purchaseOrder>
<salesOrder>
  <entityIdentification>ABCDE00001</entityIdentification>
  <creationDateTime>2019-06-05T11:00:00.000</creationDateTime>
</salesOrder>
<promotionalDeal>

```


