

# Purchase Conditions Business Message Standard (BMS)

Release 3.6, Ratified, Mar 2023





### **Document Summary**

Document Item	Current Value		
Document Name	Purchase Conditions Business Message Standard (BMS)		
Document Date	Mar 2023		
Document Version	3.6		
Document Issue	1		
Document Status	Ratified		

### **Work Request Reference**

Date of WR Submission to GSMP:	WR Submitter(s):	Refer to Work Request (WR) Number(s):
16-Jul-2009	GS1 Netherlands	09-000195
20-Aug-2008	GS1 Global Office	08-000209
26-Feb-2008	Accenture	08-000033
25-Jun-2007	Accenture	07-000244
11-May-2008	GS1 Global Office	04-000211
07-Feb-2014	GS1 Germany	14-000021
20-Mar-2014	GS1 Slovenia	14-000044
25-Jun-2014	GS1 Global Office	14-000110
03-Oct-2018	GS1 GO	18-000319

### **Business Requirements Document (BRAD) Reference**

BRAD Title	BRAD Issue Date	BRAD Version
BRAD Purchase Conditions	20070731	Version 0.0.1
BRAD Common Library		BMS Release Version 2.5.0
BRAD Upstream Standards- Purchase Conditions	20050531	Version 0.0.3
BRAD for Current Requirements Queue (Major Release 3)	20101123	Issue 0.2.0

## **Document Change History**

Date of Change	Version	Changed By	Reason for Change	Summary of Change
12-Jan-2012	BMS 3.0 - Issue 1	Mark Van Eeghem	BMS Release 3.0	See summary of changes
01-May-2013	BMS 3.1 – Issue 1	Coen Janssen	BMS Release 3.1	See summary of changes
15-Sep-2014	BMS 3.2 - Issue 1	Ewa Iwicka	BMS Release 3.2	See summary of changes



Date of Change	Version	Changed By	Reason for Change	Summary of Change
01-Mar-2017	BMS 3.3 - Issue 1	Ewa Iwicka	BMS Release 3.3	See summary of changes
15-Oct-2018	BMS 3.4 - Issue 1	Ewa Iwicka	BMS Release 3.4	See summary of changes
03-Feb-2021	BMS 3.5 - Issue 1	Miklos Bolyky	BMS Release 3.5	See summary of changes
05-Jan-2022	BMS 3.5.1 - Issue 1	Miklos Bolyky	BMS Release 3.5.1	See summary of changes
01-Mar-2023	BMS 3.6 - Issue 1	Miklos Bolyky	BMS Release 3.6	See summary of changes

#### **Disclaimer**

GS1®, under its IP Policy, seeks to avoid uncertainty regarding intellectual property claims by requiring the participants in the Work Group that developed this **Purchase Conditions Business Message Standard (BMS)** to agree to grant to GS1 members a royalty-free licence or a RAND licence to Necessary Claims, as that term is defined in the GS1 IP Policy. Furthermore, attention is drawn to the possibility that an implementation of one or more features of this Specification may be the subject of a patent or other intellectual property right that does not involve a Necessary Claim. Any such patent or other intellectual property right is not subject to the licencing obligations of GS1. Moreover, the agreement to grant licences provided under the GS1 IP Policy does not include IP rights and any claims of third parties who were not participants in the Work Group.

Accordingly, GS1 recommends that any organization developing an implementation designed to be in conformance with this Specification should determine whether there are any patents that may encompass a specific implementation that the organisation is developing in compliance with the Specification and whether a licence under a patent or other intellectual property right is needed. Such a determination of a need for licencing should be made in view of the details of the specific system designed by the organisation in consultation with their own patent counsel.

THIS DOCUMENT IS PROVIDED "AS IS" WITH NO WARRANTIES WHATSOEVER, INCLUDING ANY WARRANTY OF MERCHANTABILITY, NONINFRINGMENT, FITNESS FOR PARTICULAR PURPOSE, OR ANY WARRANTY OTHER WISE ARISING OUT OF THIS SPECIFICATION. GS1 disclaims all liability for any damages arising from use or misuse of this Standard, whether special, indirect, consequential, or compensatory damages, and including liability for infringement of any intellectual property rights, relating to use of information in or reliance upon this document.

GS1 retains the right to make changes to this document at any time, without notice. GS1 makes no warranty for the use of this document and assumes no responsibility for any errors which may appear in the document, nor does it make a commitment to update the information contained herein.

GS1 and the GS1 logo are registered trademarks of GS1 AISBL.



# **Table of Contents**

1	Bus	iness Domain View	5
	1.1	Introduction	5
	1.2	References	5
2	Bus	iness Context	5
3		iness Transaction View	
	3.1	Business Transaction – Purchase Conditions	6
4	Bus	iness Information View	8
	4.1	Purchase Conditions	8
	4.2	Purchase Conditions Line Item	11
	4.3	Enumerations (message specific)	14
	4.4	Code Lists	14
5	Bus	iness Message Examples	15
	5.1	Example	
6	Imp	lementation Considerations	17
	6.1	User Guide	
	6.2	Message Specific Considerations	
7	Sun	nmary of Changes	18
-	7.1	BMS Release 3.0	
	7.2	BMS Release 3.1	
	7.3	BMS Release 3.2	
	7.4	BMS Release 3.3	
	7.5	BMS Release 3.4	20
	7.6	BMS Release 3.5	20
	7.7	BMS Release 3.5.1	20
	7.8	BMS Release 3.6	20
8	Арр	endices	20
9	Ack	nowledgements	20
-	9.1	Work Group	
	9.2	Development Team Members	



### 1 Business Domain View

#### 1.1 Introduction

#### **Message Definition**

The Purchase Conditions message expressing the official commitment between buyer and seller that certain quantities of goods are to be delivered over a given period and at the stated price. In doing so it sets the contractual conditions for the ordering and delivering of the goods and so details specific terms and conditions that apply for a given period.

### **Principles**

The Purchase Conditions does not intend to contain the totality of the contractual information, but to provide the relevant data in order to be able to align key conditions in an automated way.

The Purchase Conditions message supports multiple scenarios:

- Fixed quantity and fixed period
- Fixed quantity and variable period
- Variable quantity and fixed period

#### 1.2 References

Reference Number	Reference Name	Description
1	BRAD Purchase Conditions	The motioned BRAD to address CR 07-000244.
2	BMS eCom Common Library 3.6	The documented design of components that are reused in multiple messages across the eCom domain.
3	BMS Shared Common Library 3.6	The documented design of components that are reused across the eCom domain and GDSN.
4	BRAD Upstream Standards – Purchase Conditions 0.0.3	The BRAD based on Upstream Standards.
5	Requirements Queue CR 7-244 and 8-33	The Approved business requirements added into version 2.5.0
6	BRAD for Current Requirements Queue (Major Release 3)	The approved business requirements added into major release 3.0.0

### 2 Business Context


Context Category	Value(s)
Industry	All
Geopolitical	Global
Product	All
Process	Plan
System Capabilities	GS1 Standard
Official Constraints	None



### 3 Business Transaction View

### 3.1 Business Transaction – Purchase Conditions

### **Use Case Diagram**



### **Use Case Description**

•						
Use Case ID	BTP8					
Use Case Name	Purchas	Purchase Conditions				
Use Case Description	The Purchase Conditions sets the contractual conditions for the ordering and delivering of the goods and so details specific terms and conditions that apply for a given period. While both parties need to agree on Purchase Conditions data, it is understood that only one party, i.e. the buyer or seller, will send the Purchase Conditions message and that the information flow will be in one direction only in order to ensure alignment.					
Actors (Goal)	-	Buyer: to align Purchase Conditions with the seller. Seller: to align Purchase Conditions with the buyer.				
Performance Goals	Not App	Not Applicable				
Preconditions	Integration agreement is in place Item data are aligned					
Post conditions	Purchas	Purchase conditions are communicated				
Scenario	Begins when: The buyer generates the purchase conditions message Continues with:					
	Step #					
	1.	Buyer	Sends Purchase Conditions message to the Seller.			



	2.	Seller	Receives Purchase Conditions Message		
	Ends when: the seller has received the purchase conditions message				
Alternative Scenario	Step	Actor	Activity Step		
	1.	Seller	Sends Purchase Conditions message to the Buyer.		
	2.	Buyer	Receives Purchase Conditions Message		
Related Requirements	Not Applicable				
Related Rules	Not Applicable				

### **Activity Diagram(s)**

Not Applicable

### Sequence Diagram(s)


Not Applicable



### 4 Business Information View

### 4.1 Purchase Conditions

#### **Class diagram**





### **GDD Report**

The content of the PurchaseConditions class, its structure and component definitions can be accessed in the Global Data Dictionary: <a href="http://apps.gs1.org/GDD/bms/Version3\_4/Pages/bieDetails.aspx?semanticURN=urn:gs1:gdd:bie:PurchaseConditions">http://apps.gs1.org/GDD/bms/Version3\_4/Pages/bieDetails.aspx?semanticURN=urn:gs1:gdd:bie:PurchaseConditions</a>

Content	Attribute / Role	Datatype / Secondary class	Multiplicity	Definition	Requirements
PurchaseConditions				The Purchase Conditions document provides the ability to specify commercial conditions that will apply to trade items/services shipped to and from multiple locations using one business message.	
Association	remitTo	TransactionalParty	01	The party (account owner) that receives a payment when such party is not the same as the seller.	
Association	taxRepresentative	TransactionalParty	01	The party who is responsible for declaring the Value Added Tax (VAT) on the sale of goods or services.	
Association	accountingCurrenc yInformation	CurrencyExchangeRat eInformation	01	Contains information about the currency and exchange rate that need to be applied during the invoicing process, such as the calculation of taxes.	
Association		PurchaseConditionsLoc ationInformation	1*	Provides the location information for the Purchase Conditions.	
Association	buyer	TransactionalParty	11	Identifies the party to which the products or services are sold.	
Association	purchaseCondition sIdentification	Ecom_EntityIdentificat ion	11	The unique identification of the Purchase Conditions document.	WR 15-000314
Association	payer	TransactionalParty	01	Identifies the Party which pays for products or services to a seller.	
Association	seller	TransactionalParty	11	Identifies the party which sells products or services to a buyer.	
Generalization		EcomDocument		Basic information about the content of the message including version number, creation date and time.	WR 14-000110
Association	payee	TransactionalParty	01	Identifies the credit party when other than the beneficiary.	
Attribute	purchaseCondition sCurrencyCode	CurrencyCode	11	The currency in which all amounts in the document are stated.	
PurchaseConditionsLo cationInformation				Specifies a combination of one ship from and one ship to location to which the underlying purchase conditions apply.	



Content	Attribute / Role	Datatype / Secondary class	Multiplicity	Definition	Requirements
Association	shipTo	TransactionalParty	11	The Ship To location to which the purchase conditions apply.	
Association		PurchaseConditionsLin eItem	1*	Specifies the commercial conditions for a specific trade item at the specified ship to and ship from location.	
Association	shipFrom	TransactionalParty	01	The Ship From location to which the purchase conditions apply.	




**Note:** Reference Shared Common Library Business Message (BMS) Release 3.6 and eCom Domain Common Library Business Message (BMS) Release 3.6 for all common information.



### 4.2 Purchase Conditions Line Item

### **Class Diagram**





### **GDD Report**

The content of the PurchaseConditionsLineItem class, its structure and component definitions can be accessed in the Global Data Dictionary: <a href="http://apps.gs1.org/GDD/bms/Version3\_4/Pages/bieDetails.aspx?semanticURN=urn:gs1:gdd:bie:PurchaseConditionsLineItem">http://apps.gs1.org/GDD/bms/Version3\_4/Pages/bieDetails.aspx?semanticURN=urn:gs1:gdd:bie:PurchaseConditionsLineItem</a>

Content	Attribute / Role	Datatype / Secondary class	Multiplicity	Definition	Requirements
PurchaseConditionsLineI tem				Specifies the commercial conditions for a specific trade item.	
Association		LeviedDutyFeeTax	01	Specifies the taxes that will apply to the goods to be purchased.	
Association		TransactionalTradeIte m	11	Identifies the trade item to which the purchase conditions apply.	
Association		AllowanceCharge	0*	Identifies any allowances and or charges to be included in the purchase conditions.	
Association	effectivePeriod	DateTimeRange	01	The period during which the purchase conditions apply.	
Association	purchaseConditi onsQuantityRan ge	QuantityRange	01	The purchase quantity range (cumulative) that has been agreed upon.	
Association		PurchaseConditionsCo mmitmentPeriod	0*	The hard production or delivery commitment that have been agreed by both parties for the trade item to be purchased.	
Association	materialSpecific ation	Ecom_DocumentRefer ence	01	References any additional product specifications to be included in the purchase conditions.	WR 15-000314
Association		PurchaseConditionsPri ceInformation	1*	Specifies the agreed price(s) that will apply to the trade item to be purchased.	
Attribute	lineItemNumbe r	positiveInteger	11	Provides the line number associated to the Purchase Conditions Line Item.	
Attribute	discrepancyTole rancePercentag e	float	01	Percentage that specifies the allowed margin (positive or negative, relative to the specified purchase quantity) for which the purchase conditions will still apply.	
Attribute	packagingType Code	PackageTypeCode	01	Specifies the type of package in which the purchase goods are to be delivered.	
Attribute	purchaseConditi onsQuantity	Quantity	01	The purchase quantity (cumulative) that has been agreed upon.	



Content	Attribute / Role	Datatype / Secondary class	Multiplicity	Definition	Requirements
Attribute	parentLineItem Number	positiveInteger	01	The number of line item containing information about the parent of the current item. It allows establishing hierarchical link between the two items.	WR 14-000021 WR 14-000044
Attribute	avpList	Ecom_AttributeValueP airList	01	Temporary attributes introduced between minor versions.	WR 14-000110
PurchaseConditionsPrice Information				Specifies the agreed price of a trade item and optionally the quantity range for which the price is valid.	
Association		QuantityRange	01	Defines the upper and lower purchase quantity between which the specified price is valid.	
Association	effectivePeriod	DateTimeRange	01	Provides the time frame for the price in the purchase condition.	
Attribute	itemPriceExclusi veAllowancesCh arges	Amount	11	Specifies the agreed price.	
Attribute	itemPriceBaseQ uantity	Quantity	01	Specifies the quantity in which the price is expressed. For example: item price = \$10 per 1000 units.	
PurchaseConditionsCom mitmentPeriod				Specifies the length and type of the commitment that will apply when communicating about goods requirements for the specified trade item. Example: For trade item A the first 5 days of the goods requirements planning are always a hard commitment.	
Attribute	commitmentPer iodDuration	TimeMeasurement	11	Duration of the period in which the goods are committed to be produced or delivered, expressed in the number of time buckets. For example: 20 days.	
Attribute	purchaseConditi onsCommitmen tTypeCode	PurchaseConditionsCo mmitmentTypeCode	11	Indicates whether the commitment refers to goods to be produced or goods to be delivered.	



**Note:** Reference Shared Common Library Business Message (BMS) Release 3.6 and eCom Domain Common Library Business Message (BMS) Release 3.6 for all common information.



### 4.3 Enumerations (message specific)

Not applicable

### 4.4 Code Lists

Class	Codelist	Referenced in	
PurchaseConditions	CurrencyCode	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs 1:gdd:cl:CurrencyCode	
PurchaseConditionsCo mmitmentPeriod	PurchaseConditionsCom mitmentTypeCode	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs 1:gdd:cl:PurchaseConditionsCommitmentTypeCode	
PurchaseConditionsLi neItem	PackageTypeCode	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs 1:gdd:cl:PackageTypeCode	



**Note:** Refer to the Global Data Dictionary (GDD) for the code values.



### 5 Business Message Examples

### 5.1 Example

This is an example of a Purchase Conditions message. The message is sent out on February  $9^{th}$  2011 at 11 AM. The message is identified with the unique identifier PC356987. The content owner is the sending party, in this case the Buyer (5412345000013).

The gross requirements are sent by the Buyer (8712345678913) to the Seller (4098765000010).

The purchase conditions are for two delivery sites, X (Ship To 5412345000174) and Y (Ship To 5412345000228). There is only one shipping site, Z (Ship From 4098765000997).

#### **Party Information**

GS1 Global Location Number	Party Type
5412345000013	Buyer
4098765000010	Seller
4098765000997	Ship From Z
5412345000174	Ship to X
5412345000228	Ship to Y

For locations X and Z the following conditions have been agreed upon:

Trade Item A (GTIN 40987650000223):

- Agreement applies to 100.000 units
- Start date of agreement is February 18<sup>th</sup> 2011
- Discrepancy margin is 5%
- Committed period of delivery: a period of 5 days.
- Price is € 12,-

For locations Y and Z the following conditions have been agreed upon:

Trade Item A (GTIN 40987650000223):

- Agreement applies to 25.000 to 100.000 units
- Start date of agreement is February 18<sup>th</sup> 2011
- Price is € 0,135 for 0 to 50.000 units, € 0,125 for 50.000 units or more. The price will be expressed per 100 units.

#### **Message Example**

Attribute	Value
PurchaseConditions	
purchaseConditionsCurrencyCode	EUR
Document	
creationDateTime	2011-02-09T11:00:00
documentStatus	ORIGINAL
EntityIdentification (+PurchaseConditionsIdentification)	
entityIdentification	PC356987
PartyIdentification (+contentOwner)	
gln	5412345000013
TransactionalParty (+seller)	



Attribute	Value
gln	4098765000010
TransactionalParty (+buyer)	
gln	5412345000013
PurchaseConditionsLocationInformation	
TransactionalParty (+shipTo)	
gln	5412345000174
TransactionalParty (+shipFrom)	
gln	4098765000997
PurchaseConditionsLineItem	
lineItemNumber	1
discrepancyTolerancePercentage	5
purchaseConditionsQuantity	100000
DateTimeRange (+effectivePeriod)	
beginDate	2011-02-18
TransactionalTradeItem	
gtin	40987650000223
PurchaseConditionsPriceInformation	
itemPriceExclusiveAllowancesCharges	12 EUR
PurchaseConditionsCommitmentPeriod	
commitmentPeriodDuration	5 DAYS
purchaseConditionsCommitmentTypeCode	DELIVERY
PurchaseConditionsLocationInformation	
TransactionalParty (+shipTo)	
gln	5412345000228
PurchaseConditionsLineItem	
lineItemNumber	2
DateTimeRange (+effectivePeriod)	
beginDate	2011-02-18
TransactionalTradeItem	
gtin	40987650000223
PurchaseConditionsPriceInformation	
itemPriceExclusiveAllowancesCharges	13.50 EUR
itemPriceBaseQuantity	100
QuantityRange	
minimumQuantity	0
maximumQuantity	50000
PurchaseConditionsPriceInformation	
itemPriceExclusiveAllowancesCharges	12.50 EUR
itemPriceBaseQuantity	100
QuantityRange	
minimumQuantity	50000



Attribute		Value
maximumQuantity		100000
Qua	(Range)	
	25000	
	minimumQuantity	100000

# **6** Implementation Considerations

### 6.1 User Guide

The Functional User Guide contains more information about the structure and content of the Purchase Conditions message: <a href="http://www.gs1.org/docs/ecom/xml/3/3.4/eCom-Trade messages.html#PurchaseConditions">http://www.gs1.org/docs/ecom/xml/3/3.4/eCom-Trade messages.html#PurchaseConditions</a>

### **6.2** Message Specific Considerations

Not Applicable



### 7 Summary of Changes

Any change in the GS1 standards is done based on the Work Request (WR) submitted by the GS1 User Companies or Member Organisations. All Work Requests are documented in the Work Request system available on the GS1 website: <a href="http://wr.gs1.org">http://wr.gs1.org</a>. The system is accessible to registered users. New visitors need to register first, to be able to access it. WRs can be searched by the number referenced in tables below, see: Search Work Requests. The number starts with the two last digits of the year when it was submitted, followed by the consecutive number within that year.



Note: WRs submitted earlier than February 2012 should be searched in Old Change Requests.


#### 7.1 BMS Release 3.0

Change	Associated CR Number
For BMS Release 3.0.0  allowance charge codelist updated.  Remodelled to be in line with new MR3.0 modelling guidelines.  Updated GDD Reports and Class diagrams  Updated the Business example/test data sections  Added Architectural Principles section.	09-000195
For BMS Release 3.0.0  Added copyright R in GS1 logo  Removed year reference in footer copyright statement  Replaced section 10 with updated AG Principles	Not Applicable


#### 7.2 BMS Release 3.1

No work requests. Indirect changes due to upgrade to new Shared and eCom Common libraries.


#### 7.3 BMS Release 3.2







#### 7.4 BMS Release 3.3





### 7.5 BMS Release 3.4

No work requests. Indirect changes due to upgrade to new Shared and eCom Common libraries.

### 7.6 BMS Release 3.5

No work requests. Indirect changes due to upgrade to new Shared and eCom Common libraries.

#### 7.7 BMS Release 3.5.1

No work requests. Indirect changes due to upgrade to new Shared and eCom Common libraries.

### 7.8 BMS Release 3.6

No work requests. Indirect changes due to upgrade to new Shared and eCom Common libraries.

### 8 Appendices

Not Applicable

### 9 Acknowledgements

### 9.1 Work Group

Function	Name	Company / organisation	
Co-chair	Rossner (Pottier), Natascha	GS1 France	
Co-chair	Schmidt, Tom Eric	August Storck KG	
Member	Bemrose, Jonathan	R&R Ice Cream	
Member	Bodemer, Petra	dm-drogerie markt GmbH + Co. KG	
Member	Boikanyo, Rebone	GS1 South Africa / Consumer Goods Council of South Africa	
Member	Canada, ON	M3B 3L1	
Member	Carlson, Jim	General Mills, Inc.	
Member	Chresta, Richard	GS1 Switzerland	
Member	Cook, Don	Wal-Mart Stores, Inc.	
Member	Cox, Marc	Philips Electronics N.V.	
Member	Darnell, David	Systrends	
Member	De Flou, Nele	GS1 Belgium & Luxembourg	
Member	Dicks, Arne	GS1 Germany	
Member	Duvinger, Karina	GS1 Sweden	
Member	Foerderer, Klaus	GS1 Germany	
Member	Gathmann, Stefan	GS1 Ireland	
Member	Grangard, Anders	GS1 Global Office	
Member	Harpell, Eileen	GS1 Community Room Staff	
Member	Hand, Phil	JDA Software	
Member	Herregodts, Kurt	GS1 Belgium & Luxembourg	
Member	Kempkes, Fred	Unilever N.V.	



Function	Name	Company / organisation	
Member	Kernan, Brendan	GS1 Ireland	
Member	Kidd, Robin	Nestle	
Member	Krid, Anne-Claire	GS1 France	
Member	Lanoue, Tom	General Mills, Inc.	
Member	Laur, Rita	GS1 Canada	
Member	Lenman, Mia	GS1 Sweden	
Member	Lerch, Hanjoerg	METRO Group	
Member	Moberg, Dale	Axway	
Member	Montes de Oca, Alejandra	GS1 Mexico	
Member	Ng, Ella	GS1 Australia	
Member	Peelen, Esther	GS1 Netherlands	
Member	Pelekies, Andreas	GS1 Germany	
Member	Perrier, Patricia	GS1 France	
Member	Przybilla, Christian	GS1 Germany	
Member	Pujol, Xavier	GS1 Spain	
Member	Racek, Greg	Wal-Mart Stores, Inc.	
Member	Repetto, Mirko	GS1 Italy	
Member	Robba, Steven	1WorldSync Holdings, Inc.	
Member	Rosell, Pere	GS1 Spain	
Member	Rosenberg, Steven	GS1 Spain GS1 US	
Member	Schmid, Sue	GS1 OS  GS1 Australia	
Member	Schneider, Christian	GS1 Australia GS1 Switzerland	
	Schorz, Eugen		
Member Member	, 3	GS1 Austria  General Mills, Inc.	
	Sharma, Vishal	·	
Member	Shimazaki, Ayako	GS1 Japan	
Member	Sion, Emilie	GS1 France	
Member	Souza, Nadia	GS1 Brasil	
Member	Strand, Roman	GS1 Germany	
Member	Tan, Milton	GS1 Malaysia	
Member	Tompsett, Simon	Waitrose	
Member	Trelle, Ute	1WorldSync Holdings, Inc.	
Member	Tse, Steve	GS1 Hong Kong	
Member	Tyson, Betty	Knouse Foods Cooperative, Inc	
Member	Van den Bergh, Senne	GS1 Belgium & Luxembourg	
Member	Van der Eijk, Pim	OASIS - Sonnenglanz Consulting BV	
Member	Veldhuis, Saskia	Procter & Gamble Co.	
Member	Welch, Shan	GS1 UK	
Member	Westerkamp, Jan	GS1 Netherlands	
Member	Wilson, Mary	GS1 US	
Member	Windsperger, Bekki	Best Buy Co., Inc.	
Member	Yang, Shaopeng	GS1 China	



Function Name		Company / organisation	
Member Yusdiar, Dani		GS1 Indonesia	
Member	Zwanziger, Greg	SUPERVALU	

### 9.2 **Development Team Members**

Function	Name	Organisation
GSMP Process Lead	David Buckley	GS1 Global Office
Technical Development Lead	Miklos Bolyky	GS1 Global Office
Peer Review	Mark Van Eeghem	GS1 Global Office