

Document Summary

Document Item	Current Value
Document Name	Buyer Reconciliation Of Request For Payment Business Message Standard (BMS)
Document Date	Nov 2019
Document Version	3.4.1
Document Issue	1
Document Status	Draft

Work Request Reference

Date of WR Submission to GSMP:	WR Submitter(s):	Refer to Work Request (WR) Number(s):
7-Aug-2004		01-000018
7-Feb-2014 20-Mar-2014	GS1 Germany GS1 Slovenia	14-000021 14-000044
25-Jun-2014	GS1 GO	14-000110
12-Jul-2016	GS1 GO	16-000340
03-Oct-2018	GS1 GO	18-000319

Business Requirements Document (BRAD) Reference

BRAD Title	BRAD Issue Date	BRAD Version
Business Requirements Document For BUYER RECONCILIATION of REQUEST (S) For Payment	7 – Aug- 04	1.02

Document Change History

Date of Change	Version	Changed By	Reason for Change	Summary of Change
12-Jan-2012	BMS 3.0 – Issue 1	Mark Van Eeghem	BMS Release 3.0	See summary of changes
01-May-2013	BMS 3.1 – Issue 1	Coen Janssen	BMS Release 3.1	See summary of changes
15-Sep-2014	BMS 3.2 – Issue 1	Ewa Iwicka	BMS Release 3.2	See summary of changes
01-Mar-2017	BMS 3.3 – Issue 1	Ewa Iwicka	BMS Release 3.3	See summary of changes
15-Oct-2018	BMS 3.4 – Draft for community review	Ewa Iwicka	BMS Release 3.4	See summary of changes
08-Nov-2019	BMS 3.4.1 – Issue 1	Radhika Chauhan	BMS Release 3.4.1	See summary of changes



Disclaimer

GS1[®], under its IP Policy, seeks to avoid uncertainty regarding intellectual property claims by requiring the participants in the Work Group that developed this **Buyer Reconciliation Of Request For Payment Business Message Standard (BMS)** to agree to grant to GS1 members a royalty-free licence or a RAND licence to Necessary Claims, as that term is defined in the GS1 IP Policy. Furthermore, attention is drawn to the possibility that an implementation of one or more features of this Specification may be the subject of a patent or other intellectual property right that does not involve a Necessary Claim. Any such patent or other intellectual property right is not subject to the licencing obligations of GS1. Moreover, the agreement to grant licences provided under the GS1 IP Policy does not include IP rights and any claims of third parties who were not participants in the Work Group.

Accordingly, GS1 recommends that any organization developing an implementation designed to be in conformance with this Specification should determine whether there are any patents that may encompass a specific implementation that the organisation is developing in compliance with the Specification and whether a licence under a patent or other intellectual property right is needed. Such a determination of a need for licencing should be made in view of the details of the specific system designed by the organisation in consultation with their own patent counsel.

THIS DOCUMENT IS PROVIDED "AS IS" WITH NO WARRANTIES WHATSOEVER, INCLUDING ANY WARRANTY OF MERCHANTABILITY, NONINFRINGEMENT, FITNESS FOR PARTICULAR PURPOSE, OR ANY WARRANTY OTHERWISE ARISING OUT OF THIS SPECIFICATION. GS1 disclaims all liability for any damages arising from use or misuse of this Standard, whether special, indirect, consequential, or compensatory damages, and including liability for infringement of any intellectual property rights, relating to use of information in or reliance upon this document.

GS1 retains the right to make changes to this document at any time, without notice. GS1 makes no warranty for the use of this document and assumes no responsibility for any errors which may appear in the document, nor does it make a commitment to update the information contained herein.

GS1 and the GS1 logo are registered trademarks of GS1 AISBL.



Table of Contents

- 1 Business Domain View 5**
 - 1.1 Introduction 5
 - 1.2 References 5
- 2 Business Context 5**
- 3 Business Transaction View 6**
 - 3.1 Business Transaction – Buyer Reconciliation 6
- 4 Business Information View 8**
 - 4.1 Buyer Reconciliation Of Request For Payment 8
 - 4.2 Enumerations (message specific) 12
 - 4.2.1 ReconciliationStatusEnumeration 12
 - 4.3 Code List..... 12
- 5 Business Message Examples 13**
 - 5.1 Example 1..... 13
- 6 Implementation Considerations..... 14**
 - 6.1 User Guide 14
 - 6.2 Message Specific Considerations 14
- 7 Summary of Changes 15**
 - 7.1 BMS Release 3.0 15
 - 7.2 BMS Release 3.1 15
 - 7.3 BMS Release 3.2 15
 - 7.4 BMS Release 3.3 16
 - 7.5 BMS Release 3.4 17
 - 7.6 BMS Release 3.4.1 17
- 8 Appendices 18**
- 9 Acknowledgements..... 19**
 - 9.1 Work Group..... 19
 - 9.2 Development Team Members..... 20

1 Business Domain View

1.1 Introduction

Message Definition

The Buyer Reconciliation Of Request For Payment is a message that allows a buyer to respond to Requests For Payment either submitted individually or assigned to a batch, from a seller. The message reports to the Seller whether or not the Buyer was able to schedule the Requests For Payment to be paid through the accounts payable system.

Principles

Not applicable

1.2 References

Reference Number	Reference Name	Description
[ref1]	Business Requirements Document For BUYER RECONCILIATION of REQUEST(S) For Payment, Version 1.0.2, 08.07.2004	BRAD
[ref2]	Change Request #01-000018	CR
[ref3]	BMS eCom Domain Common Library 3.4	
[ref4]	BMS Shared Common Library 3.4	


2 Business Context

Context Category	Value(s)
Industry	All
Geopolitical	All
Product	All
Process	Pay
System Capabilities	GS1 System
Official Constraints	None

3 Business Transaction View

3.1 Business Transaction – Buyer Reconciliation

Use Case Diagram



Use Case Description


Use Case ID	UC-1													
Use Case Name	Buyer Reconciliation													
Use Case Description	The seller has sent one or more RFP(s) to the buyer. The buyer has agreed to furnish the seller information on the RFP(s) that could or could not be reconciled for payment through the Buyer’s payables system. The buyer sends a reconciliation document to the seller. The reconciliation will denote the acceptance of individual RFP(s) or a batch of RFP(s) and flag the status of the process as either accept, accept with errors or reject.													
Actors (Goal)	Buyer and Seller													
Performance Goals														
Preconditions	Both parties have established their trading partner agreement, aligned their data and are capable of sending and receiving transactions.													
Post conditions	Successful End Condition: Successful receipt of data by the seller. Successful End Condition: Unsuccessful receipt of the data by the seller.													
Scenario	Begins when the Seller sends one or more RFP(s) with a batch identifier to the buyer. Continues with... Process Flow: Batch RFP(s) <table border="1" data-bbox="555 1556 1474 1783"> <thead> <tr> <th>Step #</th> <th>Actor</th> <th>Activity Step</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Buyer</td> <td>Buyer receives the batch of RFP(s).</td> </tr> <tr> <td>2</td> <td>Buyer</td> <td>Buyer processes the batch of RFP(s).</td> </tr> <tr> <td>3</td> <td>Buyer</td> <td>Buyer sends a reconciliation for the batch of RFP’s to the seller.</td> </tr> </tbody> </table> Ends when the seller receives a reconciliation document for the RFP(s) from the buyer		Step #	Actor	Activity Step	1	Buyer	Buyer receives the batch of RFP(s).	2	Buyer	Buyer processes the batch of RFP(s).	3	Buyer	Buyer sends a reconciliation for the batch of RFP’s to the seller.
Step #	Actor	Activity Step												
1	Buyer	Buyer receives the batch of RFP(s).												
2	Buyer	Buyer processes the batch of RFP(s).												
3	Buyer	Buyer sends a reconciliation for the batch of RFP’s to the seller.												
Alternative Scenario	Begins when the Seller sends one or more RFP(s) to the buyer Continues with... Process Flow: Single RFP(s) <table border="1" data-bbox="555 1951 1474 2020"> <thead> <tr> <th>Step #</th> <th>Actor</th> <th>Activity Step</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> </tr> </tbody> </table>		Step #	Actor	Activity Step									
Step #	Actor	Activity Step												

	1	Buyer	Buyer receives the RFP(s).
	2	Buyer	Buyer processes the RFP(s).
	3	Buyer	Buyer sends a reconciliation of the RFP(s) to the seller
	Ends when the seller receives a reconciliation document for the RFP(s) from the buyer		
Related Requirements	None		
Related Rules	None		

Activity Diagram(s)

Not Applicable


Sequence Diagram(s)



4 Business Information View

4.1 Buyer Reconciliation Of Request For Payment

Class diagram



GDD report

The content of the BuyerReconciliationOfRequestForPayment class, its structure and component definitions can be accessed in the Global Data Dictionary:

http://apps.gs1.org/GDD/bms/Version3_4/Pages/bieDetails.aspx?semanticURN=urn:gs1:gdd:bie:BuyerReconciliationOfRequestForPayment

Content	Attribute / Role	Datatype /Secondary class	Multiplicity	Definition	Requirements
BuyerReconciliationOfRequestForPayment				This message allows a buyer to respond to Requests For Payment either submitted individually or assigned to a batch, from a seller. The document reports to the Seller whether or not the Buyer was able to schedule the RFP's for payment through the accounts payable system.	
Association		ReconciliationErrorReference	0..*	Information on the Request for Payment that have been found to contain errors.	
Association	buyer	Ecom_PartyIdentification	1..1	Identifies the party to which products or services are sold.	WR 15-000314
Association	buyerReconciliationOfRequestForPaymentIdentification	Ecom_EntityIdentification	1..1	Unique identifier for the Buyer Reconciliation Of Request For Payment Message.	WR 15-000314
Association	remitTo	Ecom_PartyIdentification	0..1	The party (account owner) that receives a payment when such party is not the same as the seller.	WR 15-000314
Association	requestForPayment	Ecom_DocumentReference	1..*	Reference to the Request for Payment documents being reconciled.	WR 15-000314
Association	seller	Ecom_PartyIdentification	1..1	Identifies the party which sells products or services to a buyer.	WR 15-000314
Association	sellerBatchIdentification	Ecom_DocumentReference	1..1	Identifier number assigned by the seller to a batch of Requests for Payment (RFP's).	WR 15-000314
Generalization		EcomDocument		Basic information about the content of the message including version number, creation date and time.	
Attribute	reconciliationStatusCode	ReconciliationStatusEnumeration	1..1	Code specifying the status of the reconciliation. Example: Accept.	

Content	Attribute / Role	Datatype /Secondary class	Multiplicity	Definition	Requirements
Attribute	amountAccepted	Amount	1..1	The amount of payment made to settle a request for payment that was accepted by the buyer or the buyer's financial institution.	
Attribute	originalAmount	Amount	1..1	The original amount of a request for payment or a batch of requests for payment.	
Attribute	transactionDateTimeStamp	dateTime	0..1	The identification of the date and time that a reconciliation of a request for payment was transacted.	

GDD Report

The content of the ReconciliationErrorReference class, its structure and component definitions can be accessed in the Global Data Dictionary:
http://apps.gs1.org/GDD/bms/Version3_4/Pages/bieDetails.aspx?semanticURN=urn:gs1:gdd:bie:ReconciliationErrorReferenceLineItem

Content	Attribute / Role	Datatype /Secondary class	Multiplicity	Definition	Requirements
ReconciliationErrorReference				Information on the Request for Payment that have been found to contain errors.;renamed from ErrorReference	
Association		ReconciliationErrorReferenceLineItem	0..*	Information on the line items in the Request for Payment containing the errors.	
Association	requestForPaymentWithError	Ecom_DocumentReference	1..1	Reference to the Request For Payment containing the error(s).	WR 15-000314
Attribute	errorDescription	Description80	0..1	A description of an error or errors in a request for payment (RFP). ;renamed from badData	

GDD Report

The content of the ReconciliationErrorReferenceLineItem class, its structure and component definitions can be accessed in the Global Data Dictionary:
http://apps.gs1.org/GDD/bms/Version3_4/Pages/bieDetails.aspx?semanticURN=urn:gs1:gdd:bie:ReconciliationErrorReferenceLineItem

Content	Attribute / Role	Datatype /Secondary class	Multiplicity	Definition	Requirements
ReconciliationErrorReferenceLineItem				Information on a line item in the Request for Payment containing the error(s).	
Attribute	lineItemNumber	positiveInteger	1..1	Provides the line number associated to the line item containing the error.	
Attribute	lineItemErrorDescription	Description80	1..1	A description of an error or errors at the line item level in a request for payment (RFP).	
Attribute	parentLineNumber	positiveInteger	0..1	The number of line item containing information about the parent of the current item. It allows establishing hierarchical link between the two items.	
Attribute	avpList	Ecom_AttributeValuePairList	0..1	Temporary attributes introduced between minor versions.	



Note: Reference Shared Common Library Business Message (BMS) Release 3.4 and eCom Domain Common Library Business Message (BMS) Release 3.4 for all common information.

4.2 Enumerations (message specific)

4.2.1 ReconciliationStatusEnumeration

CodeValue	Description
ACCEPT	Reconciliation Status is accepted.
ACCEPT_WITH_ERRORS	Reconciliation Status is accepted with errors.
REJECT	Reconciliation Status is rejected.

4.3 Code List

Not applicable

5 Business Message Examples

5.1 Example 1

This is an example of the Buyer Reconciliation Of Request For Payment message.

Party Information

GS1 Global Location Number	Party Type
5412345000013	Buyer
4098765000010	Seller

Message Example

Attribute	Value
BuyerReconciliationOfRequestForPayment	
creationDateTime	2011-04-13 11.00
documentStatusCode	ORIGINAL
reconciliationStatusCode	ACCEPT
amountAccepted	380 EUR
originalAmount	480 EUR
EntityIdentification (+buyerReconciliationOfRequestForPaymentIdentification)	
entityIdentification	BRORFP1
PartyIdentification (+contentOwner)	
gln	5412345000013
PartyIdentification (+seller)	
gln	4098765000010
PartyIdentification (+buyer)	
gln	5412345000013
DocumentReference (+requestForPayment)	
entityIdentification	RFP222
creationDateTime	2011-04-12 11:00
DocumentReference (+requestForPayment)	
entityIdentification	RFP333
creationDateTime	2011-04-12 11:30
PartyIdentification (+contentOwner)	
gln	4098765000010
DocumentReference (+sellerBatchIdentification)	
entityIdentification	SBI02
PartyIdentification (+contentOwner)	
gln	4098765000010



6 Implementation Considerations

6.1 User Guide

The Functional User Guide contains more information about the structure and content of the Buyer Reconciliation Of Request For Payment message: http://www.gs1.org/docs/ecom/xml/3/3.4/eCom-Trade_messages.html#BuyerReconciliationOfRequestForPayment

6.2 Message Specific Considerations

Not Applicable

7 Summary of Changes

Any change in the GS1 standards is done based on the Work Request (WR) submitted by the GS1 User Companies or Member Organisations. All Work Requests are documented in the Work Request system available on the GS1 website: <http://wr.gs1.org>. The system is accessible to registered users. New visitors need to register first, to be able to access it. WRs can be searched by the number referenced in tables below, see: Search Work Requests. The number starts with the two last digits of the year when it was submitted, followed by the consecutive number within that year.



Note: WRs submitted earlier than February 2012 should be searched in Old Change Requests.

7.1 BMS Release 3.0

Change	Associated CR Number
Updated for Major Release 3.0, BMS version 3.0.0: Updated to reflect changes in modelling methodology.	N/A

7.2 BMS Release 3.1

No work requests. Indirect changes due to upgrade to new Shared and eCom Common libraries.

Change	Associated CR Number
fixed typo in class diagram and GDD report: requestForPaymenWithError now states requestForPaymenttWithError	N/A

7.3 BMS Release 3.2

Change	Associated WR
<div style="border: 1px solid black; padding: 5px;"> <p>class BuyerReconciliationOfRequestForPayment - maintenance view</p> <pre> classDiagram class BuyerReconciliationOfRequestForPayment { + reconciliationStatusCode: ReconciliationStatusEnumeration + amountAccepted: Amount + originalAmount: Amount + transactionDateTimeStamp: dateTime [0..1] } </pre> <p style="text-align: center;"><i>maintenance</i></p> <p>Change: (Verified) 3.2 changed generalisation from Document to eComDocument class to include AVP (WR 14-110)</p> </div>	<p>14-000110</p> <p>Add Attribute Value Pair at the root, line item and sub line item levels</p>

Change	Associated WR
<p>class ReconciliationErrorReferenceLineItem - maintenance view</p> <pre> classDiagram class ReconciliationErrorReferenceLineItem { + lineItemNumber: positiveInteger + lineItemErrorDescription: Description80 + parentLineItemNumber: positiveInteger [0..1] <<association>> + avpList: Ecom_AttributeValuePairList [0..1] } </pre> <p style="text-align: center;"><i>maintenance</i></p> <p>Change: (Verified) 3.2 added +avpList (WR 14-110) Change: (Verified) 3.2 added +parentLineItemNumber (WR 14-021 & 14-044)</p>	<p>14-00021 & 14-00044</p> <p>Add a reference to parent line number to all LineItem classes, to support hierarchical items.</p> <p>14-000110</p> <p>Add Attribute Value Pair at the root, line item and sub line item levels</p>

7.4 BMS Release 3.3

Change	Associated WR
<p>Created Ecom_EntityIdentification class and changed association from the previous EntityIdentification</p> <pre> classDiagram class BuyerReconciliationOfRequestForPayment { + reconciliationStatusCode :ReconciliationStatusEnumeration + amountAccepted :Amount + originalAmount :Amount + transactionDateTimeStamp :dateTime [0..1] } class Ecom_EntityIdentification { } BuyerReconciliationOfRequestForPayment "1..1" --> "1" Ecom_EntityIdentification : +buyerReconciliationOfRequestForPaymentIdentification </pre> <p style="text-align: center;"><i>maintenance</i></p> <p>Change: (New) 3.3 New class (WR 15-314)</p>	<p>15-000314</p> <p>Make GS1 identification keys optional in GS1 EDI XML</p>
<p>Created Ecom_PartyIdentification class and changed association from the previous PartyIdentification</p> <pre> classDiagram class BuyerReconciliationOfRequestForPayment { + reconciliationStatusCode :ReconciliationStatusEnumeration + amountAccepted :Amount + originalAmount :Amount + transactionDateTimeStamp :dateTime [0..1] } class Ecom_PartyIdentification { } BuyerReconciliationOfRequestForPayment "1..1" --> "1" Ecom_PartyIdentification : +seller BuyerReconciliationOfRequestForPayment "1..1" --> "1" Ecom_PartyIdentification : +buyer BuyerReconciliationOfRequestForPayment "1..1" --> "1" Ecom_PartyIdentification : +remittance </pre> <p style="text-align: center;"><i>maintenance</i></p> <p>Change: (Complete) 3.2 changed generalisation from Document to eComDocument class to include AVP (WR 14-110) Change: (New) 3.3 Changed associations from EntityIdentification to Ecom_EntityIdentification Change: (New) 3.3 changed associations from PartyIdentification to Ecom_PartyIdentification (WR 15-314)</p>	<p>15-000314</p> <p>Make GS1 identification keys optional in GS1 EDI XML</p>

Change	Associated WR
<p>Created Ecom_DocumentReference class and changed association from the previous DocumentReference</p> <pre> class BuyerReconciliationOfRequestForPayment - maintenance view <<UML>> classDiagram class BuyerReconciliationOfRequestForPayment { + reconciliationStatusCode : ReconciliationStatusEnumeration + amountAccepted : Amount + originalAmount : Amount + transactionDateTimeStamp : dateTime [0..1] } class Ecom_DocumentReference { + sellerBatchIdentification + requestForPayment } BuyerReconciliationOfRequestForPayment --> Ecom_DocumentReference : +sellerBatchIdentification 1..1 BuyerReconciliationOfRequestForPayment --> Ecom_DocumentReference : +requestForPayment 1..* </pre> <p>Change: (Complete) 3.2 changed generalisation from Document to eComDocument class to include AVP (WR 14-110) Change: (New) 3.3 Changed associations from EntityIdentification to Ecom_EntityIdentification Change: (New) 3.3 changed associations from PartyIdentification to Ecom_PartyIdentification (WR 15-314)</p>	<p>15-000314 Make GS1 identification keys optional in GS1 EDI XML</p>

7.5 BMS Release 3.4

No work requests. Indirect changes due to upgrade to new Shared and eCom Common libraries.

7.6 BMS Release 3.4.1

No work requests. Indirect changes due to upgrade to new Shared and eCom Common libraries.



8 Appendices

Not Applicable

9 Acknowledgements

9.1 Work Group

Function	Name	Company / organisation
Co-chair	Rossner (Pottier), Natascha	GS1 France
Co-chair	Schmidt, Tom Eric	August Storck KG
Member	Bemrose, Jonathan	R&R Ice Cream
Member	Bodemer, Petra	dm-drogerie markt GmbH + Co. KG
Member	Boikanyo, Rebone	GS1 South Africa / Consumer Goods Council of South Africa
Member	Canada, ON	M3B 3L1
Member	Carlson, Jim	General Mills, Inc.
Member	Chresta, Richard	GS1 Switzerland
Member	Cook, Don	Wal-Mart Stores, Inc.
Member	Cox, Marc	Philips Electronics N.V.
Member	Darnell, David	Systrends
Member	De Flou, Nele	GS1 Belgium & Luxembourg
Member	Dicks, Arne	GS1 Germany
Member	Duvinger, Karina	GS1 Sweden
Member	Foerderer, Klaus	GS1 Germany
Member	Gathmann, Stefan	GS1 Ireland
Member	Grangard, Anders	GS1 Global Office
Member	Harpell, Eileen	GS1 Community Room Staff
Member	Hand, Phil	JDA Software
Member	Herregodts, Kurt	GS1 Belgium & Luxembourg
Member	Kempkes, Fred	Unilever N.V.
Member	Kernan, Brendan	GS1 Ireland
Member	Kidd, Robin	Nestle
Member	Krid, Anne-Claire	GS1 France
Member	Lanoue, Tom	General Mills, Inc.
Member	Laur, Rita	GS1 Canada
Member	Lenman, Mia	GS1 Sweden
Member	Lerch, Hanjoerg	METRO Group
Member	Moberg, Dale	Axway
Member	Montes de Oca, Alejandra	GS1 Mexico
Member	Ng, Ella	GS1 Australia
Member	Peelen, Esther	GS1 Netherlands
Member	Pelekies, Andreas	GS1 Germany
Member	Perrier, Patricia	GS1 France
Member	Przybilla, Christian	GS1 Germany
Member	Pujol, Xavier	GS1 Spain
Member	Racek, Greg	Wal-Mart Stores, Inc.

Function	Name	Company / organisation
Member	Repetto, Mirko	GS1 Italy
Member	Robba, Steven	1WorldSync Holdings, Inc.
Member	Rosell, Pere	GS1 Spain
Member	Rosenberg, Steven	GS1 US
Member	Schmid, Sue	GS1 Australia
Member	Schneider, Christian	GS1 Switzerland
Member	Sehorz, Eugen	GS1 Austria
Member	Sharma, Vishal	General Mills, Inc.
Member	Shimazaki, Ayako	GS1 Japan
Member	Sion, Emilie	GS1 France
Member	Souza, Nadia	GS1 Brasil
Member	Strand, Roman	GS1 Germany
Member	Tan, Milton	GS1 Malaysia
Member	Tompsett, Simon	Waitrose
Member	Trelle, Ute	1WorldSync Holdings, Inc.
Member	Tse, Steve	GS1 Hong Kong
Member	Tyson, Betty	Knouse Foods Cooperative, Inc
Member	Van den Bergh, Senne	GS1 Belgium & Luxembourg
Member	Van der Eijk, Pim	OASIS - Sonnenglanz Consulting BV
Member	Veldhuis, Saskia	Procter & Gamble Co.
Member	Welch, Shan	GS1 UK
Member	Westerkamp, Jan	GS1 Netherlands
Member	Wilson, Mary	GS1 US
Member	Windsperger, Bekki	Best Buy Co., Inc.
Member	Yang, Shaopeng	GS1 China
Member	Yusdiar, Dani	GS1 Indonesia
Member	Zwanziger, Greg	SUPERVALU

9.2 Development Team Members

Function	Name	Organisation
GSMP Process Lead	Jean-Luc Champion	GS1 Global Office
Technical Development Lead	Ewa Iwicka	GS1 Global Office
Peer Review	Mark Van Eeghem	GS1 Global Office